

Scaled data based on original data using
LM-79-2019 Approved Method: Electrical and Photometric Measurements of Solid-
State Lighting Products

Test Report Prepared for
Cooper Lighting Solutions

Brand: HALO

Report Number: P979203

Luminaire Tested: L820S10MF940XXXXBLSHBXXXX

Issue Date: 4/1/2025

Test Information

Test Method: LM-79-2019
Report Number: P979203
TEST IS SCALED FROM IESNA LM-79-08 TEST DATA (LM79-2019)
Test Lab: INNOVATION CENTER
Issue Date: 4/1/2025
Manufacturer: COOPER LIGHTING SOLUTIONS
Product Line: HALO
Catalog Number: L820S10MF940XXXXBLSHBXXXX
Description: 2IN Sustainable LED Track Luminaire with medium flood optic
Light Source: -
Ballast/Driver: -


Summary

Lumens per Lamp: N/A
Luminaire Lumens: 1055.9 lumens
Efficiency: N/A
Efficacy: 120.0 lumens/watt
Spacing Criteria (0/90/45): 0.42 / 0.42 / 0.43
Luminous Opening: Circular (Dia: 0.22' x H: 0')
CIE Type: Direct

Input Watts (W): 8.8
Input Voltage (V):
Input Current (A_{in}): NR
Voltage Rise (V): NR
Power Factor: 0.9
Total Harmonic Distortion (THDi): 20
Frequency (hertz): 60
Stabilization Time: NR
Operation Time: NR
Ambient Temperature (°C): NR
Test Distance: 24 FT

TEST NUMBER: P979203
CATALOG NUMBER: L820S10MF940XXXXBLSHBXXXX

Luminous Intensity Polar Plot



— 0°-180° - - 45°-225° - - - 90°-270° - · - 135°-315°



TEST NUMBER: P979203
 CATALOG NUMBER: L820S10MF940XXXXBLSHBXXXX

COEFFICIENT OF UTILIZATION - ZONAL CAVITY METHOD:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----|----|----|----|----|----|----|----|-----|--|--|--|--|--|--|--|--|
| RF | 20 | | | | | 20 | | | | | 20 | | | | | 20 | | | | | 20 | | | | | | | | | | | | | | |
| RC | 80 | | | | | 70 | | | | | 50 | | | | | 30 | | | | | 10 | | | | | 0 | | | | | | | | | |
| RW | 70 | 50 | 30 | 10 | 70 | 50 | 30 | 10 | 50 | 30 | 10 | 50 | 30 | 10 | 50 | 30 | 10 | 50 | 30 | 10 | 50 | 30 | 10 | 50 | 30 | 10 | 0 | | | | | | | | |
| RCR | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0 | 119 | 119 | 119 | 119 | 116 | 116 | 116 | 116 | 111 | 111 | 111 | 106 | 106 | 106 | 102 | 102 | 102 | 100 | | | | | | | | | 100 | | | | | | | | |
| 1 | 115 | 112 | 110 | 108 | 112 | 110 | 108 | 107 | 106 | 105 | 103 | 102 | 101 | 100 | 99 | 98 | 97 | 96 | | | | | | | | | 96 | | | | | | | | |
| 2 | 110 | 106 | 103 | 101 | 108 | 105 | 102 | 99 | 102 | 99 | 97 | 99 | 97 | 95 | 96 | 94 | 93 | 92 | | | | | | | | | 92 | | | | | | | | |
| 3 | 106 | 101 | 97 | 94 | 105 | 100 | 96 | 94 | 98 | 95 | 92 | 95 | 93 | 91 | 93 | 91 | 89 | 88 | | | | | | | | | 88 | | | | | | | | |
| 4 | 103 | 97 | 93 | 89 | 101 | 96 | 92 | 89 | 94 | 90 | 88 | 92 | 89 | 87 | 90 | 88 | 86 | 85 | | | | | | | | | 85 | | | | | | | | |
| 5 | 99 | 93 | 88 | 85 | 98 | 92 | 88 | 85 | 90 | 87 | 84 | 89 | 86 | 83 | 87 | 85 | 83 | 81 | | | | | | | | | 81 | | | | | | | | |
| 6 | 96 | 89 | 85 | 81 | 95 | 88 | 84 | 81 | 87 | 83 | 81 | 86 | 83 | 80 | 85 | 82 | 80 | 78 | | | | | | | | | 78 | | | | | | | | |
| 7 | 93 | 86 | 81 | 78 | 92 | 85 | 81 | 78 | 84 | 80 | 77 | 83 | 80 | 77 | 82 | 79 | 77 | 76 | | | | | | | | | 76 | | | | | | | | |
| 8 | 90 | 83 | 78 | 75 | 89 | 82 | 78 | 75 | 81 | 77 | 75 | 80 | 77 | 74 | 80 | 76 | 74 | 73 | | | | | | | | | 73 | | | | | | | | |
| 9 | 87 | 80 | 76 | 73 | 86 | 80 | 75 | 72 | 79 | 75 | 72 | 78 | 74 | 72 | 77 | 74 | 72 | 71 | | | | | | | | | 71 | | | | | | | | |
| 10 | 85 | 77 | 73 | 70 | 84 | 77 | 73 | 70 | 76 | 72 | 70 | 76 | 72 | 70 | 75 | 72 | 69 | 68 | | | | | | | | | 68 | | | | | | | | |

AVERAGE LUMINANCE (cd/sqm):

| | 0° | 90° | 180° | 270° |
|-----|---------|---------|---------|---------|
| 0° | 1101628 | 1101628 | 1101628 | 1101628 |
| 5° | 965749 | 1019582 | 1007435 | 954879 |
| 10° | 674863 | 755076 | 743036 | 666918 |
| 15° | 392542 | 459553 | 447558 | 387217 |
| 20° | 216212 | 252108 | 244906 | 212064 |
| 25° | 139046 | 150994 | 148605 | 137403 |
| 30° | 90841 | 108440 | 105689 | 88496 |
| 35° | 22275 | 39526 | 36353 | 20821 |
| 40° | 3640 | 4241 | 3958 | 3640 |
| 45° | 2450 | 2642 | 2489 | 2565 |
| 50° | 2148 | 2316 | 2190 | 2232 |
| 55° | 2313 | 2360 | 2266 | 2454 |
| 60° | 2328 | 2382 | 2328 | 2382 |
| 65° | 2690 | 2690 | 2690 | 2883 |
| 70° | 2691 | 2770 | 2770 | 2849 |
| 75° | 2510 | 2615 | 2824 | 2720 |
| 80° | 3118 | 3430 | 3430 | 3430 |
| 85° | 311 | 621 | 621 | 311 |

MAXIMUM LUMINANCE 45°-90°:

Horizontal Angle: 90°
 Vertical Angle: 82.5°
 Luminance: 3733 cd/sqm



TEST NUMBER: P979203
 CATALOG NUMBER: L820S10MF940XXXXBLSHBXXXX

ZONAL LUMENS:

| Zone | Lumens | % Fixture |
|-----------|--------|-----------|
| 0°-10° | 312.3 | 29.6 |
| 10°-20° | 422.0 | 40.0 |
| 20°-30° | 231.7 | 21.9 |
| 30°-40° | 70.0 | 6.6 |
| 40°-50° | 5.5 | 0.5 |
| 50°-60° | 4.3 | 0.4 |
| 60°-70° | 4.0 | 0.4 |
| 70°-80° | 2.8 | 0.3 |
| 80°-90° | 0.8 | 0.1 |
| 90°-100° | 0.0 | 0.0 |
| 100°-110° | 0.0 | 0.0 |
| 110°-120° | 0.0 | 0.0 |
| 120°-130° | 0.0 | 0.0 |
| 130°-140° | 0.1 | 0.0 |
| 140°-150° | 0.3 | 0.0 |
| 150°-160° | 0.8 | 0.1 |
| 160°-170° | 0.9 | 0.1 |
| 170°-180° | 0.3 | 0.0 |
| 0°-30° | 965.9 | 91.5 |
| 0°-40° | 1036.0 | 98.1 |
| 0°-60° | 1045.8 | 99.0 |
| 0°-90° | 1053.4 | 99.8 |
| 90°-120° | 0.0 | 0.0 |
| 90°-150° | 0.4 | 0.0 |
| 90°-180° | 2.0 | 0.2 |
| 0°-180° | 1055.9 | 100.0 |

CANDELA DISTRIBUTION:

| | 0° | 90° | 180° | 270° | 360° | Flux |
|------|------|------|------|------|------|------|
| 0° | 4069 | 4069 | 4069 | 4069 | 4069 | |
| 5° | 3554 | 3752 | 3707 | 3514 | 3554 | 303 |
| 15° | 1401 | 1640 | 1597 | 1382 | 1401 | 395 |
| 25° | 466 | 506 | 498 | 460 | 466 | 221 |
| 35° | 67 | 120 | 110 | 63 | 67 | 60 |
| 45° | 6 | 7 | 6 | 7 | 6 | 5 |
| 55° | 5 | 5 | 5 | 5 | 5 | 4 |
| 65° | 4 | 4 | 4 | 4 | 4 | 4 |
| 75° | 2 | 2 | 3 | 3 | 2 | 3 |
| 85° | 0 | 0 | 0 | 0 | 0 | 1 |
| 90° | 0 | 0 | 0 | 0 | 0 | 0 |
| 95° | 0 | 0 | 0 | 0 | 0 | 0 |
| 105° | 0 | 0 | 0 | 0 | 0 | 0 |
| 115° | 0 | 0 | 0 | 0 | 0 | 0 |
| 125° | 0 | 0 | 0 | 0 | 0 | 0 |
| 135° | 0 | 0 | 0 | 0 | 0 | 0 |
| 145° | 1 | 0 | 0 | 0 | 1 | 0 |
| 155° | 2 | 2 | 2 | 2 | 2 | 1 |
| 165° | 3 | 3 | 3 | 3 | 3 | 1 |
| 175° | 4 | 4 | 4 | 3 | 4 | 0 |
| 180° | 3 | 3 | 3 | 3 | 3 | |



TEST NUMBER: P979203
 CATALOG NUMBER: L820S10MF940XXXXBLSHBXXXX

CANDELA DISTRIBUTION (FULL):

| | 0° | 2.5° | 5° | 7.5° | 10° | 12.5° | 15° | 17.5° | 20° | 22.5° | 25° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 |
| 2.5° | 3915.2 | 3916.8 | 3918.6 | 3920.7 | 3923.0 | 3925.5 | 3928.2 | 3931.0 | 3934.0 | 3937.2 | 3940.5 |
| 5° | 3553.8 | 3556.4 | 3559.5 | 3563.1 | 3567.2 | 3571.9 | 3577.1 | 3582.7 | 3588.9 | 3595.6 | 3602.7 |
| 7.5° | 3030.2 | 3033.6 | 3037.9 | 3043.0 | 3048.8 | 3055.5 | 3063.1 | 3071.4 | 3080.5 | 3090.4 | 3101.2 |
| 10° | 2455.0 | 2458.7 | 2463.3 | 2468.8 | 2475.1 | 2482.3 | 2490.3 | 2499.1 | 2508.7 | 2519.1 | 2530.2 |
| 12.5° | 1897.2 | 1899.9 | 1903.4 | 1907.8 | 1913.0 | 1919.2 | 1926.3 | 1934.3 | 1943.2 | 1953.0 | 1963.8 |
| 15° | 1400.6 | 1403.4 | 1407.0 | 1411.4 | 1416.5 | 1422.3 | 1428.9 | 1436.2 | 1444.2 | 1453.0 | 1462.5 |
| 17.5° | 1022.4 | 1024.7 | 1027.5 | 1030.9 | 1034.9 | 1039.5 | 1044.7 | 1050.4 | 1056.8 | 1063.7 | 1071.2 |
| 20° | 750.5 | 751.6 | 753.1 | 755.0 | 757.3 | 760.0 | 763.2 | 766.8 | 770.8 | 775.3 | 780.3 |
| 22.5° | 571.8 | 572.8 | 574.1 | 575.6 | 577.4 | 579.4 | 581.7 | 584.2 | 587.0 | 590.0 | 593.1 |
| 25° | 465.5 | 465.9 | 466.5 | 467.1 | 467.9 | 468.8 | 469.9 | 471.1 | 472.4 | 473.9 | 475.2 |
| 27.5° | 397.7 | 398.2 | 398.9 | 399.7 | 400.6 | 401.6 | 402.7 | 403.9 | 405.2 | 406.6 | 407.7 |
| 30° | 290.6 | 291.5 | 292.7 | 294.0 | 295.5 | 297.2 | 299.0 | 301.0 | 303.2 | 305.4 | 307.3 |
| 32.5° | 174.5 | 175.1 | 175.9 | 176.9 | 178.1 | 179.5 | 181.0 | 182.7 | 184.5 | 186.5 | 188.0 |
| 35° | 67.4 | 67.6 | 67.9 | 68.5 | 69.2 | 70.2 | 71.3 | 72.8 | 74.4 | 76.3 | 77.9 |
| 37.5° | 14.1 | 14.2 | 14.4 | 14.5 | 14.8 | 15.1 | 15.4 | 15.8 | 16.3 | 16.8 | 17.2 |
| 40° | 10.3 | 10.3 | 10.3 | 10.4 | 10.4 | 10.4 | 10.4 | 10.5 | 10.5 | 10.6 | 10.6 |
| 42.5° | 7.3 | 7.3 | 7.3 | 7.3 | 7.4 | 7.4 | 7.4 | 7.5 | 7.5 | 7.6 | 7.6 |
| 45° | 6.4 | 6.4 | 6.4 | 6.4 | 6.4 | 6.4 | 6.5 | 6.5 | 6.5 | 6.5 | 6.5 |
| 47.5° | 5.7 | 5.7 | 5.7 | 5.7 | 5.7 | 5.7 | 5.7 | 5.7 | 5.7 | 5.8 | 5.8 |
| 50° | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 |
| 52.5° | 5.0 | 5.0 | 5.0 | 5.0 | 5.0 | 5.0 | 5.0 | 5.0 | 4.9 | 4.9 | 4.9 |
| 55° | 4.9 | 4.9 | 4.9 | 4.9 | 4.9 | 4.9 | 4.9 | 4.9 | 4.8 | 4.8 | 4.8 |
| 57.5° | 4.5 | 4.5 | 4.5 | 4.5 | 4.5 | 4.5 | 4.5 | 4.5 | 4.5 | 4.5 | 4.5 |
| 60° | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.2 | 4.2 |
| 62.5° | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.1 | 4.1 |
| 65° | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 |
| 67.5° | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 |
| 70° | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.3 |
| 72.5° | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 |
| 75° | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 |
| 77.5° | 2.3 | 2.3 | 2.3 | 2.3 | 2.3 | 2.3 | 2.3 | 2.3 | 2.3 | 2.3 | 2.3 |
| 80° | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 |
| 82.5° | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.3 | 1.3 | 1.3 | 1.3 |
| 85° | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 87.5° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



TEST NUMBER: P979203
 CATALOG NUMBER: L820S10MF940XXXXBLSHBXXXX

CANDELA DISTRIBUTION (continued):

| | 0° | 2.5° | 5° | 7.5° | 10° | 12.5° | 15° | 17.5° | 20° | 22.5° | 25° |
|--------|-----|------|-----|------|-----|-------|-----|-------|-----|-------|-----|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 135° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 137.5° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 140° | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 142.5° | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 145° | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 147.5° | 0.9 | 0.9 | 0.8 | 0.8 | 0.8 | 0.8 | 0.8 | 0.8 | 0.8 | 0.8 | 0.8 |
| 150° | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.1 | 1.1 | 1.1 | 1.1 |
| 152.5° | 1.6 | 1.6 | 1.6 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 |
| 155° | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 |
| 157.5° | 2.3 | 2.3 | 2.3 | 2.3 | 2.3 | 2.3 | 2.3 | 2.3 | 2.3 | 2.3 | 2.3 |
| 160° | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 |
| 162.5° | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 |
| 165° | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| 167.5° | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 |
| 170° | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.6 | 3.6 | 3.6 | 3.6 |
| 172.5° | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.7 | 3.7 | 3.7 | 3.7 |
| 175° | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.7 | 3.7 | 3.7 | 3.7 |
| 177.5° | 3.5 | 3.5 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.7 | 3.7 | 3.7 |
| 180° | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 |



TEST NUMBER: P979203
 CATALOG NUMBER: L820S10MF940XXXXBLSHBXXXX

CANDELA DISTRIBUTION (continued):

| | 27.5° | 30° | 32.5° | 35° | 37.5° | 40° | 42.5° | 45° | 47.5° | 50° | 52.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 |
| 2.5° | 3943.9 | 3947.4 | 3951.1 | 3954.8 | 3958.6 | 3962.5 | 3966.4 | 3970.3 | 3977.1 | 3975.0 | 3974.3 |
| 5° | 3610.4 | 3618.5 | 3627.1 | 3632.5 | 3636.0 | 3655.8 | 3652.0 | 3649.1 | 3654.9 | 3661.2 | 3668.0 |
| 7.5° | 3112.7 | 3124.3 | 3129.5 | 3135.5 | 3142.1 | 3160.9 | 3157.3 | 3164.9 | 3173.4 | 3182.8 | 3193.0 |
| 10° | 2542.1 | 2548.2 | 2553.9 | 2560.4 | 2585.3 | 2580.6 | 2584.9 | 2595.0 | 2605.6 | 2616.6 | 2628.1 |
| 12.5° | 1973.6 | 1979.2 | 1985.5 | 1992.3 | 2013.3 | 2008.5 | 2017.0 | 2026.9 | 2037.5 | 2048.6 | 2060.3 |
| 15° | 1469.1 | 1473.8 | 1479.2 | 1485.2 | 1500.8 | 1499.1 | 1507.2 | 1515.9 | 1525.2 | 1535.0 | 1543.1 |
| 17.5° | 1075.3 | 1078.9 | 1082.9 | 1100.9 | 1097.8 | 1097.7 | 1104.2 | 1111.3 | 1119.0 | 1127.4 | 1132.5 |
| 20° | 782.8 | 785.3 | 788.3 | 800.3 | 798.1 | 798.9 | 803.5 | 808.4 | 813.4 | 818.5 | 821.2 |
| 22.5° | 594.2 | 595.6 | 597.1 | 604.0 | 602.5 | 603.2 | 605.9 | 608.9 | 611.9 | 614.6 | 622.1 |
| 25° | 475.8 | 476.6 | 477.5 | 481.3 | 480.5 | 481.3 | 483.0 | 484.7 | 486.5 | 487.7 | 491.5 |
| 27.5° | 408.1 | 408.6 | 409.2 | 412.1 | 411.3 | 411.7 | 412.7 | 413.8 | 415.0 | 415.8 | 418.6 |
| 30° | 308.3 | 309.4 | 310.8 | 315.4 | 314.6 | 316.1 | 318.6 | 321.2 | 324.0 | 325.4 | 330.5 |
| 32.5° | 188.9 | 189.9 | 191.1 | 195.8 | 194.8 | 196.7 | 199.6 | 202.7 | 205.9 | 207.9 | 213.9 |
| 35° | 79.1 | 80.3 | 81.8 | 86.5 | 85.4 | 86.6 | 88.4 | 90.2 | 92.2 | 93.5 | 97.6 |
| 37.5° | 17.5 | 17.8 | 18.1 | 19.1 | 18.7 | 19.0 | 19.4 | 19.8 | 20.2 | 20.5 | 21.2 |
| 40° | 10.7 | 10.7 | 10.7 | 10.9 | 10.8 | 10.9 | 10.9 | 11.0 | 11.1 | 11.1 | 11.2 |
| 42.5° | 7.6 | 7.7 | 7.7 | 7.8 | 7.8 | 7.9 | 8.0 | 8.0 | 8.1 | 8.1 | 8.3 |
| 45° | 6.5 | 6.5 | 6.5 | 6.5 | 6.5 | 6.5 | 6.6 | 6.6 | 6.6 | 6.6 | 6.6 |
| 47.5° | 5.8 | 5.8 | 5.8 | 5.8 | 5.8 | 5.8 | 5.8 | 5.9 | 5.9 | 5.9 | 5.9 |
| 50° | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 | 5.2 | 5.2 |
| 52.5° | 4.9 | 4.9 | 4.9 | 4.9 | 4.9 | 4.9 | 4.9 | 4.9 | 4.9 | 4.9 | 4.9 |
| 55° | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.9 | 4.9 | 4.9 | 4.9 |
| 57.5° | 4.5 | 4.5 | 4.5 | 4.6 | 4.6 | 4.6 | 4.6 | 4.6 | 4.6 | 4.6 | 4.6 |
| 60° | 4.2 | 4.2 | 4.2 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 |
| 62.5° | 4.1 | 4.1 | 4.1 | 4.2 | 4.2 | 4.2 | 4.1 | 4.1 | 4.1 | 4.1 | 4.1 |
| 65° | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 |
| 67.5° | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 | 3.8 | 3.8 |
| 70° | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.4 |
| 72.5° | 2.8 | 2.8 | 2.8 | 2.8 | 2.8 | 2.8 | 2.8 | 2.8 | 2.9 | 2.9 | 2.9 |
| 75° | 2.4 | 2.4 | 2.4 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 |
| 77.5° | 2.3 | 2.3 | 2.3 | 2.3 | 2.3 | 2.3 | 2.3 | 2.3 | 2.3 | 2.3 | 2.3 |
| 80° | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.1 |
| 82.5° | 1.3 | 1.3 | 1.4 | 1.4 | 1.4 | 1.4 | 1.5 | 1.5 | 1.5 | 1.5 | 1.6 |
| 85° | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 87.5° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



TEST NUMBER: P979203
 CATALOG NUMBER: L820S10MF940XXXXBLSHBXXXX

CANDELA DISTRIBUTION (continued):

| | 27.5° | 30° | 32.5° | 35° | 37.5° | 40° | 42.5° | 45° | 47.5° | 50° | 52.5° |
|--------|-------|-----|-------|-----|-------|-----|-------|-----|-------|-----|-------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 137.5° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 140° | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 142.5° | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.3 | 0.3 | 0.3 |
| 145° | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 |
| 147.5° | 0.8 | 0.8 | 0.8 | 0.8 | 0.8 | 0.8 | 0.8 | 0.8 | 0.8 | 0.8 | 0.8 |
| 150° | 1.1 | 1.1 | 1.1 | 1.1 | 1.1 | 1.1 | 1.1 | 1.1 | 1.1 | 1.1 | 1.1 |
| 152.5° | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.4 | 1.4 | 1.4 |
| 155° | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 |
| 157.5° | 2.3 | 2.3 | 2.3 | 2.3 | 2.3 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 |
| 160° | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 | 2.6 |
| 162.5° | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 |
| 165° | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.2 |
| 167.5° | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 |
| 170° | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 |
| 172.5° | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 | 3.6 | 3.7 | 3.7 | 3.6 | 3.6 |
| 175° | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 |
| 177.5° | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 |
| 180° | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 |



TEST NUMBER: P979203
 CATALOG NUMBER: L820S10MF940XXXXBLSHBXXXX

CANDELA DISTRIBUTION (continued):

| | 55° | 57.5° | 60° | 62.5° | 65° | 67.5° | 70° | 72.5° | 75° | 77.5° | 80° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 |
| 2.5° | 3976.4 | 3978.7 | 3981.1 | 3983.7 | 3986.4 | 3989.3 | 4000.2 | 3998.0 | 3997.4 | 3998.5 | 3999.9 |
| 5° | 3675.2 | 3683.0 | 3691.2 | 3706.9 | 3707.5 | 3710.2 | 3712.4 | 3715.1 | 3718.4 | 3729.7 | 3726.6 |
| 7.5° | 3204.0 | 3235.5 | 3226.9 | 3228.4 | 3232.8 | 3237.7 | 3243.0 | 3266.0 | 3254.9 | 3262.9 | 3271.5 |
| 10° | 2639.9 | 2654.7 | 2654.6 | 2663.8 | 2673.3 | 2683.0 | 2692.9 | 2705.4 | 2710.7 | 2718.7 | 2727.0 |
| 12.5° | 2085.7 | 2074.0 | 2081.3 | 2089.3 | 2097.6 | 2106.5 | 2128.7 | 2125.5 | 2135.8 | 2146.4 | 2153.1 |
| 15° | 1558.5 | 1553.3 | 1559.9 | 1566.6 | 1573.4 | 1580.2 | 1591.6 | 1594.8 | 1603.2 | 1610.2 | 1615.8 |
| 17.5° | 1142.8 | 1140.7 | 1144.8 | 1149.4 | 1154.3 | 1173.3 | 1165.3 | 1171.2 | 1176.9 | 1180.0 | 1196.5 |
| 20° | 826.9 | 828.1 | 832.5 | 836.9 | 841.3 | 854.0 | 849.9 | 854.2 | 858.0 | 860.8 | 871.5 |
| 22.5° | 618.3 | 619.3 | 621.4 | 623.5 | 625.5 | 631.5 | 629.8 | 633.3 | 636.5 | 639.1 | 645.7 |
| 25° | 489.4 | 490.2 | 491.3 | 492.5 | 493.5 | 496.4 | 495.7 | 497.1 | 498.1 | 499.1 | 501.8 |
| 27.5° | 417.1 | 417.4 | 417.8 | 418.3 | 418.7 | 420.2 | 420.0 | 420.7 | 421.2 | 421.9 | 423.5 |
| 30° | 328.0 | 329.2 | 330.5 | 332.0 | 333.7 | 337.1 | 337.3 | 338.6 | 339.1 | 339.7 | 341.6 |
| 32.5° | 211.6 | 212.5 | 213.6 | 214.8 | 216.1 | 218.8 | 219.4 | 220.9 | 222.0 | 223.1 | 225.1 |
| 35° | 96.2 | 97.3 | 98.5 | 99.8 | 101.2 | 103.3 | 104.8 | 106.8 | 108.4 | 110.0 | 111.9 |
| 37.5° | 21.0 | 22.0 | 22.9 | 23.6 | 24.1 | 24.6 | 25.4 | 26.8 | 27.9 | 28.8 | 29.4 |
| 40° | 11.2 | 11.2 | 11.3 | 11.4 | 11.5 | 11.6 | 11.6 | 11.6 | 11.7 | 11.7 | 11.7 |
| 42.5° | 8.2 | 8.3 | 8.4 | 8.4 | 8.5 | 8.6 | 8.6 | 8.6 | 8.6 | 8.7 | 8.7 |
| 45° | 6.6 | 6.6 | 6.7 | 6.7 | 6.7 | 6.7 | 6.7 | 6.8 | 6.8 | 6.8 | 6.8 |
| 47.5° | 5.9 | 6.0 | 6.0 | 6.0 | 6.1 | 6.1 | 6.1 | 6.1 | 6.1 | 6.2 | 6.2 |
| 50° | 5.2 | 5.2 | 5.2 | 5.3 | 5.3 | 5.3 | 5.3 | 5.3 | 5.4 | 5.4 | 5.4 |
| 52.5° | 5.0 | 5.0 | 5.0 | 5.0 | 5.0 | 5.0 | 5.0 | 5.0 | 5.0 | 5.0 | 5.0 |
| 55° | 4.9 | 4.9 | 4.9 | 4.9 | 4.9 | 4.9 | 5.0 | 5.0 | 5.0 | 5.0 | 5.0 |
| 57.5° | 4.6 | 4.6 | 4.6 | 4.6 | 4.7 | 4.6 | 4.6 | 4.6 | 4.7 | 4.7 | 4.7 |
| 60° | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 |
| 62.5° | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 |
| 65° | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 |
| 67.5° | 3.8 | 3.8 | 3.8 | 3.8 | 3.9 | 3.9 | 3.9 | 3.9 | 3.9 | 3.9 | 3.9 |
| 70° | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 |
| 72.5° | 2.9 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.1 | 3.1 | 3.1 | 3.1 | 3.1 |
| 75° | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 |
| 77.5° | 2.3 | 2.3 | 2.3 | 2.3 | 2.3 | 2.3 | 2.3 | 2.4 | 2.4 | 2.4 | 2.4 |
| 80° | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 | 2.2 | 2.2 |
| 82.5° | 1.6 | 1.6 | 1.6 | 1.6 | 1.7 | 1.7 | 1.7 | 1.7 | 1.7 | 1.7 | 1.7 |
| 85° | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 |
| 87.5° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.1 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



TEST NUMBER: P979203
 CATALOG NUMBER: L820S10MF940XXXXBLSHBXXXX

CANDELA DISTRIBUTION (continued):

| | 55° | 57.5° | 60° | 62.5° | 65° | 67.5° | 70° | 72.5° | 75° | 77.5° | 80° |
|--------|-----|-------|-----|-------|-----|-------|-----|-------|-----|-------|-----|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 137.5° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 140° | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 142.5° | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 145° | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 |
| 147.5° | 0.8 | 0.8 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 |
| 150° | 1.1 | 1.1 | 1.1 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 |
| 152.5° | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 |
| 155° | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 |
| 157.5° | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 |
| 160° | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 |
| 162.5° | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 2.9 |
| 165° | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 |
| 167.5° | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 |
| 170° | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 |
| 172.5° | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 |
| 175° | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 |
| 177.5° | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 | 3.6 | 3.6 |
| 180° | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 |



TEST NUMBER: P979203
 CATALOG NUMBER: L820S10MF940XXXXBLSHBXXXX

CANDELA DISTRIBUTION (continued):

| | 82.5° | 85° | 87.5° | 90° | 92.5° | 95° | 97.5° | 100° | 102.5° | 105° | 107.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 |
| 2.5° | 4001.5 | 4003.3 | 4005.4 | 4009.7 | 4008.5 | 4009.3 | 4010.2 | 4011.1 | 4012.2 | 4015.5 | 4013.1 |
| 5° | 3730.4 | 3734.1 | 3737.6 | 3751.9 | 3743.9 | 3748.4 | 3751.0 | 3754.0 | 3768.4 | 3760.0 | 3762.3 |
| 7.5° | 3280.9 | 3290.9 | 3298.5 | 3300.0 | 3303.3 | 3307.2 | 3329.0 | 3316.6 | 3321.4 | 3326.1 | 3330.8 |
| 10° | 2732.1 | 2739.7 | 2741.6 | 2746.8 | 2752.1 | 2777.5 | 2763.0 | 2769.1 | 2774.7 | 2779.5 | 2794.0 |
| 12.5° | 2172.2 | 2163.6 | 2168.1 | 2172.9 | 2178.0 | 2189.4 | 2189.0 | 2195.0 | 2200.4 | 2225.5 | 2208.8 |
| 15° | 1625.2 | 1627.4 | 1633.6 | 1639.7 | 1664.5 | 1650.6 | 1654.3 | 1657.5 | 1660.0 | 1671.5 | 1665.6 |
| 17.5° | 1186.1 | 1190.7 | 1195.1 | 1199.3 | 1212.8 | 1207.0 | 1210.1 | 1212.8 | 1215.4 | 1220.7 | 1221.0 |
| 20° | 866.5 | 869.6 | 872.5 | 875.1 | 881.6 | 879.8 | 882.2 | 884.5 | 886.4 | 888.1 | 890.9 |
| 22.5° | 643.1 | 644.7 | 646.3 | 647.9 | 651.0 | 651.4 | 653.2 | 654.8 | 662.2 | 657.0 | 658.8 |
| 25° | 501.5 | 503.2 | 504.5 | 505.5 | 506.5 | 506.9 | 508.0 | 508.9 | 512.6 | 510.3 | 511.3 |
| 27.5° | 423.4 | 424.1 | 424.7 | 425.1 | 425.5 | 426.0 | 426.3 | 426.6 | 428.4 | 427.3 | 427.7 |
| 30° | 341.0 | 341.6 | 342.2 | 346.9 | 343.8 | 344.5 | 345.0 | 345.6 | 348.5 | 346.9 | 347.3 |
| 32.5° | 225.7 | 227.0 | 228.2 | 233.2 | 230.1 | 230.8 | 231.5 | 232.1 | 234.6 | 233.5 | 234.4 |
| 35° | 112.9 | 114.2 | 115.3 | 119.6 | 117.5 | 118.8 | 119.9 | 121.0 | 123.4 | 122.7 | 123.3 |
| 37.5° | 29.8 | 30.2 | 30.5 | 32.0 | 31.1 | 32.3 | 33.3 | 34.1 | 35.2 | 35.4 | 36.1 |
| 40° | 11.8 | 11.8 | 11.9 | 12.0 | 12.0 | 12.0 | 12.0 | 12.1 | 12.1 | 12.1 | 12.1 |
| 42.5° | 8.7 | 8.7 | 8.8 | 8.9 | 8.8 | 8.9 | 9.0 | 9.0 | 9.1 | 9.0 | 9.0 |
| 45° | 6.8 | 6.9 | 6.9 | 6.9 | 6.9 | 6.9 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 |
| 47.5° | 6.2 | 6.2 | 6.3 | 6.3 | 6.3 | 6.3 | 6.3 | 6.3 | 6.3 | 6.3 | 6.4 |
| 50° | 5.4 | 5.5 | 5.5 | 5.5 | 5.5 | 5.5 | 5.5 | 5.5 | 5.5 | 5.6 | 5.6 |
| 52.5° | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 |
| 55° | 5.0 | 5.0 | 5.0 | 5.0 | 5.0 | 5.0 | 4.9 | 4.9 | 4.9 | 5.0 | 5.0 |
| 57.5° | 4.7 | 4.7 | 4.7 | 4.7 | 4.7 | 4.7 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 |
| 60° | 4.3 | 4.3 | 4.3 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 |
| 62.5° | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 |
| 65° | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 |
| 67.5° | 4.0 | 4.0 | 4.0 | 4.0 | 4.0 | 4.0 | 4.0 | 4.1 | 4.0 | 4.1 | 4.1 |
| 70° | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 |
| 72.5° | 3.1 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.3 | 3.3 | 3.3 | 3.3 |
| 75° | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.6 |
| 77.5° | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 |
| 80° | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 |
| 82.5° | 1.7 | 1.7 | 1.7 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 |
| 85° | 0.3 | 0.3 | 0.3 | 0.2 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.4 | 0.4 |
| 87.5° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



TEST NUMBER: P979203
 CATALOG NUMBER: L820S10MF940XXXXBLSHBXXXX

CANDELA DISTRIBUTION (continued):

| | 82.5° | 85° | 87.5° | 90° | 92.5° | 95° | 97.5° | 100° | 102.5° | 105° | 107.5° |
|--------|-------|-----|-------|-----|-------|-----|-------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 137.5° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 140° | 0.2 | 0.2 | 0.1 | 0.1 | 0.2 | 0.2 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 |
| 142.5° | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 145° | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 147.5° | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 |
| 150° | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 0.9 | 1.0 | 1.0 | 0.9 | 0.9 |
| 152.5° | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 |
| 155° | 1.7 | 1.7 | 1.7 | 1.7 | 1.7 | 1.7 | 1.7 | 1.7 | 1.7 | 1.7 | 1.7 |
| 157.5° | 2.2 | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 |
| 160° | 2.6 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 |
| 162.5° | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 |
| 165° | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 |
| 167.5° | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 |
| 170° | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.5 | 3.5 | 3.5 |
| 172.5° | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 |
| 175° | 3.7 | 3.7 | 3.7 | 3.7 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 |
| 177.5° | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 |
| 180° | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 |



TEST NUMBER: P979203
 CATALOG NUMBER: L820S10MF940XXXXBLSHBXXXX

CANDELA DISTRIBUTION (continued):

| | 110° | 112.5° | 115° | 117.5° | 120° | 122.5° | 125° | 127.5° | 130° | 132.5° | 135° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 |
| 2.5° | 4012.1 | 4011.4 | 4011.2 | 4014.4 | 4012.1 | 4010.5 | 4008.8 | 4007.1 | 4005.3 | 4003.5 | 4002.6 |
| 5° | 3765.1 | 3768.5 | 3778.8 | 3774.1 | 3774.6 | 3772.2 | 3770.2 | 3768.6 | 3767.3 | 3766.5 | 3766.0 |
| 7.5° | 3343.9 | 3336.7 | 3337.9 | 3339.2 | 3340.5 | 3343.0 | 3342.7 | 3343.2 | 3343.2 | 3362.0 | 3342.9 |
| 10° | 2786.4 | 2788.9 | 2791.1 | 2793.0 | 2797.0 | 2796.1 | 2796.9 | 2798.3 | 2799.6 | 2802.5 | 2797.9 |
| 12.5° | 2212.8 | 2216.1 | 2218.8 | 2233.4 | 2222.0 | 2223.1 | 2225.2 | 2226.5 | 2239.6 | 2226.1 | 2225.6 |
| 15° | 1669.6 | 1672.7 | 1675.0 | 1680.1 | 1678.6 | 1681.8 | 1685.0 | 1687.1 | 1693.6 | 1686.9 | 1684.7 |
| 17.5° | 1223.6 | 1225.4 | 1240.3 | 1226.6 | 1227.2 | 1229.3 | 1230.9 | 1246.6 | 1232.9 | 1233.0 | 1232.9 |
| 20° | 893.2 | 894.9 | 904.2 | 896.7 | 897.8 | 899.1 | 899.8 | 908.4 | 899.1 | 898.2 | 896.7 |
| 22.5° | 660.4 | 661.7 | 667.5 | 663.6 | 664.3 | 665.0 | 665.5 | 670.7 | 665.8 | 665.5 | 664.8 |
| 25° | 511.8 | 511.9 | 513.4 | 511.2 | 512.2 | 513.0 | 513.4 | 515.8 | 513.6 | 513.6 | 513.1 |
| 27.5° | 427.8 | 427.8 | 428.4 | 427.8 | 428.4 | 429.0 | 429.4 | 430.8 | 429.8 | 429.8 | 429.6 |
| 30° | 347.8 | 348.2 | 349.7 | 348.7 | 348.6 | 348.5 | 348.3 | 349.8 | 348.1 | 348.0 | 347.8 |
| 32.5° | 235.3 | 236.0 | 237.5 | 237.1 | 237.2 | 237.3 | 237.3 | 238.7 | 236.9 | 236.7 | 236.4 |
| 35° | 123.6 | 123.8 | 124.1 | 124.1 | 124.5 | 124.7 | 124.7 | 125.7 | 124.5 | 124.4 | 124.1 |
| 37.5° | 36.4 | 36.5 | 36.4 | 37.1 | 37.8 | 38.2 | 38.3 | 38.6 | 37.9 | 37.7 | 37.2 |
| 40° | 12.1 | 12.1 | 12.1 | 12.1 | 12.1 | 12.1 | 12.1 | 12.1 | 12.1 | 12.0 | 12.0 |
| 42.5° | 9.1 | 9.2 | 9.1 | 9.1 | 9.1 | 9.1 | 9.1 | 9.1 | 9.0 | 9.0 | 9.0 |
| 45° | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 6.9 | 6.9 | 6.9 |
| 47.5° | 6.4 | 6.4 | 6.4 | 6.4 | 6.3 | 6.3 | 6.3 | 6.3 | 6.3 | 6.3 | 6.2 |
| 50° | 5.6 | 5.6 | 5.6 | 5.6 | 5.6 | 5.6 | 5.6 | 5.5 | 5.5 | 5.5 | 5.5 |
| 52.5° | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 | 5.0 | 5.0 | 5.0 | 5.0 | 5.0 |
| 55° | 5.0 | 5.0 | 5.0 | 5.0 | 5.0 | 5.0 | 5.0 | 5.0 | 5.0 | 5.0 | 5.0 |
| 57.5° | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 |
| 60° | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 |
| 62.5° | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 |
| 65° | 4.2 | 4.3 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 |
| 67.5° | 4.1 | 4.1 | 4.1 | 4.1 | 4.1 | 4.1 | 4.1 | 4.1 | 4.1 | 4.0 | 4.0 |
| 70° | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 |
| 72.5° | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| 75° | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 |
| 77.5° | 2.4 | 2.5 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 |
| 80° | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 |
| 82.5° | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 |
| 85° | 0.4 | 0.3 | 0.3 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 87.5° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 90° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



TEST NUMBER: P979203
 CATALOG NUMBER: L820S10MF940XXXXBLSHBXXXX

CANDELA DISTRIBUTION (continued):

| | 110° | 112.5° | 115° | 117.5° | 120° | 122.5° | 125° | 127.5° | 130° | 132.5° | 135° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 137.5° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 140° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 142.5° | 0.3 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 145° | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 147.5° | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 150° | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 |
| 152.5° | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 |
| 155° | 1.7 | 1.7 | 1.7 | 1.7 | 1.7 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 |
| 157.5° | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 |
| 160° | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 |
| 162.5° | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 |
| 165° | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 |
| 167.5° | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 |
| 170° | 3.5 | 3.5 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.5 | 3.5 | 3.5 | 3.5 |
| 172.5° | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.5 | 3.5 | 3.5 | 3.5 |
| 175° | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 |
| 177.5° | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 |
| 180° | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 |



TEST NUMBER: P979203
 CATALOG NUMBER: L820S10MF940XXXXBLSHBXXXX

CANDELA DISTRIBUTION (continued):

| | 137.5° | 140° | 142.5° | 145° | 147.5° | 150° | 152.5° | 155° | 157.5° | 160° | 162.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 |
| 2.5° | 4001.9 | 4001.2 | 4000.6 | 4000.1 | 3996.8 | 3994.1 | 3991.9 | 3990.3 | 3988.4 | 3984.5 | 3980.9 |
| 5° | 3776.3 | 3765.0 | 3763.8 | 3761.9 | 3759.1 | 3766.3 | 3751.8 | 3744.7 | 3741.4 | 3739.3 | 3737.1 |
| 7.5° | 3339.8 | 3336.9 | 3334.0 | 3331.2 | 3339.3 | 3324.6 | 3318.9 | 3313.0 | 3306.8 | 3300.2 | 3293.1 |
| 10° | 2794.7 | 2790.7 | 2785.9 | 2796.2 | 2778.4 | 2776.6 | 2774.4 | 2770.9 | 2766.0 | 2759.7 | 2752.0 |
| 12.5° | 2224.6 | 2223.1 | 2221.0 | 2233.0 | 2220.1 | 2216.3 | 2211.6 | 2205.9 | 2199.1 | 2191.3 | 2184.1 |
| 15° | 1682.1 | 1678.9 | 1676.4 | 1681.0 | 1673.1 | 1670.2 | 1666.3 | 1661.5 | 1655.6 | 1648.6 | 1644.0 |
| 17.5° | 1231.8 | 1229.6 | 1242.8 | 1230.9 | 1226.7 | 1224.2 | 1221.0 | 1216.9 | 1212.0 | 1206.4 | 1203.8 |
| 20° | 894.7 | 892.1 | 900.4 | 892.1 | 890.6 | 889.3 | 887.2 | 884.4 | 881.0 | 876.9 | 875.4 |
| 22.5° | 663.6 | 662.3 | 666.9 | 661.3 | 661.0 | 660.4 | 659.4 | 657.9 | 656.1 | 654.1 | 653.5 |
| 25° | 512.1 | 511.4 | 513.7 | 511.0 | 511.2 | 511.0 | 510.4 | 509.4 | 508.1 | 506.7 | 506.4 |
| 27.5° | 429.3 | 429.2 | 430.8 | 429.4 | 429.4 | 429.1 | 428.6 | 427.9 | 427.1 | 426.3 | 426.0 |
| 30° | 347.5 | 347.6 | 350.2 | 347.8 | 347.5 | 347.0 | 346.4 | 345.7 | 344.8 | 344.2 | 344.2 |
| 32.5° | 235.9 | 236.2 | 238.8 | 236.3 | 235.9 | 235.3 | 234.5 | 233.6 | 232.4 | 231.5 | 231.2 |
| 35° | 123.6 | 123.9 | 126.1 | 123.8 | 123.3 | 122.7 | 121.8 | 120.7 | 119.5 | 118.6 | 118.2 |
| 37.5° | 36.6 | 36.7 | 37.6 | 36.4 | 36.2 | 35.8 | 35.2 | 34.4 | 33.4 | 32.8 | 32.6 |
| 40° | 11.9 | 11.9 | 11.9 | 11.8 | 11.8 | 11.7 | 11.6 | 11.6 | 11.5 | 11.4 | 11.4 |
| 42.5° | 8.9 | 8.9 | 8.9 | 8.9 | 8.8 | 8.8 | 8.7 | 8.7 | 8.6 | 8.6 | 8.6 |
| 45° | 6.9 | 6.8 | 6.8 | 6.8 | 6.8 | 6.7 | 6.7 | 6.7 | 6.6 | 6.6 | 6.6 |
| 47.5° | 6.2 | 6.2 | 6.2 | 6.2 | 6.1 | 6.1 | 6.1 | 6.1 | 6.0 | 6.0 | 6.0 |
| 50° | 5.4 | 5.4 | 5.4 | 5.4 | 5.4 | 5.4 | 5.3 | 5.3 | 5.3 | 5.3 | 5.3 |
| 52.5° | 4.9 | 4.9 | 4.9 | 4.9 | 4.9 | 4.9 | 4.9 | 4.9 | 4.8 | 4.8 | 4.8 |
| 55° | 5.0 | 5.0 | 4.9 | 4.9 | 4.9 | 4.9 | 4.9 | 4.9 | 4.9 | 4.9 | 4.9 |
| 57.5° | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 |
| 60° | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 |
| 62.5° | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.1 | 4.1 | 4.1 | 4.1 |
| 65° | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 |
| 67.5° | 4.0 | 4.1 | 4.0 | 4.0 | 4.0 | 4.0 | 4.0 | 4.0 | 4.0 | 4.0 | 4.0 |
| 70° | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.4 | 3.4 | 3.4 | 3.5 |
| 72.5° | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| 75° | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 |
| 77.5° | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 |
| 80° | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 |
| 82.5° | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 |
| 85° | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 87.5° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 90° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



TEST NUMBER: P979203
 CATALOG NUMBER: L820S10MF940XXXXBLSHBXXXX

CANDELA DISTRIBUTION (continued):

| | 137.5° | 140° | 142.5° | 145° | 147.5° | 150° | 152.5° | 155° | 157.5° | 160° | 162.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.1 | 0.0 | 0.0 | 0.0 | 0.1 | 0.1 | 0.1 | 0.0 | 0.0 | 0.1 | 0.1 |
| 137.5° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 140° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 142.5° | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 145° | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 147.5° | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 150° | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 |
| 152.5° | 1.3 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 |
| 155° | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 |
| 157.5° | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 |
| 160° | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 |
| 162.5° | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 |
| 165° | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 |
| 167.5° | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 |
| 170° | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 |
| 172.5° | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 |
| 175° | 3.6 | 3.6 | 3.6 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 |
| 177.5° | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.5 | 3.5 |
| 180° | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 |



TEST NUMBER: P979203
 CATALOG NUMBER: L820S10MF940XXXXBLSHBXXXX

CANDELA DISTRIBUTION (continued):

| | 165° | 167.5° | 170° | 172.5° | 175° | 177.5° | 180° | 182.5° | 185° | 187.5° | 190° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 |
| 2.5° | 3977.4 | 3973.2 | 3972.5 | 3972.2 | 3972.2 | 3972.6 | 3973.4 | 3973.0 | 3973.2 | 3973.9 | 3975.2 |
| 5° | 3734.8 | 3732.0 | 3741.6 | 3733.1 | 3724.6 | 3715.9 | 3707.2 | 3704.6 | 3702.1 | 3699.5 | 3697.0 |
| 7.5° | 3285.7 | 3300.8 | 3290.0 | 3279.1 | 3268.2 | 3257.2 | 3246.2 | 3243.7 | 3241.3 | 3238.9 | 3236.5 |
| 10° | 2748.4 | 2763.4 | 2751.4 | 2739.3 | 2727.2 | 2715.1 | 2703.0 | 2699.7 | 2696.5 | 2693.3 | 2690.1 |
| 12.5° | 2180.8 | 2192.3 | 2180.9 | 2169.4 | 2158.0 | 2146.5 | 2135.0 | 2131.6 | 2128.2 | 2124.8 | 2121.4 |
| 15° | 1640.9 | 1650.4 | 1639.7 | 1629.1 | 1618.3 | 1607.6 | 1596.9 | 1594.5 | 1592.1 | 1589.7 | 1587.3 |
| 17.5° | 1216.1 | 1208.8 | 1201.5 | 1194.2 | 1186.9 | 1179.5 | 1172.2 | 1170.3 | 1168.3 | 1166.3 | 1164.4 |
| 20° | 883.7 | 878.1 | 872.5 | 866.9 | 861.3 | 855.7 | 850.1 | 848.8 | 847.5 | 846.2 | 844.9 |
| 22.5° | 660.0 | 656.2 | 652.4 | 648.7 | 644.9 | 641.1 | 637.4 | 636.6 | 635.9 | 635.1 | 634.4 |
| 25° | 509.6 | 507.6 | 505.6 | 503.6 | 501.6 | 499.6 | 497.5 | 497.2 | 496.8 | 496.4 | 496.1 |
| 27.5° | 427.7 | 426.7 | 425.7 | 424.8 | 423.8 | 422.8 | 421.8 | 421.7 | 421.6 | 421.5 | 421.4 |
| 30° | 347.9 | 346.3 | 344.6 | 343.0 | 341.4 | 339.7 | 338.1 | 337.9 | 337.7 | 337.6 | 337.4 |
| 32.5° | 234.9 | 232.9 | 230.9 | 228.9 | 226.9 | 224.9 | 222.9 | 222.8 | 222.6 | 222.5 | 222.4 |
| 35° | 121.3 | 119.5 | 117.6 | 115.7 | 113.8 | 111.9 | 110.0 | 109.6 | 109.2 | 108.9 | 108.5 |
| 37.5° | 34.0 | 32.9 | 31.8 | 30.7 | 29.6 | 28.5 | 27.4 | 27.2 | 27.0 | 26.8 | 26.6 |
| 40° | 11.5 | 11.4 | 11.4 | 11.3 | 11.3 | 11.2 | 11.2 | 11.1 | 11.1 | 11.1 | 11.1 |
| 42.5° | 8.6 | 8.6 | 8.5 | 8.4 | 8.4 | 8.3 | 8.2 | 8.2 | 8.2 | 8.2 | 8.2 |
| 45° | 6.6 | 6.6 | 6.6 | 6.6 | 6.6 | 6.5 | 6.5 | 6.5 | 6.5 | 6.5 | 6.5 |
| 47.5° | 6.0 | 6.0 | 6.0 | 5.9 | 5.9 | 5.9 | 5.9 | 5.9 | 5.8 | 5.8 | 5.8 |
| 50° | 5.3 | 5.3 | 5.2 | 5.2 | 5.2 | 5.2 | 5.2 | 5.2 | 5.1 | 5.1 | 5.1 |
| 52.5° | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.7 | 4.7 | 4.7 |
| 55° | 4.9 | 4.9 | 4.9 | 4.9 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 |
| 57.5° | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 |
| 60° | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 |
| 62.5° | 4.1 | 4.1 | 4.1 | 4.1 | 4.1 | 4.1 | 4.1 | 4.1 | 4.1 | 4.1 | 4.1 |
| 65° | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.3 |
| 67.5° | 4.1 | 4.1 | 4.1 | 4.1 | 4.0 | 4.0 | 4.0 | 4.0 | 4.0 | 4.0 | 4.0 |
| 70° | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 |
| 72.5° | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| 75° | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 |
| 77.5° | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 |
| 80° | 2.3 | 2.3 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 |
| 82.5° | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 |
| 85° | 0.3 | 0.3 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 87.5° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 90° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



TEST NUMBER: P979203
 CATALOG NUMBER: L820S10MF940XXXXBLSHBXXXX

CANDELA DISTRIBUTION (continued):

| | 165° | 167.5° | 170° | 172.5° | 175° | 177.5° | 180° | 182.5° | 185° | 187.5° | 190° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 137.5° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 140° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 |
| 142.5° | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 145° | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 147.5° | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 150° | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 |
| 152.5° | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 |
| 155° | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.7 | 1.7 | 1.7 | 1.7 | 1.7 |
| 157.5° | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 |
| 160° | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 |
| 162.5° | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 |
| 165° | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 |
| 167.5° | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 |
| 170° | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 |
| 172.5° | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 |
| 175° | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 |
| 177.5° | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 |
| 180° | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 |



TEST NUMBER: P979203
 CATALOG NUMBER: L820S10MF940XXXXBLSHBXXXX

CANDELA DISTRIBUTION (continued):

| | 192.5° | 195° | 197.5° | 200° | 202.5° | 205° | 207.5° | 210° | 212.5° | 215° | 217.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 |
| 2.5° | 3976.7 | 3973.2 | 3971.0 | 3968.8 | 3966.5 | 3966.8 | 3957.2 | 3952.9 | 3949.0 | 3945.6 | 3941.3 |
| 5° | 3680.6 | 3677.8 | 3673.9 | 3669.1 | 3663.6 | 3658.4 | 3656.8 | 3664.4 | 3636.3 | 3627.2 | 3618.1 |
| 7.5° | 3234.2 | 3205.6 | 3200.2 | 3194.1 | 3186.8 | 3178.6 | 3169.4 | 3159.2 | 3161.9 | 3140.7 | 3132.0 |
| 10° | 2686.9 | 2657.3 | 2646.3 | 2639.9 | 2632.0 | 2622.8 | 2612.2 | 2600.3 | 2588.1 | 2592.2 | 2569.5 |
| 12.5° | 2118.0 | 2091.0 | 2079.1 | 2071.9 | 2065.6 | 2058.2 | 2049.8 | 2040.2 | 2029.7 | 2029.0 | 2008.1 |
| 15° | 1584.9 | 1562.7 | 1553.1 | 1545.6 | 1541.1 | 1535.7 | 1529.2 | 1521.8 | 1513.5 | 1510.1 | 1497.1 |
| 17.5° | 1162.4 | 1160.4 | 1139.0 | 1132.4 | 1129.4 | 1125.6 | 1121.0 | 1115.7 | 1109.7 | 1105.3 | 1108.7 |
| 20° | 843.7 | 842.4 | 828.5 | 823.7 | 821.7 | 819.3 | 816.3 | 812.8 | 808.8 | 805.0 | 807.1 |
| 22.5° | 633.6 | 632.9 | 623.1 | 619.7 | 618.1 | 616.2 | 613.9 | 611.2 | 608.0 | 604.3 | 605.6 |
| 25° | 495.7 | 495.4 | 490.2 | 488.4 | 487.5 | 486.8 | 485.8 | 484.8 | 483.6 | 482.3 | 483.2 |
| 27.5° | 421.3 | 421.2 | 418.2 | 417.3 | 416.7 | 416.1 | 415.4 | 414.6 | 413.6 | 412.5 | 412.7 |
| 30° | 337.2 | 337.1 | 331.2 | 329.3 | 328.0 | 327.0 | 325.9 | 324.6 | 323.2 | 321.7 | 322.4 |
| 32.5° | 222.3 | 222.2 | 215.6 | 213.5 | 211.8 | 210.4 | 208.8 | 206.9 | 204.7 | 202.4 | 202.4 |
| 35° | 108.1 | 107.7 | 102.1 | 100.1 | 98.7 | 97.5 | 96.2 | 94.5 | 92.7 | 90.5 | 90.3 |
| 37.5° | 26.4 | 26.2 | 24.3 | 23.7 | 23.3 | 23.2 | 23.0 | 22.6 | 22.3 | 21.8 | 21.9 |
| 40° | 11.1 | 11.1 | 11.0 | 10.9 | 10.9 | 10.9 | 10.9 | 10.9 | 10.9 | 10.9 | 10.9 |
| 42.5° | 8.2 | 8.2 | 8.1 | 8.0 | 8.0 | 8.0 | 8.0 | 7.9 | 7.9 | 7.9 | 7.9 |
| 45° | 6.5 | 6.5 | 6.4 | 6.4 | 6.4 | 6.4 | 6.4 | 6.4 | 6.4 | 6.4 | 6.4 |
| 47.5° | 5.8 | 5.8 | 5.8 | 5.8 | 5.8 | 5.8 | 5.8 | 5.8 | 5.8 | 5.8 | 5.8 |
| 50° | 5.1 | 5.1 | 5.1 | 5.1 | 5.0 | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 |
| 52.5° | 4.7 | 4.7 | 4.7 | 4.7 | 4.7 | 4.7 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 |
| 55° | 4.8 | 4.8 | 4.7 | 4.7 | 4.7 | 4.7 | 4.7 | 4.7 | 4.7 | 4.7 | 4.7 |
| 57.5° | 4.7 | 4.7 | 4.7 | 4.7 | 4.7 | 4.7 | 4.7 | 4.7 | 4.7 | 4.7 | 4.7 |
| 60° | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 |
| 62.5° | 4.1 | 4.1 | 4.1 | 4.1 | 4.1 | 4.1 | 4.1 | 4.2 | 4.2 | 4.2 | 4.2 |
| 65° | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 |
| 67.5° | 4.0 | 4.0 | 4.0 | 4.0 | 4.0 | 4.0 | 4.0 | 4.0 | 4.0 | 3.9 | 3.9 |
| 70° | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 |
| 72.5° | 3.3 | 3.3 | 3.2 | 3.2 | 3.1 | 3.1 | 3.1 | 3.1 | 3.1 | 3.1 | 3.0 |
| 75° | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 |
| 77.5° | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.5 | 2.5 |
| 80° | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 |
| 82.5° | 1.7 | 1.7 | 1.7 | 1.7 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 |
| 85° | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 87.5° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 90° | 0.1 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



TEST NUMBER: P979203
 CATALOG NUMBER: L820S10MF940XXXXBLSHBXXXX

CANDELA DISTRIBUTION (continued):

| | 192.5° | 195° | 197.5° | 200° | 202.5° | 205° | 207.5° | 210° | 212.5° | 215° | 217.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 137.5° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 140° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 142.5° | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 145° | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 147.5° | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.7 | 0.7 | 0.7 | 0.7 |
| 150° | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 |
| 152.5° | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 |
| 155° | 1.7 | 1.7 | 1.7 | 1.7 | 1.7 | 1.7 | 1.7 | 1.7 | 1.7 | 1.7 | 1.7 |
| 157.5° | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 |
| 160° | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 |
| 162.5° | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 3.0 | 3.0 |
| 165° | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| 167.5° | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 |
| 170° | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 |
| 172.5° | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 |
| 175° | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.4 | 3.4 | 3.4 |
| 177.5° | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 |
| 180° | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 |



TEST NUMBER: P979203
 CATALOG NUMBER: L820S10MF940XXXXBLSHBXXXX

CANDELA DISTRIBUTION (continued):

| | 220° | 222.5° | 225° | 227.5° | 230° | 232.5° | 235° | 237.5° | 240° | 242.5° | 245° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 |
| 2.5° | 3937.6 | 3934.3 | 3931.5 | 3929.7 | 3925.2 | 3922.2 | 3919.7 | 3917.6 | 3916.1 | 3920.1 | 3907.3 |
| 5° | 3609.2 | 3617.2 | 3597.3 | 3591.0 | 3584.5 | 3578.4 | 3571.2 | 3564.5 | 3557.9 | 3553.4 | 3556.6 |
| 7.5° | 3122.9 | 3113.7 | 3104.2 | 3114.7 | 3080.8 | 3073.5 | 3065.9 | 3059.3 | 3054.4 | 3049.9 | 3044.8 |
| 10° | 2563.6 | 2557.0 | 2549.6 | 2543.9 | 2531.8 | 2521.0 | 2510.9 | 2504.5 | 2500.4 | 2492.1 | 2486.1 |
| 12.5° | 2002.9 | 1996.6 | 1989.3 | 1981.0 | 1984.5 | 1962.8 | 1952.7 | 1943.2 | 1938.6 | 1945.9 | 1926.8 |
| 15° | 1492.2 | 1488.3 | 1483.3 | 1477.4 | 1475.1 | 1462.5 | 1454.2 | 1445.4 | 1438.7 | 1437.5 | 1429.9 |
| 17.5° | 1090.1 | 1086.5 | 1082.2 | 1077.2 | 1072.3 | 1079.4 | 1059.0 | 1051.8 | 1044.0 | 1039.9 | 1049.4 |
| 20° | 794.8 | 792.2 | 789.2 | 785.9 | 782.2 | 785.9 | 774.7 | 770.4 | 765.7 | 762.3 | 766.8 |
| 22.5° | 598.4 | 596.7 | 595.4 | 593.7 | 591.7 | 593.5 | 587.6 | 585.2 | 582.6 | 580.0 | 581.8 |
| 25° | 479.5 | 478.3 | 477.5 | 476.5 | 475.3 | 476.1 | 473.0 | 471.6 | 470.0 | 468.4 | 469.0 |
| 27.5° | 409.8 | 408.8 | 408.3 | 407.7 | 407.1 | 407.6 | 404.9 | 403.6 | 402.2 | 400.8 | 400.8 |
| 30° | 318.0 | 316.0 | 314.4 | 312.7 | 311.0 | 311.0 | 306.8 | 304.4 | 301.9 | 299.4 | 298.4 |
| 32.5° | 198.2 | 196.1 | 195.0 | 193.7 | 192.2 | 192.0 | 188.1 | 185.8 | 183.3 | 180.6 | 179.1 |
| 35° | 86.4 | 84.1 | 83.0 | 81.7 | 80.1 | 79.6 | 77.8 | 76.8 | 75.5 | 74.1 | 73.1 |
| 37.5° | 20.6 | 19.9 | 19.4 | 18.7 | 17.9 | 17.3 | 16.9 | 16.6 | 16.2 | 15.7 | 15.3 |
| 40° | 10.9 | 10.8 | 10.8 | 10.8 | 10.8 | 10.8 | 10.7 | 10.6 | 10.5 | 10.5 | 10.4 |
| 42.5° | 7.9 | 7.9 | 7.9 | 7.9 | 7.8 | 7.8 | 7.8 | 7.7 | 7.7 | 7.6 | 7.5 |
| 45° | 6.4 | 6.4 | 6.5 | 6.5 | 6.5 | 6.5 | 6.5 | 6.5 | 6.5 | 6.5 | 6.5 |
| 47.5° | 5.8 | 5.8 | 5.8 | 5.8 | 5.8 | 5.8 | 5.8 | 5.8 | 5.8 | 5.8 | 5.8 |
| 50° | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 | 5.2 | 5.2 | 5.2 |
| 52.5° | 4.8 | 4.8 | 4.9 | 4.9 | 4.9 | 4.9 | 4.9 | 4.9 | 5.0 | 5.0 | 5.0 |
| 55° | 4.8 | 4.8 | 4.8 | 4.8 | 4.9 | 4.9 | 4.9 | 5.0 | 5.0 | 5.0 | 5.0 |
| 57.5° | 4.7 | 4.7 | 4.7 | 4.7 | 4.7 | 4.7 | 4.7 | 4.7 | 4.7 | 4.7 | 4.7 |
| 60° | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 |
| 62.5° | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.3 | 4.3 | 4.3 | 4.3 |
| 65° | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 |
| 67.5° | 3.9 | 3.9 | 3.9 | 3.9 | 3.9 | 3.9 | 3.9 | 3.9 | 3.9 | 3.9 | 3.9 |
| 70° | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.6 | 3.6 |
| 72.5° | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 2.9 | 2.9 | 2.9 | 2.9 |
| 75° | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 | 2.6 | 2.6 | 2.6 |
| 77.5° | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 |
| 80° | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 |
| 82.5° | 1.6 | 1.5 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.3 | 1.3 | 1.3 | 1.3 |
| 85° | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 87.5° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



TEST NUMBER: P979203
 CATALOG NUMBER: L820S10MF940XXXXBLSHBXXXX

CANDELA DISTRIBUTION (continued):

| | 220° | 222.5° | 225° | 227.5° | 230° | 232.5° | 235° | 237.5° | 240° | 242.5° | 245° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 137.5° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 140° | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 142.5° | 0.2 | 0.2 | 0.2 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 145° | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 |
| 147.5° | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 |
| 150° | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 |
| 152.5° | 1.3 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 |
| 155° | 1.7 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 |
| 157.5° | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.2 | 2.3 |
| 160° | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 |
| 162.5° | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 |
| 165° | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| 167.5° | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 |
| 170° | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 |
| 172.5° | 3.5 | 3.5 | 3.5 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 |
| 175° | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 |
| 177.5° | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 |
| 180° | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 |



TEST NUMBER: P979203
 CATALOG NUMBER: L820S10MF940XXXXBLSHBXXXX

CANDELA DISTRIBUTION (continued):

| | 247.5° | 250° | 252.5° | 255° | 257.5° | 260° | 262.5° | 265° | 267.5° | 270° | 272.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 |
| 2.5° | 3903.6 | 3900.3 | 3897.4 | 3898.6 | 3892.1 | 3889.8 | 3887.7 | 3885.9 | 3884.3 | 3886.0 | 3877.6 |
| 5° | 3542.9 | 3537.2 | 3531.6 | 3526.1 | 3534.5 | 3514.3 | 3509.2 | 3504.9 | 3501.8 | 3513.8 | 3496.4 |
| 7.5° | 3039.2 | 3041.8 | 3024.9 | 3019.2 | 3014.1 | 3009.5 | 3023.4 | 2997.5 | 2991.0 | 2984.2 | 2978.8 |
| 10° | 2480.0 | 2473.9 | 2477.9 | 2457.9 | 2450.7 | 2444.2 | 2437.7 | 2452.6 | 2429.7 | 2426.1 | 2422.6 |
| 12.5° | 1919.5 | 1911.3 | 1902.3 | 1914.1 | 1887.6 | 1882.3 | 1878.7 | 1880.8 | 1871.4 | 1867.0 | 1861.9 |
| 15° | 1424.7 | 1418.8 | 1412.3 | 1414.4 | 1400.2 | 1394.1 | 1390.8 | 1388.2 | 1401.6 | 1381.6 | 1377.6 |
| 17.5° | 1033.5 | 1029.4 | 1024.6 | 1022.0 | 1015.7 | 1011.5 | 1007.5 | 1005.7 | 1011.6 | 1001.0 | 998.3 |
| 20° | 758.1 | 755.4 | 752.4 | 748.9 | 746.3 | 743.3 | 739.9 | 738.2 | 740.7 | 736.1 | 734.5 |
| 22.5° | 576.6 | 574.6 | 572.3 | 569.8 | 572.5 | 565.5 | 563.2 | 561.5 | 561.8 | 560.1 | 559.3 |
| 25° | 467.1 | 466.5 | 465.8 | 465.0 | 466.4 | 463.3 | 462.3 | 461.3 | 460.8 | 460.0 | 459.3 |
| 27.5° | 398.4 | 397.2 | 396.2 | 395.2 | 396.2 | 392.9 | 391.8 | 390.8 | 389.9 | 388.8 | 387.8 |
| 30° | 295.4 | 293.5 | 291.6 | 289.5 | 289.9 | 285.5 | 283.4 | 281.3 | 279.8 | 283.1 | 277.8 |
| 32.5° | 176.1 | 174.0 | 171.9 | 169.9 | 170.0 | 167.0 | 165.6 | 163.9 | 162.5 | 165.4 | 160.5 |
| 35° | 71.2 | 69.6 | 67.9 | 66.2 | 65.8 | 64.0 | 63.1 | 61.9 | 60.9 | 63.0 | 60.1 |
| 37.5° | 15.5 | 15.7 | 15.6 | 15.3 | 15.1 | 14.8 | 14.6 | 14.2 | 13.9 | 14.3 | 14.2 |
| 40° | 10.4 | 10.5 | 10.5 | 10.5 | 10.5 | 10.4 | 10.4 | 10.3 | 10.3 | 10.3 | 10.2 |
| 42.5° | 7.6 | 7.5 | 7.5 | 7.5 | 7.5 | 7.5 | 7.5 | 7.5 | 7.5 | 7.5 | 7.5 |
| 45° | 6.6 | 6.6 | 6.6 | 6.6 | 6.6 | 6.6 | 6.7 | 6.7 | 6.7 | 6.7 | 6.7 |
| 47.5° | 5.9 | 5.9 | 5.9 | 5.9 | 5.9 | 5.9 | 5.9 | 5.9 | 6.0 | 6.0 | 5.9 |
| 50° | 5.2 | 5.2 | 5.2 | 5.3 | 5.3 | 5.3 | 5.3 | 5.3 | 5.3 | 5.3 | 5.3 |
| 52.5° | 5.1 | 5.1 | 5.1 | 5.1 | 5.2 | 5.2 | 5.2 | 5.2 | 5.2 | 5.2 | 5.3 |
| 55° | 5.0 | 5.0 | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 | 5.2 | 5.2 | 5.2 | 5.2 |
| 57.5° | 4.8 | 4.7 | 4.7 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.7 | 4.8 | 4.7 |
| 60° | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 |
| 62.5° | 4.3 | 4.3 | 4.3 | 4.3 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 |
| 65° | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.5 | 4.5 | 4.4 |
| 67.5° | 3.9 | 3.9 | 3.9 | 3.9 | 3.9 | 3.9 | 3.9 | 3.9 | 3.9 | 3.9 | 3.9 |
| 70° | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 |
| 72.5° | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 |
| 75° | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 |
| 77.5° | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 |
| 80° | 2.2 | 2.2 | 2.1 | 2.1 | 2.1 | 2.2 | 2.1 | 2.2 | 2.2 | 2.2 | 2.1 |
| 82.5° | 1.3 | 1.2 | 1.2 | 1.1 | 1.1 | 1.1 | 1.1 | 1.0 | 1.0 | 1.0 | 0.9 |
| 85° | 0.2 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 87.5° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



TEST NUMBER: P979203
 CATALOG NUMBER: L820S10MF940XXXXBLSHBXXXX

CANDELA DISTRIBUTION (continued):

| | 247.5° | 250° | 252.5° | 255° | 257.5° | 260° | 262.5° | 265° | 267.5° | 270° | 272.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 137.5° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 140° | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 142.5° | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 145° | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 |
| 147.5° | 0.7 | 0.7 | 0.8 | 0.8 | 0.8 | 0.8 | 0.8 | 0.8 | 0.8 | 0.8 | 0.8 |
| 150° | 1.1 | 1.1 | 1.1 | 1.1 | 1.1 | 1.1 | 1.1 | 1.1 | 1.1 | 1.1 | 1.1 |
| 152.5° | 1.4 | 1.4 | 1.4 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 |
| 155° | 1.8 | 1.8 | 1.8 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 |
| 157.5° | 2.3 | 2.3 | 2.3 | 2.3 | 2.3 | 2.3 | 2.3 | 2.3 | 2.3 | 2.3 | 2.3 |
| 160° | 2.6 | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 |
| 162.5° | 3.0 | 3.0 | 3.0 | 3.0 | 3.1 | 3.1 | 3.1 | 3.1 | 3.1 | 3.1 | 3.1 |
| 165° | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| 167.5° | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 |
| 170° | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.4 | 3.4 | 3.4 | 3.4 |
| 172.5° | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 |
| 175° | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 |
| 177.5° | 3.5 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 |
| 180° | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 |



TEST NUMBER: P979203
 CATALOG NUMBER: L820S10MF940XXXXBLSHBXXXX

CANDELA DISTRIBUTION (continued):

| | 275° | 277.5° | 280° | 282.5° | 285° | 287.5° | 290° | 292.5° | 295° | 297.5° | 300° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 |
| 2.5° | 3874.1 | 3871.2 | 3869.1 | 3867.6 | 3866.7 | 3869.5 | 3875.5 | 3865.2 | 3865.0 | 3865.0 | 3865.3 |
| 5° | 3493.8 | 3491.3 | 3488.9 | 3495.5 | 3482.9 | 3480.5 | 3478.8 | 3477.6 | 3477.0 | 3483.7 | 3475.7 |
| 7.5° | 2975.1 | 2974.1 | 2972.9 | 2971.5 | 2970.0 | 2985.8 | 2963.2 | 2960.8 | 2959.2 | 2958.2 | 2960.6 |
| 10° | 2422.2 | 2412.6 | 2406.7 | 2402.4 | 2398.7 | 2397.9 | 2393.9 | 2392.1 | 2390.2 | 2388.2 | 2386.4 |
| 12.5° | 1856.2 | 1863.1 | 1847.9 | 1845.2 | 1843.8 | 1842.3 | 1852.2 | 1836.2 | 1832.9 | 1829.9 | 1827.2 |
| 15° | 1373.2 | 1372.3 | 1365.6 | 1362.1 | 1359.3 | 1357.4 | 1359.8 | 1354.1 | 1352.2 | 1350.2 | 1348.0 |
| 17.5° | 995.3 | 992.2 | 1001.9 | 988.6 | 986.7 | 985.7 | 984.5 | 995.2 | 981.9 | 980.7 | 979.6 |
| 20° | 732.5 | 730.1 | 734.5 | 726.6 | 724.8 | 723.4 | 722.5 | 728.4 | 721.7 | 721.1 | 720.3 |
| 22.5° | 558.2 | 556.9 | 558.7 | 554.8 | 553.7 | 552.7 | 552.2 | 555.1 | 552.2 | 552.1 | 551.9 |
| 25° | 458.5 | 457.6 | 458.1 | 456.2 | 455.7 | 455.1 | 455.0 | 456.4 | 454.9 | 454.7 | 454.5 |
| 27.5° | 387.0 | 386.4 | 387.2 | 384.7 | 383.8 | 383.0 | 382.0 | 382.8 | 380.3 | 379.8 | 379.6 |
| 30° | 276.8 | 275.9 | 276.0 | 273.9 | 272.9 | 271.9 | 271.1 | 272.3 | 270.2 | 269.9 | 269.6 |
| 32.5° | 159.5 | 158.6 | 158.5 | 156.8 | 155.8 | 154.8 | 153.9 | 154.7 | 153.4 | 153.3 | 153.3 |
| 35° | 59.6 | 59.0 | 58.6 | 57.9 | 57.4 | 56.7 | 56.1 | 56.6 | 56.0 | 56.0 | 56.0 |
| 37.5° | 14.2 | 14.1 | 13.8 | 13.8 | 13.7 | 13.6 | 13.5 | 13.7 | 13.9 | 13.9 | 13.9 |
| 40° | 10.2 | 10.2 | 10.2 | 10.2 | 10.2 | 10.1 | 10.1 | 10.1 | 10.1 | 10.1 | 10.1 |
| 42.5° | 7.5 | 7.5 | 7.4 | 7.5 | 7.4 | 7.4 | 7.4 | 7.4 | 7.4 | 7.4 | 7.4 |
| 45° | 6.7 | 6.7 | 6.7 | 6.7 | 6.7 | 6.7 | 6.7 | 6.7 | 6.7 | 6.6 | 6.6 |
| 47.5° | 5.9 | 5.9 | 5.9 | 6.0 | 5.9 | 5.9 | 5.9 | 5.9 | 5.9 | 5.9 | 5.9 |
| 50° | 5.3 | 5.3 | 5.3 | 5.3 | 5.3 | 5.3 | 5.3 | 5.3 | 5.3 | 5.3 | 5.3 |
| 52.5° | 5.3 | 5.3 | 5.3 | 5.3 | 5.3 | 5.3 | 5.3 | 5.3 | 5.3 | 5.3 | 5.3 |
| 55° | 5.2 | 5.2 | 5.2 | 5.2 | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 |
| 57.5° | 4.7 | 4.7 | 4.7 | 4.8 | 4.7 | 4.8 | 4.8 | 4.7 | 4.7 | 4.7 | 4.7 |
| 60° | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 |
| 62.5° | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 |
| 65° | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.3 | 4.3 |
| 67.5° | 3.9 | 3.8 | 3.8 | 3.8 | 3.8 | 3.8 | 3.8 | 3.8 | 3.8 | 3.8 | 3.8 |
| 70° | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 |
| 72.5° | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 |
| 75° | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 |
| 77.5° | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 |
| 80° | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 |
| 82.5° | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.8 | 0.8 | 0.9 | 0.8 | 0.8 |
| 85° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 87.5° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



TEST NUMBER: P979203
 CATALOG NUMBER: L820S10MF940XXXXBLSHBXXXX

CANDELA DISTRIBUTION (continued):

| | 275° | 277.5° | 280° | 282.5° | 285° | 287.5° | 290° | 292.5° | 295° | 297.5° | 300° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 135° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 137.5° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 140° | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 142.5° | 0.3 | 0.3 | 0.3 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 145° | 0.5 | 0.5 | 0.5 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 147.5° | 0.8 | 0.8 | 0.8 | 0.8 | 0.8 | 0.8 | 0.8 | 0.8 | 0.8 | 0.8 | 0.8 |
| 150° | 1.1 | 1.1 | 1.1 | 1.1 | 1.1 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 |
| 152.5° | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.6 |
| 155° | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 |
| 157.5° | 2.3 | 2.3 | 2.3 | 2.3 | 2.3 | 2.3 | 2.3 | 2.4 | 2.4 | 2.4 | 2.4 |
| 160° | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 | 2.8 | 2.8 | 2.8 | 2.8 | 2.8 |
| 162.5° | 3.1 | 3.1 | 3.1 | 3.1 | 3.1 | 3.1 | 3.1 | 3.1 | 3.1 | 3.1 | 3.1 |
| 165° | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| 167.5° | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 |
| 170° | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 |
| 172.5° | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 |
| 175° | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 |
| 177.5° | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 |
| 180° | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 |



TEST NUMBER: P979203
 CATALOG NUMBER: L820S10MF940XXXXBLSHBXXXX

CANDELA DISTRIBUTION (continued):

| | 302.5° | 305° | 307.5° | 310° | 312.5° | 315° | 317.5° | 320° | 322.5° | 325° | 327.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 |
| 2.5° | 3865.7 | 3866.4 | 3867.3 | 3871.7 | 3877.8 | 3871.7 | 3871.9 | 3872.4 | 3873.0 | 3873.8 | 3874.8 |
| 5° | 3475.2 | 3475.0 | 3475.0 | 3475.4 | 3476.0 | 3477.0 | 3487.4 | 3498.8 | 3485.4 | 3489.4 | 3492.6 |
| 7.5° | 2976.8 | 2957.3 | 2957.1 | 2957.2 | 2957.7 | 2958.7 | 2960.2 | 2973.1 | 2964.4 | 2967.6 | 2971.6 |
| 10° | 2393.0 | 2385.0 | 2384.6 | 2384.2 | 2384.1 | 2384.4 | 2385.0 | 2391.2 | 2406.0 | 2391.0 | 2394.4 |
| 12.5° | 1824.8 | 1841.2 | 1826.8 | 1826.9 | 1827.3 | 1828.0 | 1829.1 | 1831.1 | 1844.8 | 1834.4 | 1837.3 |
| 15° | 1345.7 | 1354.4 | 1345.8 | 1346.1 | 1346.1 | 1346.2 | 1346.5 | 1347.0 | 1356.3 | 1349.3 | 1351.2 |
| 17.5° | 978.6 | 983.0 | 978.1 | 978.1 | 977.7 | 977.5 | 977.5 | 977.7 | 983.5 | 992.0 | 982.2 |
| 20° | 719.5 | 721.0 | 718.5 | 718.2 | 718.0 | 717.8 | 717.7 | 717.6 | 720.8 | 726.5 | 720.9 |
| 22.5° | 551.6 | 552.1 | 556.1 | 550.7 | 550.7 | 551.0 | 551.4 | 551.9 | 554.2 | 558.3 | 554.8 |
| 25° | 454.2 | 454.1 | 456.4 | 453.8 | 453.9 | 454.0 | 454.0 | 454.0 | 454.8 | 456.9 | 455.4 |
| 27.5° | 379.7 | 380.2 | 383.7 | 380.1 | 380.0 | 379.7 | 379.6 | 379.8 | 381.1 | 384.1 | 381.8 |
| 30° | 269.3 | 269.2 | 273.0 | 269.3 | 269.5 | 269.6 | 269.8 | 270.1 | 271.4 | 275.0 | 272.2 |
| 32.5° | 153.4 | 153.5 | 156.9 | 154.2 | 154.6 | 154.8 | 155.1 | 155.6 | 156.7 | 160.1 | 157.4 |
| 35° | 55.9 | 55.8 | 58.0 | 56.2 | 56.3 | 56.5 | 56.7 | 56.8 | 57.3 | 59.7 | 57.8 |
| 37.5° | 13.8 | 13.5 | 13.6 | 13.5 | 13.5 | 13.6 | 13.7 | 13.7 | 13.7 | 13.8 | 13.7 |
| 40° | 10.0 | 10.0 | 10.1 | 10.0 | 10.1 | 10.0 | 10.0 | 10.0 | 10.0 | 10.1 | 10.0 |
| 42.5° | 7.4 | 7.3 | 7.3 | 7.3 | 7.2 | 7.2 | 7.2 | 7.2 | 7.2 | 7.2 | 7.2 |
| 45° | 6.6 | 6.6 | 6.6 | 6.6 | 6.6 | 6.6 | 6.5 | 6.5 | 6.5 | 6.5 | 6.5 |
| 47.5° | 5.9 | 5.9 | 5.9 | 5.8 | 5.8 | 5.8 | 5.8 | 5.8 | 5.8 | 5.8 | 5.7 |
| 50° | 5.3 | 5.3 | 5.3 | 5.3 | 5.3 | 5.2 | 5.2 | 5.2 | 5.2 | 5.2 | 5.2 |
| 52.5° | 5.3 | 5.2 | 5.2 | 5.2 | 5.2 | 5.2 | 5.2 | 5.2 | 5.2 | 5.2 | 5.2 |
| 55° | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 | 5.0 | 5.0 | 5.0 | 5.0 | 5.0 | 5.0 |
| 57.5° | 4.7 | 4.7 | 4.7 | 4.6 | 4.6 | 4.6 | 4.6 | 4.6 | 4.6 | 4.6 | 4.6 |
| 60° | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 |
| 62.5° | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 |
| 65° | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.2 | 4.2 | 4.2 |
| 67.5° | 3.8 | 3.8 | 3.8 | 3.8 | 3.8 | 3.8 | 3.8 | 3.7 | 3.7 | 3.7 | 3.7 |
| 70° | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 |
| 72.5° | 2.8 | 2.8 | 2.8 | 2.8 | 2.8 | 2.8 | 2.8 | 2.8 | 2.8 | 2.8 | 2.8 |
| 75° | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.5 | 2.5 | 2.5 |
| 77.5° | 2.5 | 2.5 | 2.5 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 |
| 80° | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 | 2.0 | 2.1 | 2.0 |
| 82.5° | 0.8 | 0.9 | 0.9 | 0.9 | 0.9 | 0.8 | 0.8 | 0.8 | 0.8 | 0.9 | 0.9 |
| 85° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 87.5° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



TEST NUMBER: P979203
 CATALOG NUMBER: L820S10MF940XXXXBLSHBXXXX

CANDELA DISTRIBUTION (continued):

| | 302.5° | 305° | 307.5° | 310° | 312.5° | 315° | 317.5° | 320° | 322.5° | 325° | 327.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 135° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 137.5° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 140° | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 142.5° | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 145° | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 147.5° | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 |
| 150° | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 |
| 152.5° | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 |
| 155° | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 |
| 157.5° | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 |
| 160° | 2.8 | 2.8 | 2.8 | 2.8 | 2.8 | 2.8 | 2.8 | 2.8 | 2.8 | 2.8 | 2.8 |
| 162.5° | 3.1 | 3.1 | 3.1 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 |
| 165° | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| 167.5° | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 |
| 170° | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.5 |
| 172.5° | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.5 | 3.5 | 3.5 | 3.5 |
| 175° | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 |
| 177.5° | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 |
| 180° | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 |



TEST NUMBER: P979203
 CATALOG NUMBER: L820S10MF940XXXXBLSHBXXXX

CANDELA DISTRIBUTION (continued):

| | 330° | 332.5° | 335° | 337.5° | 340° | 342.5° | 345° | 347.5° | 350° | 352.5° | 355° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 | 4069.3 |
| 2.5° | 3876.0 | 3877.5 | 3879.1 | 3881.0 | 3883.1 | 3885.4 | 3888.0 | 3890.8 | 3893.9 | 3897.2 | 3900.7 |
| 5° | 3493.9 | 3495.7 | 3497.9 | 3500.7 | 3504.0 | 3507.8 | 3512.1 | 3516.9 | 3522.2 | 3528.0 | 3534.4 |
| 7.5° | 2976.5 | 2977.3 | 2978.3 | 2980.1 | 2982.6 | 2985.8 | 2989.7 | 2994.5 | 2999.9 | 3006.2 | 3013.2 |
| 10° | 2398.6 | 2402.7 | 2403.7 | 2405.5 | 2408.0 | 2411.4 | 2415.5 | 2420.4 | 2426.2 | 2432.9 | 2440.3 |
| 12.5° | 1840.9 | 1845.2 | 1847.0 | 1848.4 | 1850.5 | 1853.3 | 1856.8 | 1861.2 | 1866.3 | 1872.3 | 1879.0 |
| 15° | 1353.5 | 1356.4 | 1358.7 | 1360.2 | 1362.3 | 1365.2 | 1368.7 | 1372.9 | 1377.7 | 1383.3 | 1389.6 |
| 17.5° | 984.4 | 986.9 | 989.4 | 990.7 | 992.5 | 994.8 | 997.5 | 1000.6 | 1004.3 | 1008.4 | 1013.0 |
| 20° | 722.4 | 724.2 | 725.9 | 726.9 | 728.1 | 729.5 | 731.2 | 733.2 | 735.6 | 738.2 | 741.2 |
| 22.5° | 555.9 | 557.0 | 558.1 | 558.4 | 558.8 | 559.5 | 560.3 | 561.4 | 562.8 | 564.3 | 566.2 |
| 25° | 456.1 | 456.8 | 457.6 | 458.0 | 458.3 | 458.6 | 459.0 | 459.5 | 460.1 | 460.7 | 461.5 |
| 27.5° | 382.9 | 384.1 | 385.5 | 386.1 | 386.6 | 387.3 | 388.2 | 389.3 | 390.5 | 391.9 | 393.5 |
| 30° | 273.3 | 274.5 | 276.0 | 276.7 | 277.3 | 278.0 | 278.9 | 280.0 | 281.4 | 282.9 | 284.7 |
| 32.5° | 158.2 | 159.2 | 160.4 | 161.1 | 161.6 | 162.3 | 163.1 | 164.2 | 165.4 | 166.9 | 168.6 |
| 35° | 58.3 | 58.9 | 59.6 | 60.0 | 60.3 | 60.6 | 61.2 | 61.8 | 62.6 | 63.5 | 64.6 |
| 37.5° | 13.7 | 13.8 | 13.8 | 13.8 | 13.9 | 13.9 | 14.0 | 14.0 | 14.0 | 14.1 | 14.1 |
| 40° | 10.1 | 10.1 | 10.1 | 10.1 | 10.1 | 10.1 | 10.1 | 10.1 | 10.1 | 10.1 | 10.2 |
| 42.5° | 7.2 | 7.2 | 7.2 | 7.2 | 7.2 | 7.2 | 7.2 | 7.2 | 7.2 | 7.2 | 7.2 |
| 45° | 6.5 | 6.4 | 6.4 | 6.4 | 6.4 | 6.4 | 6.4 | 6.4 | 6.4 | 6.4 | 6.4 |
| 47.5° | 5.7 | 5.7 | 5.7 | 5.7 | 5.7 | 5.7 | 5.7 | 5.7 | 5.7 | 5.7 | 5.7 |
| 50° | 5.2 | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 |
| 52.5° | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 | 5.0 | 5.0 |
| 55° | 4.9 | 4.9 | 4.9 | 4.9 | 4.9 | 4.9 | 4.9 | 4.9 | 4.9 | 4.9 | 4.9 |
| 57.5° | 4.6 | 4.6 | 4.5 | 4.5 | 4.5 | 4.5 | 4.5 | 4.5 | 4.5 | 4.5 | 4.5 |
| 60° | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 |
| 62.5° | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 |
| 65° | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 |
| 67.5° | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 |
| 70° | 3.5 | 3.5 | 3.5 | 3.5 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 |
| 72.5° | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 |
| 75° | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 |
| 77.5° | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.3 | 2.3 | 2.3 | 2.3 | 2.3 |
| 80° | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 |
| 82.5° | 0.9 | 0.9 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.1 | 1.1 |
| 85° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 87.5° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



TEST NUMBER: P979203
 CATALOG NUMBER: L820S10MF940XXXXBLSHBXXXX

CANDELA DISTRIBUTION (continued):

| | 330° | 332.5° | 335° | 337.5° | 340° | 342.5° | 345° | 347.5° | 350° | 352.5° | 355° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 135° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 137.5° | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 140° | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 142.5° | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 145° | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 |
| 147.5° | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 |
| 150° | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 |
| 152.5° | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 |
| 155° | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.0 | 1.9 |
| 157.5° | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 | 2.4 |
| 160° | 2.8 | 2.8 | 2.8 | 2.8 | 2.8 | 2.8 | 2.7 | 2.7 | 2.7 | 2.7 | 2.7 |
| 162.5° | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 |
| 165° | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| 167.5° | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 |
| 170° | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 |
| 172.5° | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.6 | 3.6 | 3.6 |
| 175° | 3.4 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 |
| 177.5° | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.5 |
| 180° | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 |



TEST NUMBER: P979203
 CATALOG NUMBER: L820S10MF940XXXXBLSHBXXXX

CANDELA DISTRIBUTION (continued):

| | 357.5° | 360° |
|--------|--------|--------|
| 0° | 4069.3 | 4069.3 |
| 2.5° | 3904.6 | 3915.2 |
| 5° | 3541.3 | 3553.8 |
| 7.5° | 3020.9 | 3030.2 |
| 10° | 2448.7 | 2455.0 |
| 12.5° | 1886.6 | 1897.2 |
| 15° | 1396.5 | 1400.6 |
| 17.5° | 1018.2 | 1022.4 |
| 20° | 744.6 | 750.5 |
| 22.5° | 568.2 | 571.8 |
| 25° | 462.4 | 465.5 |
| 27.5° | 395.2 | 397.7 |
| 30° | 286.7 | 290.6 |
| 32.5° | 170.5 | 174.5 |
| 35° | 65.8 | 67.4 |
| 37.5° | 14.2 | 14.1 |
| 40° | 10.2 | 10.3 |
| 42.5° | 7.2 | 7.3 |
| 45° | 6.4 | 6.4 |
| 47.5° | 5.7 | 5.7 |
| 50° | 5.0 | 5.1 |
| 52.5° | 5.0 | 5.0 |
| 55° | 4.9 | 4.9 |
| 57.5° | 4.5 | 4.5 |
| 60° | 4.3 | 4.3 |
| 62.5° | 4.2 | 4.2 |
| 65° | 4.2 | 4.2 |
| 67.5° | 3.6 | 3.6 |
| 70° | 3.4 | 3.4 |
| 72.5° | 2.7 | 2.7 |
| 75° | 2.4 | 2.4 |
| 77.5° | 2.3 | 2.3 |
| 80° | 2.0 | 2.0 |
| 82.5° | 1.1 | 1.2 |
| 85° | 0.1 | 0.1 |
| 87.5° | 0.1 | 0.1 |
| 90° | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 |



TEST NUMBER: P979203
CATALOG NUMBER: L820S10MF940XXXXBLSHBXXXX

CANDELA DISTRIBUTION (continued):

| | 357.5° | 360° |
|--------|--------|------|
| 112.5° | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 |
| 132.5° | 0.1 | 0.1 |
| 135° | 0.1 | 0.1 |
| 137.5° | 0.1 | 0.1 |
| 140° | 0.2 | 0.2 |
| 142.5° | 0.4 | 0.4 |
| 145° | 0.6 | 0.6 |
| 147.5° | 0.9 | 0.9 |
| 150° | 1.2 | 1.2 |
| 152.5° | 1.6 | 1.6 |
| 155° | 1.9 | 1.9 |
| 157.5° | 2.4 | 2.3 |
| 160° | 2.7 | 2.7 |
| 162.5° | 3.0 | 3.0 |
| 165° | 3.3 | 3.3 |
| 167.5° | 3.4 | 3.5 |
| 170° | 3.5 | 3.5 |
| 172.5° | 3.6 | 3.6 |
| 175° | 3.5 | 3.6 |
| 177.5° | 3.5 | 3.5 |
| 180° | 2.9 | 2.9 |

(END OF REPORT)