

Signify Classified - Internal  
Cooper Lighting Solutions Photometric Lab  
1121 Highway 74 South  
Peachtree City, GA 30269



Scaled data based on original data using  
LM-79-08 Approved Method: Electrical and Photometric Measurements of Solid-  
State Lighting Products

Test Report Prepared for  
Cooper Lighting Solutions  
(formerly Eaton)

Brand: INVUE

Report Number: P869130

Luminaire Tested: **EMM2-HSN-SA3B-730-U-T5M**

Issue Date: 08/22/2024



**Test Information**

Test Method: LM-79-08  
Report Number: P869130  
Test Lab: INNOVATION CENTER(G3)  
Issue Date: 08/22/2024  
Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)  
Product Line: INVUE  
Catalog Number: EMM2-HSN-SA3B-730-U-T5M  
Description: EPIC MODERN SHORT HOUSING DISCRETE LED ARRAYS 150W 70CRI 3000K  
FIXTURE w/ TYPE V SQUARE MEDIUM DISTRIBUTION OPTIC  
Light Source: (30) 3000K CCT, 70 CRI LEDS  
Ballast/Driver: ELECTRONIC DRIVER

**Summary**


Lumens per Lamp: N/A  
Luminaire Lumens: 18674.9 lumens  
Efficiency: N/A  
Efficacy: 139.4 lumens/watt  
Luminous Opening: Rectangular (W 1' x L: 0.33' x H: 0')  
IES Classification: Type V - Short  
BUG Rating: B4 - U0 - G2

Input Watts (W): 134  
Input Voltage (V): 120  
Input Current (A<sub>in</sub>): NR  
Voltage Rise (V): NR  
Power Factor: 0.99  
Total Harmonic Distortion (THDi): 6.70%  
Frequency (hertz): 60  
Stabilization Time: NR  
Operation Time: NR  
Ambient Temperature (°C): NR  
Test Distance: 24 FT

REPORT NUMBER: P869130  
 CATALOG NUMBER: EMM2-HSN-SA3B-730-U-T5M

### Iso-Footcandle Lines of Horizontal Illumination


× Max cd  
 - - - 1/2 Max cd



Based on 20 foot mounting height. Maximum calculated value = 5.8 fc  
 Type V - Short - N/A

REPORT NUMBER: P869130  
CATALOG NUMBER: EMM2-HSN-SA3B-730-U-T5M

### Luminous Intensity Polar Plot



— Vertical Plane Through 45-Deg Lateral      - - - Horizontal Cone Through 65-Deg Vertical

REPORT NUMBER: P869130  
 CATALOG NUMBER: EMM2-HSN-SA3B-730-U-T5M

**FLUX DISTRIBUTION:**

|                    |           | Downward | Upward | Total   |
|--------------------|-----------|----------|--------|---------|
| <b>House Side</b>  | Lumens    | 9337.4   | 0.0    | 9337.4  |
|                    | % Fixture | 50.0     | 0.0    | 50.0    |
| <b>Street Side</b> | Lumens    | 9337.4   | 0.0    | 9337.4  |
|                    | % Fixture | 50.0     | 0.0    | 50.0    |
| <b>Total</b>       | Lumens    | 18674.9  | 0.0    | 18674.9 |
|                    | % Fixture | 100.0    | 0.0    | 100.0   |

**Coefficient of Utilization**

**ZONAL LUMENS:**

| Zone      | Lumens  | % Fixture |
|-----------|---------|-----------|
| 0°-10°    | 223.1   | 1.2       |
| 10°-20°   | 679.2   | 3.6       |
| 20°-30°   | 1194.6  | 6.4       |
| 30°-40°   | 1932.0  | 10.3      |
| 40°-50°   | 3009.5  | 16.1      |
| 50°-60°   | 4400.5  | 23.6      |
| 60°-70°   | 5067.4  | 27.1      |
| 70°-80°   | 2069.6  | 11.1      |
| 80°-90°   | 99.0    | 0.5       |
| 90°-100°  | 0.0     | 0.0       |
| 100°-110° | 0.0     | 0.0       |
| 110°-120° | 0.0     | 0.0       |
| 120°-130° | 0.0     | 0.0       |
| 130°-140° | 0.0     | 0.0       |
| 140°-150° | 0.0     | 0.0       |
| 150°-160° | 0.0     | 0.0       |
| 160°-170° | 0.0     | 0.0       |
| 170°-180° | 0.0     | 0.0       |
| 0°-90°    | 18674.9 | 100.0     |
| 0°-180°   | 18674.9 | 100.0     |




REPORT NUMBER: P869130  
 CATALOG NUMBER: EMM2-HSN-SA3B-730-U-T5M

**LUMINAIRE CLASSIFICATION SYSTEM LUMEN TABLE AND BUG RATING:**

| Zone           | Lumens | % Fixture | Zone Rating/Lumen Limit |      |         |
|----------------|--------|-----------|-------------------------|------|---------|
|                |        |           | B                       | U    | G       |
| FL (0°-30°)    | 1048.5 | 5.6       |                         |      |         |
| FM (30°-60°)   | 4671.0 | 25.0      |                         |      |         |
| FH (60°-80°)   | 3568.5 | 19.1      |                         |      | G2/5000 |
| FVH (80°-90°)  | 49.5   | 0.3       |                         |      | G1/100  |
| BL (0°-30°)    | 1048.5 | 5.6       | B3/2500                 |      |         |
| BM (30°-60°)   | 4671.0 | 25.0      | B3/5000                 |      |         |
| BH (60°-80°)   | 3568.5 | 19.1      | B4/5000                 |      | G2/5000 |
| BVH (80°-90°)  | 49.5   | 0.3       |                         |      | G1/100  |
| UL (90°-100°)  | 0.0    | 0.0       |                         | U0/0 |         |
| UH (100°-180°) | 0.0    | 0.0       |                         | U0/0 |         |

**BUG Rating: B4-U0-G2**

Type V Short





REPORT NUMBER: P869130

CATALOG NUMBER: EMM2-HSN-SA3B-730-U-T5M

**CANDELA DISTRIBUTION (FULL):**

|       | 0°     | 5°     | 15°    | 25°    | 35°    | 45°    | 55°    | 65°    | 75°    | 85°    | 90°    |
|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0°    | 2320.5 | 2320.5 | 2320.5 | 2320.5 | 2320.5 | 2320.5 | 2320.5 | 2320.5 | 2320.5 | 2320.5 | 2320.5 |
| 2.5°  | 2327.6 | 2327.6 | 2324.0 | 2324.0 | 2316.9 | 2324.0 | 2320.5 | 2324.0 | 2320.5 | 2320.5 | 2324.0 |
| 5°    | 2334.8 | 2334.8 | 2327.6 | 2331.2 | 2324.0 | 2327.6 | 2324.0 | 2331.2 | 2327.6 | 2324.0 | 2331.2 |
| 7.5°  | 2345.6 | 2345.6 | 2338.4 | 2342.0 | 2334.8 | 2338.4 | 2334.8 | 2342.0 | 2338.4 | 2338.4 | 2342.0 |
| 10°   | 2356.3 | 2359.9 | 2352.7 | 2349.1 | 2349.1 | 2352.7 | 2356.3 | 2359.9 | 2356.3 | 2356.3 | 2363.5 |
| 12.5° | 2374.3 | 2377.8 | 2370.7 | 2367.1 | 2367.1 | 2370.7 | 2374.3 | 2381.4 | 2370.7 | 2370.7 | 2370.7 |
| 15°   | 2392.2 | 2392.2 | 2388.6 | 2385.0 | 2388.6 | 2392.2 | 2392.2 | 2399.4 | 2392.2 | 2385.0 | 2385.0 |
| 17.5° | 2399.4 | 2402.9 | 2399.4 | 2406.5 | 2410.1 | 2413.7 | 2417.3 | 2417.3 | 2406.5 | 2402.9 | 2402.9 |
| 20°   | 2424.5 | 2428.0 | 2420.9 | 2424.5 | 2435.2 | 2449.6 | 2449.6 | 2449.6 | 2449.6 | 2438.8 | 2438.8 |
| 22.5° | 2467.5 | 2471.1 | 2467.5 | 2467.5 | 2481.8 | 2496.2 | 2496.2 | 2507.0 | 2492.6 | 2485.4 | 2485.4 |
| 25°   | 2539.2 | 2539.2 | 2535.6 | 2539.2 | 2546.4 | 2553.6 | 2567.9 | 2575.1 | 2575.1 | 2571.5 | 2575.1 |
| 27.5° | 2625.3 | 2628.9 | 2625.3 | 2625.3 | 2621.7 | 2636.1 | 2657.6 | 2668.3 | 2671.9 | 2675.5 | 2675.5 |
| 30°   | 2740.1 | 2747.2 | 2743.7 | 2747.2 | 2754.4 | 2765.2 | 2772.4 | 2775.9 | 2775.9 | 2768.8 | 2768.8 |
| 32.5° | 2865.6 | 2872.8 | 2865.6 | 2883.5 | 2908.6 | 2908.6 | 2901.5 | 2915.8 | 2905.0 | 2897.9 | 2890.7 |
| 35°   | 3012.6 | 3012.6 | 3019.8 | 3027.0 | 3062.9 | 3080.8 | 3080.8 | 3073.6 | 3052.1 | 3041.3 | 3048.5 |
| 37.5° | 3181.2 | 3184.8 | 3192.0 | 3195.6 | 3227.8 | 3260.1 | 3256.5 | 3238.6 | 3213.5 | 3184.8 | 3184.8 |
| 40°   | 3382.1 | 3374.9 | 3378.5 | 3403.6 | 3428.7 | 3468.1 | 3471.7 | 3446.6 | 3403.6 | 3374.9 | 3374.9 |
| 42.5° | 3565.0 | 3568.5 | 3582.9 | 3615.2 | 3672.6 | 3704.8 | 3686.9 | 3643.9 | 3597.2 | 3561.4 | 3557.8 |
| 45°   | 3758.6 | 3755.0 | 3794.5 | 3862.6 | 3938.0 | 3977.4 | 3948.7 | 3887.7 | 3816.0 | 3769.4 | 3769.4 |
| 47.5° | 3955.9 | 3952.3 | 4016.9 | 4128.0 | 4224.9 | 4257.2 | 4228.5 | 4149.6 | 4052.7 | 3984.6 | 3973.8 |
| 50°   | 4160.3 | 4174.7 | 4242.8 | 4400.6 | 4526.1 | 4562.0 | 4526.1 | 4422.1 | 4293.0 | 4203.4 | 4189.0 |
| 52.5° | 4393.4 | 4404.2 | 4493.9 | 4666.0 | 4820.2 | 4902.7 | 4848.9 | 4694.7 | 4529.7 | 4422.1 | 4407.8 |
| 55°   | 4608.6 | 4615.8 | 4744.9 | 4952.9 | 5143.0 | 5254.2 | 5168.1 | 4970.9 | 4762.8 | 4626.6 | 4612.2 |
| 57.5° | 4759.3 | 4777.2 | 4942.2 | 5211.2 | 5455.0 | 5584.2 | 5455.0 | 5243.4 | 4967.3 | 4798.7 | 4788.0 |
| 60°   | 4856.1 | 4884.8 | 5074.9 | 5412.0 | 5749.1 | 5889.0 | 5756.3 | 5462.2 | 5121.5 | 4902.7 | 4892.0 |
| 62.5° | 4805.9 | 4845.3 | 5089.2 | 5530.4 | 6000.2 | 6150.8 | 5978.7 | 5566.2 | 5103.6 | 4827.4 | 4798.7 |
| 65°   | 4454.4 | 4483.1 | 4827.4 | 5444.3 | 6093.4 | 6326.6 | 6014.5 | 5451.5 | 4859.7 | 4554.8 | 4497.4 |
| 67.5° | 3726.4 | 3776.6 | 4232.0 | 5028.2 | 5892.6 | 6161.6 | 5767.1 | 5039.0 | 4325.3 | 3952.3 | 3887.7 |
| 70°   | 2862.0 | 2951.7 | 3450.2 | 4314.5 | 5265.0 | 5569.8 | 5135.8 | 4253.6 | 3414.3 | 3034.2 | 2915.8 |
| 72.5° | 1653.4 | 1793.2 | 2524.9 | 3367.7 | 4189.0 | 4418.5 | 3808.8 | 2973.2 | 2266.7 | 1997.7 | 1965.4 |
| 75°   | 548.7  | 598.9  | 1201.5 | 1940.3 | 2671.9 | 2786.7 | 2381.4 | 1875.7 | 1492.0 | 1276.8 | 1287.5 |
| 77.5° | 269.0  | 269.0  | 362.2  | 710.1  | 1215.8 | 1434.6 | 1301.9 | 907.4  | 652.7  | 494.9  | 480.6  |
| 80°   | 215.2  | 215.2  | 251.1  | 347.9  | 408.9  | 480.6  | 408.9  | 297.7  | 243.9  | 222.4  | 233.1  |
| 82.5° | 104.0  | 100.4  | 118.4  | 168.6  | 172.2  | 165.0  | 154.2  | 154.2  | 147.0  | 136.3  | 132.7  |
| 85°   | 7.2    | 7.2    | 14.3   | 32.3   | 53.8   | 71.7   | 82.5   | 78.9   | 75.3   | 64.6   | 71.7   |
| 87.5° | 3.6    | 3.6    | 3.6    | 3.6    | 3.6    | 3.6    | 3.6    | 7.2    | 7.2    | 7.2    | 7.2    |
| 90°   | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |

LM-79-2019: Approved Method: Electrical and Photometric Measurements of Solid-  
State Lighting Products

Report Prepared for

Cooper Lighting Solutions

Streetworks

Report Number: SP1-2407-157-4

Test Date: 08/07/2024

Luminaire Tested: MEM2-HTN-SA-40-730-U-5WQ-2

Data in this report applies to families of products including MEM2-HTN-SA-40-730-U-5WQ-2



**Test Information**

Test Method: LM-79-2019  
 Report Number: SP1-2407-157-4  
 Test Lab: COOPER LIGHTING SOLUTIONS  
 Photometer: SP1 - 76IN SPHERE  
 Measurement Geometry: 4π  
 Issue Date: 08/20/2024  
 Manufacturer: COOPER LIGHTING SOLUTIONS  
 Product Line: Streetworks  
 Catalog Number: **MEM2-HTN-SA-40-730-U-5WQ-2**  
 Description: Epic Modern Light Square 40W 5WQ Optic and Flare Trim

**Spectral Parameters**

CCT (K): 3057  
 CIE u': 0.2487  
 CIE v': 0.5199  
 Duv: -0.0002  
 CIE x: 0.4326  
 CIE y: 0.4020  
 CIE z: 0.1654  
 Peak Wavelength (nm): 593  
 Dominant Wavelength (nm): 582  
 Purity: 50.50735  
 Rf: 74.6  
 Rg: 94

|           |      |      |       |
|-----------|------|------|-------|
| CRI (Ra): | 71.7 |      |       |
| R1:       | 68.1 | R9:  | -34.8 |
| R2:       | 82.0 | R10: | 58.5  |
| R3:       | 93.5 | R11: | 62.5  |
| R4:       | 67.5 | R12: | 47.5  |
| R5:       | 67.2 | R13: | 70.7  |
| R6:       | 74.9 | R14: | 96.4  |
| R7:       | 77.4 | R15: | 60.0  |
| R8:       | 43.1 |      |       |



**Test Conditions**


Stabilization Time: 21M  
 Operation Time: 1H 21M  
 Sphere Temperature (°C): 24.2

REPORT NUMBER: SP1-2407-157-4

| Measurement and Test Equipment |                       |                  |                      |
|--------------------------------|-----------------------|------------------|----------------------|
| Instrument                     | Identification Number | Calibration Date | Calibration Due Date |
| Photometer                     | IN0058                | 6/18/2024        | 12/18/2024           |
| Power Meter                    | INXT2011004           | 2/8/2024         | 2/8/2025             |
| AC Power Source                | IN0063                | 10/24/2023       | 10/24/2024           |
| DC Power Source                | IN0208                | 10/24/2023       | 10/24/2024           |
| Sphere Thermometer             | IN0085                | 10/24/2023       | 10/24/2024           |
| Room Thermometer               | IN0046                | 10/24/2023       | 10/24/2024           |

REPORT NUMBER: SP1-2407-157-4

CIE 1931 Chromaticity Diagram




CIE 1931 Chromaticity Diagram with 2017 ANSI 7-Step and 4-Step Quadrangles



Point lies inside the ANSI 3000K 4-step quadrangle

REPORT NUMBER: SP1-2407-157-4

**Photopic Flux vs. Wavelength**



**Photopic Lumens: NR**

| $\lambda$ (nm) | Power W <sup>^</sup> /nm | Lumens ( $\phi$ /nm) | $\lambda$ (nm) | Power W <sup>^</sup> /nm | Lumens ( $\phi$ /nm) | $\lambda$ (nm) | Power W <sup>^</sup> /nm | Lumens ( $\phi$ /nm) | $\lambda$ (nm) | Power W <sup>^</sup> /nm | Lumens ( $\phi$ /nm) | $\lambda$ (nm) | Power W <sup>^</sup> /nm | Lumens ( $\phi$ /nm) |
|----------------|--------------------------|----------------------|----------------|--------------------------|----------------------|----------------|--------------------------|----------------------|----------------|--------------------------|----------------------|----------------|--------------------------|----------------------|
| 360            | 0                        | NR                   | 490            | 104                      | NR                   | 620            | 818                      | NR                   | 750            | 20                       | NR                   | 880            | 1                        | NR                   |
| 365            | 0                        | NR                   | 495            | 135                      | NR                   | 625            | 755                      | NR                   | 755            | 17                       | NR                   | 885            | 0                        | NR                   |
| 370            | 0                        | NR                   | 500            | 184                      | NR                   | 630            | 691                      | NR                   | 760            | 15                       | NR                   | 890            | 0                        | NR                   |
| 375            | 0                        | NR                   | 505            | 247                      | NR                   | 635            | 625                      | NR                   | 765            | 13                       | NR                   | 895            | 0                        | NR                   |
| 380            | 0                        | NR                   | 510            | 309                      | NR                   | 640            | 561                      | NR                   | 770            | 11                       | NR                   | 900            | 0                        | NR                   |
| 385            | 0                        | NR                   | 515            | 369                      | NR                   | 645            | 499                      | NR                   | 775            | 9                        | NR                   | 905            | 0                        | NR                   |
| 390            | 0                        | NR                   | 520            | 419                      | NR                   | 650            | 441                      | NR                   | 780            | 8                        | NR                   | 910            | 0                        | NR                   |
| 395            | 0                        | NR                   | 525            | 460                      | NR                   | 655            | 388                      | NR                   | 785            | 7                        | NR                   | 915            | 0                        | NR                   |
| 400            | 1                        | NR                   | 530            | 492                      | NR                   | 660            | 338                      | NR                   | 790            | 6                        | NR                   | 920            | 0                        | NR                   |
| 405            | 3                        | NR                   | 535            | 524                      | NR                   | 665            | 294                      | NR                   | 795            | 5                        | NR                   | 925            | 0                        | NR                   |
| 410            | 7                        | NR                   | 540            | 553                      | NR                   | 670            | 253                      | NR                   | 800            | 4                        | NR                   | 930            | 0                        | NR                   |
| 415            | 15                       | NR                   | 545            | 588                      | NR                   | 675            | 218                      | NR                   | 805            | 4                        | NR                   | 935            | 0                        | NR                   |
| 420            | 31                       | NR                   | 550            | 625                      | NR                   | 680            | 188                      | NR                   | 810            | 3                        | NR                   | 940            | 0                        | NR                   |
| 425            | 60                       | NR                   | 555            | 670                      | NR                   | 685            | 161                      | NR                   | 815            | 3                        | NR                   | 945            | 0                        | NR                   |
| 430            | 107                      | NR                   | 560            | 723                      | NR                   | 690            | 139                      | NR                   | 820            | 3                        | NR                   | 950            | 0                        | NR                   |
| 435            | 183                      | NR                   | 565            | 780                      | NR                   | 695            | 118                      | NR                   | 825            | 2                        | NR                   | 955            | 0                        | NR                   |
| 440            | 289                      | NR                   | 570            | 837                      | NR                   | 700            | 100                      | NR                   | 830            | 2                        | NR                   | 960            | 0                        | NR                   |
| 445            | 460                      | NR                   | 575            | 894                      | NR                   | 705            | 85                       | NR                   | 835            | 2                        | NR                   | 965            | 0                        | NR                   |
| 450            | 646                      | NR                   | 580            | 942                      | NR                   | 710            | 73                       | NR                   | 840            | 1                        | NR                   | 970            | 0                        | NR                   |
| 455            | 561                      | NR                   | 585            | 976                      | NR                   | 715            | 62                       | NR                   | 845            | 1                        | NR                   | 975            | 0                        | NR                   |
| 460            | 331                      | NR                   | 590            | 998                      | NR                   | 720            | 53                       | NR                   | 850            | 1                        | NR                   | 980            | 0                        | NR                   |
| 465            | 238                      | NR                   | 595            | 1000                     | NR                   | 725            | 45                       | NR                   | 855            | 1                        | NR                   | 985            | 0                        | NR                   |
| 470            | 178                      | NR                   | 600            | 990                      | NR                   | 730            | 39                       | NR                   | 860            | 1                        | NR                   | 990            | 0                        | NR                   |
| 475            | 120                      | NR                   | 605            | 962                      | NR                   | 735            | 33                       | NR                   | 865            | 1                        | NR                   | 995            | 0                        | NR                   |
| 480            | 96                       | NR                   | 610            | 925                      | NR                   | 740            | 28                       | NR                   | 870            | 1                        | NR                   | 1000           | 0                        | NR                   |
| 485            | 95                       | NR                   | 615            | 873                      | NR                   | 745            | 24                       | NR                   | 875            | 1                        | NR                   |                |                          |                      |

REPORT NUMBER: SP1-2407-157-4

**Scotopic Flux vs. Wavelength**



**Scotopic Lumens: NR**

**S/P: 1.23**

| $\lambda$ (nm) | Power W <sup>^</sup> /nm | Lumens ( $\phi$ /nm) | $\lambda$ (nm) | Power W <sup>^</sup> /nm | Lumens ( $\phi$ /nm) | $\lambda$ (nm) | Power W <sup>^</sup> /nm | Lumens ( $\phi$ /nm) | $\lambda$ (nm) | Power W <sup>^</sup> /nm | Lumens ( $\phi$ /nm) | $\lambda$ (nm) | Power W <sup>^</sup> /nm | Lumens ( $\phi$ /nm) |
|----------------|--------------------------|----------------------|----------------|--------------------------|----------------------|----------------|--------------------------|----------------------|----------------|--------------------------|----------------------|----------------|--------------------------|----------------------|
| 360            | 0                        | NR                   | 490            | 104                      | NR                   | 620            | 818                      | NR                   | 750            | 20                       | NR                   | 880            | 1                        | NR                   |
| 365            | 0                        | NR                   | 495            | 135                      | NR                   | 625            | 755                      | NR                   | 755            | 17                       | NR                   | 885            | 0                        | NR                   |
| 370            | 0                        | NR                   | 500            | 184                      | NR                   | 630            | 691                      | NR                   | 760            | 15                       | NR                   | 890            | 0                        | NR                   |
| 375            | 0                        | NR                   | 505            | 247                      | NR                   | 635            | 625                      | NR                   | 765            | 13                       | NR                   | 895            | 0                        | NR                   |
| 380            | 0                        | NR                   | 510            | 309                      | NR                   | 640            | 561                      | NR                   | 770            | 11                       | NR                   | 900            | 0                        | NR                   |
| 385            | 0                        | NR                   | 515            | 369                      | NR                   | 645            | 499                      | NR                   | 775            | 9                        | NR                   | 905            | 0                        | NR                   |
| 390            | 0                        | NR                   | 520            | 419                      | NR                   | 650            | 441                      | NR                   | 780            | 8                        | NR                   | 910            | 0                        | NR                   |
| 395            | 0                        | NR                   | 525            | 460                      | NR                   | 655            | 388                      | NR                   | 785            | 7                        | NR                   | 915            | 0                        | NR                   |
| 400            | 1                        | NR                   | 530            | 492                      | NR                   | 660            | 338                      | NR                   | 790            | 6                        | NR                   | 920            | 0                        | NR                   |
| 405            | 3                        | NR                   | 535            | 524                      | NR                   | 665            | 294                      | NR                   | 795            | 5                        | NR                   | 925            | 0                        | NR                   |
| 410            | 7                        | NR                   | 540            | 553                      | NR                   | 670            | 253                      | NR                   | 800            | 4                        | NR                   | 930            | 0                        | NR                   |
| 415            | 15                       | NR                   | 545            | 588                      | NR                   | 675            | 218                      | NR                   | 805            | 4                        | NR                   | 935            | 0                        | NR                   |
| 420            | 31                       | NR                   | 550            | 625                      | NR                   | 680            | 188                      | NR                   | 810            | 3                        | NR                   | 940            | 0                        | NR                   |
| 425            | 60                       | NR                   | 555            | 670                      | NR                   | 685            | 161                      | NR                   | 815            | 3                        | NR                   | 945            | 0                        | NR                   |
| 430            | 107                      | NR                   | 560            | 723                      | NR                   | 690            | 139                      | NR                   | 820            | 3                        | NR                   | 950            | 0                        | NR                   |
| 435            | 183                      | NR                   | 565            | 780                      | NR                   | 695            | 118                      | NR                   | 825            | 2                        | NR                   | 955            | 0                        | NR                   |
| 440            | 289                      | NR                   | 570            | 837                      | NR                   | 700            | 100                      | NR                   | 830            | 2                        | NR                   | 960            | 0                        | NR                   |
| 445            | 460                      | NR                   | 575            | 894                      | NR                   | 705            | 85                       | NR                   | 835            | 2                        | NR                   | 965            | 0                        | NR                   |
| 450            | 646                      | NR                   | 580            | 942                      | NR                   | 710            | 73                       | NR                   | 840            | 1                        | NR                   | 970            | 0                        | NR                   |
| 455            | 561                      | NR                   | 585            | 976                      | NR                   | 715            | 62                       | NR                   | 845            | 1                        | NR                   | 975            | 0                        | NR                   |
| 460            | 331                      | NR                   | 590            | 998                      | NR                   | 720            | 53                       | NR                   | 850            | 1                        | NR                   | 980            | 0                        | NR                   |
| 465            | 238                      | NR                   | 595            | 1000                     | NR                   | 725            | 45                       | NR                   | 855            | 1                        | NR                   | 985            | 0                        | NR                   |
| 470            | 178                      | NR                   | 600            | 990                      | NR                   | 730            | 39                       | NR                   | 860            | 1                        | NR                   | 990            | 0                        | NR                   |
| 475            | 120                      | NR                   | 605            | 962                      | NR                   | 735            | 33                       | NR                   | 865            | 1                        | NR                   | 995            | 0                        | NR                   |
| 480            | 96                       | NR                   | 610            | 925                      | NR                   | 740            | 28                       | NR                   | 870            | 1                        | NR                   | 1000           | 0                        | NR                   |
| 485            | 95                       | NR                   | 615            | 873                      | NR                   | 745            | 24                       | NR                   | 875            | 1                        | NR                   |                |                          |                      |

REPORT NUMBER: SP1-2407-157-4

**Melanopic Flux vs. Wavelength**



**Melanopic Lumens: NR**

**M/P: 2.27**

| λ (nm) | Power W <sup>^</sup> /nm | Lumens (φ/nm) | λ (nm) | Power W <sup>^</sup> /nm | Lumens (φ/nm) | λ (nm) | Power W <sup>^</sup> /nm | Lumens (φ/nm) | λ (nm) | Power W <sup>^</sup> /nm | Lumens (φ/nm) | λ (nm) | Power W <sup>^</sup> /nm | Lumens (φ/nm) |
|--------|--------------------------|---------------|--------|--------------------------|---------------|--------|--------------------------|---------------|--------|--------------------------|---------------|--------|--------------------------|---------------|
| 360    | 0                        | NR            | 490    | 104                      | NR            | 620    | 818                      | NR            | 750    | 20                       | NR            | 880    | 1                        | NR            |
| 365    | 0                        | NR            | 495    | 135                      | NR            | 625    | 755                      | NR            | 755    | 17                       | NR            | 885    | 0                        | NR            |
| 370    | 0                        | NR            | 500    | 184                      | NR            | 630    | 691                      | NR            | 760    | 15                       | NR            | 890    | 0                        | NR            |
| 375    | 0                        | NR            | 505    | 247                      | NR            | 635    | 625                      | NR            | 765    | 13                       | NR            | 895    | 0                        | NR            |
| 380    | 0                        | NR            | 510    | 309                      | NR            | 640    | 561                      | NR            | 770    | 11                       | NR            | 900    | 0                        | NR            |
| 385    | 0                        | NR            | 515    | 369                      | NR            | 645    | 499                      | NR            | 775    | 9                        | NR            | 905    | 0                        | NR            |
| 390    | 0                        | NR            | 520    | 419                      | NR            | 650    | 441                      | NR            | 780    | 8                        | NR            | 910    | 0                        | NR            |
| 395    | 0                        | NR            | 525    | 460                      | NR            | 655    | 388                      | NR            | 785    | 7                        | NR            | 915    | 0                        | NR            |
| 400    | 1                        | NR            | 530    | 492                      | NR            | 660    | 338                      | NR            | 790    | 6                        | NR            | 920    | 0                        | NR            |
| 405    | 3                        | NR            | 535    | 524                      | NR            | 665    | 294                      | NR            | 795    | 5                        | NR            | 925    | 0                        | NR            |
| 410    | 7                        | NR            | 540    | 553                      | NR            | 670    | 253                      | NR            | 800    | 4                        | NR            | 930    | 0                        | NR            |
| 415    | 15                       | NR            | 545    | 588                      | NR            | 675    | 218                      | NR            | 805    | 4                        | NR            | 935    | 0                        | NR            |
| 420    | 31                       | NR            | 550    | 625                      | NR            | 680    | 188                      | NR            | 810    | 3                        | NR            | 940    | 0                        | NR            |
| 425    | 60                       | NR            | 555    | 670                      | NR            | 685    | 161                      | NR            | 815    | 3                        | NR            | 945    | 0                        | NR            |
| 430    | 107                      | NR            | 560    | 723                      | NR            | 690    | 139                      | NR            | 820    | 3                        | NR            | 950    | 0                        | NR            |
| 435    | 183                      | NR            | 565    | 780                      | NR            | 695    | 118                      | NR            | 825    | 2                        | NR            | 955    | 0                        | NR            |
| 440    | 289                      | NR            | 570    | 837                      | NR            | 700    | 100                      | NR            | 830    | 2                        | NR            | 960    | 0                        | NR            |
| 445    | 460                      | NR            | 575    | 894                      | NR            | 705    | 85                       | NR            | 835    | 2                        | NR            | 965    | 0                        | NR            |
| 450    | 646                      | NR            | 580    | 942                      | NR            | 710    | 73                       | NR            | 840    | 1                        | NR            | 970    | 0                        | NR            |
| 455    | 561                      | NR            | 585    | 976                      | NR            | 715    | 62                       | NR            | 845    | 1                        | NR            | 975    | 0                        | NR            |
| 460    | 331                      | NR            | 590    | 998                      | NR            | 720    | 53                       | NR            | 850    | 1                        | NR            | 980    | 0                        | NR            |
| 465    | 238                      | NR            | 595    | 1000                     | NR            | 725    | 45                       | NR            | 855    | 1                        | NR            | 985    | 0                        | NR            |
| 470    | 178                      | NR            | 600    | 990                      | NR            | 730    | 39                       | NR            | 860    | 1                        | NR            | 990    | 0                        | NR            |
| 475    | 120                      | NR            | 605    | 962                      | NR            | 735    | 33                       | NR            | 865    | 1                        | NR            | 995    | 0                        | NR            |
| 480    | 96                       | NR            | 610    | 925                      | NR            | 740    | 28                       | NR            | 870    | 1                        | NR            | 1000   | 0                        | NR            |
| 485    | 95                       | NR            | 615    | 873                      | NR            | 745    | 24                       | NR            | 875    | 1                        | NR            |        |                          |               |

**Summary**

$R_f = 74.6$   
 $R_g = 94$   
 $CIE R_a = 71.7$   
 $R_9 = -34.8$




**Color Vector Graphics**




Individual Sample Fidelity Index ( $R_{f,i}$ )

|            |            |            |            |
|------------|------------|------------|------------|
| CES01 = 86 | CES26 = 65 | CES51 = 87 | CES76 = 58 |
| CES02 = 62 | CES27 = 89 | CES52 = 85 | CES77 = 76 |
| CES03 = 31 | CES28 = 84 | CES53 = 77 | CES78 = 61 |
| CES04 = 71 | CES29 = 68 | CES54 = 85 | CES79 = 86 |
| CES05 = 49 | CES30 = 83 | CES55 = 84 | CES80 = 83 |
| CES06 = 51 | CES31 = 71 | CES56 = 74 | CES81 = 73 |
| CES07 = 41 | CES32 = 64 | CES57 = 74 | CES82 = 93 |
| CES08 = 40 | CES33 = 78 | CES58 = 75 | CES83 = 91 |
| CES09 = 29 | CES34 = 75 | CES59 = 85 | CES84 = 88 |
| CES10 = 76 | CES35 = 87 | CES60 = 90 | CES85 = 75 |
| CES11 = 59 | CES36 = 92 | CES61 = 81 | CES86 = 64 |
| CES12 = 65 | CES37 = 84 | CES62 = 89 | CES87 = 77 |
| CES13 = 43 | CES38 = 92 | CES63 = 75 | CES88 = 80 |
| CES14 = 74 | CES39 = 96 | CES64 = 65 | CES89 = 67 |
| CES15 = 71 | CES40 = 92 | CES65 = 64 | CES90 = 80 |
| CES16 = 47 | CES41 = 93 | CES66 = 60 | CES91 = 78 |
| CES17 = 50 | CES42 = 86 | CES67 = 58 | CES92 = 56 |
| CES18 = 56 | CES43 = 77 | CES68 = 66 | CES93 = 73 |
| CES19 = 73 | CES44 = 99 | CES69 = 75 | CES94 = 49 |
| CES20 = 66 | CES45 = 85 | CES70 = 60 | CES95 = 66 |
| CES21 = 87 | CES46 = 81 | CES71 = 56 | CES96 = 76 |
| CES22 = 79 | CES47 = 86 | CES72 = 85 | CES97 = 82 |
| CES23 = 92 | CES48 = 75 | CES73 = 52 | CES98 = 76 |
| CES24 = 91 | CES49 = 79 | CES74 = 95 | CES99 = 64 |
| CES25 = 73 | CES50 = 86 | CES75 = 60 |            |





Color Rendition by Hue-Angle Bin



Measure Comparisons



(END OF REPORT)