

Scaled data based on original data using
LM-79-08 Approved Method: Electrical and Photometric Measurements of Solid-
State Lighting Products

Test Report Prepared for
Cooper Lighting Solutions
(formerly Eaton)

Brand: INVUE

Report Number: P671868

Luminaire Tested: **CCP-SA-1C-830-U-SLR**

Issue Date: 04/16/2023



Test Information

Test Method: LM-79-08
Report Number: P671868
Test Lab: INNOVATION CENTER(G1)
Issue Date: 04/16/2023
Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)
Product Line: INVUE
Catalog Number: CCP-SA-1C-830-U-SLR
Description: INVUE CLEAR CURVE POLE MOUNT LIGHT SQUARE LUMINAIRE @615mA w/ SLR distribution lens
Light Source: (16) 3000K CCT, 80 CRI LEDs
Ballast/Driver: ELECTRONIC DRIVER

Summary

Lumens per Lamp: N/A
Luminaire Lumens: 2981.4 lumens
Efficiency: N/A
Efficacy: 93.2 lumens/watt
Luminous Opening: Rectangular (W 1' x L: 0.5' x H: 0')
IES Classification: Type IV - Short
BUG Rating: B1 - U0 - G1


Input Watts (W): 32
Input Voltage (V): 120
Input Current (Ain): NR
Voltage Rise (V): NR
Power Factor: NR
Total Harmonic Distortion (THDi): NR
Frequency (hertz): 60
Stabilization Time: NR
Operation Time: NR
Ambient Temperature (°C): NR
Test Distance: 25 FT



REPORT NUMBER: P671868
 CATALOG NUMBER: CCP-SA-1C-830-U-SLR

Iso-Footcandle Lines of Horizontal Illumination


× Max cd
 - - - 1/2 Max cd



Based on 15 foot mounting height. Maximum calculated value = 4.2 fc
 Type IV - Short - N/A

REPORT NUMBER: P671868
CATALOG NUMBER: CCP-SA-1C-830-U-SLR

Luminous Intensity Polar Plot



— Vertical Plane Through 305-Deg Lateral - - - Horizontal Cone Through 60-Deg Vertical

REPORT NUMBER: P671868

CATALOG NUMBER: CCP-SA-1C-830-U-SLR


FLUX DISTRIBUTION:

| | | Downward | Upward | Total |
|--------------------|-----------|----------|--------|--------|
| House Side | Lumens | 613.4 | 0.0 | 613.4 |
| | % Fixture | 20.6 | 0.0 | 20.6 |
| Street Side | Lumens | 2368.0 | 0.0 | 2368.0 |
| | % Fixture | 79.4 | 0.0 | 79.4 |
| Total | Lumens | 2981.4 | 0.0 | 2981.4 |
| | % Fixture | 100.0 | 0.0 | 100.0 |

Coefficient of Utilization

ZONAL LUMENS:

| Zone | Lumens | % Fixture |
|-----------|--------|-----------|
| 0°-10° | 74.0 | 2.5 |
| 10°-20° | 156.2 | 5.2 |
| 20°-30° | 228.5 | 7.7 |
| 30°-40° | 321.9 | 10.8 |
| 40°-50° | 442.4 | 14.8 |
| 50°-60° | 603.0 | 20.2 |
| 60°-70° | 660.0 | 22.1 |
| 70°-80° | 381.1 | 12.8 |
| 80°-90° | 114.2 | 3.8 |
| 90°-100° | 0.0 | 0.0 |
| 100°-110° | 0.0 | 0.0 |
| 110°-120° | 0.0 | 0.0 |
| 120°-130° | 0.0 | 0.0 |
| 130°-140° | 0.0 | 0.0 |
| 140°-150° | 0.0 | 0.0 |
| 150°-160° | 0.0 | 0.0 |
| 160°-170° | 0.0 | 0.0 |
| 170°-180° | 0.0 | 0.0 |
| 0°-90° | 2981.4 | 100.0 |
| 0°-180° | 2981.4 | 100.0 |



REPORT NUMBER: P671868


CATALOG NUMBER: CCP-SA-1C-830-U-SLR

LUMINAIRE CLASSIFICATION SYSTEM LUMEN TABLE AND BUG RATING:

| Zone | Lumens | % Fixture | Zone Rating/Lumen Limit | | |
|----------------|--------|-----------|-------------------------|------|---------|
| | | | B | U | G |
| FL (0°-30°) | 306.2 | 10.3 | | | |
| FM (30°-60°) | 1088.0 | 36.5 | | | |
| FH (60°-80°) | 876.7 | 29.4 | | | G1/1800 |
| FVH (80°-90°) | 97.0 | 3.3 | | | G1/100 |
| BL (0°-30°) | 152.5 | 5.1 | B1/500 | | |
| BM (30°-60°) | 279.3 | 9.4 | B1/1000 | | |
| BH (60°-80°) | 164.4 | 5.5 | B1/500 | | G1/500 |
| BVH (80°-90°) | 17.2 | 0.6 | | | G1/100 |
| UL (90°-100°) | 0.0 | 0.0 | | U0/0 | |
| UH (100°-180°) | 0.0 | 0.0 | | U0/0 | |

BUG Rating: B1-U0-G1

Type IV Short





REPORT NUMBER: P671868

CATALOG NUMBER: CCP-SA-1C-830-U-SLR

CANDELA DISTRIBUTION (FULL):

| | 0° | 2.5° | 5° | 7.5° | 10° | 12.5° | 15° | 17.5° | 20° | 22.5° | 25° |
|--------|--------|--------|--------|--------|--------|-------|-------|-------|-------|-------|-------|
| 0° | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 |
| 2.5° | 982.5 | 977.2 | 973.2 | 969.3 | 964.0 | 960.0 | 954.7 | 949.4 | 942.8 | 937.5 | 930.9 |
| 5° | 925.6 | 909.8 | 893.9 | 884.6 | 874.1 | 864.8 | 854.2 | 842.3 | 830.4 | 817.2 | 805.3 |
| 7.5° | 863.5 | 843.6 | 823.8 | 807.9 | 790.7 | 774.9 | 757.7 | 743.1 | 728.6 | 714.1 | 699.5 |
| 10° | 805.3 | 786.8 | 768.3 | 748.4 | 727.3 | 707.4 | 686.3 | 666.5 | 646.6 | 626.8 | 606.9 |
| 12.5° | 766.9 | 744.5 | 723.3 | 700.8 | 679.7 | 657.2 | 634.7 | 616.2 | 597.7 | 577.9 | 559.3 |
| 15° | 749.8 | 728.6 | 708.8 | 686.3 | 663.8 | 641.3 | 618.8 | 597.7 | 577.9 | 556.7 | 535.5 |
| 17.5° | 790.7 | 760.3 | 729.9 | 700.8 | 671.7 | 642.6 | 613.6 | 587.1 | 560.7 | 534.2 | 507.8 |
| 20° | 843.6 | 805.3 | 768.3 | 732.6 | 695.5 | 659.8 | 622.8 | 585.8 | 548.8 | 511.7 | 474.7 |
| 22.5° | 911.1 | 867.4 | 825.1 | 778.8 | 731.2 | 685.0 | 637.4 | 591.1 | 544.8 | 497.2 | 450.9 |
| 25° | 1031.4 | 979.8 | 928.3 | 862.2 | 794.7 | 728.6 | 661.2 | 600.3 | 540.8 | 480.0 | 419.2 |
| 27.5° | 1134.6 | 1064.5 | 995.7 | 916.4 | 837.0 | 757.7 | 678.4 | 608.3 | 539.5 | 469.4 | 399.3 |
| 30° | 1195.4 | 1126.6 | 1057.9 | 961.3 | 866.1 | 769.6 | 673.1 | 595.0 | 518.4 | 440.3 | 362.3 |
| 32.5° | 1250.9 | 1174.2 | 1097.5 | 991.7 | 884.6 | 778.8 | 671.7 | 585.8 | 501.2 | 415.2 | 329.3 |
| 35° | 1327.6 | 1243.0 | 1159.7 | 1036.7 | 913.7 | 790.7 | 667.8 | 579.2 | 489.3 | 400.7 | 310.7 |
| 37.5° | 1409.6 | 1305.1 | 1202.0 | 1065.8 | 929.6 | 793.4 | 657.2 | 569.9 | 482.6 | 395.4 | 308.1 |
| 40° | 1499.5 | 1372.6 | 1247.0 | 1096.2 | 946.8 | 796.0 | 645.3 | 558.0 | 470.7 | 382.2 | 294.9 |
| 42.5° | 1557.7 | 1420.2 | 1282.7 | 1120.0 | 958.7 | 796.0 | 633.4 | 547.4 | 461.5 | 374.2 | 288.3 |
| 45° | 1590.8 | 1457.2 | 1325.0 | 1149.1 | 973.2 | 797.4 | 621.5 | 536.9 | 452.2 | 366.3 | 281.7 |
| 47.5° | 1605.3 | 1481.0 | 1356.7 | 1171.6 | 987.8 | 802.7 | 617.5 | 531.6 | 444.3 | 358.3 | 271.1 |
| 50° | 1643.6 | 1533.9 | 1424.1 | 1225.8 | 1028.8 | 830.4 | 632.1 | 539.5 | 448.3 | 355.7 | 263.1 |
| 52.5° | 1666.1 | 1572.2 | 1478.4 | 1274.7 | 1071.1 | 867.4 | 663.8 | 560.7 | 457.5 | 354.4 | 251.2 |
| 55° | 1748.1 | 1658.2 | 1568.3 | 1351.4 | 1133.2 | 916.4 | 698.2 | 584.5 | 470.7 | 355.7 | 242.0 |
| 57.5° | 1852.6 | 1757.4 | 1663.5 | 1429.4 | 1195.4 | 961.3 | 727.3 | 605.6 | 482.6 | 361.0 | 238.0 |
| 60° | 1925.3 | 1832.7 | 1741.5 | 1492.9 | 1243.0 | 994.4 | 744.5 | 617.5 | 490.6 | 362.3 | 235.4 |
| 62.5° | 1933.2 | 1814.2 | 1696.5 | 1454.6 | 1212.6 | 969.3 | 727.3 | 604.3 | 481.3 | 357.0 | 234.1 |
| 65° | 1883.0 | 1744.1 | 1605.3 | 1373.9 | 1142.5 | 911.1 | 679.7 | 567.3 | 454.9 | 341.2 | 228.8 |
| 67.5° | 1782.5 | 1619.8 | 1457.2 | 1245.6 | 1034.1 | 822.5 | 610.9 | 514.4 | 419.2 | 322.6 | 226.1 |
| 70° | 1548.4 | 1405.6 | 1264.1 | 1080.3 | 897.9 | 714.1 | 530.3 | 450.9 | 372.9 | 293.6 | 214.2 |
| 72.5° | 1299.8 | 1166.3 | 1034.1 | 884.6 | 736.5 | 587.1 | 437.7 | 378.2 | 318.7 | 257.9 | 198.3 |
| 75° | 995.7 | 895.2 | 796.0 | 685.0 | 573.9 | 461.5 | 350.4 | 306.8 | 263.1 | 219.5 | 175.9 |
| 77.5° | 699.5 | 645.3 | 592.4 | 509.1 | 425.8 | 342.5 | 259.2 | 230.1 | 201.0 | 171.9 | 142.8 |
| 80° | 474.7 | 444.3 | 415.2 | 355.7 | 296.2 | 235.4 | 175.9 | 157.4 | 137.5 | 119.0 | 99.2 |
| 82.5° | 294.9 | 293.6 | 290.9 | 249.9 | 208.9 | 167.9 | 126.9 | 111.1 | 96.5 | 80.7 | 64.8 |
| 85° | 134.9 | 157.4 | 178.5 | 156.0 | 133.6 | 111.1 | 88.6 | 78.0 | 67.4 | 55.5 | 45.0 |
| 87.5° | 42.3 | 51.6 | 59.5 | 56.9 | 52.9 | 50.2 | 46.3 | 39.7 | 33.1 | 26.4 | 19.8 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671868
 CATALOG NUMBER: CCP-SA-1C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 0° | 2.5° | 5° | 7.5° | 10° | 12.5° | 15° | 17.5° | 20° | 22.5° | 25° |
|--------|-----|------|-----|------|-----|-------|-----|-------|-----|-------|-----|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671868
 CATALOG NUMBER: CCP-SA-1C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 27.5° | 30° | 32.5° | 35° | 37.5° | 40° | 42.5° | 45° | 47.5° | 50° | 52.5° |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 0° | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 |
| 2.5° | 925.6 | 921.7 | 916.4 | 911.1 | 904.5 | 899.2 | 892.6 | 886.0 | 884.6 | 882.0 | 880.7 |
| 5° | 797.4 | 789.4 | 780.2 | 772.2 | 764.3 | 755.0 | 747.1 | 737.9 | 731.2 | 723.3 | 716.7 |
| 7.5° | 685.0 | 671.7 | 657.2 | 642.6 | 629.4 | 616.2 | 601.7 | 588.4 | 581.8 | 575.2 | 568.6 |
| 10° | 595.0 | 581.8 | 569.9 | 556.7 | 547.4 | 539.5 | 530.3 | 521.0 | 513.1 | 505.1 | 497.2 |
| 12.5° | 550.1 | 540.8 | 531.6 | 522.3 | 511.7 | 502.5 | 491.9 | 481.3 | 472.1 | 464.1 | 454.9 |
| 15° | 522.3 | 509.1 | 494.5 | 481.3 | 466.8 | 453.6 | 439.0 | 424.5 | 413.9 | 404.6 | 394.1 |
| 17.5° | 489.3 | 469.4 | 450.9 | 431.1 | 415.2 | 399.3 | 382.2 | 366.3 | 354.4 | 341.2 | 329.3 |
| 20° | 452.2 | 429.8 | 406.0 | 383.5 | 365.0 | 347.8 | 329.3 | 310.7 | 297.5 | 283.0 | 269.8 |
| 22.5° | 420.5 | 391.4 | 361.0 | 330.6 | 310.7 | 290.9 | 269.8 | 249.9 | 238.0 | 224.8 | 212.9 |
| 25° | 386.1 | 354.4 | 321.3 | 288.3 | 268.4 | 247.3 | 227.4 | 206.3 | 197.0 | 189.1 | 179.8 |
| 27.5° | 367.6 | 335.9 | 302.8 | 271.1 | 252.6 | 232.7 | 214.2 | 194.4 | 187.8 | 179.8 | 173.2 |
| 30° | 330.6 | 300.2 | 268.4 | 236.7 | 223.5 | 211.6 | 198.3 | 185.1 | 182.5 | 181.2 | 178.5 |
| 32.5° | 297.5 | 265.8 | 234.1 | 202.3 | 190.4 | 178.5 | 166.6 | 154.7 | 153.4 | 150.7 | 149.4 |
| 35° | 280.3 | 249.9 | 218.2 | 187.8 | 177.2 | 165.3 | 154.7 | 142.8 | 140.2 | 136.2 | 133.6 |
| 37.5° | 276.4 | 244.6 | 211.6 | 179.8 | 169.3 | 158.7 | 146.8 | 136.2 | 133.6 | 130.9 | 128.3 |
| 40° | 265.8 | 235.4 | 206.3 | 175.9 | 165.3 | 154.7 | 142.8 | 132.2 | 129.6 | 126.9 | 124.3 |
| 42.5° | 257.9 | 228.8 | 198.3 | 167.9 | 158.7 | 149.4 | 138.8 | 129.6 | 126.9 | 124.3 | 120.3 |
| 45° | 251.2 | 220.8 | 189.1 | 158.7 | 152.1 | 145.5 | 137.5 | 130.9 | 128.3 | 124.3 | 121.7 |
| 47.5° | 240.7 | 211.6 | 181.2 | 150.7 | 144.1 | 138.8 | 132.2 | 125.6 | 123.0 | 120.3 | 117.7 |
| 50° | 232.7 | 202.3 | 171.9 | 141.5 | 136.2 | 130.9 | 125.6 | 120.3 | 120.3 | 121.7 | 121.7 |
| 52.5° | 222.2 | 193.1 | 164.0 | 134.9 | 129.6 | 124.3 | 119.0 | 113.7 | 115.0 | 116.4 | 117.7 |
| 55° | 212.9 | 185.1 | 156.0 | 126.9 | 121.7 | 116.4 | 109.8 | 104.5 | 105.8 | 107.1 | 108.4 |
| 57.5° | 208.9 | 179.8 | 150.7 | 121.7 | 116.4 | 109.8 | 104.5 | 97.9 | 97.9 | 97.9 | 97.9 |
| 60° | 206.3 | 175.9 | 146.8 | 116.4 | 109.8 | 104.5 | 97.9 | 91.2 | 89.9 | 89.9 | 88.6 |
| 62.5° | 205.0 | 174.5 | 145.5 | 115.0 | 107.1 | 100.5 | 92.6 | 84.6 | 83.3 | 82.0 | 80.7 |
| 65° | 199.7 | 171.9 | 142.8 | 113.7 | 104.5 | 96.5 | 87.3 | 78.0 | 76.7 | 76.7 | 75.4 |
| 67.5° | 198.3 | 169.3 | 141.5 | 112.4 | 103.1 | 92.6 | 83.3 | 72.7 | 71.4 | 70.1 | 68.8 |
| 70° | 187.8 | 162.6 | 136.2 | 109.8 | 99.2 | 89.9 | 79.3 | 68.8 | 67.4 | 64.8 | 63.5 |
| 72.5° | 174.5 | 152.1 | 128.3 | 104.5 | 93.9 | 83.3 | 72.7 | 62.1 | 60.8 | 59.5 | 56.9 |
| 75° | 154.7 | 133.6 | 112.4 | 91.2 | 82.0 | 74.1 | 64.8 | 55.5 | 54.2 | 52.9 | 50.2 |
| 77.5° | 126.9 | 109.8 | 93.9 | 76.7 | 70.1 | 63.5 | 56.9 | 50.2 | 48.9 | 47.6 | 45.0 |
| 80° | 89.9 | 79.3 | 70.1 | 59.5 | 55.5 | 50.2 | 46.3 | 41.0 | 41.0 | 39.7 | 39.7 |
| 82.5° | 59.5 | 54.2 | 48.9 | 43.6 | 41.0 | 38.3 | 35.7 | 33.1 | 33.1 | 31.7 | 31.7 |
| 85° | 42.3 | 39.7 | 35.7 | 33.1 | 31.7 | 29.1 | 27.8 | 25.1 | 25.1 | 25.1 | 25.1 |
| 87.5° | 19.8 | 19.8 | 18.5 | 18.5 | 17.2 | 17.2 | 15.9 | 14.5 | 14.5 | 14.5 | 14.5 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671868
 CATALOG NUMBER: CCP-SA-1C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 27.5° | 30° | 32.5° | 35° | 37.5° | 40° | 42.5° | 45° | 47.5° | 50° | 52.5° |
|--------|-------|-----|-------|-----|-------|-----|-------|-----|-------|-----|-------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671868
 CATALOG NUMBER: CCP-SA-1C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 55° | 57.5° | 60° | 62.5° | 65° | 67.5° | 70° | 72.5° | 75° | 77.5° | 80° |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 0° | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 |
| 2.5° | 878.0 | 874.1 | 870.1 | 864.8 | 860.8 | 855.5 | 848.9 | 843.6 | 837.0 | 837.0 | 835.7 |
| 5° | 708.8 | 704.8 | 700.8 | 695.5 | 691.6 | 686.3 | 682.3 | 677.0 | 671.7 | 671.7 | 670.4 |
| 7.5° | 562.0 | 554.1 | 546.1 | 536.9 | 528.9 | 523.6 | 518.4 | 511.7 | 506.5 | 502.5 | 498.5 |
| 10° | 489.3 | 481.3 | 472.1 | 464.1 | 454.9 | 448.3 | 441.7 | 433.7 | 427.1 | 421.8 | 416.5 |
| 12.5° | 445.6 | 436.4 | 427.1 | 417.9 | 408.6 | 399.3 | 391.4 | 382.2 | 372.9 | 366.3 | 359.7 |
| 15° | 383.5 | 374.2 | 365.0 | 355.7 | 346.4 | 335.9 | 325.3 | 313.4 | 302.8 | 297.5 | 293.6 |
| 17.5° | 316.0 | 306.8 | 296.2 | 286.9 | 276.4 | 268.4 | 260.5 | 252.6 | 244.6 | 239.3 | 235.4 |
| 20° | 255.2 | 244.6 | 234.1 | 223.5 | 212.9 | 207.6 | 202.3 | 197.0 | 191.7 | 187.8 | 185.1 |
| 22.5° | 199.7 | 193.1 | 187.8 | 181.2 | 174.5 | 170.6 | 167.9 | 164.0 | 160.0 | 160.0 | 160.0 |
| 25° | 170.6 | 166.6 | 164.0 | 160.0 | 156.0 | 154.7 | 153.4 | 150.7 | 149.4 | 148.1 | 148.1 |
| 27.5° | 165.3 | 161.3 | 157.4 | 153.4 | 149.4 | 148.1 | 146.8 | 144.1 | 142.8 | 142.8 | 142.8 |
| 30° | 175.9 | 174.5 | 173.2 | 171.9 | 170.6 | 167.9 | 164.0 | 161.3 | 157.4 | 154.7 | 152.1 |
| 32.5° | 146.8 | 145.5 | 145.5 | 144.1 | 142.8 | 145.5 | 146.8 | 149.4 | 150.7 | 152.1 | 153.4 |
| 35° | 129.6 | 126.9 | 124.3 | 121.7 | 119.0 | 117.7 | 116.4 | 115.0 | 113.7 | 113.7 | 112.4 |
| 37.5° | 125.6 | 123.0 | 120.3 | 117.7 | 115.0 | 113.7 | 112.4 | 111.1 | 109.8 | 109.8 | 108.4 |
| 40° | 121.7 | 119.0 | 117.7 | 115.0 | 112.4 | 111.1 | 109.8 | 107.1 | 105.8 | 104.5 | 104.5 |
| 42.5° | 117.7 | 116.4 | 113.7 | 112.4 | 109.8 | 108.4 | 107.1 | 104.5 | 103.1 | 101.8 | 100.5 |
| 45° | 117.7 | 115.0 | 112.4 | 109.8 | 107.1 | 105.8 | 103.1 | 101.8 | 99.2 | 99.2 | 97.9 |
| 47.5° | 115.0 | 112.4 | 109.8 | 107.1 | 104.5 | 103.1 | 100.5 | 99.2 | 96.5 | 95.2 | 93.9 |
| 50° | 121.7 | 117.7 | 112.4 | 108.4 | 103.1 | 101.8 | 99.2 | 97.9 | 95.2 | 93.9 | 92.6 |
| 52.5° | 119.0 | 115.0 | 109.8 | 105.8 | 100.5 | 97.9 | 96.5 | 93.9 | 91.2 | 89.9 | 88.6 |
| 55° | 109.8 | 105.8 | 103.1 | 99.2 | 95.2 | 92.6 | 89.9 | 87.3 | 84.6 | 83.3 | 83.3 |
| 57.5° | 97.9 | 96.5 | 95.2 | 93.9 | 92.6 | 89.9 | 87.3 | 83.3 | 80.7 | 79.3 | 78.0 |
| 60° | 87.3 | 88.6 | 89.9 | 91.2 | 92.6 | 88.6 | 84.6 | 80.7 | 76.7 | 75.4 | 74.1 |
| 62.5° | 79.3 | 82.0 | 84.6 | 86.0 | 88.6 | 84.6 | 80.7 | 76.7 | 72.7 | 71.4 | 70.1 |
| 65° | 74.1 | 75.4 | 75.4 | 76.7 | 76.7 | 74.1 | 72.7 | 70.1 | 67.4 | 66.1 | 66.1 |
| 67.5° | 67.4 | 67.4 | 67.4 | 66.1 | 66.1 | 64.8 | 64.8 | 63.5 | 62.1 | 60.8 | 60.8 |
| 70° | 60.8 | 60.8 | 60.8 | 59.5 | 59.5 | 58.2 | 58.2 | 56.9 | 55.5 | 55.5 | 54.2 |
| 72.5° | 55.5 | 55.5 | 54.2 | 54.2 | 52.9 | 52.9 | 52.9 | 51.6 | 51.6 | 50.2 | 50.2 |
| 75° | 48.9 | 48.9 | 47.6 | 47.6 | 46.3 | 46.3 | 46.3 | 45.0 | 45.0 | 45.0 | 43.6 |
| 77.5° | 43.6 | 43.6 | 42.3 | 42.3 | 41.0 | 41.0 | 41.0 | 39.7 | 39.7 | 38.3 | 38.3 |
| 80° | 38.3 | 38.3 | 37.0 | 37.0 | 35.7 | 35.7 | 34.4 | 34.4 | 33.1 | 33.1 | 31.7 |
| 82.5° | 30.4 | 30.4 | 30.4 | 30.4 | 30.4 | 29.1 | 29.1 | 27.8 | 26.4 | 26.4 | 25.1 |
| 85° | 25.1 | 25.1 | 25.1 | 23.8 | 23.8 | 23.8 | 22.5 | 22.5 | 21.2 | 19.8 | 19.8 |
| 87.5° | 14.5 | 14.5 | 14.5 | 13.2 | 13.2 | 13.2 | 13.2 | 13.2 | 13.2 | 13.2 | 11.9 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671868
 CATALOG NUMBER: CCP-SA-1C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 55° | 57.5° | 60° | 62.5° | 65° | 67.5° | 70° | 72.5° | 75° | 77.5° | 80° |
|--------|-----|-------|-----|-------|-----|-------|-----|-------|-----|-------|-----|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671868
 CATALOG NUMBER: CCP-SA-1C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 82.5° | 85° | 87.5° | 90° | 92.5° | 95° | 97.5° | 100° | 102.5° | 105° | 107.5° |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|--------|
| 0° | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 |
| 2.5° | 835.7 | 834.4 | 829.1 | 823.8 | 829.1 | 834.4 | 834.4 | 834.4 | 833.1 | 833.1 | 833.1 |
| 5° | 670.4 | 669.1 | 666.5 | 663.8 | 663.8 | 662.5 | 665.1 | 667.8 | 670.4 | 673.1 | 675.7 |
| 7.5° | 493.2 | 489.3 | 485.3 | 481.3 | 484.0 | 485.3 | 489.3 | 491.9 | 495.9 | 498.5 | 505.1 |
| 10° | 411.2 | 406.0 | 402.0 | 398.0 | 395.4 | 392.7 | 390.1 | 388.8 | 386.1 | 383.5 | 386.1 |
| 12.5° | 351.7 | 345.1 | 338.5 | 330.6 | 329.3 | 327.9 | 325.3 | 322.6 | 320.0 | 317.4 | 316.0 |
| 15° | 288.3 | 283.0 | 280.3 | 276.4 | 271.1 | 265.8 | 263.1 | 261.8 | 259.2 | 256.5 | 255.2 |
| 17.5° | 230.1 | 224.8 | 220.8 | 216.9 | 215.5 | 212.9 | 212.9 | 212.9 | 212.9 | 212.9 | 212.9 |
| 20° | 181.2 | 177.2 | 177.2 | 175.9 | 175.9 | 174.5 | 175.9 | 177.2 | 177.2 | 178.5 | 179.8 |
| 22.5° | 158.7 | 158.7 | 157.4 | 156.0 | 157.4 | 157.4 | 158.7 | 160.0 | 161.3 | 162.6 | 164.0 |
| 25° | 146.8 | 145.5 | 146.8 | 148.1 | 148.1 | 148.1 | 149.4 | 149.4 | 150.7 | 150.7 | 150.7 |
| 27.5° | 141.5 | 141.5 | 142.8 | 142.8 | 144.1 | 144.1 | 144.1 | 142.8 | 142.8 | 141.5 | 141.5 |
| 30° | 149.4 | 146.8 | 146.8 | 146.8 | 145.5 | 144.1 | 142.8 | 142.8 | 141.5 | 140.2 | 138.8 |
| 32.5° | 154.7 | 156.0 | 154.7 | 152.1 | 150.7 | 148.1 | 146.8 | 144.1 | 142.8 | 140.2 | 137.5 |
| 35° | 112.4 | 111.1 | 113.7 | 115.0 | 116.4 | 117.7 | 119.0 | 120.3 | 120.3 | 121.7 | 121.7 |
| 37.5° | 108.4 | 107.1 | 107.1 | 105.8 | 105.8 | 105.8 | 105.8 | 105.8 | 104.5 | 104.5 | 105.8 |
| 40° | 103.1 | 101.8 | 101.8 | 100.5 | 100.5 | 99.2 | 99.2 | 99.2 | 99.2 | 99.2 | 99.2 |
| 42.5° | 99.2 | 97.9 | 97.9 | 97.9 | 97.9 | 96.5 | 96.5 | 95.2 | 95.2 | 93.9 | 93.9 |
| 45° | 97.9 | 96.5 | 95.2 | 93.9 | 93.9 | 92.6 | 92.6 | 92.6 | 91.2 | 91.2 | 91.2 |
| 47.5° | 92.6 | 91.2 | 91.2 | 89.9 | 89.9 | 88.6 | 88.6 | 88.6 | 87.3 | 87.3 | 87.3 |
| 50° | 89.9 | 88.6 | 88.6 | 87.3 | 87.3 | 86.0 | 86.0 | 86.0 | 84.6 | 84.6 | 84.6 |
| 52.5° | 86.0 | 84.6 | 84.6 | 84.6 | 83.3 | 82.0 | 82.0 | 82.0 | 80.7 | 80.7 | 80.7 |
| 55° | 82.0 | 80.7 | 80.7 | 80.7 | 79.3 | 78.0 | 78.0 | 78.0 | 76.7 | 76.7 | 76.7 |
| 57.5° | 76.7 | 75.4 | 75.4 | 74.1 | 74.1 | 74.1 | 74.1 | 74.1 | 72.7 | 72.7 | 72.7 |
| 60° | 72.7 | 71.4 | 71.4 | 70.1 | 70.1 | 68.8 | 68.8 | 68.8 | 68.8 | 68.8 | 68.8 |
| 62.5° | 68.8 | 67.4 | 66.1 | 64.8 | 66.1 | 66.1 | 66.1 | 66.1 | 64.8 | 64.8 | 64.8 |
| 65° | 64.8 | 63.5 | 62.1 | 60.8 | 60.8 | 60.8 | 60.8 | 60.8 | 60.8 | 60.8 | 60.8 |
| 67.5° | 59.5 | 58.2 | 56.9 | 55.5 | 56.9 | 56.9 | 56.9 | 56.9 | 56.9 | 56.9 | 56.9 |
| 70° | 54.2 | 52.9 | 52.9 | 51.6 | 51.6 | 50.2 | 50.2 | 51.6 | 51.6 | 51.6 | 51.6 |
| 72.5° | 48.9 | 47.6 | 47.6 | 46.3 | 46.3 | 46.3 | 46.3 | 46.3 | 46.3 | 46.3 | 46.3 |
| 75° | 43.6 | 42.3 | 42.3 | 41.0 | 41.0 | 41.0 | 41.0 | 41.0 | 41.0 | 41.0 | 41.0 |
| 77.5° | 37.0 | 35.7 | 35.7 | 35.7 | 35.7 | 35.7 | 35.7 | 37.0 | 37.0 | 37.0 | 37.0 |
| 80° | 31.7 | 30.4 | 30.4 | 30.4 | 30.4 | 30.4 | 30.4 | 30.4 | 30.4 | 30.4 | 30.4 |
| 82.5° | 25.1 | 23.8 | 23.8 | 23.8 | 23.8 | 23.8 | 23.8 | 23.8 | 23.8 | 23.8 | 23.8 |
| 85° | 18.5 | 17.2 | 17.2 | 17.2 | 18.5 | 18.5 | 18.5 | 18.5 | 18.5 | 18.5 | 18.5 |
| 87.5° | 11.9 | 10.6 | 10.6 | 10.6 | 11.9 | 11.9 | 11.9 | 11.9 | 10.6 | 10.6 | 10.6 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671868
 CATALOG NUMBER: CCP-SA-1C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 82.5° | 85° | 87.5° | 90° | 92.5° | 95° | 97.5° | 100° | 102.5° | 105° | 107.5° |
|--------|-------|-----|-------|-----|-------|-----|-------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671868
 CATALOG NUMBER: CCP-SA-1C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 110° | 112.5° | 115° | 117.5° | 120° | 122.5° | 125° | 127.5° | 130° | 132.5° | 135° |
|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|
| 0° | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 |
| 2.5° | 833.1 | 833.1 | 833.1 | 831.7 | 830.4 | 829.1 | 827.8 | 831.7 | 834.4 | 838.4 | 841.0 |
| 5° | 677.0 | 679.7 | 681.0 | 685.0 | 688.9 | 692.9 | 696.9 | 699.5 | 702.2 | 703.5 | 706.1 |
| 7.5° | 510.4 | 517.0 | 522.3 | 527.6 | 532.9 | 536.9 | 542.2 | 546.1 | 550.1 | 554.1 | 558.0 |
| 10° | 387.4 | 390.1 | 391.4 | 396.7 | 400.7 | 406.0 | 409.9 | 413.9 | 417.9 | 420.5 | 424.5 |
| 12.5° | 314.7 | 312.1 | 310.7 | 310.7 | 310.7 | 310.7 | 310.7 | 313.4 | 316.0 | 318.7 | 321.3 |
| 15° | 253.9 | 252.6 | 251.2 | 249.9 | 248.6 | 246.0 | 244.6 | 247.3 | 249.9 | 252.6 | 255.2 |
| 17.5° | 212.9 | 212.9 | 212.9 | 211.6 | 210.2 | 208.9 | 207.6 | 208.9 | 210.2 | 210.2 | 211.6 |
| 20° | 182.5 | 183.8 | 185.1 | 186.4 | 186.4 | 187.8 | 187.8 | 189.1 | 190.4 | 190.4 | 191.7 |
| 22.5° | 164.0 | 165.3 | 165.3 | 165.3 | 166.6 | 166.6 | 166.6 | 167.9 | 169.3 | 170.6 | 171.9 |
| 25° | 149.4 | 149.4 | 148.1 | 148.1 | 149.4 | 149.4 | 149.4 | 149.4 | 150.7 | 150.7 | 150.7 |
| 27.5° | 141.5 | 140.2 | 140.2 | 140.2 | 140.2 | 138.8 | 138.8 | 138.8 | 138.8 | 138.8 | 138.8 |
| 30° | 137.5 | 136.2 | 134.9 | 133.6 | 133.6 | 132.2 | 130.9 | 130.9 | 130.9 | 130.9 | 130.9 |
| 32.5° | 136.2 | 133.6 | 130.9 | 129.6 | 129.6 | 128.3 | 126.9 | 125.6 | 125.6 | 124.3 | 123.0 |
| 35° | 121.7 | 120.3 | 120.3 | 119.0 | 117.7 | 116.4 | 115.0 | 115.0 | 115.0 | 113.7 | 113.7 |
| 37.5° | 105.8 | 107.1 | 107.1 | 107.1 | 108.4 | 108.4 | 108.4 | 108.4 | 109.8 | 109.8 | 109.8 |
| 40° | 99.2 | 99.2 | 99.2 | 100.5 | 101.8 | 101.8 | 103.1 | 103.1 | 104.5 | 104.5 | 104.5 |
| 42.5° | 93.9 | 92.6 | 92.6 | 93.9 | 93.9 | 95.2 | 95.2 | 96.5 | 97.9 | 97.9 | 99.2 |
| 45° | 91.2 | 89.9 | 89.9 | 89.9 | 89.9 | 88.6 | 88.6 | 89.9 | 91.2 | 92.6 | 93.9 |
| 47.5° | 86.0 | 86.0 | 84.6 | 84.6 | 84.6 | 84.6 | 84.6 | 84.6 | 86.0 | 86.0 | 86.0 |
| 50° | 83.3 | 83.3 | 82.0 | 82.0 | 82.0 | 82.0 | 82.0 | 82.0 | 82.0 | 82.0 | 82.0 |
| 52.5° | 80.7 | 79.3 | 79.3 | 79.3 | 79.3 | 78.0 | 78.0 | 78.0 | 78.0 | 78.0 | 78.0 |
| 55° | 76.7 | 75.4 | 75.4 | 75.4 | 75.4 | 75.4 | 75.4 | 75.4 | 76.7 | 76.7 | 76.7 |
| 57.5° | 72.7 | 71.4 | 71.4 | 71.4 | 72.7 | 72.7 | 72.7 | 72.7 | 74.1 | 74.1 | 74.1 |
| 60° | 68.8 | 68.8 | 68.8 | 68.8 | 68.8 | 68.8 | 68.8 | 70.1 | 70.1 | 71.4 | 71.4 |
| 62.5° | 64.8 | 64.8 | 64.8 | 64.8 | 66.1 | 66.1 | 66.1 | 66.1 | 67.4 | 67.4 | 67.4 |
| 65° | 60.8 | 60.8 | 60.8 | 60.8 | 62.1 | 62.1 | 62.1 | 62.1 | 62.1 | 62.1 | 62.1 |
| 67.5° | 56.9 | 56.9 | 56.9 | 56.9 | 56.9 | 56.9 | 56.9 | 58.2 | 58.2 | 59.5 | 59.5 |
| 70° | 51.6 | 50.2 | 50.2 | 51.6 | 51.6 | 52.9 | 52.9 | 54.2 | 54.2 | 55.5 | 55.5 |
| 72.5° | 46.3 | 46.3 | 46.3 | 46.3 | 46.3 | 46.3 | 46.3 | 47.6 | 48.9 | 48.9 | 50.2 |
| 75° | 41.0 | 41.0 | 41.0 | 41.0 | 42.3 | 42.3 | 42.3 | 43.6 | 43.6 | 45.0 | 45.0 |
| 77.5° | 37.0 | 35.7 | 35.7 | 35.7 | 37.0 | 37.0 | 37.0 | 38.3 | 38.3 | 39.7 | 39.7 |
| 80° | 30.4 | 30.4 | 30.4 | 30.4 | 31.7 | 31.7 | 31.7 | 31.7 | 33.1 | 33.1 | 33.1 |
| 82.5° | 25.1 | 25.1 | 25.1 | 25.1 | 25.1 | 25.1 | 25.1 | 25.1 | 26.4 | 26.4 | 26.4 |
| 85° | 18.5 | 18.5 | 18.5 | 18.5 | 19.8 | 19.8 | 19.8 | 19.8 | 19.8 | 19.8 | 19.8 |
| 87.5° | 11.9 | 11.9 | 11.9 | 11.9 | 11.9 | 11.9 | 11.9 | 11.9 | 13.2 | 13.2 | 13.2 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671868
 CATALOG NUMBER: CCP-SA-1C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 110° | 112.5° | 115° | 117.5° | 120° | 122.5° | 125° | 127.5° | 130° | 132.5° | 135° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671868
 CATALOG NUMBER: CCP-SA-1C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 137.5° | 140° | 142.5° | 145° | 147.5° | 150° | 152.5° | 155° | 157.5° | 160° | 162.5° |
|--------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|
| 0° | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 |
| 2.5° | 841.0 | 841.0 | 841.0 | 841.0 | 843.6 | 845.0 | 847.6 | 848.9 | 847.6 | 846.3 | 843.6 |
| 5° | 707.4 | 708.8 | 708.8 | 710.1 | 710.1 | 710.1 | 710.1 | 710.1 | 712.7 | 715.4 | 718.0 |
| 7.5° | 559.3 | 560.7 | 562.0 | 563.3 | 563.3 | 563.3 | 562.0 | 562.0 | 563.3 | 563.3 | 564.6 |
| 10° | 428.4 | 433.7 | 437.7 | 441.7 | 439.0 | 435.0 | 432.4 | 428.4 | 428.4 | 428.4 | 427.1 |
| 12.5° | 324.0 | 325.3 | 327.9 | 329.3 | 327.9 | 327.9 | 326.6 | 325.3 | 326.6 | 329.3 | 330.6 |
| 15° | 256.5 | 256.5 | 257.9 | 257.9 | 259.2 | 260.5 | 260.5 | 261.8 | 264.5 | 265.8 | 268.4 |
| 17.5° | 212.9 | 214.2 | 214.2 | 215.5 | 215.5 | 216.9 | 216.9 | 216.9 | 219.5 | 222.2 | 226.1 |
| 20° | 191.7 | 191.7 | 191.7 | 191.7 | 191.7 | 190.4 | 190.4 | 189.1 | 190.4 | 193.1 | 194.4 |
| 22.5° | 171.9 | 173.2 | 173.2 | 173.2 | 171.9 | 170.6 | 167.9 | 166.6 | 166.6 | 167.9 | 167.9 |
| 25° | 150.7 | 149.4 | 149.4 | 148.1 | 148.1 | 149.4 | 149.4 | 149.4 | 150.7 | 150.7 | 152.1 |
| 27.5° | 138.8 | 137.5 | 137.5 | 136.2 | 136.2 | 137.5 | 137.5 | 137.5 | 137.5 | 137.5 | 137.5 |
| 30° | 129.6 | 129.6 | 128.3 | 126.9 | 128.3 | 128.3 | 129.6 | 129.6 | 130.9 | 130.9 | 132.2 |
| 32.5° | 123.0 | 121.7 | 121.7 | 120.3 | 121.7 | 121.7 | 123.0 | 123.0 | 124.3 | 125.6 | 125.6 |
| 35° | 113.7 | 113.7 | 113.7 | 113.7 | 113.7 | 113.7 | 112.4 | 112.4 | 112.4 | 112.4 | 112.4 |
| 37.5° | 108.4 | 108.4 | 107.1 | 105.8 | 105.8 | 105.8 | 105.8 | 105.8 | 104.5 | 103.1 | 101.8 |
| 40° | 104.5 | 103.1 | 103.1 | 101.8 | 100.5 | 100.5 | 99.2 | 97.9 | 97.9 | 96.5 | 96.5 |
| 42.5° | 99.2 | 97.9 | 97.9 | 96.5 | 95.2 | 95.2 | 93.9 | 92.6 | 92.6 | 92.6 | 91.2 |
| 45° | 92.6 | 92.6 | 91.2 | 89.9 | 89.9 | 89.9 | 88.6 | 88.6 | 88.6 | 88.6 | 87.3 |
| 47.5° | 86.0 | 86.0 | 84.6 | 84.6 | 84.6 | 84.6 | 83.3 | 83.3 | 83.3 | 83.3 | 83.3 |
| 50° | 82.0 | 82.0 | 82.0 | 82.0 | 82.0 | 82.0 | 80.7 | 80.7 | 80.7 | 80.7 | 80.7 |
| 52.5° | 78.0 | 78.0 | 78.0 | 78.0 | 78.0 | 78.0 | 78.0 | 78.0 | 78.0 | 78.0 | 78.0 |
| 55° | 76.7 | 76.7 | 76.7 | 76.7 | 76.7 | 76.7 | 75.4 | 75.4 | 75.4 | 76.7 | 76.7 |
| 57.5° | 74.1 | 74.1 | 72.7 | 72.7 | 72.7 | 72.7 | 72.7 | 72.7 | 72.7 | 72.7 | 72.7 |
| 60° | 71.4 | 71.4 | 71.4 | 71.4 | 71.4 | 71.4 | 71.4 | 71.4 | 71.4 | 71.4 | 71.4 |
| 62.5° | 67.4 | 67.4 | 67.4 | 67.4 | 67.4 | 68.8 | 68.8 | 68.8 | 68.8 | 68.8 | 67.4 |
| 65° | 62.1 | 63.5 | 63.5 | 63.5 | 63.5 | 63.5 | 63.5 | 63.5 | 63.5 | 63.5 | 63.5 |
| 67.5° | 59.5 | 59.5 | 59.5 | 59.5 | 59.5 | 59.5 | 59.5 | 59.5 | 59.5 | 59.5 | 59.5 |
| 70° | 55.5 | 55.5 | 54.2 | 54.2 | 54.2 | 55.5 | 55.5 | 55.5 | 55.5 | 55.5 | 55.5 |
| 72.5° | 50.2 | 50.2 | 50.2 | 50.2 | 50.2 | 50.2 | 50.2 | 50.2 | 50.2 | 51.6 | 51.6 |
| 75° | 45.0 | 45.0 | 45.0 | 45.0 | 45.0 | 45.0 | 45.0 | 45.0 | 45.0 | 45.0 | 45.0 |
| 77.5° | 39.7 | 39.7 | 38.3 | 38.3 | 38.3 | 39.7 | 39.7 | 39.7 | 39.7 | 41.0 | 41.0 |
| 80° | 33.1 | 33.1 | 33.1 | 33.1 | 33.1 | 33.1 | 33.1 | 33.1 | 33.1 | 34.4 | 34.4 |
| 82.5° | 26.4 | 26.4 | 26.4 | 26.4 | 26.4 | 26.4 | 26.4 | 26.4 | 26.4 | 27.8 | 27.8 |
| 85° | 19.8 | 21.2 | 21.2 | 21.2 | 21.2 | 21.2 | 21.2 | 21.2 | 21.2 | 22.5 | 22.5 |
| 87.5° | 13.2 | 13.2 | 13.2 | 13.2 | 13.2 | 13.2 | 11.9 | 11.9 | 11.9 | 11.9 | 10.6 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671868
 CATALOG NUMBER: CCP-SA-1C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 137.5° | 140° | 142.5° | 145° | 147.5° | 150° | 152.5° | 155° | 157.5° | 160° | 162.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671868
 CATALOG NUMBER: CCP-SA-1C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 165° | 167.5° | 170° | 172.5° | 175° | 177.5° | 180° | 182.5° | 185° | 187.5° | 190° |
|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|
| 0° | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 |
| 2.5° | 842.3 | 843.6 | 845.0 | 845.0 | 846.3 | 847.6 | 847.6 | 852.9 | 858.2 | 860.8 | 863.5 |
| 5° | 720.7 | 719.3 | 719.3 | 718.0 | 716.7 | 720.7 | 724.6 | 732.6 | 740.5 | 741.8 | 744.5 |
| 7.5° | 564.6 | 566.0 | 567.3 | 567.3 | 568.6 | 564.6 | 559.3 | 560.7 | 562.0 | 568.6 | 573.9 |
| 10° | 427.1 | 428.4 | 429.8 | 429.8 | 431.1 | 429.8 | 427.1 | 431.1 | 435.0 | 440.3 | 446.9 |
| 12.5° | 331.9 | 335.9 | 339.8 | 342.5 | 346.4 | 349.1 | 350.4 | 355.7 | 359.7 | 366.3 | 372.9 |
| 15° | 271.1 | 273.7 | 276.4 | 279.0 | 281.7 | 284.3 | 286.9 | 292.2 | 297.5 | 305.5 | 313.4 |
| 17.5° | 228.8 | 228.8 | 230.1 | 230.1 | 230.1 | 232.7 | 235.4 | 238.0 | 239.3 | 247.3 | 255.2 |
| 20° | 195.7 | 194.4 | 193.1 | 191.7 | 190.4 | 193.1 | 194.4 | 195.7 | 197.0 | 202.3 | 206.3 |
| 22.5° | 167.9 | 167.9 | 169.3 | 169.3 | 169.3 | 167.9 | 165.3 | 166.6 | 166.6 | 169.3 | 173.2 |
| 25° | 152.1 | 152.1 | 152.1 | 150.7 | 150.7 | 152.1 | 153.4 | 153.4 | 152.1 | 153.4 | 154.7 |
| 27.5° | 137.5 | 138.8 | 138.8 | 140.2 | 140.2 | 141.5 | 141.5 | 141.5 | 141.5 | 142.8 | 144.1 |
| 30° | 132.2 | 132.2 | 133.6 | 133.6 | 133.6 | 134.9 | 136.2 | 136.2 | 136.2 | 137.5 | 140.2 |
| 32.5° | 126.9 | 128.3 | 129.6 | 130.9 | 132.2 | 133.6 | 133.6 | 134.9 | 134.9 | 136.2 | 137.5 |
| 35° | 112.4 | 111.1 | 111.1 | 109.8 | 108.4 | 108.4 | 108.4 | 108.4 | 107.1 | 108.4 | 108.4 |
| 37.5° | 100.5 | 100.5 | 100.5 | 99.2 | 99.2 | 100.5 | 100.5 | 100.5 | 100.5 | 101.8 | 101.8 |
| 40° | 95.2 | 95.2 | 95.2 | 95.2 | 95.2 | 95.2 | 95.2 | 96.5 | 96.5 | 97.9 | 99.2 |
| 42.5° | 91.2 | 91.2 | 91.2 | 91.2 | 91.2 | 92.6 | 92.6 | 92.6 | 92.6 | 93.9 | 93.9 |
| 45° | 87.3 | 87.3 | 87.3 | 87.3 | 87.3 | 87.3 | 87.3 | 88.6 | 88.6 | 89.9 | 91.2 |
| 47.5° | 83.3 | 83.3 | 83.3 | 83.3 | 83.3 | 84.6 | 86.0 | 86.0 | 86.0 | 87.3 | 87.3 |
| 50° | 80.7 | 80.7 | 80.7 | 80.7 | 80.7 | 82.0 | 82.0 | 83.3 | 83.3 | 84.6 | 86.0 |
| 52.5° | 78.0 | 78.0 | 78.0 | 78.0 | 78.0 | 79.3 | 79.3 | 80.7 | 80.7 | 82.0 | 83.3 |
| 55° | 76.7 | 76.7 | 76.7 | 75.4 | 75.4 | 76.7 | 76.7 | 78.0 | 78.0 | 79.3 | 79.3 |
| 57.5° | 72.7 | 72.7 | 72.7 | 72.7 | 72.7 | 72.7 | 72.7 | 74.1 | 74.1 | 75.4 | 76.7 |
| 60° | 71.4 | 71.4 | 70.1 | 70.1 | 68.8 | 70.1 | 70.1 | 71.4 | 71.4 | 72.7 | 72.7 |
| 62.5° | 67.4 | 67.4 | 67.4 | 66.1 | 66.1 | 67.4 | 67.4 | 67.4 | 67.4 | 68.8 | 70.1 |
| 65° | 63.5 | 63.5 | 63.5 | 62.1 | 62.1 | 63.5 | 63.5 | 63.5 | 63.5 | 64.8 | 66.1 |
| 67.5° | 59.5 | 59.5 | 59.5 | 58.2 | 58.2 | 58.2 | 58.2 | 59.5 | 59.5 | 60.8 | 62.1 |
| 70° | 55.5 | 55.5 | 55.5 | 54.2 | 54.2 | 54.2 | 52.9 | 54.2 | 55.5 | 56.9 | 56.9 |
| 72.5° | 51.6 | 51.6 | 51.6 | 50.2 | 50.2 | 50.2 | 48.9 | 50.2 | 50.2 | 51.6 | 51.6 |
| 75° | 45.0 | 45.0 | 45.0 | 45.0 | 45.0 | 45.0 | 43.6 | 43.6 | 43.6 | 45.0 | 45.0 |
| 77.5° | 41.0 | 41.0 | 41.0 | 39.7 | 39.7 | 39.7 | 38.3 | 38.3 | 38.3 | 39.7 | 39.7 |
| 80° | 34.4 | 34.4 | 34.4 | 33.1 | 33.1 | 33.1 | 31.7 | 31.7 | 31.7 | 33.1 | 33.1 |
| 82.5° | 27.8 | 27.8 | 27.8 | 26.4 | 26.4 | 26.4 | 25.1 | 25.1 | 25.1 | 26.4 | 26.4 |
| 85° | 22.5 | 22.5 | 22.5 | 22.5 | 22.5 | 22.5 | 21.2 | 21.2 | 21.2 | 22.5 | 23.8 |
| 87.5° | 10.6 | 10.6 | 11.9 | 11.9 | 11.9 | 11.9 | 10.6 | 10.6 | 9.3 | 9.3 | 10.6 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671868
 CATALOG NUMBER: CCP-SA-1C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 165° | 167.5° | 170° | 172.5° | 175° | 177.5° | 180° | 182.5° | 185° | 187.5° | 190° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671868
 CATALOG NUMBER: CCP-SA-1C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 192.5° | 195° | 197.5° | 200° | 202.5° | 205° | 207.5° | 210° | 212.5° | 215° | 217.5° |
|--------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|
| 0° | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 |
| 2.5° | 866.1 | 868.8 | 875.4 | 880.7 | 887.3 | 892.6 | 896.5 | 901.8 | 905.8 | 909.8 | 912.4 |
| 5° | 745.8 | 747.1 | 753.7 | 760.3 | 765.6 | 772.2 | 781.5 | 790.7 | 800.0 | 809.3 | 815.9 |
| 7.5° | 580.5 | 585.8 | 593.7 | 603.0 | 610.9 | 618.8 | 628.1 | 638.7 | 647.9 | 657.2 | 666.5 |
| 10° | 452.2 | 457.5 | 465.5 | 473.4 | 480.0 | 487.9 | 498.5 | 509.1 | 519.7 | 530.3 | 540.8 |
| 12.5° | 379.5 | 386.1 | 395.4 | 404.6 | 412.6 | 421.8 | 435.0 | 446.9 | 460.2 | 472.1 | 485.3 |
| 15° | 320.0 | 327.9 | 339.8 | 353.1 | 365.0 | 376.9 | 390.1 | 403.3 | 415.2 | 428.4 | 441.7 |
| 17.5° | 263.1 | 271.1 | 281.7 | 293.6 | 304.1 | 314.7 | 330.6 | 345.1 | 361.0 | 375.5 | 390.1 |
| 20° | 211.6 | 215.5 | 226.1 | 236.7 | 247.3 | 257.9 | 269.8 | 281.7 | 293.6 | 305.5 | 324.0 |
| 22.5° | 175.9 | 178.5 | 183.8 | 187.8 | 193.1 | 197.0 | 208.9 | 220.8 | 231.4 | 243.3 | 260.5 |
| 25° | 154.7 | 156.0 | 160.0 | 162.6 | 166.6 | 169.3 | 177.2 | 183.8 | 191.7 | 198.3 | 214.2 |
| 27.5° | 144.1 | 145.5 | 146.8 | 148.1 | 149.4 | 150.7 | 156.0 | 161.3 | 165.3 | 170.6 | 185.1 |
| 30° | 141.5 | 142.8 | 146.8 | 149.4 | 153.4 | 156.0 | 158.7 | 161.3 | 164.0 | 166.6 | 175.9 |
| 32.5° | 138.8 | 140.2 | 140.2 | 138.8 | 138.8 | 137.5 | 140.2 | 141.5 | 144.1 | 145.5 | 153.4 |
| 35° | 109.8 | 109.8 | 111.1 | 112.4 | 113.7 | 115.0 | 119.0 | 121.7 | 125.6 | 128.3 | 134.9 |
| 37.5° | 103.1 | 103.1 | 104.5 | 107.1 | 108.4 | 109.8 | 112.4 | 115.0 | 117.7 | 120.3 | 126.9 |
| 40° | 99.2 | 100.5 | 101.8 | 103.1 | 104.5 | 105.8 | 108.4 | 109.8 | 112.4 | 113.7 | 119.0 |
| 42.5° | 95.2 | 95.2 | 96.5 | 99.2 | 100.5 | 101.8 | 104.5 | 105.8 | 108.4 | 109.8 | 115.0 |
| 45° | 92.6 | 93.9 | 95.2 | 96.5 | 96.5 | 97.9 | 100.5 | 103.1 | 104.5 | 107.1 | 112.4 |
| 47.5° | 88.6 | 88.6 | 91.2 | 92.6 | 95.2 | 96.5 | 99.2 | 100.5 | 103.1 | 104.5 | 109.8 |
| 50° | 86.0 | 87.3 | 89.9 | 91.2 | 93.9 | 95.2 | 99.2 | 101.8 | 105.8 | 108.4 | 111.1 |
| 52.5° | 83.3 | 84.6 | 87.3 | 88.6 | 91.2 | 92.6 | 97.9 | 103.1 | 107.1 | 112.4 | 112.4 |
| 55° | 80.7 | 80.7 | 83.3 | 87.3 | 89.9 | 92.6 | 95.2 | 99.2 | 101.8 | 104.5 | 104.5 |
| 57.5° | 76.7 | 78.0 | 80.7 | 84.6 | 87.3 | 89.9 | 92.6 | 95.2 | 96.5 | 99.2 | 97.9 |
| 60° | 74.1 | 74.1 | 78.0 | 82.0 | 86.0 | 89.9 | 89.9 | 89.9 | 88.6 | 88.6 | 88.6 |
| 62.5° | 70.1 | 71.4 | 76.7 | 83.3 | 88.6 | 93.9 | 89.9 | 86.0 | 82.0 | 78.0 | 79.3 |
| 65° | 67.4 | 68.8 | 71.4 | 75.4 | 78.0 | 80.7 | 78.0 | 76.7 | 74.1 | 71.4 | 72.7 |
| 67.5° | 62.1 | 63.5 | 64.8 | 64.8 | 66.1 | 66.1 | 66.1 | 66.1 | 66.1 | 66.1 | 67.4 |
| 70° | 58.2 | 58.2 | 58.2 | 59.5 | 59.5 | 59.5 | 59.5 | 59.5 | 59.5 | 59.5 | 60.8 |
| 72.5° | 52.9 | 52.9 | 52.9 | 52.9 | 52.9 | 52.9 | 52.9 | 52.9 | 52.9 | 52.9 | 54.2 |
| 75° | 46.3 | 46.3 | 46.3 | 46.3 | 46.3 | 46.3 | 46.3 | 46.3 | 46.3 | 46.3 | 47.6 |
| 77.5° | 41.0 | 41.0 | 41.0 | 41.0 | 41.0 | 41.0 | 41.0 | 41.0 | 39.7 | 39.7 | 41.0 |
| 80° | 34.4 | 34.4 | 34.4 | 34.4 | 33.1 | 33.1 | 33.1 | 33.1 | 33.1 | 33.1 | 34.4 |
| 82.5° | 27.8 | 27.8 | 27.8 | 27.8 | 26.4 | 26.4 | 26.4 | 26.4 | 25.1 | 25.1 | 26.4 |
| 85° | 25.1 | 26.4 | 26.4 | 27.8 | 27.8 | 27.8 | 26.4 | 25.1 | 23.8 | 22.5 | 22.5 |
| 87.5° | 10.6 | 10.6 | 10.6 | 10.6 | 9.3 | 9.3 | 9.3 | 9.3 | 9.3 | 9.3 | 9.3 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671868
 CATALOG NUMBER: CCP-SA-1C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 192.5° | 195° | 197.5° | 200° | 202.5° | 205° | 207.5° | 210° | 212.5° | 215° | 217.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671868
 CATALOG NUMBER: CCP-SA-1C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 220° | 222.5° | 225° | 227.5° | 230° | 232.5° | 235° | 237.5° | 240° | 242.5° | 245° |
|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|
| 0° | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 |
| 2.5° | 916.4 | 919.0 | 921.7 | 925.6 | 930.9 | 934.9 | 938.9 | 946.8 | 956.0 | 964.0 | 971.9 |
| 5° | 822.5 | 829.1 | 835.7 | 843.6 | 851.6 | 858.2 | 866.1 | 882.0 | 897.9 | 912.4 | 928.3 |
| 7.5° | 674.4 | 683.6 | 691.6 | 704.8 | 716.7 | 729.9 | 741.8 | 761.7 | 780.2 | 800.0 | 818.5 |
| 10° | 551.4 | 562.0 | 572.6 | 589.8 | 608.3 | 625.5 | 642.6 | 658.5 | 675.7 | 691.6 | 707.4 |
| 12.5° | 498.5 | 510.4 | 523.6 | 534.2 | 546.1 | 556.7 | 567.3 | 585.8 | 604.3 | 622.8 | 641.3 |
| 15° | 454.9 | 468.1 | 481.3 | 494.5 | 506.5 | 519.7 | 531.6 | 547.4 | 564.6 | 580.5 | 596.4 |
| 17.5° | 404.6 | 417.9 | 432.4 | 446.9 | 461.5 | 476.0 | 490.6 | 513.1 | 535.5 | 556.7 | 579.2 |
| 20° | 341.2 | 359.7 | 376.9 | 396.7 | 416.5 | 436.4 | 456.2 | 480.0 | 503.8 | 526.3 | 550.1 |
| 22.5° | 277.7 | 294.9 | 312.1 | 335.9 | 359.7 | 382.2 | 406.0 | 437.7 | 468.1 | 499.8 | 530.3 |
| 25° | 231.4 | 247.3 | 263.1 | 289.6 | 314.7 | 341.2 | 366.3 | 404.6 | 441.7 | 480.0 | 517.0 |
| 27.5° | 199.7 | 214.2 | 228.8 | 256.5 | 284.3 | 310.7 | 338.5 | 380.8 | 421.8 | 464.1 | 505.1 |
| 30° | 185.1 | 194.4 | 203.6 | 230.1 | 256.5 | 281.7 | 308.1 | 349.1 | 390.1 | 431.1 | 472.1 |
| 32.5° | 161.3 | 169.3 | 177.2 | 201.0 | 224.8 | 247.3 | 271.1 | 313.4 | 354.4 | 396.7 | 437.7 |
| 35° | 142.8 | 149.4 | 156.0 | 178.5 | 199.7 | 222.2 | 243.3 | 285.6 | 327.9 | 370.3 | 412.6 |
| 37.5° | 132.2 | 138.8 | 144.1 | 164.0 | 185.1 | 205.0 | 224.8 | 267.1 | 308.1 | 350.4 | 391.4 |
| 40° | 124.3 | 128.3 | 133.6 | 153.4 | 171.9 | 191.7 | 210.2 | 248.6 | 288.3 | 326.6 | 365.0 |
| 42.5° | 119.0 | 124.3 | 128.3 | 145.5 | 164.0 | 181.2 | 198.3 | 235.4 | 272.4 | 308.1 | 345.1 |
| 45° | 117.7 | 123.0 | 128.3 | 142.8 | 157.4 | 170.6 | 185.1 | 220.8 | 256.5 | 292.2 | 327.9 |
| 47.5° | 115.0 | 119.0 | 124.3 | 136.2 | 146.8 | 158.7 | 169.3 | 205.0 | 240.7 | 275.0 | 310.7 |
| 50° | 113.7 | 115.0 | 117.7 | 128.3 | 138.8 | 149.4 | 160.0 | 195.7 | 231.4 | 267.1 | 302.8 |
| 52.5° | 112.4 | 112.4 | 112.4 | 121.7 | 130.9 | 138.8 | 148.1 | 183.8 | 220.8 | 256.5 | 292.2 |
| 55° | 104.5 | 103.1 | 103.1 | 112.4 | 120.3 | 129.6 | 137.5 | 173.2 | 208.9 | 243.3 | 279.0 |
| 57.5° | 96.5 | 95.2 | 93.9 | 101.8 | 109.8 | 117.7 | 125.6 | 161.3 | 198.3 | 234.1 | 269.8 |
| 60° | 88.6 | 87.3 | 87.3 | 95.2 | 101.8 | 109.8 | 116.4 | 153.4 | 189.1 | 226.1 | 261.8 |
| 62.5° | 79.3 | 80.7 | 80.7 | 87.3 | 95.2 | 101.8 | 108.4 | 145.5 | 183.8 | 220.8 | 257.9 |
| 65° | 72.7 | 74.1 | 74.1 | 82.0 | 89.9 | 97.9 | 105.8 | 141.5 | 178.5 | 214.2 | 249.9 |
| 67.5° | 67.4 | 68.8 | 68.8 | 78.0 | 86.0 | 95.2 | 103.1 | 134.9 | 167.9 | 199.7 | 231.4 |
| 70° | 62.1 | 62.1 | 63.5 | 72.7 | 82.0 | 91.2 | 100.5 | 128.3 | 156.0 | 182.5 | 210.2 |
| 72.5° | 55.5 | 56.9 | 58.2 | 67.4 | 75.4 | 84.6 | 92.6 | 117.7 | 142.8 | 167.9 | 193.1 |
| 75° | 48.9 | 50.2 | 51.6 | 59.5 | 67.4 | 75.4 | 83.3 | 107.1 | 129.6 | 153.4 | 175.9 |
| 77.5° | 43.6 | 45.0 | 46.3 | 52.9 | 59.5 | 66.1 | 72.7 | 89.9 | 108.4 | 125.6 | 142.8 |
| 80° | 35.7 | 35.7 | 37.0 | 42.3 | 47.6 | 51.6 | 56.9 | 68.8 | 80.7 | 91.2 | 103.1 |
| 82.5° | 26.4 | 27.8 | 27.8 | 31.7 | 34.4 | 38.3 | 41.0 | 47.6 | 52.9 | 59.5 | 64.8 |
| 85° | 22.5 | 21.2 | 21.2 | 23.8 | 25.1 | 27.8 | 29.1 | 33.1 | 35.7 | 39.7 | 42.3 |
| 87.5° | 9.3 | 7.9 | 7.9 | 9.3 | 11.9 | 13.2 | 14.5 | 14.5 | 15.9 | 15.9 | 15.9 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671868
 CATALOG NUMBER: CCP-SA-1C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 220° | 222.5° | 225° | 227.5° | 230° | 232.5° | 235° | 237.5° | 240° | 242.5° | 245° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671868
 CATALOG NUMBER: CCP-SA-1C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 247.5° | 250° | 252.5° | 255° | 257.5° | 260° | 262.5° | 265° | 267.5° | 270° | 272.5° |
|--------|--------|-------|--------|-------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 |
| 2.5° | 975.9 | 978.5 | 982.5 | 985.1 | 991.7 | 997.0 | 1003.6 | 1008.9 | 1012.9 | 1019.5 | 1016.9 |
| 5° | 940.2 | 952.1 | 964.0 | 975.9 | 985.1 | 994.4 | 1002.3 | 1011.6 | 1022.2 | 1042.0 | 1047.3 |
| 7.5° | 834.4 | 850.3 | 864.8 | 880.7 | 899.2 | 917.7 | 936.2 | 954.7 | 971.9 | 997.0 | 1012.9 |
| 10° | 729.9 | 752.4 | 773.6 | 796.0 | 813.2 | 830.4 | 846.3 | 863.5 | 887.3 | 912.4 | 941.5 |
| 12.5° | 663.8 | 686.3 | 708.8 | 731.2 | 756.4 | 780.2 | 805.3 | 829.1 | 851.6 | 871.4 | 904.5 |
| 15° | 620.2 | 645.3 | 669.1 | 692.9 | 723.3 | 752.4 | 782.8 | 811.9 | 845.0 | 871.4 | 893.9 |
| 17.5° | 609.6 | 640.0 | 669.1 | 699.5 | 731.2 | 763.0 | 794.7 | 826.5 | 859.5 | 899.2 | 928.3 |
| 20° | 591.1 | 632.1 | 673.1 | 714.1 | 755.0 | 794.7 | 835.7 | 875.4 | 919.0 | 966.6 | 979.8 |
| 22.5° | 580.5 | 629.4 | 679.7 | 728.6 | 784.1 | 841.0 | 896.5 | 952.1 | 998.4 | 1034.1 | 1073.7 |
| 25° | 579.2 | 640.0 | 702.2 | 763.0 | 833.1 | 901.8 | 971.9 | 1040.7 | 1100.2 | 1135.9 | 1167.6 |
| 27.5° | 577.9 | 651.9 | 724.6 | 797.4 | 883.3 | 967.9 | 1053.9 | 1138.5 | 1194.1 | 1245.6 | 1272.1 |
| 30° | 562.0 | 650.6 | 740.5 | 829.1 | 925.6 | 1022.2 | 1118.7 | 1215.2 | 1272.1 | 1307.8 | 1321.0 |
| 32.5° | 542.2 | 646.6 | 751.1 | 855.5 | 965.3 | 1075.0 | 1183.5 | 1293.2 | 1338.2 | 1368.6 | 1358.0 |
| 35° | 526.3 | 641.3 | 755.0 | 868.8 | 985.1 | 1102.8 | 1219.2 | 1335.5 | 1400.3 | 1442.7 | 1425.5 |
| 37.5° | 511.7 | 632.1 | 752.4 | 872.7 | 1008.9 | 1145.1 | 1281.3 | 1417.5 | 1479.7 | 1524.6 | 1504.8 |
| 40° | 494.5 | 622.8 | 752.4 | 880.7 | 1036.7 | 1191.4 | 1347.4 | 1502.2 | 1582.8 | 1621.2 | 1590.8 |
| 42.5° | 480.0 | 613.6 | 748.4 | 882.0 | 1048.6 | 1215.2 | 1381.8 | 1548.4 | 1638.4 | 1692.6 | 1654.2 |
| 45° | 461.5 | 595.0 | 727.3 | 860.8 | 1044.6 | 1228.4 | 1410.9 | 1594.7 | 1699.2 | 1741.5 | 1688.6 |
| 47.5° | 441.7 | 573.9 | 704.8 | 835.7 | 1031.4 | 1227.1 | 1422.8 | 1618.5 | 1715.1 | 1765.3 | 1716.4 |
| 50° | 435.0 | 567.3 | 698.2 | 830.4 | 1042.0 | 1254.9 | 1466.5 | 1678.0 | 1748.1 | 1789.1 | 1724.3 |
| 52.5° | 433.7 | 573.9 | 715.4 | 855.5 | 1068.4 | 1280.0 | 1492.9 | 1704.5 | 1761.3 | 1805.0 | 1746.8 |
| 55° | 429.8 | 581.8 | 732.6 | 883.3 | 1105.5 | 1328.9 | 1551.1 | 1773.2 | 1830.1 | 1861.8 | 1818.2 |
| 57.5° | 433.7 | 597.7 | 760.3 | 924.3 | 1153.1 | 1381.8 | 1610.6 | 1839.4 | 1908.1 | 1930.6 | 1921.3 |
| 60° | 436.4 | 610.9 | 784.1 | 958.7 | 1182.2 | 1405.6 | 1629.1 | 1852.6 | 1924.0 | 1979.5 | 1990.1 |
| 62.5° | 429.8 | 601.7 | 772.2 | 944.1 | 1146.5 | 1348.8 | 1551.1 | 1753.4 | 1871.1 | 1953.1 | 2000.7 |
| 65° | 409.9 | 568.6 | 728.6 | 887.3 | 1073.7 | 1261.5 | 1447.9 | 1634.4 | 1758.7 | 1880.3 | 1918.7 |
| 67.5° | 366.3 | 501.2 | 636.0 | 770.9 | 933.6 | 1096.2 | 1257.5 | 1420.2 | 1576.2 | 1693.9 | 1746.8 |
| 70° | 317.4 | 423.1 | 530.3 | 636.0 | 784.1 | 932.2 | 1080.3 | 1228.4 | 1366.0 | 1495.5 | 1545.8 |
| 72.5° | 276.4 | 358.3 | 441.7 | 523.6 | 629.4 | 733.9 | 839.7 | 944.1 | 1106.8 | 1236.4 | 1285.3 |
| 75° | 235.4 | 294.9 | 353.1 | 412.6 | 485.3 | 558.0 | 629.4 | 702.2 | 817.2 | 933.6 | 982.5 |
| 77.5° | 181.2 | 220.8 | 259.2 | 297.5 | 347.8 | 396.7 | 446.9 | 495.9 | 576.5 | 663.8 | 688.9 |
| 80° | 125.6 | 148.1 | 169.3 | 191.7 | 231.4 | 271.1 | 310.7 | 350.4 | 403.3 | 452.2 | 490.6 |
| 82.5° | 78.0 | 92.6 | 105.8 | 119.0 | 150.7 | 182.5 | 212.9 | 244.6 | 265.8 | 268.4 | 306.8 |
| 85° | 50.2 | 59.5 | 67.4 | 75.4 | 93.9 | 113.7 | 132.2 | 150.7 | 134.9 | 125.6 | 149.4 |
| 87.5° | 19.8 | 25.1 | 29.1 | 33.1 | 31.7 | 30.4 | 29.1 | 27.8 | 23.8 | 21.2 | 26.4 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671868
 CATALOG NUMBER: CCP-SA-1C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 247.5° | 250° | 252.5° | 255° | 257.5° | 260° | 262.5° | 265° | 267.5° | 270° | 272.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671868

CATALOG NUMBER: CCP-SA-1C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 275° | 277.5° | 280° | 282.5° | 285° | 287.5° | 290° | 292.5° | 295° | 297.5° | 300° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 |
| 2.5° | 1019.5 | 1023.5 | 1027.4 | 1030.1 | 1034.1 | 1035.4 | 1036.7 | 1036.7 | 1038.0 | 1039.3 | 1042.0 |
| 5° | 1068.4 | 1076.4 | 1084.3 | 1090.9 | 1098.9 | 1105.5 | 1110.8 | 1117.4 | 1122.7 | 1122.7 | 1121.3 |
| 7.5° | 1027.4 | 1047.3 | 1067.1 | 1087.0 | 1106.8 | 1121.3 | 1134.6 | 1149.1 | 1162.3 | 1165.0 | 1167.6 |
| 10° | 973.2 | 994.4 | 1014.2 | 1035.4 | 1055.2 | 1077.7 | 1098.9 | 1120.0 | 1142.5 | 1146.5 | 1151.7 |
| 12.5° | 923.0 | 948.1 | 973.2 | 997.0 | 1022.2 | 1038.0 | 1053.9 | 1068.4 | 1084.3 | 1094.9 | 1105.5 |
| 15° | 921.7 | 942.8 | 964.0 | 983.8 | 1005.0 | 1014.2 | 1023.5 | 1031.4 | 1040.7 | 1040.7 | 1042.0 |
| 17.5° | 952.1 | 965.3 | 978.5 | 990.4 | 1003.6 | 1005.0 | 1007.6 | 1008.9 | 1010.3 | 1006.3 | 1002.3 |
| 20° | 1011.6 | 1016.9 | 1022.2 | 1027.4 | 1032.7 | 1023.5 | 1015.5 | 1006.3 | 997.0 | 986.5 | 977.2 |
| 22.5° | 1098.9 | 1087.0 | 1075.0 | 1063.1 | 1051.2 | 1035.4 | 1018.2 | 1002.3 | 985.1 | 971.9 | 958.7 |
| 25° | 1180.8 | 1166.3 | 1151.7 | 1137.2 | 1122.7 | 1088.3 | 1053.9 | 1018.2 | 983.8 | 969.3 | 954.7 |
| 27.5° | 1290.6 | 1268.1 | 1245.6 | 1223.1 | 1200.7 | 1154.4 | 1108.1 | 1061.8 | 1015.5 | 990.4 | 966.6 |
| 30° | 1317.0 | 1291.9 | 1266.8 | 1240.3 | 1215.2 | 1170.3 | 1126.6 | 1081.7 | 1036.7 | 1007.6 | 979.8 |
| 32.5° | 1355.4 | 1326.3 | 1297.2 | 1268.1 | 1239.0 | 1195.4 | 1151.7 | 1106.8 | 1063.1 | 1036.7 | 1008.9 |
| 35° | 1418.9 | 1385.8 | 1352.7 | 1318.4 | 1285.3 | 1240.3 | 1196.7 | 1151.7 | 1106.8 | 1076.4 | 1047.3 |
| 37.5° | 1473.1 | 1434.7 | 1396.4 | 1358.0 | 1319.7 | 1280.0 | 1239.0 | 1199.3 | 1158.4 | 1127.9 | 1098.9 |
| 40° | 1533.9 | 1491.6 | 1449.3 | 1408.3 | 1366.0 | 1328.9 | 1291.9 | 1253.6 | 1216.5 | 1192.7 | 1168.9 |
| 42.5° | 1586.8 | 1535.2 | 1485.0 | 1434.7 | 1383.2 | 1358.0 | 1334.2 | 1309.1 | 1284.0 | 1272.1 | 1258.9 |
| 45° | 1623.8 | 1576.2 | 1527.3 | 1479.7 | 1432.1 | 1413.6 | 1395.1 | 1376.5 | 1358.0 | 1369.9 | 1381.8 |
| 47.5° | 1639.7 | 1601.3 | 1564.3 | 1527.3 | 1488.9 | 1495.5 | 1502.2 | 1507.4 | 1514.1 | 1529.9 | 1547.1 |
| 50° | 1654.2 | 1633.1 | 1610.6 | 1589.4 | 1567.0 | 1592.1 | 1615.9 | 1641.0 | 1666.1 | 1699.2 | 1732.2 |
| 52.5° | 1683.3 | 1671.4 | 1660.8 | 1648.9 | 1637.0 | 1680.7 | 1724.3 | 1767.9 | 1811.6 | 1848.6 | 1885.6 |
| 55° | 1770.6 | 1761.3 | 1752.1 | 1741.5 | 1732.2 | 1794.4 | 1855.2 | 1917.4 | 1979.5 | 2017.9 | 2056.2 |
| 57.5° | 1890.9 | 1885.6 | 1879.0 | 1873.7 | 1867.1 | 1927.9 | 1987.5 | 2047.0 | 2107.8 | 2144.8 | 2183.2 |
| 60° | 1982.2 | 1983.5 | 1983.5 | 1984.8 | 1984.8 | 2031.1 | 2077.4 | 2125.0 | 2171.3 | 2203.0 | 2236.0 |
| 62.5° | 2031.1 | 2028.4 | 2025.8 | 2023.2 | 2020.5 | 2058.9 | 2097.2 | 2135.6 | 2173.9 | 2197.7 | 2221.5 |
| 65° | 1978.2 | 1992.7 | 2007.3 | 2021.8 | 2036.4 | 2041.7 | 2045.6 | 2050.9 | 2054.9 | 2069.4 | 2084.0 |
| 67.5° | 1801.0 | 1830.1 | 1857.9 | 1887.0 | 1914.7 | 1894.9 | 1876.4 | 1856.5 | 1836.7 | 1840.7 | 1843.3 |
| 70° | 1604.0 | 1637.0 | 1671.4 | 1704.5 | 1737.5 | 1691.3 | 1645.0 | 1597.4 | 1551.1 | 1535.2 | 1519.4 |
| 72.5° | 1352.7 | 1381.8 | 1412.2 | 1441.3 | 1470.4 | 1413.6 | 1358.0 | 1301.2 | 1244.3 | 1216.5 | 1188.8 |
| 75° | 1034.1 | 1068.4 | 1104.1 | 1138.5 | 1172.9 | 1109.4 | 1044.6 | 981.2 | 916.4 | 897.9 | 880.7 |
| 77.5° | 753.7 | 794.7 | 835.7 | 876.7 | 917.7 | 860.8 | 804.0 | 745.8 | 688.9 | 678.4 | 667.8 |
| 80° | 548.8 | 580.5 | 610.9 | 642.6 | 673.1 | 640.0 | 606.9 | 573.9 | 540.8 | 539.5 | 538.2 |
| 82.5° | 370.3 | 398.0 | 424.5 | 452.2 | 478.7 | 465.5 | 453.6 | 440.3 | 427.1 | 440.3 | 454.9 |
| 85° | 190.4 | 228.8 | 268.4 | 306.8 | 345.1 | 341.2 | 338.5 | 334.5 | 330.6 | 347.8 | 363.6 |
| 87.5° | 38.3 | 71.4 | 104.5 | 136.2 | 169.3 | 161.3 | 153.4 | 144.1 | 136.2 | 141.5 | 145.5 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671868
 CATALOG NUMBER: CCP-SA-1C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 275° | 277.5° | 280° | 282.5° | 285° | 287.5° | 290° | 292.5° | 295° | 297.5° | 300° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671868

CATALOG NUMBER: CCP-SA-1C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 302.5° | 305° | 307.5° | 310° | 312.5° | 315° | 317.5° | 320° | 322.5° | 325° | 327.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 |
| 2.5° | 1043.3 | 1044.6 | 1044.6 | 1044.6 | 1044.6 | 1044.6 | 1042.0 | 1040.7 | 1038.0 | 1035.4 | 1031.4 |
| 5° | 1121.3 | 1120.0 | 1114.7 | 1109.4 | 1102.8 | 1097.5 | 1093.6 | 1088.3 | 1084.3 | 1079.0 | 1071.1 |
| 7.5° | 1170.3 | 1172.9 | 1163.6 | 1155.7 | 1146.5 | 1137.2 | 1127.9 | 1118.7 | 1109.4 | 1100.2 | 1081.7 |
| 10° | 1155.7 | 1159.7 | 1154.4 | 1149.1 | 1142.5 | 1137.2 | 1126.6 | 1114.7 | 1104.1 | 1092.2 | 1069.8 |
| 12.5° | 1114.7 | 1125.3 | 1122.7 | 1120.0 | 1117.4 | 1114.7 | 1108.1 | 1100.2 | 1093.6 | 1085.6 | 1060.5 |
| 15° | 1042.0 | 1042.0 | 1043.3 | 1044.6 | 1044.6 | 1046.0 | 1047.3 | 1048.6 | 1049.9 | 1051.2 | 1036.7 |
| 17.5° | 998.4 | 994.4 | 994.4 | 994.4 | 994.4 | 994.4 | 999.7 | 1006.3 | 1011.6 | 1016.9 | 1012.9 |
| 20° | 966.6 | 957.4 | 956.0 | 956.0 | 954.7 | 953.4 | 962.7 | 973.2 | 982.5 | 991.7 | 997.0 |
| 22.5° | 945.5 | 932.2 | 930.9 | 929.6 | 928.3 | 926.9 | 938.9 | 950.8 | 962.7 | 974.6 | 993.1 |
| 25° | 940.2 | 925.6 | 926.9 | 928.3 | 928.3 | 929.6 | 938.9 | 948.1 | 957.4 | 966.6 | 998.4 |
| 27.5° | 941.5 | 917.7 | 919.0 | 920.3 | 920.3 | 921.7 | 936.2 | 949.4 | 964.0 | 977.2 | 1016.9 |
| 30° | 950.8 | 923.0 | 920.3 | 917.7 | 915.0 | 912.4 | 932.2 | 952.1 | 971.9 | 991.7 | 1022.2 |
| 32.5° | 982.5 | 956.0 | 949.4 | 942.8 | 936.2 | 929.6 | 953.4 | 975.9 | 999.7 | 1022.2 | 1047.3 |
| 35° | 1016.9 | 987.8 | 985.1 | 982.5 | 978.5 | 975.9 | 997.0 | 1019.5 | 1040.7 | 1061.8 | 1084.3 |
| 37.5° | 1068.4 | 1039.3 | 1036.7 | 1032.7 | 1030.1 | 1026.1 | 1049.9 | 1072.4 | 1096.2 | 1118.7 | 1138.5 |
| 40° | 1145.1 | 1121.3 | 1120.0 | 1120.0 | 1118.7 | 1117.4 | 1135.9 | 1155.7 | 1174.2 | 1192.7 | 1206.0 |
| 42.5° | 1247.0 | 1235.1 | 1239.0 | 1244.3 | 1248.3 | 1252.2 | 1266.8 | 1282.7 | 1297.2 | 1311.7 | 1307.8 |
| 45° | 1393.7 | 1405.6 | 1407.0 | 1408.3 | 1409.6 | 1410.9 | 1414.9 | 1420.2 | 1424.1 | 1428.1 | 1412.2 |
| 47.5° | 1563.0 | 1578.9 | 1586.8 | 1594.7 | 1601.3 | 1609.3 | 1604.0 | 1597.4 | 1592.1 | 1585.5 | 1545.8 |
| 50° | 1764.0 | 1797.0 | 1795.7 | 1794.4 | 1791.7 | 1790.4 | 1779.8 | 1769.3 | 1757.4 | 1746.8 | 1688.6 |
| 52.5° | 1922.7 | 1959.7 | 1966.3 | 1972.9 | 1979.5 | 1986.1 | 1966.3 | 1946.5 | 1925.3 | 1905.5 | 1832.7 |
| 55° | 2093.2 | 2131.6 | 2132.9 | 2134.2 | 2134.2 | 2135.6 | 2107.8 | 2080.0 | 2050.9 | 2023.2 | 1947.8 |
| 57.5° | 2220.2 | 2257.2 | 2253.2 | 2250.6 | 2246.6 | 2242.7 | 2209.6 | 2176.5 | 2143.5 | 2110.4 | 2035.1 |
| 60° | 2267.8 | 2299.5 | 2291.6 | 2283.7 | 2274.4 | 2266.5 | 2241.3 | 2216.2 | 2189.8 | 2164.6 | 2091.9 |
| 62.5° | 2245.3 | 2269.1 | 2257.2 | 2246.6 | 2234.7 | 2222.8 | 2191.1 | 2158.0 | 2126.3 | 2093.2 | 2040.3 |
| 65° | 2097.2 | 2111.8 | 2095.9 | 2081.3 | 2066.8 | 2050.9 | 2024.5 | 1998.0 | 1970.3 | 1943.8 | 1908.1 |
| 67.5° | 1847.3 | 1849.9 | 1848.6 | 1847.3 | 1846.0 | 1844.6 | 1806.3 | 1767.9 | 1728.3 | 1689.9 | 1687.3 |
| 70° | 1504.8 | 1488.9 | 1491.6 | 1495.5 | 1498.2 | 1500.8 | 1471.7 | 1444.0 | 1414.9 | 1385.8 | 1399.0 |
| 72.5° | 1161.0 | 1133.2 | 1139.8 | 1147.8 | 1154.4 | 1161.0 | 1137.2 | 1114.7 | 1090.9 | 1067.1 | 1085.6 |
| 75° | 862.2 | 845.0 | 851.6 | 859.5 | 866.1 | 872.7 | 863.5 | 854.2 | 843.6 | 834.4 | 851.6 |
| 77.5° | 657.2 | 646.6 | 647.9 | 647.9 | 649.3 | 649.3 | 650.6 | 653.2 | 654.6 | 655.9 | 674.4 |
| 80° | 535.5 | 534.2 | 532.9 | 531.6 | 528.9 | 527.6 | 540.8 | 554.1 | 567.3 | 580.5 | 589.8 |
| 82.5° | 468.1 | 481.3 | 473.4 | 466.8 | 458.8 | 450.9 | 462.8 | 474.7 | 486.6 | 498.5 | 494.5 |
| 85° | 380.8 | 396.7 | 382.2 | 367.6 | 351.7 | 337.2 | 347.8 | 357.0 | 367.6 | 376.9 | 371.6 |
| 87.5° | 150.7 | 154.7 | 130.9 | 108.4 | 84.6 | 60.8 | 96.5 | 130.9 | 166.6 | 201.0 | 206.3 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671868
 CATALOG NUMBER: CCP-SA-1C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 302.5° | 305° | 307.5° | 310° | 312.5° | 315° | 317.5° | 320° | 322.5° | 325° | 327.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671868

CATALOG NUMBER: CCP-SA-1C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 330° | 332.5° | 335° | 337.5° | 340° | 342.5° | 345° | 347.5° | 350° | 352.5° | 355° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 | 952.1 |
| 2.5° | 1027.4 | 1022.2 | 1018.2 | 1016.9 | 1014.2 | 1012.9 | 1010.3 | 1007.6 | 1003.6 | 1001.0 | 997.0 |
| 5° | 1061.8 | 1053.9 | 1044.6 | 1031.4 | 1019.5 | 1006.3 | 993.1 | 981.2 | 969.3 | 956.0 | 944.1 |
| 7.5° | 1063.1 | 1044.6 | 1026.1 | 1008.9 | 990.4 | 973.2 | 954.7 | 938.9 | 921.7 | 904.5 | 888.6 |
| 10° | 1048.6 | 1026.1 | 1003.6 | 981.2 | 960.0 | 937.5 | 915.0 | 896.5 | 876.7 | 856.9 | 838.4 |
| 12.5° | 1036.7 | 1011.6 | 986.5 | 960.0 | 934.9 | 908.4 | 882.0 | 863.5 | 845.0 | 826.5 | 807.9 |
| 15° | 1022.2 | 1006.3 | 991.7 | 967.9 | 944.1 | 920.3 | 896.5 | 871.4 | 847.6 | 822.5 | 797.4 |
| 17.5° | 1010.3 | 1006.3 | 1002.3 | 986.5 | 970.6 | 953.4 | 937.5 | 912.4 | 887.3 | 860.8 | 835.7 |
| 20° | 1003.6 | 1008.9 | 1014.2 | 1006.3 | 998.4 | 989.1 | 981.2 | 962.7 | 944.1 | 924.3 | 905.8 |
| 22.5° | 1011.6 | 1031.4 | 1049.9 | 1051.2 | 1053.9 | 1055.2 | 1056.5 | 1039.3 | 1022.2 | 1003.6 | 986.5 |
| 25° | 1030.1 | 1061.8 | 1093.6 | 1110.8 | 1127.9 | 1146.5 | 1163.6 | 1153.1 | 1142.5 | 1131.9 | 1121.3 |
| 27.5° | 1055.2 | 1094.9 | 1134.6 | 1159.7 | 1183.5 | 1208.6 | 1233.7 | 1232.4 | 1231.1 | 1228.4 | 1227.1 |
| 30° | 1051.2 | 1081.7 | 1112.1 | 1142.5 | 1172.9 | 1203.3 | 1233.7 | 1249.6 | 1264.1 | 1280.0 | 1295.9 |
| 32.5° | 1073.7 | 1098.9 | 1125.3 | 1157.0 | 1188.8 | 1221.8 | 1253.6 | 1286.6 | 1318.4 | 1351.4 | 1384.5 |
| 35° | 1108.1 | 1130.6 | 1154.4 | 1188.8 | 1224.5 | 1258.9 | 1294.6 | 1334.2 | 1375.2 | 1416.2 | 1455.9 |
| 37.5° | 1159.7 | 1179.5 | 1200.7 | 1229.8 | 1260.2 | 1289.3 | 1319.7 | 1377.9 | 1436.0 | 1495.5 | 1553.7 |
| 40° | 1219.2 | 1232.4 | 1245.6 | 1273.4 | 1301.2 | 1328.9 | 1356.7 | 1429.4 | 1502.2 | 1574.9 | 1647.6 |
| 42.5° | 1305.1 | 1301.2 | 1297.2 | 1319.7 | 1343.5 | 1366.0 | 1389.8 | 1455.9 | 1522.0 | 1588.1 | 1654.2 |
| 45° | 1396.4 | 1380.5 | 1364.6 | 1375.2 | 1387.1 | 1397.7 | 1409.6 | 1477.0 | 1544.5 | 1613.2 | 1680.7 |
| 47.5° | 1506.1 | 1466.5 | 1426.8 | 1417.5 | 1408.3 | 1397.7 | 1388.4 | 1461.2 | 1533.9 | 1607.9 | 1680.7 |
| 50° | 1630.4 | 1570.9 | 1512.7 | 1488.9 | 1463.8 | 1440.0 | 1414.9 | 1474.4 | 1535.2 | 1596.0 | 1655.5 |
| 52.5° | 1760.0 | 1686.0 | 1613.2 | 1576.2 | 1539.2 | 1500.8 | 1463.8 | 1514.1 | 1565.6 | 1617.2 | 1667.5 |
| 55° | 1871.1 | 1795.7 | 1719.0 | 1675.4 | 1631.7 | 1588.1 | 1544.5 | 1594.7 | 1645.0 | 1695.2 | 1745.5 |
| 57.5° | 1959.7 | 1884.3 | 1808.9 | 1767.9 | 1725.6 | 1684.6 | 1642.3 | 1689.9 | 1738.9 | 1787.8 | 1835.4 |
| 60° | 2020.5 | 1947.8 | 1875.1 | 1835.4 | 1795.7 | 1756.0 | 1716.4 | 1773.2 | 1830.1 | 1888.3 | 1945.1 |
| 62.5° | 1988.8 | 1935.9 | 1883.0 | 1865.8 | 1848.6 | 1830.1 | 1812.9 | 1867.1 | 1920.0 | 1974.2 | 2028.4 |
| 65° | 1872.4 | 1836.7 | 1801.0 | 1818.2 | 1836.7 | 1853.9 | 1872.4 | 1908.1 | 1943.8 | 1980.8 | 2016.5 |
| 67.5° | 1683.3 | 1680.7 | 1676.7 | 1715.1 | 1753.4 | 1793.1 | 1831.4 | 1855.2 | 1877.7 | 1901.5 | 1925.3 |
| 70° | 1412.2 | 1426.8 | 1440.0 | 1506.1 | 1572.2 | 1638.4 | 1704.5 | 1713.7 | 1723.0 | 1732.2 | 1741.5 |
| 72.5° | 1105.5 | 1124.0 | 1143.8 | 1231.1 | 1317.0 | 1404.3 | 1491.6 | 1486.3 | 1481.0 | 1474.4 | 1469.1 |
| 75° | 870.1 | 887.3 | 905.8 | 986.5 | 1067.1 | 1147.8 | 1228.4 | 1206.0 | 1184.8 | 1162.3 | 1139.8 |
| 77.5° | 694.2 | 712.7 | 732.6 | 807.9 | 883.3 | 960.0 | 1035.4 | 981.2 | 926.9 | 872.7 | 818.5 |
| 80° | 597.7 | 606.9 | 614.9 | 666.5 | 716.7 | 768.3 | 819.8 | 764.3 | 707.4 | 650.6 | 595.0 |
| 82.5° | 490.6 | 485.3 | 481.3 | 511.7 | 542.2 | 572.6 | 603.0 | 550.1 | 497.2 | 443.0 | 390.1 |
| 85° | 366.3 | 361.0 | 355.7 | 371.6 | 387.4 | 404.6 | 420.5 | 359.7 | 298.8 | 236.7 | 175.9 |
| 87.5° | 212.9 | 218.2 | 223.5 | 240.7 | 257.9 | 276.4 | 293.6 | 231.4 | 169.3 | 105.8 | 43.6 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671868
 CATALOG NUMBER: CCP-SA-1C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 330° | 332.5° | 335° | 337.5° | 340° | 342.5° | 345° | 347.5° | 350° | 352.5° | 355° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671868
 CATALOG NUMBER: CCP-SA-1C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 357.5° | 360° |
|--------|--------|--------|
| 0° | 952.1 | 952.1 |
| 2.5° | 989.1 | 982.5 |
| 5° | 934.9 | 925.6 |
| 7.5° | 875.4 | 863.5 |
| 10° | 821.2 | 805.3 |
| 12.5° | 786.8 | 766.9 |
| 15° | 773.6 | 749.8 |
| 17.5° | 813.2 | 790.7 |
| 20° | 874.1 | 843.6 |
| 22.5° | 948.1 | 911.1 |
| 25° | 1076.4 | 1031.4 |
| 27.5° | 1180.8 | 1134.6 |
| 30° | 1245.6 | 1195.4 |
| 32.5° | 1317.0 | 1250.9 |
| 35° | 1391.1 | 1327.6 |
| 37.5° | 1481.0 | 1409.6 |
| 40° | 1573.6 | 1499.5 |
| 42.5° | 1605.3 | 1557.7 |
| 45° | 1635.7 | 1590.8 |
| 47.5° | 1642.3 | 1605.3 |
| 50° | 1648.9 | 1643.6 |
| 52.5° | 1667.5 | 1666.1 |
| 55° | 1746.8 | 1748.1 |
| 57.5° | 1844.6 | 1852.6 |
| 60° | 1934.6 | 1925.3 |
| 62.5° | 1980.8 | 1933.2 |
| 65° | 1949.1 | 1883.0 |
| 67.5° | 1853.9 | 1782.5 |
| 70° | 1645.0 | 1548.4 |
| 72.5° | 1384.5 | 1299.8 |
| 75° | 1067.1 | 995.7 |
| 77.5° | 759.0 | 699.5 |
| 80° | 534.2 | 474.7 |
| 82.5° | 342.5 | 294.9 |
| 85° | 154.7 | 134.9 |
| 87.5° | 43.6 | 42.3 |
| 90° | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 |



REPORT NUMBER: P671868
CATALOG NUMBER: CCP-SA-1C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 357.5° | 360° |
|--------|--------|------|
| 112.5° | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 |

(END OF REPORT)