

Scaled data based on original data using
LM-79-08 Approved Method: Electrical and Photometric Measurements of Solid-
State Lighting Products

Test Report Prepared for
Cooper Lighting Solutions
(formerly Eaton)

Brand: INVUE

Report Number: P671887

Luminaire Tested: **CCP-SA-2E-835-U-SLR**

Issue Date: 04/16/2023



Test Information

Test Method: LM-79-08
Report Number: P671887
Test Lab: INNOVATION CENTER(G1)
Issue Date: 04/16/2023
Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)
Product Line: INVUE
Catalog Number: CCP-SA-2E-835-U-SLR
Description: INVUE CLEAR CURVE POLE MOUNT LIGHT SQUARE LUMINAIRE @1050mA w/ SLR distribution lens
Light Source: (32) 3500K CCT, 80 CRI LEDS
Ballast/Driver: ELECTRONIC DRIVER

Summary

Lumens per Lamp: N/A
Luminaire Lumens: 9349.8 lumens
Efficiency: N/A
Efficacy: 87.7 lumens/watt
Luminous Opening: Rectangular (W 1' x L: 1' x H: 0')
IES Classification: Type IV - Short
BUG Rating: B2 - U0 - G3


Input Watts (W): 106.6
Input Voltage (V): 120
Input Current (Ain): NR
Voltage Rise (V): NR
Power Factor: NR
Total Harmonic Distortion (THDi): NR
Frequency (hertz): 60
Stabilization Time: NR
Operation Time: NR
Ambient Temperature (°C): NR
Test Distance: 25 FT



REPORT NUMBER: P671887
 CATALOG NUMBER: CCP-SA-2E-835-U-SLR

Iso-Footcandle Lines of Horizontal Illumination


× Max cd
 - - - 1/2 Max cd



Based on 15 foot mounting height. Maximum calculated value = 13.3 fc
 Type IV - Short - N/A

REPORT NUMBER: P671887
CATALOG NUMBER: CCP-SA-2E-835-U-SLR

Luminous Intensity Polar Plot



— Vertical Plane Through 305-Deg Lateral - - - Horizontal Cone Through 60-Deg Vertical

REPORT NUMBER: P671887

CATALOG NUMBER: CCP-SA-2E-835-U-SLR


FLUX DISTRIBUTION:

| | | Downward | Upward | Total |
|--------------------|-----------|----------|--------|--------|
| House Side | Lumens | 1923.8 | 0.0 | 1923.8 |
| | % Fixture | 20.6 | 0.0 | 20.6 |
| Street Side | Lumens | 7426.0 | 0.0 | 7426.0 |
| | % Fixture | 79.4 | 0.0 | 79.4 |
| Total | Lumens | 9349.8 | 0.0 | 9349.8 |
| | % Fixture | 100.0 | 0.0 | 100.0 |

Coefficient of Utilization

ZONAL LUMENS:

| Zone | Lumens | % Fixture |
|-----------|--------|-----------|
| 0°-10° | 232.0 | 2.5 |
| 10°-20° | 489.8 | 5.2 |
| 20°-30° | 716.7 | 7.7 |
| 30°-40° | 1009.6 | 10.8 |
| 40°-50° | 1387.4 | 14.8 |
| 50°-60° | 1891.0 | 20.2 |
| 60°-70° | 2069.7 | 22.1 |
| 70°-80° | 1195.3 | 12.8 |
| 80°-90° | 358.3 | 3.8 |
| 90°-100° | 0.0 | 0.0 |
| 100°-110° | 0.0 | 0.0 |
| 110°-120° | 0.0 | 0.0 |
| 120°-130° | 0.0 | 0.0 |
| 130°-140° | 0.0 | 0.0 |
| 140°-150° | 0.0 | 0.0 |
| 150°-160° | 0.0 | 0.0 |
| 160°-170° | 0.0 | 0.0 |
| 170°-180° | 0.0 | 0.0 |
| 0°-90° | 9349.8 | 100.0 |
| 0°-180° | 9349.8 | 100.0 |



REPORT NUMBER: P671887


CATALOG NUMBER: CCP-SA-2E-835-U-SLR

LUMINAIRE CLASSIFICATION SYSTEM LUMEN TABLE AND BUG RATING:

| Zone | Lumens | % Fixture | Zone Rating/Lumen Limit | | |
|----------------|--------|-----------|-------------------------|------|---------|
| | | | B | U | G |
| FL (0°-30°) | 960.3 | 10.3 | | | |
| FM (30°-60°) | 3412.0 | 36.5 | | | |
| FH (60°-80°) | 2749.4 | 29.4 | | | G2/5000 |
| FVH (80°-90°) | 304.3 | 3.3 | | | G3/500 |
| BL (0°-30°) | 478.3 | 5.1 | B1/500 | | |
| BM (30°-60°) | 876.0 | 9.4 | B1/1000 | | |
| BH (60°-80°) | 515.6 | 5.5 | B2/1000 | | G2/1000 |
| BVH (80°-90°) | 54.0 | 0.6 | | | G1/100 |
| UL (90°-100°) | 0.0 | 0.0 | | U0/0 | |
| UH (100°-180°) | 0.0 | 0.0 | | U0/0 | |

BUG Rating: B2-U0-G3

Type IV Short





REPORT NUMBER: P671887

CATALOG NUMBER: CCP-SA-2E-835-U-SLR

CANDELA DISTRIBUTION (FULL):

| | 0° | 2.5° | 5° | 7.5° | 10° | 12.5° | 15° | 17.5° | 20° | 22.5° | 25° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 |
| 2.5° | 3081.1 | 3064.6 | 3052.1 | 3039.7 | 3023.1 | 3010.6 | 2994.1 | 2977.5 | 2956.7 | 2940.1 | 2919.4 |
| 5° | 2902.8 | 2853.1 | 2803.3 | 2774.3 | 2741.1 | 2712.1 | 2678.9 | 2641.6 | 2604.2 | 2562.8 | 2525.5 |
| 7.5° | 2707.9 | 2645.7 | 2583.5 | 2533.7 | 2479.8 | 2430.1 | 2376.2 | 2330.6 | 2284.9 | 2239.3 | 2193.7 |
| 10° | 2525.5 | 2467.4 | 2409.3 | 2347.1 | 2280.8 | 2218.6 | 2152.2 | 2090.0 | 2027.8 | 1965.6 | 1903.4 |
| 12.5° | 2405.2 | 2334.7 | 2268.3 | 2197.9 | 2131.5 | 2061.0 | 1990.5 | 1932.5 | 1874.4 | 1812.2 | 1754.1 |
| 15° | 2351.3 | 2284.9 | 2222.7 | 2152.2 | 2081.7 | 2011.2 | 1940.7 | 1874.4 | 1812.2 | 1745.8 | 1679.5 |
| 17.5° | 2479.8 | 2384.5 | 2289.1 | 2197.9 | 2106.6 | 2015.4 | 1924.2 | 1841.2 | 1758.3 | 1675.3 | 1592.4 |
| 20° | 2645.7 | 2525.5 | 2409.3 | 2297.4 | 2181.3 | 2069.3 | 1953.2 | 1837.1 | 1721.0 | 1604.8 | 1488.7 |
| 22.5° | 2857.2 | 2720.4 | 2587.7 | 2442.5 | 2293.2 | 2148.1 | 1998.8 | 1853.7 | 1708.5 | 1559.2 | 1414.1 |
| 25° | 3234.6 | 3072.8 | 2911.1 | 2703.8 | 2492.3 | 2284.9 | 2073.4 | 1882.7 | 1696.1 | 1505.3 | 1314.6 |
| 27.5° | 3558.0 | 3338.2 | 3122.6 | 2873.8 | 2625.0 | 2376.2 | 2127.4 | 1907.6 | 1691.9 | 1472.1 | 1252.4 |
| 30° | 3748.8 | 3533.2 | 3317.5 | 3014.8 | 2716.2 | 2413.5 | 2110.8 | 1866.1 | 1625.6 | 1380.9 | 1136.2 |
| 32.5° | 3923.0 | 3682.4 | 3441.9 | 3110.2 | 2774.3 | 2442.5 | 2106.6 | 1837.1 | 1571.7 | 1302.1 | 1032.6 |
| 35° | 4163.5 | 3898.1 | 3636.8 | 3251.2 | 2865.5 | 2479.8 | 2094.2 | 1816.3 | 1534.3 | 1256.5 | 974.5 |
| 37.5° | 4420.6 | 4093.0 | 3769.5 | 3342.4 | 2915.3 | 2488.1 | 2061.0 | 1787.3 | 1513.6 | 1239.9 | 966.2 |
| 40° | 4702.6 | 4304.5 | 3910.5 | 3437.8 | 2969.2 | 2496.4 | 2023.7 | 1750.0 | 1476.3 | 1198.5 | 924.8 |
| 42.5° | 4885.0 | 4453.8 | 4022.5 | 3512.4 | 3006.5 | 2496.4 | 1986.4 | 1716.8 | 1447.3 | 1173.6 | 904.0 |
| 45° | 4988.7 | 4569.9 | 4155.2 | 3603.6 | 3052.1 | 2500.6 | 1949.0 | 1683.6 | 1418.2 | 1148.7 | 883.3 |
| 47.5° | 5034.3 | 4644.5 | 4254.7 | 3674.1 | 3097.7 | 2517.2 | 1936.6 | 1667.0 | 1393.4 | 1123.8 | 850.1 |
| 50° | 5154.6 | 4810.4 | 4466.2 | 3844.2 | 3226.3 | 2604.2 | 1982.2 | 1691.9 | 1405.8 | 1115.5 | 825.2 |
| 52.5° | 5225.1 | 4930.7 | 4636.2 | 3997.6 | 3359.0 | 2720.4 | 2081.7 | 1758.3 | 1434.8 | 1111.4 | 787.9 |
| 55° | 5482.2 | 5200.2 | 4918.2 | 4238.1 | 3553.9 | 2873.8 | 2189.6 | 1832.9 | 1476.3 | 1115.5 | 758.9 |
| 57.5° | 5809.8 | 5511.2 | 5216.8 | 4482.8 | 3748.8 | 3014.8 | 2280.8 | 1899.3 | 1513.6 | 1132.1 | 746.4 |
| 60° | 6037.9 | 5747.6 | 5461.5 | 4681.8 | 3898.1 | 3118.5 | 2334.7 | 1936.6 | 1538.5 | 1136.2 | 738.1 |
| 62.5° | 6062.8 | 5689.5 | 5320.5 | 4561.6 | 3802.7 | 3039.7 | 2280.8 | 1895.1 | 1509.5 | 1119.7 | 734.0 |
| 65° | 5905.2 | 5469.7 | 5034.3 | 4308.6 | 3582.9 | 2857.2 | 2131.5 | 1779.0 | 1426.5 | 1069.9 | 717.4 |
| 67.5° | 5590.0 | 5079.9 | 4569.9 | 3906.4 | 3242.9 | 2579.4 | 1915.9 | 1613.1 | 1314.6 | 1011.8 | 709.1 |
| 70° | 4856.0 | 4408.1 | 3964.4 | 3388.0 | 2815.7 | 2239.3 | 1662.9 | 1414.1 | 1169.4 | 920.6 | 671.8 |
| 72.5° | 4076.4 | 3657.6 | 3242.9 | 2774.3 | 2309.8 | 1841.2 | 1372.6 | 1186.0 | 999.4 | 808.6 | 622.0 |
| 75° | 3122.6 | 2807.4 | 2496.4 | 2148.1 | 1799.8 | 1447.3 | 1098.9 | 962.1 | 825.2 | 688.4 | 551.5 |
| 77.5° | 2193.7 | 2023.7 | 1857.8 | 1596.6 | 1335.3 | 1074.0 | 812.8 | 721.6 | 630.3 | 539.1 | 447.9 |
| 80° | 1488.7 | 1393.4 | 1302.1 | 1115.5 | 928.9 | 738.1 | 551.5 | 493.5 | 431.3 | 373.2 | 311.0 |
| 82.5° | 924.8 | 920.6 | 912.3 | 783.8 | 655.2 | 526.7 | 398.1 | 348.3 | 302.7 | 253.0 | 203.2 |
| 85° | 423.0 | 493.5 | 559.8 | 489.3 | 418.8 | 348.3 | 277.8 | 244.7 | 211.5 | 174.2 | 141.0 |
| 87.5° | 132.7 | 161.7 | 186.6 | 178.3 | 165.9 | 157.6 | 145.1 | 124.4 | 103.7 | 82.9 | 62.2 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671887
 CATALOG NUMBER: CCP-SA-2E-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 0° | 2.5° | 5° | 7.5° | 10° | 12.5° | 15° | 17.5° | 20° | 22.5° | 25° |
|--------|-----|------|-----|------|-----|-------|-----|-------|-----|-------|-----|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671887

CATALOG NUMBER: CCP-SA-2E-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 27.5° | 30° | 32.5° | 35° | 37.5° | 40° | 42.5° | 45° | 47.5° | 50° | 52.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 |
| 2.5° | 2902.8 | 2890.4 | 2873.8 | 2857.2 | 2836.5 | 2819.9 | 2799.2 | 2778.4 | 2774.3 | 2766.0 | 2761.8 |
| 5° | 2500.6 | 2475.7 | 2446.7 | 2421.8 | 2396.9 | 2367.9 | 2343.0 | 2314.0 | 2293.2 | 2268.3 | 2247.6 |
| 7.5° | 2148.1 | 2106.6 | 2061.0 | 2015.4 | 1973.9 | 1932.5 | 1886.8 | 1845.4 | 1824.6 | 1803.9 | 1783.2 |
| 10° | 1866.1 | 1824.6 | 1787.3 | 1745.8 | 1716.8 | 1691.9 | 1662.9 | 1633.9 | 1609.0 | 1584.1 | 1559.2 |
| 12.5° | 1725.1 | 1696.1 | 1667.0 | 1638.0 | 1604.8 | 1575.8 | 1542.6 | 1509.5 | 1480.4 | 1455.6 | 1426.5 |
| 15° | 1638.0 | 1596.6 | 1550.9 | 1509.5 | 1463.9 | 1422.4 | 1376.8 | 1331.2 | 1298.0 | 1268.9 | 1235.8 |
| 17.5° | 1534.3 | 1472.1 | 1414.1 | 1351.9 | 1302.1 | 1252.4 | 1198.5 | 1148.7 | 1111.4 | 1069.9 | 1032.6 |
| 20° | 1418.2 | 1347.7 | 1273.1 | 1202.6 | 1144.5 | 1090.6 | 1032.6 | 974.5 | 933.1 | 887.4 | 846.0 |
| 22.5° | 1318.7 | 1227.5 | 1132.1 | 1036.7 | 974.5 | 912.3 | 846.0 | 783.8 | 746.4 | 705.0 | 667.6 |
| 25° | 1210.9 | 1111.4 | 1007.7 | 904.0 | 841.8 | 775.5 | 713.3 | 646.9 | 617.9 | 593.0 | 564.0 |
| 27.5° | 1152.8 | 1053.3 | 949.6 | 850.1 | 792.1 | 729.9 | 671.8 | 609.6 | 588.9 | 564.0 | 543.2 |
| 30° | 1036.7 | 941.3 | 841.8 | 742.3 | 700.8 | 663.5 | 622.0 | 580.6 | 572.3 | 568.1 | 559.8 |
| 32.5° | 933.1 | 833.5 | 734.0 | 634.5 | 597.2 | 559.8 | 522.5 | 485.2 | 481.0 | 472.7 | 468.6 |
| 35° | 879.1 | 783.8 | 684.2 | 588.9 | 555.7 | 518.4 | 485.2 | 447.9 | 439.6 | 427.1 | 418.8 |
| 37.5° | 866.7 | 767.2 | 663.5 | 564.0 | 530.8 | 497.6 | 460.3 | 427.1 | 418.8 | 410.5 | 402.2 |
| 40° | 833.5 | 738.1 | 646.9 | 551.5 | 518.4 | 485.2 | 447.9 | 414.7 | 406.4 | 398.1 | 389.8 |
| 42.5° | 808.6 | 717.4 | 622.0 | 526.7 | 497.6 | 468.6 | 435.4 | 406.4 | 398.1 | 389.8 | 377.4 |
| 45° | 787.9 | 692.5 | 593.0 | 497.6 | 476.9 | 456.2 | 431.3 | 410.5 | 402.2 | 389.8 | 381.5 |
| 47.5° | 754.7 | 663.5 | 568.1 | 472.7 | 452.0 | 435.4 | 414.7 | 394.0 | 385.7 | 377.4 | 369.1 |
| 50° | 729.9 | 634.5 | 539.1 | 443.7 | 427.1 | 410.5 | 394.0 | 377.4 | 377.4 | 381.5 | 381.5 |
| 52.5° | 696.7 | 605.4 | 514.2 | 423.0 | 406.4 | 389.8 | 373.2 | 356.6 | 360.8 | 364.9 | 369.1 |
| 55° | 667.6 | 580.6 | 489.3 | 398.1 | 381.5 | 364.9 | 344.2 | 327.6 | 331.8 | 335.9 | 340.0 |
| 57.5° | 655.2 | 564.0 | 472.7 | 381.5 | 364.9 | 344.2 | 327.6 | 306.9 | 306.9 | 306.9 | 306.9 |
| 60° | 646.9 | 551.5 | 460.3 | 364.9 | 344.2 | 327.6 | 306.9 | 286.1 | 282.0 | 282.0 | 277.8 |
| 62.5° | 642.8 | 547.4 | 456.2 | 360.8 | 335.9 | 315.2 | 290.3 | 265.4 | 261.3 | 257.1 | 253.0 |
| 65° | 626.2 | 539.1 | 447.9 | 356.6 | 327.6 | 302.7 | 273.7 | 244.7 | 240.5 | 240.5 | 236.4 |
| 67.5° | 622.0 | 530.8 | 443.7 | 352.5 | 323.5 | 290.3 | 261.3 | 228.1 | 223.9 | 219.8 | 215.6 |
| 70° | 588.9 | 510.1 | 427.1 | 344.2 | 311.0 | 282.0 | 248.8 | 215.6 | 211.5 | 203.2 | 199.1 |
| 72.5° | 547.4 | 476.9 | 402.2 | 327.6 | 294.4 | 261.3 | 228.1 | 194.9 | 190.8 | 186.6 | 178.3 |
| 75° | 485.2 | 418.8 | 352.5 | 286.1 | 257.1 | 232.2 | 203.2 | 174.2 | 170.0 | 165.9 | 157.6 |
| 77.5° | 398.1 | 344.2 | 294.4 | 240.5 | 219.8 | 199.1 | 178.3 | 157.6 | 153.4 | 149.3 | 141.0 |
| 80° | 282.0 | 248.8 | 219.8 | 186.6 | 174.2 | 157.6 | 145.1 | 128.6 | 128.6 | 124.4 | 124.4 |
| 82.5° | 186.6 | 170.0 | 153.4 | 136.8 | 128.6 | 120.3 | 112.0 | 103.7 | 103.7 | 99.5 | 99.5 |
| 85° | 132.7 | 124.4 | 112.0 | 103.7 | 99.5 | 91.2 | 87.1 | 78.8 | 78.8 | 78.8 | 78.8 |
| 87.5° | 62.2 | 62.2 | 58.1 | 58.1 | 53.9 | 53.9 | 49.8 | 45.6 | 45.6 | 45.6 | 45.6 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671887
 CATALOG NUMBER: CCP-SA-2E-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 27.5° | 30° | 32.5° | 35° | 37.5° | 40° | 42.5° | 45° | 47.5° | 50° | 52.5° |
|--------|-------|-----|-------|-----|-------|-----|-------|-----|-------|-----|-------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671887
 CATALOG NUMBER: CCP-SA-2E-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 55° | 57.5° | 60° | 62.5° | 65° | 67.5° | 70° | 72.5° | 75° | 77.5° | 80° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 |
| 2.5° | 2753.5 | 2741.1 | 2728.7 | 2712.1 | 2699.6 | 2683.0 | 2662.3 | 2645.7 | 2625.0 | 2625.0 | 2620.8 |
| 5° | 2222.7 | 2210.3 | 2197.9 | 2181.3 | 2168.8 | 2152.2 | 2139.8 | 2123.2 | 2106.6 | 2106.6 | 2102.5 |
| 7.5° | 1762.4 | 1737.5 | 1712.7 | 1683.6 | 1658.8 | 1642.2 | 1625.6 | 1604.8 | 1588.3 | 1575.8 | 1563.4 |
| 10° | 1534.3 | 1509.5 | 1480.4 | 1455.6 | 1426.5 | 1405.8 | 1385.1 | 1360.2 | 1339.4 | 1322.9 | 1306.3 |
| 12.5° | 1397.5 | 1368.5 | 1339.4 | 1310.4 | 1281.4 | 1252.4 | 1227.5 | 1198.5 | 1169.4 | 1148.7 | 1128.0 |
| 15° | 1202.6 | 1173.6 | 1144.5 | 1115.5 | 1086.5 | 1053.3 | 1020.1 | 982.8 | 949.6 | 933.1 | 920.6 |
| 17.5° | 991.1 | 962.1 | 928.9 | 899.9 | 866.7 | 841.8 | 816.9 | 792.1 | 767.2 | 750.6 | 738.1 |
| 20° | 800.3 | 767.2 | 734.0 | 700.8 | 667.6 | 651.1 | 634.5 | 617.9 | 601.3 | 588.9 | 580.6 |
| 22.5° | 626.2 | 605.4 | 588.9 | 568.1 | 547.4 | 534.9 | 526.7 | 514.2 | 501.8 | 501.8 | 501.8 |
| 25° | 534.9 | 522.5 | 514.2 | 501.8 | 489.3 | 485.2 | 481.0 | 472.7 | 468.6 | 464.5 | 464.5 |
| 27.5° | 518.4 | 505.9 | 493.5 | 481.0 | 468.6 | 464.5 | 460.3 | 452.0 | 447.9 | 447.9 | 447.9 |
| 30° | 551.5 | 547.4 | 543.2 | 539.1 | 534.9 | 526.7 | 514.2 | 505.9 | 493.5 | 485.2 | 476.9 |
| 32.5° | 460.3 | 456.2 | 456.2 | 452.0 | 447.9 | 456.2 | 460.3 | 468.6 | 472.7 | 476.9 | 481.0 |
| 35° | 406.4 | 398.1 | 389.8 | 381.5 | 373.2 | 369.1 | 364.9 | 360.8 | 356.6 | 356.6 | 352.5 |
| 37.5° | 394.0 | 385.7 | 377.4 | 369.1 | 360.8 | 356.6 | 352.5 | 348.3 | 344.2 | 344.2 | 340.0 |
| 40° | 381.5 | 373.2 | 369.1 | 360.8 | 352.5 | 348.3 | 344.2 | 335.9 | 331.8 | 327.6 | 327.6 |
| 42.5° | 369.1 | 364.9 | 356.6 | 352.5 | 344.2 | 340.0 | 335.9 | 327.6 | 323.5 | 319.3 | 315.2 |
| 45° | 369.1 | 360.8 | 352.5 | 344.2 | 335.9 | 331.8 | 323.5 | 319.3 | 311.0 | 311.0 | 306.9 |
| 47.5° | 360.8 | 352.5 | 344.2 | 335.9 | 327.6 | 323.5 | 315.2 | 311.0 | 302.7 | 298.6 | 294.4 |
| 50° | 381.5 | 369.1 | 352.5 | 340.0 | 323.5 | 319.3 | 311.0 | 306.9 | 298.6 | 294.4 | 290.3 |
| 52.5° | 373.2 | 360.8 | 344.2 | 331.8 | 315.2 | 306.9 | 302.7 | 294.4 | 286.1 | 282.0 | 277.8 |
| 55° | 344.2 | 331.8 | 323.5 | 311.0 | 298.6 | 290.3 | 282.0 | 273.7 | 265.4 | 261.3 | 261.3 |
| 57.5° | 306.9 | 302.7 | 298.6 | 294.4 | 290.3 | 282.0 | 273.7 | 261.3 | 253.0 | 248.8 | 244.7 |
| 60° | 273.7 | 277.8 | 282.0 | 286.1 | 290.3 | 277.8 | 265.4 | 253.0 | 240.5 | 236.4 | 232.2 |
| 62.5° | 248.8 | 257.1 | 265.4 | 269.5 | 277.8 | 265.4 | 253.0 | 240.5 | 228.1 | 223.9 | 219.8 |
| 65° | 232.2 | 236.4 | 236.4 | 240.5 | 240.5 | 232.2 | 228.1 | 219.8 | 211.5 | 207.3 | 207.3 |
| 67.5° | 211.5 | 211.5 | 211.5 | 207.3 | 207.3 | 203.2 | 203.2 | 199.1 | 194.9 | 190.8 | 190.8 |
| 70° | 190.8 | 190.8 | 190.8 | 186.6 | 186.6 | 182.5 | 182.5 | 178.3 | 174.2 | 174.2 | 170.0 |
| 72.5° | 174.2 | 174.2 | 170.0 | 170.0 | 165.9 | 165.9 | 165.9 | 161.7 | 161.7 | 157.6 | 157.6 |
| 75° | 153.4 | 153.4 | 149.3 | 149.3 | 145.1 | 145.1 | 145.1 | 141.0 | 141.0 | 141.0 | 136.8 |
| 77.5° | 136.8 | 136.8 | 132.7 | 132.7 | 128.6 | 128.6 | 128.6 | 124.4 | 124.4 | 120.3 | 120.3 |
| 80° | 120.3 | 120.3 | 116.1 | 116.1 | 112.0 | 112.0 | 107.8 | 107.8 | 103.7 | 103.7 | 99.5 |
| 82.5° | 95.4 | 95.4 | 95.4 | 95.4 | 95.4 | 91.2 | 91.2 | 87.1 | 82.9 | 82.9 | 78.8 |
| 85° | 78.8 | 78.8 | 78.8 | 74.6 | 74.6 | 74.6 | 70.5 | 70.5 | 66.4 | 62.2 | 62.2 |
| 87.5° | 45.6 | 45.6 | 45.6 | 41.5 | 41.5 | 41.5 | 41.5 | 41.5 | 41.5 | 41.5 | 37.3 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671887
 CATALOG NUMBER: CCP-SA-2E-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 55° | 57.5° | 60° | 62.5° | 65° | 67.5° | 70° | 72.5° | 75° | 77.5° | 80° |
|--------|-----|-------|-----|-------|-----|-------|-----|-------|-----|-------|-----|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671887

CATALOG NUMBER: CCP-SA-2E-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 82.5° | 85° | 87.5° | 90° | 92.5° | 95° | 97.5° | 100° | 102.5° | 105° | 107.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 |
| 2.5° | 2620.8 | 2616.7 | 2600.1 | 2583.5 | 2600.1 | 2616.7 | 2616.7 | 2616.7 | 2612.5 | 2612.5 | 2612.5 |
| 5° | 2102.5 | 2098.3 | 2090.0 | 2081.7 | 2081.7 | 2077.6 | 2085.9 | 2094.2 | 2102.5 | 2110.8 | 2119.1 |
| 7.5° | 1546.8 | 1534.3 | 1521.9 | 1509.5 | 1517.8 | 1521.9 | 1534.3 | 1542.6 | 1555.1 | 1563.4 | 1584.1 |
| 10° | 1289.7 | 1273.1 | 1260.7 | 1248.2 | 1239.9 | 1231.6 | 1223.3 | 1219.2 | 1210.9 | 1202.6 | 1210.9 |
| 12.5° | 1103.1 | 1082.3 | 1061.6 | 1036.7 | 1032.6 | 1028.4 | 1020.1 | 1011.8 | 1003.5 | 995.3 | 991.1 |
| 15° | 904.0 | 887.4 | 879.1 | 866.7 | 850.1 | 833.5 | 825.2 | 821.1 | 812.8 | 804.5 | 800.3 |
| 17.5° | 721.6 | 705.0 | 692.5 | 680.1 | 675.9 | 667.6 | 667.6 | 667.6 | 667.6 | 667.6 | 667.6 |
| 20° | 568.1 | 555.7 | 555.7 | 551.5 | 551.5 | 547.4 | 551.5 | 555.7 | 555.7 | 559.8 | 564.0 |
| 22.5° | 497.6 | 497.6 | 493.5 | 489.3 | 493.5 | 493.5 | 497.6 | 501.8 | 505.9 | 510.1 | 514.2 |
| 25° | 460.3 | 456.2 | 460.3 | 464.5 | 464.5 | 464.5 | 468.6 | 468.6 | 472.7 | 472.7 | 472.7 |
| 27.5° | 443.7 | 443.7 | 447.9 | 447.9 | 452.0 | 452.0 | 452.0 | 447.9 | 447.9 | 443.7 | 443.7 |
| 30° | 468.6 | 460.3 | 460.3 | 460.3 | 456.2 | 452.0 | 447.9 | 447.9 | 443.7 | 439.6 | 435.4 |
| 32.5° | 485.2 | 489.3 | 485.2 | 476.9 | 472.7 | 464.5 | 460.3 | 452.0 | 447.9 | 439.6 | 431.3 |
| 35° | 352.5 | 348.3 | 356.6 | 360.8 | 364.9 | 369.1 | 373.2 | 377.4 | 377.4 | 381.5 | 381.5 |
| 37.5° | 340.0 | 335.9 | 335.9 | 331.8 | 331.8 | 331.8 | 331.8 | 331.8 | 327.6 | 327.6 | 331.8 |
| 40° | 323.5 | 319.3 | 319.3 | 315.2 | 315.2 | 311.0 | 311.0 | 311.0 | 311.0 | 311.0 | 311.0 |
| 42.5° | 311.0 | 306.9 | 306.9 | 306.9 | 306.9 | 302.7 | 302.7 | 298.6 | 298.6 | 294.4 | 294.4 |
| 45° | 306.9 | 302.7 | 298.6 | 294.4 | 294.4 | 290.3 | 290.3 | 290.3 | 286.1 | 286.1 | 286.1 |
| 47.5° | 290.3 | 286.1 | 286.1 | 282.0 | 282.0 | 277.8 | 277.8 | 277.8 | 273.7 | 273.7 | 273.7 |
| 50° | 282.0 | 277.8 | 277.8 | 273.7 | 273.7 | 269.5 | 269.5 | 269.5 | 265.4 | 265.4 | 265.4 |
| 52.5° | 269.5 | 265.4 | 265.4 | 265.4 | 261.3 | 257.1 | 257.1 | 257.1 | 253.0 | 253.0 | 253.0 |
| 55° | 257.1 | 253.0 | 253.0 | 253.0 | 248.8 | 244.7 | 244.7 | 244.7 | 240.5 | 240.5 | 240.5 |
| 57.5° | 240.5 | 236.4 | 236.4 | 232.2 | 232.2 | 232.2 | 232.2 | 232.2 | 228.1 | 228.1 | 228.1 |
| 60° | 228.1 | 223.9 | 223.9 | 219.8 | 219.8 | 215.6 | 215.6 | 215.6 | 215.6 | 215.6 | 215.6 |
| 62.5° | 215.6 | 211.5 | 207.3 | 203.2 | 207.3 | 207.3 | 207.3 | 207.3 | 203.2 | 203.2 | 203.2 |
| 65° | 203.2 | 199.1 | 194.9 | 190.8 | 190.8 | 190.8 | 190.8 | 190.8 | 190.8 | 190.8 | 190.8 |
| 67.5° | 186.6 | 182.5 | 178.3 | 174.2 | 178.3 | 178.3 | 178.3 | 178.3 | 178.3 | 178.3 | 178.3 |
| 70° | 170.0 | 165.9 | 165.9 | 161.7 | 161.7 | 157.6 | 157.6 | 161.7 | 161.7 | 161.7 | 161.7 |
| 72.5° | 153.4 | 149.3 | 149.3 | 145.1 | 145.1 | 145.1 | 145.1 | 145.1 | 145.1 | 145.1 | 145.1 |
| 75° | 136.8 | 132.7 | 132.7 | 128.6 | 128.6 | 128.6 | 128.6 | 128.6 | 128.6 | 128.6 | 128.6 |
| 77.5° | 116.1 | 112.0 | 112.0 | 112.0 | 112.0 | 112.0 | 112.0 | 116.1 | 116.1 | 116.1 | 116.1 |
| 80° | 99.5 | 95.4 | 95.4 | 95.4 | 95.4 | 95.4 | 95.4 | 95.4 | 95.4 | 95.4 | 95.4 |
| 82.5° | 78.8 | 74.6 | 74.6 | 74.6 | 74.6 | 74.6 | 74.6 | 74.6 | 74.6 | 74.6 | 74.6 |
| 85° | 58.1 | 53.9 | 53.9 | 53.9 | 58.1 | 58.1 | 58.1 | 58.1 | 58.1 | 58.1 | 58.1 |
| 87.5° | 37.3 | 33.2 | 33.2 | 33.2 | 37.3 | 37.3 | 37.3 | 37.3 | 33.2 | 33.2 | 33.2 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671887
 CATALOG NUMBER: CCP-SA-2E-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 82.5° | 85° | 87.5° | 90° | 92.5° | 95° | 97.5° | 100° | 102.5° | 105° | 107.5° |
|--------|-------|-----|-------|-----|-------|-----|-------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671887

CATALOG NUMBER: CCP-SA-2E-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 110° | 112.5° | 115° | 117.5° | 120° | 122.5° | 125° | 127.5° | 130° | 132.5° | 135° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 |
| 2.5° | 2612.5 | 2612.5 | 2612.5 | 2608.4 | 2604.2 | 2600.1 | 2596.0 | 2608.4 | 2616.7 | 2629.1 | 2637.4 |
| 5° | 2123.2 | 2131.5 | 2135.6 | 2148.1 | 2160.5 | 2173.0 | 2185.4 | 2193.7 | 2202.0 | 2206.1 | 2214.4 |
| 7.5° | 1600.7 | 1621.4 | 1638.0 | 1654.6 | 1671.2 | 1683.6 | 1700.2 | 1712.7 | 1725.1 | 1737.5 | 1750.0 |
| 10° | 1215.0 | 1223.3 | 1227.5 | 1244.1 | 1256.5 | 1273.1 | 1285.5 | 1298.0 | 1310.4 | 1318.7 | 1331.2 |
| 12.5° | 987.0 | 978.7 | 974.5 | 974.5 | 974.5 | 974.5 | 974.5 | 982.8 | 991.1 | 999.4 | 1007.7 |
| 15° | 796.2 | 792.1 | 787.9 | 783.8 | 779.6 | 771.3 | 767.2 | 775.5 | 783.8 | 792.1 | 800.3 |
| 17.5° | 667.6 | 667.6 | 667.6 | 663.5 | 659.4 | 655.2 | 651.1 | 655.2 | 659.4 | 659.4 | 663.5 |
| 20° | 572.3 | 576.4 | 580.6 | 584.7 | 584.7 | 588.9 | 588.9 | 593.0 | 597.2 | 597.2 | 601.3 |
| 22.5° | 514.2 | 518.4 | 518.4 | 518.4 | 522.5 | 522.5 | 522.5 | 526.7 | 530.8 | 534.9 | 539.1 |
| 25° | 468.6 | 468.6 | 464.5 | 464.5 | 468.6 | 468.6 | 468.6 | 468.6 | 472.7 | 472.7 | 472.7 |
| 27.5° | 443.7 | 439.6 | 439.6 | 439.6 | 439.6 | 435.4 | 435.4 | 435.4 | 435.4 | 435.4 | 435.4 |
| 30° | 431.3 | 427.1 | 423.0 | 418.8 | 418.8 | 414.7 | 410.5 | 410.5 | 410.5 | 410.5 | 410.5 |
| 32.5° | 427.1 | 418.8 | 410.5 | 406.4 | 406.4 | 402.2 | 398.1 | 394.0 | 394.0 | 389.8 | 385.7 |
| 35° | 381.5 | 377.4 | 377.4 | 373.2 | 369.1 | 364.9 | 360.8 | 360.8 | 360.8 | 356.6 | 356.6 |
| 37.5° | 331.8 | 335.9 | 335.9 | 335.9 | 340.0 | 340.0 | 340.0 | 340.0 | 344.2 | 344.2 | 344.2 |
| 40° | 311.0 | 311.0 | 311.0 | 315.2 | 319.3 | 319.3 | 323.5 | 323.5 | 327.6 | 327.6 | 327.6 |
| 42.5° | 294.4 | 290.3 | 290.3 | 294.4 | 294.4 | 298.6 | 298.6 | 302.7 | 306.9 | 306.9 | 311.0 |
| 45° | 286.1 | 282.0 | 282.0 | 282.0 | 282.0 | 277.8 | 277.8 | 282.0 | 286.1 | 290.3 | 294.4 |
| 47.5° | 269.5 | 269.5 | 265.4 | 265.4 | 265.4 | 265.4 | 265.4 | 265.4 | 269.5 | 269.5 | 269.5 |
| 50° | 261.3 | 261.3 | 257.1 | 257.1 | 257.1 | 257.1 | 257.1 | 257.1 | 257.1 | 257.1 | 257.1 |
| 52.5° | 253.0 | 248.8 | 248.8 | 248.8 | 248.8 | 244.7 | 244.7 | 244.7 | 244.7 | 244.7 | 244.7 |
| 55° | 240.5 | 236.4 | 236.4 | 236.4 | 236.4 | 236.4 | 236.4 | 236.4 | 240.5 | 240.5 | 240.5 |
| 57.5° | 228.1 | 223.9 | 223.9 | 223.9 | 228.1 | 228.1 | 228.1 | 228.1 | 232.2 | 232.2 | 232.2 |
| 60° | 215.6 | 215.6 | 215.6 | 215.6 | 215.6 | 215.6 | 215.6 | 219.8 | 219.8 | 223.9 | 223.9 |
| 62.5° | 203.2 | 203.2 | 203.2 | 203.2 | 207.3 | 207.3 | 207.3 | 207.3 | 211.5 | 211.5 | 211.5 |
| 65° | 190.8 | 190.8 | 190.8 | 190.8 | 194.9 | 194.9 | 194.9 | 194.9 | 194.9 | 194.9 | 194.9 |
| 67.5° | 178.3 | 178.3 | 178.3 | 178.3 | 178.3 | 178.3 | 178.3 | 182.5 | 182.5 | 186.6 | 186.6 |
| 70° | 161.7 | 157.6 | 157.6 | 161.7 | 161.7 | 165.9 | 165.9 | 170.0 | 170.0 | 174.2 | 174.2 |
| 72.5° | 145.1 | 145.1 | 145.1 | 145.1 | 145.1 | 145.1 | 145.1 | 149.3 | 153.4 | 153.4 | 157.6 |
| 75° | 128.6 | 128.6 | 128.6 | 128.6 | 132.7 | 132.7 | 132.7 | 136.8 | 136.8 | 141.0 | 141.0 |
| 77.5° | 116.1 | 112.0 | 112.0 | 112.0 | 116.1 | 116.1 | 116.1 | 120.3 | 120.3 | 124.4 | 124.4 |
| 80° | 95.4 | 95.4 | 95.4 | 95.4 | 99.5 | 99.5 | 99.5 | 99.5 | 103.7 | 103.7 | 103.7 |
| 82.5° | 78.8 | 78.8 | 78.8 | 78.8 | 78.8 | 78.8 | 78.8 | 78.8 | 82.9 | 82.9 | 82.9 |
| 85° | 58.1 | 58.1 | 58.1 | 58.1 | 62.2 | 62.2 | 62.2 | 62.2 | 62.2 | 62.2 | 62.2 |
| 87.5° | 37.3 | 37.3 | 37.3 | 37.3 | 37.3 | 37.3 | 37.3 | 37.3 | 41.5 | 41.5 | 41.5 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671887
 CATALOG NUMBER: CCP-SA-2E-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 110° | 112.5° | 115° | 117.5° | 120° | 122.5° | 125° | 127.5° | 130° | 132.5° | 135° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671887

CATALOG NUMBER: CCP-SA-2E-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 137.5° | 140° | 142.5° | 145° | 147.5° | 150° | 152.5° | 155° | 157.5° | 160° | 162.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 |
| 2.5° | 2637.4 | 2637.4 | 2637.4 | 2637.4 | 2645.7 | 2649.9 | 2658.2 | 2662.3 | 2658.2 | 2654.0 | 2645.7 |
| 5° | 2218.6 | 2222.7 | 2222.7 | 2226.9 | 2226.9 | 2226.9 | 2226.9 | 2226.9 | 2235.2 | 2243.5 | 2251.8 |
| 7.5° | 1754.1 | 1758.3 | 1762.4 | 1766.6 | 1766.6 | 1766.6 | 1762.4 | 1762.4 | 1766.6 | 1766.6 | 1770.7 |
| 10° | 1343.6 | 1360.2 | 1372.6 | 1385.1 | 1376.8 | 1364.3 | 1356.0 | 1343.6 | 1343.6 | 1343.6 | 1339.4 |
| 12.5° | 1016.0 | 1020.1 | 1028.4 | 1032.6 | 1028.4 | 1028.4 | 1024.3 | 1020.1 | 1024.3 | 1032.6 | 1036.7 |
| 15° | 804.5 | 804.5 | 808.6 | 808.6 | 812.8 | 816.9 | 816.9 | 821.1 | 829.4 | 833.5 | 841.8 |
| 17.5° | 667.6 | 671.8 | 671.8 | 675.9 | 675.9 | 680.1 | 680.1 | 680.1 | 688.4 | 696.7 | 709.1 |
| 20° | 601.3 | 601.3 | 601.3 | 601.3 | 601.3 | 597.2 | 597.2 | 593.0 | 597.2 | 605.4 | 609.6 |
| 22.5° | 539.1 | 543.2 | 543.2 | 543.2 | 539.1 | 534.9 | 526.7 | 522.5 | 522.5 | 526.7 | 526.7 |
| 25° | 472.7 | 468.6 | 468.6 | 464.5 | 464.5 | 468.6 | 468.6 | 468.6 | 472.7 | 472.7 | 476.9 |
| 27.5° | 435.4 | 431.3 | 431.3 | 427.1 | 427.1 | 431.3 | 431.3 | 431.3 | 431.3 | 431.3 | 431.3 |
| 30° | 406.4 | 406.4 | 402.2 | 398.1 | 402.2 | 402.2 | 406.4 | 406.4 | 410.5 | 410.5 | 414.7 |
| 32.5° | 385.7 | 381.5 | 381.5 | 377.4 | 381.5 | 381.5 | 385.7 | 385.7 | 389.8 | 394.0 | 394.0 |
| 35° | 356.6 | 356.6 | 356.6 | 356.6 | 356.6 | 356.6 | 352.5 | 352.5 | 352.5 | 352.5 | 352.5 |
| 37.5° | 340.0 | 340.0 | 335.9 | 331.8 | 331.8 | 331.8 | 331.8 | 331.8 | 327.6 | 323.5 | 319.3 |
| 40° | 327.6 | 323.5 | 323.5 | 319.3 | 315.2 | 315.2 | 311.0 | 306.9 | 306.9 | 302.7 | 302.7 |
| 42.5° | 311.0 | 306.9 | 306.9 | 302.7 | 298.6 | 298.6 | 294.4 | 290.3 | 290.3 | 290.3 | 286.1 |
| 45° | 290.3 | 290.3 | 286.1 | 282.0 | 282.0 | 282.0 | 277.8 | 277.8 | 277.8 | 277.8 | 273.7 |
| 47.5° | 269.5 | 269.5 | 265.4 | 265.4 | 265.4 | 265.4 | 261.3 | 261.3 | 261.3 | 261.3 | 261.3 |
| 50° | 257.1 | 257.1 | 257.1 | 257.1 | 257.1 | 257.1 | 253.0 | 253.0 | 253.0 | 253.0 | 253.0 |
| 52.5° | 244.7 | 244.7 | 244.7 | 244.7 | 244.7 | 244.7 | 244.7 | 244.7 | 244.7 | 244.7 | 244.7 |
| 55° | 240.5 | 240.5 | 240.5 | 240.5 | 240.5 | 240.5 | 236.4 | 236.4 | 236.4 | 240.5 | 240.5 |
| 57.5° | 232.2 | 232.2 | 228.1 | 228.1 | 228.1 | 228.1 | 228.1 | 228.1 | 228.1 | 228.1 | 228.1 |
| 60° | 223.9 | 223.9 | 223.9 | 223.9 | 223.9 | 223.9 | 223.9 | 223.9 | 223.9 | 223.9 | 223.9 |
| 62.5° | 211.5 | 211.5 | 211.5 | 211.5 | 211.5 | 215.6 | 215.6 | 215.6 | 215.6 | 215.6 | 211.5 |
| 65° | 194.9 | 199.1 | 199.1 | 199.1 | 199.1 | 199.1 | 199.1 | 199.1 | 199.1 | 199.1 | 199.1 |
| 67.5° | 186.6 | 186.6 | 186.6 | 186.6 | 186.6 | 186.6 | 186.6 | 186.6 | 186.6 | 186.6 | 186.6 |
| 70° | 174.2 | 174.2 | 170.0 | 170.0 | 170.0 | 174.2 | 174.2 | 174.2 | 174.2 | 174.2 | 174.2 |
| 72.5° | 157.6 | 157.6 | 157.6 | 157.6 | 157.6 | 157.6 | 157.6 | 157.6 | 157.6 | 161.7 | 161.7 |
| 75° | 141.0 | 141.0 | 141.0 | 141.0 | 141.0 | 141.0 | 141.0 | 141.0 | 141.0 | 141.0 | 141.0 |
| 77.5° | 124.4 | 124.4 | 120.3 | 120.3 | 120.3 | 124.4 | 124.4 | 124.4 | 124.4 | 128.6 | 128.6 |
| 80° | 103.7 | 103.7 | 103.7 | 103.7 | 103.7 | 103.7 | 103.7 | 103.7 | 103.7 | 107.8 | 107.8 |
| 82.5° | 82.9 | 82.9 | 82.9 | 82.9 | 82.9 | 82.9 | 82.9 | 82.9 | 82.9 | 87.1 | 87.1 |
| 85° | 62.2 | 66.4 | 66.4 | 66.4 | 66.4 | 66.4 | 66.4 | 66.4 | 66.4 | 70.5 | 70.5 |
| 87.5° | 41.5 | 41.5 | 41.5 | 41.5 | 41.5 | 41.5 | 37.3 | 37.3 | 37.3 | 37.3 | 33.2 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671887
 CATALOG NUMBER: CCP-SA-2E-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 137.5° | 140° | 142.5° | 145° | 147.5° | 150° | 152.5° | 155° | 157.5° | 160° | 162.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671887

CATALOG NUMBER: CCP-SA-2E-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 165° | 167.5° | 170° | 172.5° | 175° | 177.5° | 180° | 182.5° | 185° | 187.5° | 190° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 |
| 2.5° | 2641.6 | 2645.7 | 2649.9 | 2649.9 | 2654.0 | 2658.2 | 2658.2 | 2674.7 | 2691.3 | 2699.6 | 2707.9 |
| 5° | 2260.1 | 2255.9 | 2255.9 | 2251.8 | 2247.6 | 2260.1 | 2272.5 | 2297.4 | 2322.3 | 2326.4 | 2334.7 |
| 7.5° | 1770.7 | 1774.9 | 1779.0 | 1779.0 | 1783.2 | 1770.7 | 1754.1 | 1758.3 | 1762.4 | 1783.2 | 1799.8 |
| 10° | 1339.4 | 1343.6 | 1347.7 | 1347.7 | 1351.9 | 1347.7 | 1339.4 | 1351.9 | 1364.3 | 1380.9 | 1401.6 |
| 12.5° | 1040.9 | 1053.3 | 1065.8 | 1074.0 | 1086.5 | 1094.8 | 1098.9 | 1115.5 | 1128.0 | 1148.7 | 1169.4 |
| 15° | 850.1 | 858.4 | 866.7 | 875.0 | 883.3 | 891.6 | 899.9 | 916.5 | 933.1 | 957.9 | 982.8 |
| 17.5° | 717.4 | 717.4 | 721.6 | 721.6 | 721.6 | 729.9 | 738.1 | 746.4 | 750.6 | 775.5 | 800.3 |
| 20° | 613.7 | 609.6 | 605.4 | 601.3 | 597.2 | 605.4 | 609.6 | 613.7 | 617.9 | 634.5 | 646.9 |
| 22.5° | 526.7 | 526.7 | 530.8 | 530.8 | 530.8 | 526.7 | 518.4 | 522.5 | 522.5 | 530.8 | 543.2 |
| 25° | 476.9 | 476.9 | 476.9 | 472.7 | 472.7 | 476.9 | 481.0 | 481.0 | 476.9 | 481.0 | 485.2 |
| 27.5° | 431.3 | 435.4 | 435.4 | 439.6 | 439.6 | 443.7 | 443.7 | 443.7 | 443.7 | 447.9 | 452.0 |
| 30° | 414.7 | 414.7 | 418.8 | 418.8 | 418.8 | 423.0 | 427.1 | 427.1 | 427.1 | 431.3 | 439.6 |
| 32.5° | 398.1 | 402.2 | 406.4 | 410.5 | 414.7 | 418.8 | 418.8 | 423.0 | 423.0 | 427.1 | 431.3 |
| 35° | 352.5 | 348.3 | 348.3 | 344.2 | 340.0 | 340.0 | 340.0 | 340.0 | 335.9 | 340.0 | 340.0 |
| 37.5° | 315.2 | 315.2 | 315.2 | 311.0 | 311.0 | 315.2 | 315.2 | 315.2 | 315.2 | 319.3 | 319.3 |
| 40° | 298.6 | 298.6 | 298.6 | 298.6 | 298.6 | 298.6 | 298.6 | 302.7 | 302.7 | 306.9 | 311.0 |
| 42.5° | 286.1 | 286.1 | 286.1 | 286.1 | 286.1 | 290.3 | 290.3 | 290.3 | 290.3 | 294.4 | 294.4 |
| 45° | 273.7 | 273.7 | 273.7 | 273.7 | 273.7 | 273.7 | 273.7 | 277.8 | 277.8 | 282.0 | 286.1 |
| 47.5° | 261.3 | 261.3 | 261.3 | 261.3 | 261.3 | 265.4 | 269.5 | 269.5 | 269.5 | 273.7 | 273.7 |
| 50° | 253.0 | 253.0 | 253.0 | 253.0 | 253.0 | 257.1 | 257.1 | 261.3 | 261.3 | 265.4 | 269.5 |
| 52.5° | 244.7 | 244.7 | 244.7 | 244.7 | 244.7 | 248.8 | 248.8 | 253.0 | 253.0 | 257.1 | 261.3 |
| 55° | 240.5 | 240.5 | 240.5 | 236.4 | 236.4 | 240.5 | 240.5 | 244.7 | 244.7 | 248.8 | 248.8 |
| 57.5° | 228.1 | 228.1 | 228.1 | 228.1 | 228.1 | 228.1 | 228.1 | 232.2 | 232.2 | 236.4 | 240.5 |
| 60° | 223.9 | 223.9 | 219.8 | 219.8 | 215.6 | 219.8 | 219.8 | 223.9 | 223.9 | 228.1 | 228.1 |
| 62.5° | 211.5 | 211.5 | 211.5 | 207.3 | 207.3 | 211.5 | 211.5 | 211.5 | 211.5 | 215.6 | 219.8 |
| 65° | 199.1 | 199.1 | 199.1 | 194.9 | 194.9 | 199.1 | 199.1 | 199.1 | 199.1 | 203.2 | 207.3 |
| 67.5° | 186.6 | 186.6 | 186.6 | 182.5 | 182.5 | 182.5 | 182.5 | 186.6 | 186.6 | 190.8 | 194.9 |
| 70° | 174.2 | 174.2 | 174.2 | 170.0 | 170.0 | 170.0 | 165.9 | 170.0 | 174.2 | 178.3 | 178.3 |
| 72.5° | 161.7 | 161.7 | 161.7 | 157.6 | 157.6 | 157.6 | 153.4 | 157.6 | 157.6 | 161.7 | 161.7 |
| 75° | 141.0 | 141.0 | 141.0 | 141.0 | 141.0 | 141.0 | 136.8 | 136.8 | 136.8 | 141.0 | 141.0 |
| 77.5° | 128.6 | 128.6 | 128.6 | 124.4 | 124.4 | 124.4 | 120.3 | 120.3 | 120.3 | 124.4 | 124.4 |
| 80° | 107.8 | 107.8 | 107.8 | 103.7 | 103.7 | 103.7 | 99.5 | 99.5 | 99.5 | 103.7 | 103.7 |
| 82.5° | 87.1 | 87.1 | 87.1 | 82.9 | 82.9 | 82.9 | 78.8 | 78.8 | 78.8 | 82.9 | 82.9 |
| 85° | 70.5 | 70.5 | 70.5 | 70.5 | 70.5 | 70.5 | 66.4 | 66.4 | 66.4 | 70.5 | 74.6 |
| 87.5° | 33.2 | 33.2 | 37.3 | 37.3 | 37.3 | 37.3 | 33.2 | 33.2 | 29.0 | 29.0 | 33.2 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671887
 CATALOG NUMBER: CCP-SA-2E-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 165° | 167.5° | 170° | 172.5° | 175° | 177.5° | 180° | 182.5° | 185° | 187.5° | 190° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671887

CATALOG NUMBER: CCP-SA-2E-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 192.5° | 195° | 197.5° | 200° | 202.5° | 205° | 207.5° | 210° | 212.5° | 215° | 217.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 |
| 2.5° | 2716.2 | 2724.5 | 2745.2 | 2761.8 | 2782.6 | 2799.2 | 2811.6 | 2828.2 | 2840.6 | 2853.1 | 2861.4 |
| 5° | 2338.8 | 2343.0 | 2363.7 | 2384.5 | 2401.0 | 2421.8 | 2450.8 | 2479.8 | 2508.9 | 2537.9 | 2558.6 |
| 7.5° | 1820.5 | 1837.1 | 1862.0 | 1891.0 | 1915.9 | 1940.7 | 1969.8 | 2002.9 | 2032.0 | 2061.0 | 2090.0 |
| 10° | 1418.2 | 1434.8 | 1459.7 | 1484.6 | 1505.3 | 1530.2 | 1563.4 | 1596.6 | 1629.7 | 1662.9 | 1696.1 |
| 12.5° | 1190.2 | 1210.9 | 1239.9 | 1268.9 | 1293.8 | 1322.9 | 1364.3 | 1401.6 | 1443.1 | 1480.4 | 1521.9 |
| 15° | 1003.5 | 1028.4 | 1065.8 | 1107.2 | 1144.5 | 1181.9 | 1223.3 | 1264.8 | 1302.1 | 1343.6 | 1385.1 |
| 17.5° | 825.2 | 850.1 | 883.3 | 920.6 | 953.8 | 987.0 | 1036.7 | 1082.3 | 1132.1 | 1177.7 | 1223.3 |
| 20° | 663.5 | 675.9 | 709.1 | 742.3 | 775.5 | 808.6 | 846.0 | 883.3 | 920.6 | 957.9 | 1016.0 |
| 22.5° | 551.5 | 559.8 | 576.4 | 588.9 | 605.4 | 617.9 | 655.2 | 692.5 | 725.7 | 763.0 | 816.9 |
| 25° | 485.2 | 489.3 | 501.8 | 510.1 | 522.5 | 530.8 | 555.7 | 576.4 | 601.3 | 622.0 | 671.8 |
| 27.5° | 452.0 | 456.2 | 460.3 | 464.5 | 468.6 | 472.7 | 489.3 | 505.9 | 518.4 | 534.9 | 580.6 |
| 30° | 443.7 | 447.9 | 460.3 | 468.6 | 481.0 | 489.3 | 497.6 | 505.9 | 514.2 | 522.5 | 551.5 |
| 32.5° | 435.4 | 439.6 | 439.6 | 435.4 | 435.4 | 431.3 | 439.6 | 443.7 | 452.0 | 456.2 | 481.0 |
| 35° | 344.2 | 344.2 | 348.3 | 352.5 | 356.6 | 360.8 | 373.2 | 381.5 | 394.0 | 402.2 | 423.0 |
| 37.5° | 323.5 | 323.5 | 327.6 | 335.9 | 340.0 | 344.2 | 352.5 | 360.8 | 369.1 | 377.4 | 398.1 |
| 40° | 311.0 | 315.2 | 319.3 | 323.5 | 327.6 | 331.8 | 340.0 | 344.2 | 352.5 | 356.6 | 373.2 |
| 42.5° | 298.6 | 298.6 | 302.7 | 311.0 | 315.2 | 319.3 | 327.6 | 331.8 | 340.0 | 344.2 | 360.8 |
| 45° | 290.3 | 294.4 | 298.6 | 302.7 | 302.7 | 306.9 | 315.2 | 323.5 | 327.6 | 335.9 | 352.5 |
| 47.5° | 277.8 | 277.8 | 286.1 | 290.3 | 298.6 | 302.7 | 311.0 | 315.2 | 323.5 | 327.6 | 344.2 |
| 50° | 269.5 | 273.7 | 282.0 | 286.1 | 294.4 | 298.6 | 311.0 | 319.3 | 331.8 | 340.0 | 348.3 |
| 52.5° | 261.3 | 265.4 | 273.7 | 277.8 | 286.1 | 290.3 | 306.9 | 323.5 | 335.9 | 352.5 | 352.5 |
| 55° | 253.0 | 253.0 | 261.3 | 273.7 | 282.0 | 290.3 | 298.6 | 311.0 | 319.3 | 327.6 | 327.6 |
| 57.5° | 240.5 | 244.7 | 253.0 | 265.4 | 273.7 | 282.0 | 290.3 | 298.6 | 302.7 | 311.0 | 306.9 |
| 60° | 232.2 | 232.2 | 244.7 | 257.1 | 269.5 | 282.0 | 282.0 | 282.0 | 277.8 | 277.8 | 277.8 |
| 62.5° | 219.8 | 223.9 | 240.5 | 261.3 | 277.8 | 294.4 | 282.0 | 269.5 | 257.1 | 244.7 | 248.8 |
| 65° | 211.5 | 215.6 | 223.9 | 236.4 | 244.7 | 253.0 | 244.7 | 240.5 | 232.2 | 223.9 | 228.1 |
| 67.5° | 194.9 | 199.1 | 203.2 | 203.2 | 207.3 | 207.3 | 207.3 | 207.3 | 207.3 | 207.3 | 211.5 |
| 70° | 182.5 | 182.5 | 182.5 | 186.6 | 186.6 | 186.6 | 186.6 | 186.6 | 186.6 | 186.6 | 190.8 |
| 72.5° | 165.9 | 165.9 | 165.9 | 165.9 | 165.9 | 165.9 | 165.9 | 165.9 | 165.9 | 165.9 | 170.0 |
| 75° | 145.1 | 145.1 | 145.1 | 145.1 | 145.1 | 145.1 | 145.1 | 145.1 | 145.1 | 145.1 | 149.3 |
| 77.5° | 128.6 | 128.6 | 128.6 | 128.6 | 128.6 | 128.6 | 128.6 | 128.6 | 124.4 | 124.4 | 128.6 |
| 80° | 107.8 | 107.8 | 107.8 | 107.8 | 103.7 | 103.7 | 103.7 | 103.7 | 103.7 | 103.7 | 107.8 |
| 82.5° | 87.1 | 87.1 | 87.1 | 87.1 | 82.9 | 82.9 | 82.9 | 82.9 | 78.8 | 78.8 | 82.9 |
| 85° | 78.8 | 82.9 | 82.9 | 87.1 | 87.1 | 87.1 | 82.9 | 78.8 | 74.6 | 70.5 | 70.5 |
| 87.5° | 33.2 | 33.2 | 33.2 | 33.2 | 29.0 | 29.0 | 29.0 | 29.0 | 29.0 | 29.0 | 29.0 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671887
 CATALOG NUMBER: CCP-SA-2E-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 192.5° | 195° | 197.5° | 200° | 202.5° | 205° | 207.5° | 210° | 212.5° | 215° | 217.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671887

CATALOG NUMBER: CCP-SA-2E-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 220° | 222.5° | 225° | 227.5° | 230° | 232.5° | 235° | 237.5° | 240° | 242.5° | 245° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 |
| 2.5° | 2873.8 | 2882.1 | 2890.4 | 2902.8 | 2919.4 | 2931.9 | 2944.3 | 2969.2 | 2998.2 | 3023.1 | 3048.0 |
| 5° | 2579.4 | 2600.1 | 2620.8 | 2645.7 | 2670.6 | 2691.3 | 2716.2 | 2766.0 | 2815.7 | 2861.4 | 2911.1 |
| 7.5° | 2114.9 | 2143.9 | 2168.8 | 2210.3 | 2247.6 | 2289.1 | 2326.4 | 2388.6 | 2446.7 | 2508.9 | 2566.9 |
| 10° | 1729.3 | 1762.4 | 1795.6 | 1849.5 | 1907.6 | 1961.5 | 2015.4 | 2065.2 | 2119.1 | 2168.8 | 2218.6 |
| 12.5° | 1563.4 | 1600.7 | 1642.2 | 1675.3 | 1712.7 | 1745.8 | 1779.0 | 1837.1 | 1895.1 | 1953.2 | 2011.2 |
| 15° | 1426.5 | 1468.0 | 1509.5 | 1550.9 | 1588.3 | 1629.7 | 1667.0 | 1716.8 | 1770.7 | 1820.5 | 1870.2 |
| 17.5° | 1268.9 | 1310.4 | 1356.0 | 1401.6 | 1447.3 | 1492.9 | 1538.5 | 1609.0 | 1679.5 | 1745.8 | 1816.3 |
| 20° | 1069.9 | 1128.0 | 1181.9 | 1244.1 | 1306.3 | 1368.5 | 1430.7 | 1505.3 | 1580.0 | 1650.5 | 1725.1 |
| 22.5° | 870.8 | 924.8 | 978.7 | 1053.3 | 1128.0 | 1198.5 | 1273.1 | 1372.6 | 1468.0 | 1567.5 | 1662.9 |
| 25° | 725.7 | 775.5 | 825.2 | 908.2 | 987.0 | 1069.9 | 1148.7 | 1268.9 | 1385.1 | 1505.3 | 1621.4 |
| 27.5° | 626.2 | 671.8 | 717.4 | 804.5 | 891.6 | 974.5 | 1061.6 | 1194.3 | 1322.9 | 1455.6 | 1584.1 |
| 30° | 580.6 | 609.6 | 638.6 | 721.6 | 804.5 | 883.3 | 966.2 | 1094.8 | 1223.3 | 1351.9 | 1480.4 |
| 32.5° | 505.9 | 530.8 | 555.7 | 630.3 | 705.0 | 775.5 | 850.1 | 982.8 | 1111.4 | 1244.1 | 1372.6 |
| 35° | 447.9 | 468.6 | 489.3 | 559.8 | 626.2 | 696.7 | 763.0 | 895.7 | 1028.4 | 1161.1 | 1293.8 |
| 37.5° | 414.7 | 435.4 | 452.0 | 514.2 | 580.6 | 642.8 | 705.0 | 837.7 | 966.2 | 1098.9 | 1227.5 |
| 40° | 389.8 | 402.2 | 418.8 | 481.0 | 539.1 | 601.3 | 659.4 | 779.6 | 904.0 | 1024.3 | 1144.5 |
| 42.5° | 373.2 | 389.8 | 402.2 | 456.2 | 514.2 | 568.1 | 622.0 | 738.1 | 854.3 | 966.2 | 1082.3 |
| 45° | 369.1 | 385.7 | 402.2 | 447.9 | 493.5 | 534.9 | 580.6 | 692.5 | 804.5 | 916.5 | 1028.4 |
| 47.5° | 360.8 | 373.2 | 389.8 | 427.1 | 460.3 | 497.6 | 530.8 | 642.8 | 754.7 | 862.6 | 974.5 |
| 50° | 356.6 | 360.8 | 369.1 | 402.2 | 435.4 | 468.6 | 501.8 | 613.7 | 725.7 | 837.7 | 949.6 |
| 52.5° | 352.5 | 352.5 | 352.5 | 381.5 | 410.5 | 435.4 | 464.5 | 576.4 | 692.5 | 804.5 | 916.5 |
| 55° | 327.6 | 323.5 | 323.5 | 352.5 | 377.4 | 406.4 | 431.3 | 543.2 | 655.2 | 763.0 | 875.0 |
| 57.5° | 302.7 | 298.6 | 294.4 | 319.3 | 344.2 | 369.1 | 394.0 | 505.9 | 622.0 | 734.0 | 846.0 |
| 60° | 277.8 | 273.7 | 273.7 | 298.6 | 319.3 | 344.2 | 364.9 | 481.0 | 593.0 | 709.1 | 821.1 |
| 62.5° | 248.8 | 253.0 | 253.0 | 273.7 | 298.6 | 319.3 | 340.0 | 456.2 | 576.4 | 692.5 | 808.6 |
| 65° | 228.1 | 232.2 | 232.2 | 257.1 | 282.0 | 306.9 | 331.8 | 443.7 | 559.8 | 671.8 | 783.8 |
| 67.5° | 211.5 | 215.6 | 215.6 | 244.7 | 269.5 | 298.6 | 323.5 | 423.0 | 526.7 | 626.2 | 725.7 |
| 70° | 194.9 | 194.9 | 199.1 | 228.1 | 257.1 | 286.1 | 315.2 | 402.2 | 489.3 | 572.3 | 659.4 |
| 72.5° | 174.2 | 178.3 | 182.5 | 211.5 | 236.4 | 265.4 | 290.3 | 369.1 | 447.9 | 526.7 | 605.4 |
| 75° | 153.4 | 157.6 | 161.7 | 186.6 | 211.5 | 236.4 | 261.3 | 335.9 | 406.4 | 481.0 | 551.5 |
| 77.5° | 136.8 | 141.0 | 145.1 | 165.9 | 186.6 | 207.3 | 228.1 | 282.0 | 340.0 | 394.0 | 447.9 |
| 80° | 112.0 | 112.0 | 116.1 | 132.7 | 149.3 | 161.7 | 178.3 | 215.6 | 253.0 | 286.1 | 323.5 |
| 82.5° | 82.9 | 87.1 | 87.1 | 99.5 | 107.8 | 120.3 | 128.6 | 149.3 | 165.9 | 186.6 | 203.2 |
| 85° | 70.5 | 66.4 | 66.4 | 74.6 | 78.8 | 87.1 | 91.2 | 103.7 | 112.0 | 124.4 | 132.7 |
| 87.5° | 29.0 | 24.9 | 24.9 | 29.0 | 37.3 | 41.5 | 45.6 | 45.6 | 49.8 | 49.8 | 49.8 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671887
 CATALOG NUMBER: CCP-SA-2E-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 220° | 222.5° | 225° | 227.5° | 230° | 232.5° | 235° | 237.5° | 240° | 242.5° | 245° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671887

CATALOG NUMBER: CCP-SA-2E-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 247.5° | 250° | 252.5° | 255° | 257.5° | 260° | 262.5° | 265° | 267.5° | 270° | 272.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 |
| 2.5° | 3060.4 | 3068.7 | 3081.1 | 3089.4 | 3110.2 | 3126.8 | 3147.5 | 3164.1 | 3176.5 | 3197.3 | 3189.0 |
| 5° | 2948.4 | 2985.8 | 3023.1 | 3060.4 | 3089.4 | 3118.5 | 3143.3 | 3172.4 | 3205.5 | 3267.7 | 3284.3 |
| 7.5° | 2616.7 | 2666.5 | 2712.1 | 2761.8 | 2819.9 | 2877.9 | 2936.0 | 2994.1 | 3048.0 | 3126.8 | 3176.5 |
| 10° | 2289.1 | 2359.6 | 2425.9 | 2496.4 | 2550.3 | 2604.2 | 2654.0 | 2707.9 | 2782.6 | 2861.4 | 2952.6 |
| 12.5° | 2081.7 | 2152.2 | 2222.7 | 2293.2 | 2372.0 | 2446.7 | 2525.5 | 2600.1 | 2670.6 | 2732.8 | 2836.5 |
| 15° | 1944.9 | 2023.7 | 2098.3 | 2173.0 | 2268.3 | 2359.6 | 2455.0 | 2546.2 | 2649.9 | 2732.8 | 2803.3 |
| 17.5° | 1911.7 | 2007.1 | 2098.3 | 2193.7 | 2293.2 | 2392.8 | 2492.3 | 2591.8 | 2695.5 | 2819.9 | 2911.1 |
| 20° | 1853.7 | 1982.2 | 2110.8 | 2239.3 | 2367.9 | 2492.3 | 2620.8 | 2745.2 | 2882.1 | 3031.4 | 3072.8 |
| 22.5° | 1820.5 | 1973.9 | 2131.5 | 2284.9 | 2459.1 | 2637.4 | 2811.6 | 2985.8 | 3130.9 | 3242.9 | 3367.3 |
| 25° | 1816.3 | 2007.1 | 2202.0 | 2392.8 | 2612.5 | 2828.2 | 3048.0 | 3263.6 | 3450.2 | 3562.2 | 3661.7 |
| 27.5° | 1812.2 | 2044.4 | 2272.5 | 2500.6 | 2770.1 | 3035.5 | 3305.1 | 3570.5 | 3744.6 | 3906.4 | 3989.3 |
| 30° | 1762.4 | 2040.3 | 2322.3 | 2600.1 | 2902.8 | 3205.5 | 3508.3 | 3811.0 | 3989.3 | 4101.3 | 4142.7 |
| 32.5° | 1700.2 | 2027.8 | 2355.4 | 2683.0 | 3027.2 | 3371.4 | 3711.5 | 4055.7 | 4196.7 | 4292.0 | 4258.9 |
| 35° | 1650.5 | 2011.2 | 2367.9 | 2724.5 | 3089.4 | 3458.5 | 3823.4 | 4188.4 | 4391.6 | 4524.3 | 4470.3 |
| 37.5° | 1604.8 | 1982.2 | 2359.6 | 2736.9 | 3164.1 | 3591.2 | 4018.3 | 4445.5 | 4640.4 | 4781.4 | 4719.2 |
| 40° | 1550.9 | 1953.2 | 2359.6 | 2761.8 | 3251.2 | 3736.3 | 4225.7 | 4710.9 | 4963.8 | 5084.1 | 4988.7 |
| 42.5° | 1505.3 | 1924.2 | 2347.1 | 2766.0 | 3288.5 | 3811.0 | 4333.5 | 4856.0 | 5138.0 | 5308.0 | 5187.8 |
| 45° | 1447.3 | 1866.1 | 2280.8 | 2699.6 | 3276.0 | 3852.5 | 4424.7 | 5001.1 | 5328.8 | 5461.5 | 5295.6 |
| 47.5° | 1385.1 | 1799.8 | 2210.3 | 2620.8 | 3234.6 | 3848.3 | 4462.1 | 5075.8 | 5378.5 | 5536.1 | 5382.7 |
| 50° | 1364.3 | 1779.0 | 2189.6 | 2604.2 | 3267.7 | 3935.4 | 4598.9 | 5262.4 | 5482.2 | 5610.7 | 5407.5 |
| 52.5° | 1360.2 | 1799.8 | 2243.5 | 2683.0 | 3350.7 | 4014.2 | 4681.8 | 5345.3 | 5523.7 | 5660.5 | 5478.0 |
| 55° | 1347.7 | 1824.6 | 2297.4 | 2770.1 | 3466.8 | 4167.6 | 4864.3 | 5561.0 | 5739.3 | 5838.8 | 5702.0 |
| 57.5° | 1360.2 | 1874.4 | 2384.5 | 2898.7 | 3616.1 | 4333.5 | 5050.9 | 5768.3 | 5984.0 | 6054.5 | 6025.4 |
| 60° | 1368.5 | 1915.9 | 2459.1 | 3006.5 | 3707.3 | 4408.1 | 5109.0 | 5809.8 | 6033.7 | 6207.9 | 6241.1 |
| 62.5° | 1347.7 | 1886.8 | 2421.8 | 2960.9 | 3595.4 | 4229.8 | 4864.3 | 5498.8 | 5867.8 | 6125.0 | 6274.2 |
| 65° | 1285.5 | 1783.2 | 2284.9 | 2782.6 | 3367.3 | 3956.1 | 4540.8 | 5125.6 | 5515.4 | 5896.9 | 6017.1 |
| 67.5° | 1148.7 | 1571.7 | 1994.7 | 2417.6 | 2927.7 | 3437.8 | 3943.7 | 4453.8 | 4943.1 | 5312.2 | 5478.0 |
| 70° | 995.3 | 1327.0 | 1662.9 | 1994.7 | 2459.1 | 2923.6 | 3388.0 | 3852.5 | 4283.7 | 4690.1 | 4847.7 |
| 72.5° | 866.7 | 1123.8 | 1385.1 | 1642.2 | 1973.9 | 2301.5 | 2633.3 | 2960.9 | 3470.9 | 3877.3 | 4030.8 |
| 75° | 738.1 | 924.8 | 1107.2 | 1293.8 | 1521.9 | 1750.0 | 1973.9 | 2202.0 | 2562.8 | 2927.7 | 3081.1 |
| 77.5° | 568.1 | 692.5 | 812.8 | 933.1 | 1090.6 | 1244.1 | 1401.6 | 1555.1 | 1808.0 | 2081.7 | 2160.5 |
| 80° | 394.0 | 464.5 | 530.8 | 601.3 | 725.7 | 850.1 | 974.5 | 1098.9 | 1264.8 | 1418.2 | 1538.5 |
| 82.5° | 244.7 | 290.3 | 331.8 | 373.2 | 472.7 | 572.3 | 667.6 | 767.2 | 833.5 | 841.8 | 962.1 |
| 85° | 157.6 | 186.6 | 211.5 | 236.4 | 294.4 | 356.6 | 414.7 | 472.7 | 423.0 | 394.0 | 468.6 |
| 87.5° | 62.2 | 78.8 | 91.2 | 103.7 | 99.5 | 95.4 | 91.2 | 87.1 | 74.6 | 66.4 | 82.9 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671887
 CATALOG NUMBER: CCP-SA-2E-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 247.5° | 250° | 252.5° | 255° | 257.5° | 260° | 262.5° | 265° | 267.5° | 270° | 272.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671887

CATALOG NUMBER: CCP-SA-2E-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 275° | 277.5° | 280° | 282.5° | 285° | 287.5° | 290° | 292.5° | 295° | 297.5° | 300° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 |
| 2.5° | 3197.3 | 3209.7 | 3222.1 | 3230.4 | 3242.9 | 3247.0 | 3251.2 | 3251.2 | 3255.3 | 3259.5 | 3267.7 |
| 5° | 3350.7 | 3375.6 | 3400.4 | 3421.2 | 3446.1 | 3466.8 | 3483.4 | 3504.1 | 3520.7 | 3520.7 | 3516.6 |
| 7.5° | 3222.1 | 3284.3 | 3346.5 | 3408.7 | 3470.9 | 3516.6 | 3558.0 | 3603.6 | 3645.1 | 3653.4 | 3661.7 |
| 10° | 3052.1 | 3118.5 | 3180.7 | 3247.0 | 3309.2 | 3379.7 | 3446.1 | 3512.4 | 3582.9 | 3595.4 | 3611.9 |
| 12.5° | 2894.5 | 2973.3 | 3052.1 | 3126.8 | 3205.5 | 3255.3 | 3305.1 | 3350.7 | 3400.4 | 3433.6 | 3466.8 |
| 15° | 2890.4 | 2956.7 | 3023.1 | 3085.3 | 3151.6 | 3180.7 | 3209.7 | 3234.6 | 3263.6 | 3263.6 | 3267.7 |
| 17.5° | 2985.8 | 3027.2 | 3068.7 | 3106.0 | 3147.5 | 3151.6 | 3159.9 | 3164.1 | 3168.2 | 3155.8 | 3143.3 |
| 20° | 3172.4 | 3189.0 | 3205.5 | 3222.1 | 3238.7 | 3209.7 | 3184.8 | 3155.8 | 3126.8 | 3093.6 | 3064.6 |
| 22.5° | 3446.1 | 3408.7 | 3371.4 | 3334.1 | 3296.8 | 3247.0 | 3193.1 | 3143.3 | 3089.4 | 3048.0 | 3006.5 |
| 25° | 3703.2 | 3657.6 | 3611.9 | 3566.3 | 3520.7 | 3412.9 | 3305.1 | 3193.1 | 3085.3 | 3039.7 | 2994.1 |
| 27.5° | 4047.4 | 3976.9 | 3906.4 | 3835.9 | 3765.4 | 3620.2 | 3475.1 | 3330.0 | 3184.8 | 3106.0 | 3031.4 |
| 30° | 4130.3 | 4051.5 | 3972.7 | 3889.8 | 3811.0 | 3670.0 | 3533.2 | 3392.2 | 3251.2 | 3159.9 | 3072.8 |
| 32.5° | 4250.6 | 4159.3 | 4068.1 | 3976.9 | 3885.6 | 3748.8 | 3611.9 | 3470.9 | 3334.1 | 3251.2 | 3164.1 |
| 35° | 4449.6 | 4345.9 | 4242.3 | 4134.4 | 4030.8 | 3889.8 | 3752.9 | 3611.9 | 3470.9 | 3375.6 | 3284.3 |
| 37.5° | 4619.6 | 4499.4 | 4379.1 | 4258.9 | 4138.6 | 4014.2 | 3885.6 | 3761.2 | 3632.7 | 3537.3 | 3446.1 |
| 40° | 4810.4 | 4677.7 | 4545.0 | 4416.4 | 4283.7 | 4167.6 | 4051.5 | 3931.3 | 3815.1 | 3740.5 | 3665.9 |
| 42.5° | 4976.3 | 4814.5 | 4657.0 | 4499.4 | 4337.6 | 4258.9 | 4184.2 | 4105.4 | 4026.6 | 3989.3 | 3947.8 |
| 45° | 5092.4 | 4943.1 | 4789.7 | 4640.4 | 4491.1 | 4433.0 | 4375.0 | 4316.9 | 4258.9 | 4296.2 | 4333.5 |
| 47.5° | 5142.1 | 5021.9 | 4905.8 | 4789.7 | 4669.4 | 4690.1 | 4710.9 | 4727.5 | 4748.2 | 4798.0 | 4851.9 |
| 50° | 5187.8 | 5121.4 | 5050.9 | 4984.6 | 4914.1 | 4992.9 | 5067.5 | 5146.3 | 5225.1 | 5328.8 | 5432.4 |
| 52.5° | 5279.0 | 5241.7 | 5208.5 | 5171.2 | 5133.9 | 5270.7 | 5407.5 | 5544.4 | 5681.2 | 5797.4 | 5913.5 |
| 55° | 5552.7 | 5523.7 | 5494.6 | 5461.5 | 5432.4 | 5627.3 | 5818.1 | 6013.0 | 6207.9 | 6328.2 | 6448.4 |
| 57.5° | 5930.1 | 5913.5 | 5892.7 | 5876.1 | 5855.4 | 6046.2 | 6232.8 | 6419.4 | 6610.1 | 6726.3 | 6846.5 |
| 60° | 6216.2 | 6220.3 | 6220.3 | 6224.5 | 6224.5 | 6369.6 | 6514.8 | 6664.1 | 6809.2 | 6908.7 | 7012.4 |
| 62.5° | 6369.6 | 6361.3 | 6353.0 | 6344.7 | 6336.4 | 6456.7 | 6577.0 | 6697.2 | 6817.5 | 6892.1 | 6966.8 |
| 65° | 6203.7 | 6249.4 | 6295.0 | 6340.6 | 6386.2 | 6402.8 | 6415.2 | 6431.8 | 6444.3 | 6489.9 | 6535.5 |
| 67.5° | 5648.1 | 5739.3 | 5826.4 | 5917.6 | 6004.7 | 5942.5 | 5884.4 | 5822.2 | 5760.0 | 5772.5 | 5780.8 |
| 70° | 5030.2 | 5133.9 | 5241.7 | 5345.3 | 5449.0 | 5303.9 | 5158.7 | 5009.4 | 4864.3 | 4814.5 | 4764.8 |
| 72.5° | 4242.3 | 4333.5 | 4428.9 | 4520.1 | 4611.3 | 4433.0 | 4258.9 | 4080.5 | 3902.2 | 3815.1 | 3728.1 |
| 75° | 3242.9 | 3350.7 | 3462.7 | 3570.5 | 3678.3 | 3479.2 | 3276.0 | 3077.0 | 2873.8 | 2815.7 | 2761.8 |
| 77.5° | 2363.7 | 2492.3 | 2620.8 | 2749.4 | 2877.9 | 2699.6 | 2521.3 | 2338.8 | 2160.5 | 2127.4 | 2094.2 |
| 80° | 1721.0 | 1820.5 | 1915.9 | 2015.4 | 2110.8 | 2007.1 | 1903.4 | 1799.8 | 1696.1 | 1691.9 | 1687.8 |
| 82.5° | 1161.1 | 1248.2 | 1331.2 | 1418.2 | 1501.2 | 1459.7 | 1422.4 | 1380.9 | 1339.4 | 1380.9 | 1426.5 |
| 85° | 597.2 | 717.4 | 841.8 | 962.1 | 1082.3 | 1069.9 | 1061.6 | 1049.2 | 1036.7 | 1090.6 | 1140.4 |
| 87.5° | 120.3 | 223.9 | 327.6 | 427.1 | 530.8 | 505.9 | 481.0 | 452.0 | 427.1 | 443.7 | 456.2 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671887
 CATALOG NUMBER: CCP-SA-2E-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 275° | 277.5° | 280° | 282.5° | 285° | 287.5° | 290° | 292.5° | 295° | 297.5° | 300° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671887

CATALOG NUMBER: CCP-SA-2E-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 302.5° | 305° | 307.5° | 310° | 312.5° | 315° | 317.5° | 320° | 322.5° | 325° | 327.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 |
| 2.5° | 3271.9 | 3276.0 | 3276.0 | 3276.0 | 3276.0 | 3276.0 | 3267.7 | 3263.6 | 3255.3 | 3247.0 | 3234.6 |
| 5° | 3516.6 | 3512.4 | 3495.8 | 3479.2 | 3458.5 | 3441.9 | 3429.5 | 3412.9 | 3400.4 | 3383.9 | 3359.0 |
| 7.5° | 3670.0 | 3678.3 | 3649.3 | 3624.4 | 3595.4 | 3566.3 | 3537.3 | 3508.3 | 3479.2 | 3450.2 | 3392.2 |
| 10° | 3624.4 | 3636.8 | 3620.2 | 3603.6 | 3582.9 | 3566.3 | 3533.2 | 3495.8 | 3462.7 | 3425.3 | 3354.8 |
| 12.5° | 3495.8 | 3529.0 | 3520.7 | 3512.4 | 3504.1 | 3495.8 | 3475.1 | 3450.2 | 3429.5 | 3404.6 | 3325.8 |
| 15° | 3267.7 | 3267.7 | 3271.9 | 3276.0 | 3276.0 | 3280.2 | 3284.3 | 3288.5 | 3292.6 | 3296.8 | 3251.2 |
| 17.5° | 3130.9 | 3118.5 | 3118.5 | 3118.5 | 3118.5 | 3118.5 | 3135.0 | 3155.8 | 3172.4 | 3189.0 | 3176.5 |
| 20° | 3031.4 | 3002.3 | 2998.2 | 2998.2 | 2994.1 | 2989.9 | 3018.9 | 3052.1 | 3081.1 | 3110.2 | 3126.8 |
| 22.5° | 2965.0 | 2923.6 | 2919.4 | 2915.3 | 2911.1 | 2907.0 | 2944.3 | 2981.6 | 3018.9 | 3056.3 | 3114.3 |
| 25° | 2948.4 | 2902.8 | 2907.0 | 2911.1 | 2911.1 | 2915.3 | 2944.3 | 2973.3 | 3002.3 | 3031.4 | 3130.9 |
| 27.5° | 2952.6 | 2877.9 | 2882.1 | 2886.2 | 2886.2 | 2890.4 | 2936.0 | 2977.5 | 3023.1 | 3064.6 | 3189.0 |
| 30° | 2981.6 | 2894.5 | 2886.2 | 2877.9 | 2869.6 | 2861.4 | 2923.6 | 2985.8 | 3048.0 | 3110.2 | 3205.5 |
| 32.5° | 3081.1 | 2998.2 | 2977.5 | 2956.7 | 2936.0 | 2915.3 | 2989.9 | 3060.4 | 3135.0 | 3205.5 | 3284.3 |
| 35° | 3189.0 | 3097.7 | 3089.4 | 3081.1 | 3068.7 | 3060.4 | 3126.8 | 3197.3 | 3263.6 | 3330.0 | 3400.4 |
| 37.5° | 3350.7 | 3259.5 | 3251.2 | 3238.7 | 3230.4 | 3218.0 | 3292.6 | 3363.1 | 3437.8 | 3508.3 | 3570.5 |
| 40° | 3591.2 | 3516.6 | 3512.4 | 3512.4 | 3508.3 | 3504.1 | 3562.2 | 3624.4 | 3682.4 | 3740.5 | 3782.0 |
| 42.5° | 3910.5 | 3873.2 | 3885.6 | 3902.2 | 3914.7 | 3927.1 | 3972.7 | 4022.5 | 4068.1 | 4113.7 | 4101.3 |
| 45° | 4370.8 | 4408.1 | 4412.3 | 4416.4 | 4420.6 | 4424.7 | 4437.2 | 4453.8 | 4466.2 | 4478.6 | 4428.9 |
| 47.5° | 4901.6 | 4951.4 | 4976.3 | 5001.1 | 5021.9 | 5046.8 | 5030.2 | 5009.4 | 4992.9 | 4972.1 | 4847.7 |
| 50° | 5532.0 | 5635.6 | 5631.5 | 5627.3 | 5619.0 | 5614.9 | 5581.7 | 5548.5 | 5511.2 | 5478.0 | 5295.6 |
| 52.5° | 6029.6 | 6145.7 | 6166.4 | 6187.2 | 6207.9 | 6228.6 | 6166.4 | 6104.2 | 6037.9 | 5975.7 | 5747.6 |
| 55° | 6564.5 | 6684.8 | 6688.9 | 6693.1 | 6693.1 | 6697.2 | 6610.1 | 6523.1 | 6431.8 | 6344.7 | 6108.4 |
| 57.5° | 6962.6 | 7078.7 | 7066.3 | 7058.0 | 7045.6 | 7033.1 | 6929.5 | 6825.8 | 6722.1 | 6618.4 | 6382.1 |
| 60° | 7111.9 | 7211.4 | 7186.6 | 7161.7 | 7132.7 | 7107.8 | 7029.0 | 6950.2 | 6867.3 | 6788.5 | 6560.4 |
| 62.5° | 7041.4 | 7116.1 | 7078.7 | 7045.6 | 7008.2 | 6970.9 | 6871.4 | 6767.7 | 6668.2 | 6564.5 | 6398.7 |
| 65° | 6577.0 | 6622.6 | 6572.8 | 6527.2 | 6481.6 | 6431.8 | 6348.9 | 6266.0 | 6178.9 | 6095.9 | 5984.0 |
| 67.5° | 5793.2 | 5801.5 | 5797.4 | 5793.2 | 5789.1 | 5784.9 | 5664.7 | 5544.4 | 5420.0 | 5299.7 | 5291.4 |
| 70° | 4719.2 | 4669.4 | 4677.7 | 4690.1 | 4698.4 | 4706.7 | 4615.5 | 4528.4 | 4437.2 | 4345.9 | 4387.4 |
| 72.5° | 3641.0 | 3553.9 | 3574.6 | 3599.5 | 3620.2 | 3641.0 | 3566.3 | 3495.8 | 3421.2 | 3346.5 | 3404.6 |
| 75° | 2703.8 | 2649.9 | 2670.6 | 2695.5 | 2716.2 | 2736.9 | 2707.9 | 2678.9 | 2645.7 | 2616.7 | 2670.6 |
| 77.5° | 2061.0 | 2027.8 | 2032.0 | 2032.0 | 2036.1 | 2036.1 | 2040.3 | 2048.6 | 2052.7 | 2056.9 | 2114.9 |
| 80° | 1679.5 | 1675.3 | 1671.2 | 1667.0 | 1658.8 | 1654.6 | 1696.1 | 1737.5 | 1779.0 | 1820.5 | 1849.5 |
| 82.5° | 1468.0 | 1509.5 | 1484.6 | 1463.9 | 1439.0 | 1414.1 | 1451.4 | 1488.7 | 1526.1 | 1563.4 | 1550.9 |
| 85° | 1194.3 | 1244.1 | 1198.5 | 1152.8 | 1103.1 | 1057.5 | 1090.6 | 1119.7 | 1152.8 | 1181.9 | 1165.3 |
| 87.5° | 472.7 | 485.2 | 410.5 | 340.0 | 265.4 | 190.8 | 302.7 | 410.5 | 522.5 | 630.3 | 646.9 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671887
 CATALOG NUMBER: CCP-SA-2E-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 302.5° | 305° | 307.5° | 310° | 312.5° | 315° | 317.5° | 320° | 322.5° | 325° | 327.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671887

CATALOG NUMBER: CCP-SA-2E-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 330° | 332.5° | 335° | 337.5° | 340° | 342.5° | 345° | 347.5° | 350° | 352.5° | 355° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 | 2985.8 |
| 2.5° | 3222.1 | 3205.5 | 3193.1 | 3189.0 | 3180.7 | 3176.5 | 3168.2 | 3159.9 | 3147.5 | 3139.2 | 3126.8 |
| 5° | 3330.0 | 3305.1 | 3276.0 | 3234.6 | 3197.3 | 3155.8 | 3114.3 | 3077.0 | 3039.7 | 2998.2 | 2960.9 |
| 7.5° | 3334.1 | 3276.0 | 3218.0 | 3164.1 | 3106.0 | 3052.1 | 2994.1 | 2944.3 | 2890.4 | 2836.5 | 2786.7 |
| 10° | 3288.5 | 3218.0 | 3147.5 | 3077.0 | 3010.6 | 2940.1 | 2869.6 | 2811.6 | 2749.4 | 2687.2 | 2629.1 |
| 12.5° | 3251.2 | 3172.4 | 3093.6 | 3010.6 | 2931.9 | 2848.9 | 2766.0 | 2707.9 | 2649.9 | 2591.8 | 2533.7 |
| 15° | 3205.5 | 3155.8 | 3110.2 | 3035.5 | 2960.9 | 2886.2 | 2811.6 | 2732.8 | 2658.2 | 2579.4 | 2500.6 |
| 17.5° | 3168.2 | 3155.8 | 3143.3 | 3093.6 | 3043.8 | 2989.9 | 2940.1 | 2861.4 | 2782.6 | 2699.6 | 2620.8 |
| 20° | 3147.5 | 3164.1 | 3180.7 | 3155.8 | 3130.9 | 3101.9 | 3077.0 | 3018.9 | 2960.9 | 2898.7 | 2840.6 |
| 22.5° | 3172.4 | 3234.6 | 3292.6 | 3296.8 | 3305.1 | 3309.2 | 3313.4 | 3259.5 | 3205.5 | 3147.5 | 3093.6 |
| 25° | 3230.4 | 3330.0 | 3429.5 | 3483.4 | 3537.3 | 3595.4 | 3649.3 | 3616.1 | 3582.9 | 3549.7 | 3516.6 |
| 27.5° | 3309.2 | 3433.6 | 3558.0 | 3636.8 | 3711.5 | 3790.3 | 3869.0 | 3864.9 | 3860.8 | 3852.5 | 3848.3 |
| 30° | 3296.8 | 3392.2 | 3487.5 | 3582.9 | 3678.3 | 3773.7 | 3869.0 | 3918.8 | 3964.4 | 4014.2 | 4064.0 |
| 32.5° | 3367.3 | 3446.1 | 3529.0 | 3628.5 | 3728.1 | 3831.7 | 3931.3 | 4034.9 | 4134.4 | 4238.1 | 4341.8 |
| 35° | 3475.1 | 3545.6 | 3620.2 | 3728.1 | 3840.0 | 3947.8 | 4059.8 | 4184.2 | 4312.8 | 4441.3 | 4565.7 |
| 37.5° | 3636.8 | 3699.0 | 3765.4 | 3856.6 | 3952.0 | 4043.2 | 4138.6 | 4321.1 | 4503.5 | 4690.1 | 4872.6 |
| 40° | 3823.4 | 3864.9 | 3906.4 | 3993.5 | 4080.5 | 4167.6 | 4254.7 | 4482.8 | 4710.9 | 4938.9 | 5167.0 |
| 42.5° | 4093.0 | 4080.5 | 4068.1 | 4138.6 | 4213.2 | 4283.7 | 4358.4 | 4565.7 | 4773.1 | 4980.4 | 5187.8 |
| 45° | 4379.1 | 4329.4 | 4279.6 | 4312.8 | 4350.1 | 4383.3 | 4420.6 | 4632.1 | 4843.6 | 5059.2 | 5270.7 |
| 47.5° | 4723.3 | 4598.9 | 4474.5 | 4445.5 | 4416.4 | 4383.3 | 4354.2 | 4582.3 | 4810.4 | 5042.6 | 5270.7 |
| 50° | 5113.1 | 4926.5 | 4744.0 | 4669.4 | 4590.6 | 4516.0 | 4437.2 | 4623.8 | 4814.5 | 5005.3 | 5191.9 |
| 52.5° | 5519.5 | 5287.3 | 5059.2 | 4943.1 | 4827.0 | 4706.7 | 4590.6 | 4748.2 | 4909.9 | 5071.6 | 5229.2 |
| 55° | 5867.8 | 5631.5 | 5391.0 | 5254.1 | 5117.3 | 4980.4 | 4843.6 | 5001.1 | 5158.7 | 5316.3 | 5473.9 |
| 57.5° | 6145.7 | 5909.3 | 5672.9 | 5544.4 | 5411.7 | 5283.1 | 5150.4 | 5299.7 | 5453.2 | 5606.6 | 5755.9 |
| 60° | 6336.4 | 6108.4 | 5880.3 | 5755.9 | 5631.5 | 5507.1 | 5382.7 | 5561.0 | 5739.3 | 5921.8 | 6100.1 |
| 62.5° | 6236.9 | 6071.0 | 5905.2 | 5851.3 | 5797.4 | 5739.3 | 5685.4 | 5855.4 | 6021.3 | 6191.3 | 6361.3 |
| 65° | 5872.0 | 5760.0 | 5648.1 | 5702.0 | 5760.0 | 5813.9 | 5872.0 | 5984.0 | 6095.9 | 6212.0 | 6324.0 |
| 67.5° | 5279.0 | 5270.7 | 5258.3 | 5378.5 | 5498.8 | 5623.2 | 5743.4 | 5818.1 | 5888.6 | 5963.2 | 6037.9 |
| 70° | 4428.9 | 4474.5 | 4516.0 | 4723.3 | 4930.7 | 5138.0 | 5345.3 | 5374.4 | 5403.4 | 5432.4 | 5461.5 |
| 72.5° | 3466.8 | 3524.9 | 3587.1 | 3860.8 | 4130.3 | 4404.0 | 4677.7 | 4661.1 | 4644.5 | 4623.8 | 4607.2 |
| 75° | 2728.7 | 2782.6 | 2840.6 | 3093.6 | 3346.5 | 3599.5 | 3852.5 | 3782.0 | 3715.6 | 3645.1 | 3574.6 |
| 77.5° | 2177.1 | 2235.2 | 2297.4 | 2533.7 | 2770.1 | 3010.6 | 3247.0 | 3077.0 | 2907.0 | 2736.9 | 2566.9 |
| 80° | 1874.4 | 1903.4 | 1928.3 | 2090.0 | 2247.6 | 2409.3 | 2571.1 | 2396.9 | 2218.6 | 2040.3 | 1866.1 |
| 82.5° | 1538.5 | 1521.9 | 1509.5 | 1604.8 | 1700.2 | 1795.6 | 1891.0 | 1725.1 | 1559.2 | 1389.2 | 1223.3 |
| 85° | 1148.7 | 1132.1 | 1115.5 | 1165.3 | 1215.0 | 1268.9 | 1318.7 | 1128.0 | 937.2 | 742.3 | 551.5 |
| 87.5° | 667.6 | 684.2 | 700.8 | 754.7 | 808.6 | 866.7 | 920.6 | 725.7 | 530.8 | 331.8 | 136.8 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671887
 CATALOG NUMBER: CCP-SA-2E-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 330° | 332.5° | 335° | 337.5° | 340° | 342.5° | 345° | 347.5° | 350° | 352.5° | 355° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P671887
CATALOG NUMBER: CCP-SA-2E-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 357.5° | 360° |
|--------|--------|--------|
| 0° | 2985.8 | 2985.8 |
| 2.5° | 3101.9 | 3081.1 |
| 5° | 2931.9 | 2902.8 |
| 7.5° | 2745.2 | 2707.9 |
| 10° | 2575.2 | 2525.5 |
| 12.5° | 2467.4 | 2405.2 |
| 15° | 2425.9 | 2351.3 |
| 17.5° | 2550.3 | 2479.8 |
| 20° | 2741.1 | 2645.7 |
| 22.5° | 2973.3 | 2857.2 |
| 25° | 3375.6 | 3234.6 |
| 27.5° | 3703.2 | 3558.0 |
| 30° | 3906.4 | 3748.8 |
| 32.5° | 4130.3 | 3923.0 |
| 35° | 4362.5 | 4163.5 |
| 37.5° | 4644.5 | 4420.6 |
| 40° | 4934.8 | 4702.6 |
| 42.5° | 5034.3 | 4885.0 |
| 45° | 5129.7 | 4988.7 |
| 47.5° | 5150.4 | 5034.3 |
| 50° | 5171.2 | 5154.6 |
| 52.5° | 5229.2 | 5225.1 |
| 55° | 5478.0 | 5482.2 |
| 57.5° | 5784.9 | 5809.8 |
| 60° | 6066.9 | 6037.9 |
| 62.5° | 6212.0 | 6062.8 |
| 65° | 6112.5 | 5905.2 |
| 67.5° | 5813.9 | 5590.0 |
| 70° | 5158.7 | 4856.0 |
| 72.5° | 4341.8 | 4076.4 |
| 75° | 3346.5 | 3122.6 |
| 77.5° | 2380.3 | 2193.7 |
| 80° | 1675.3 | 1488.7 |
| 82.5° | 1074.0 | 924.8 |
| 85° | 485.2 | 423.0 |
| 87.5° | 136.8 | 132.7 |
| 90° | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 |



REPORT NUMBER: P671887
CATALOG NUMBER: CCP-SA-2E-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 357.5° | 360° |
|--------|--------|------|
| 112.5° | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 |

(END OF REPORT)