

Scaled data based on original data using  
LM-79-08 Approved Method: Electrical and Photometric Measurements of Solid-  
State Lighting Products

Test Report Prepared for  
Cooper Lighting Solutions  
(formerly Eaton)

Brand: McGRAW-EDISON

Report Number: P316676

Luminaire Tested: **GLEON-SA2B-722-U-5MQ**

Issue Date: 3/3/2020

**Test Information**

Test Method: LM-79-08  
Report Number: P316676  
TEST IS SCALED FROM IESNA LM-79-08 TEST DATA (G2-1903-205-6)  
Test Lab: INNOVATION CENTER  
Issue Date: 3/3/2020  
Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)  
Product Line: MCGRAW-EDISON  
Catalog Number: GLEON-SA2B-722-U-5MQ  
Description: GALLEON AREA AND ROADWAY LUMINAIRE  
(2) 70 CRI, 2200K, 800mA LIGHTSQUARES WITH 16 LEDS EACH AND TYPE V MEDIUM OPTICS  
Light Source: -  
Ballast/Driver: ELECTRONIC DRIVER

**Summary**

Lumens per Lamp: N/A  
Luminaire Lumens: 9029 lumens  
Efficiency: N/A  
Efficacy: 106.2 lumens/watt  
Luminous Opening: Rectangular (W 0.5' x L: 1' x H: 0')  
IES Classification: Type V - Short  
BUG Rating: B3 - U0 - G2


Input Watts (W): 85  
Input Voltage (V): NR  
Input Current (Ain): NR  
Voltage Rise (V): NR  
Power Factor: NR  
Total Harmonic Distortion (THDi): NR  
Frequency (hertz): 60  
Stabilization Time: NR  
Operation Time: NR  
Ambient Temperature (°C): NR  
Test Distance: 24 FT



REPORT NUMBER: P316676  
 CATALOG NUMBER: GLEON-SA2B-722-U-5MQ

## Iso-Footcandle Lines of Horizontal Illumination


✕ Max cd  
 - - - 1/2 Max cd



Based on 10 foot mounting height. Maximum calculated value = 9.9 fc  
 Type V - Short - N/A

REPORT NUMBER: P316676  
CATALOG NUMBER: GLEON-SA2B-722-U-5MQ

## Luminous Intensity Polar Plot



REPORT NUMBER: P316676

CATALOG NUMBER: GLEON-SA2B-722-U-5MQ

**FLUX DISTRIBUTION:**

|                    |           | Downward | Upward | Total  |
|--------------------|-----------|----------|--------|--------|
| <b>House Side</b>  | Lumens    | 4514.5   | 0.0    | 4514.5 |
|                    | % Fixture | 50.0     | 0.0    | 50.0   |
| <b>Street Side</b> | Lumens    | 4514.5   | 0.0    | 4514.5 |
|                    | % Fixture | 50.0     | 0.0    | 50.0   |
| <b>Total</b>       | Lumens    | 9029.0   | 0.0    | 9029.0 |
|                    | % Fixture | 100.0    | 0.0    | 100.0  |

**ZONAL LUMENS:**

| Zone      | Lumens | % Fixture |
|-----------|--------|-----------|
| 0°-10°    | 93.4   | 1.0       |
| 10°-20°   | 274.2  | 3.0       |
| 20°-30°   | 466.7  | 5.2       |
| 30°-40°   | 740.3  | 8.2       |
| 40°-50°   | 1204.6 | 13.3      |
| 50°-60°   | 1986.2 | 22.0      |
| 60°-70°   | 2915.8 | 32.3      |
| 70°-80°   | 1289.4 | 14.3      |
| 80°-90°   | 58.4   | 0.6       |
| 90°-100°  | 0.0    | 0.0       |
| 100°-110° | 0.0    | 0.0       |
| 110°-120° | 0.0    | 0.0       |
| 120°-130° | 0.0    | 0.0       |
| 130°-140° | 0.0    | 0.0       |
| 140°-150° | 0.0    | 0.0       |
| 150°-160° | 0.0    | 0.0       |
| 160°-170° | 0.0    | 0.0       |
| 170°-180° | 0.0    | 0.0       |
| 0°-90°    | 9029.0 | 100.0     |
| 0°-180°   | 9029.0 | 100.0     |

**Coefficient of Utilization**



REPORT NUMBER: P316676


CATALOG NUMBER: GLEON-SA2B-722-U-5MQ

**LUMINAIRE CLASSIFICATION SYSTEM LUMEN TABLE AND BUG RATING:**

| Zone |             | Lumens | % Fixture | Zone Rating/Lumen Limit |      |         |
|------|-------------|--------|-----------|-------------------------|------|---------|
|      |             |        |           | B                       | U    | G       |
| FL   | (0°-30°)    | 417.2  | 4.6       |                         |      |         |
| FM   | (30°-60°)   | 1965.6 | 21.8      |                         |      |         |
| FH   | (60°-80°)   | 2102.6 | 23.3      |                         |      | G2/5000 |
| FVH  | (80°-90°)   | 29.2   | 0.3       |                         |      | G1/100  |
| BL   | (0°-30°)    | 417.2  | 4.6       | B1/500                  |      |         |
| BM   | (30°-60°)   | 1965.6 | 21.8      | B2/2500                 |      |         |
| BH   | (60°-80°)   | 2102.6 | 23.3      | B3/2500                 |      | G2/5000 |
| BVH  | (80°-90°)   | 29.2   | 0.3       |                         |      | G1/100  |
| UL   | (90°-100°)  | 0.0    | 0.0       |                         | U0/0 |         |
| UH   | (100°-180°) | 0.0    | 0.0       |                         | U0/0 |         |

**BUG Rating: B3-U0-G2**

Type V Short



REPORT NUMBER: P316676

CATALOG NUMBER: GLEON-SA2B-722-U-5MQ

**CANDELA DISTRIBUTION (FULL):**

|       | 0°     | 5°     | 15°    | 25°    | 35°    | 45°    | 55°    | 65°    | 75°    | 85°    | 90°    |
|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0°    | 986.1  | 986.1  | 986.1  | 986.1  | 986.1  | 986.1  | 986.1  | 986.1  | 986.1  | 986.1  | 986.1  |
| 2.5°  | 984.6  | 983.7  | 985.8  | 985.5  | 983.7  | 984.0  | 984.0  | 984.9  | 984.9  | 984.3  | 984.3  |
| 5°    | 981.0  | 980.4  | 982.8  | 982.8  | 981.0  | 981.6  | 982.2  | 983.1  | 982.8  | 982.2  | 981.9  |
| 7.5°  | 976.5  | 976.2  | 978.6  | 978.6  | 977.4  | 978.0  | 977.4  | 977.7  | 977.1  | 976.5  | 975.6  |
| 10°   | 969.1  | 969.7  | 971.8  | 972.4  | 972.4  | 972.7  | 972.1  | 970.6  | 969.7  | 968.8  | 967.9  |
| 12.5° | 962.2  | 961.9  | 964.9  | 966.4  | 968.8  | 971.5  | 969.7  | 965.5  | 963.7  | 961.9  | 961.3  |
| 15°   | 957.7  | 958.0  | 961.0  | 963.7  | 967.9  | 973.6  | 971.5  | 964.9  | 961.3  | 959.2  | 958.6  |
| 17.5° | 956.8  | 957.4  | 961.3  | 966.1  | 970.6  | 976.8  | 975.6  | 969.1  | 963.1  | 959.2  | 958.3  |
| 20°   | 958.9  | 959.2  | 965.2  | 972.1  | 979.8  | 985.8  | 983.1  | 975.9  | 967.9  | 961.9  | 960.4  |
| 22.5° | 962.8  | 964.0  | 971.5  | 982.2  | 994.2  | 1002.2 | 999.0  | 986.7  | 974.2  | 966.7  | 964.6  |
| 25°   | 975.1  | 975.3  | 985.5  | 1000.2 | 1014.5 | 1023.8 | 1019.9 | 1002.5 | 986.4  | 978.0  | 975.3  |
| 27.5° | 1000.5 | 1001.3 | 1011.5 | 1028.5 | 1040.8 | 1046.8 | 1044.4 | 1030.3 | 1016.6 | 1007.6 | 1008.5 |
| 30°   | 1037.2 | 1038.4 | 1049.8 | 1068.6 | 1076.1 | 1077.5 | 1076.9 | 1070.4 | 1057.8 | 1045.9 | 1046.8 |
| 32.5° | 1082.0 | 1082.6 | 1097.9 | 1114.9 | 1120.9 | 1122.1 | 1120.9 | 1114.9 | 1100.0 | 1083.8 | 1084.7 |
| 35°   | 1139.7 | 1141.5 | 1156.1 | 1172.6 | 1177.4 | 1179.7 | 1177.7 | 1169.9 | 1154.3 | 1138.5 | 1137.9 |
| 37.5° | 1210.8 | 1211.1 | 1226.4 | 1243.4 | 1249.4 | 1250.0 | 1247.6 | 1242.5 | 1223.1 | 1208.7 | 1207.8 |
| 40°   | 1293.3 | 1294.5 | 1312.4 | 1330.6 | 1333.0 | 1330.3 | 1333.6 | 1330.6 | 1310.6 | 1294.2 | 1296.9 |
| 42.5° | 1393.7 | 1396.4 | 1417.9 | 1435.8 | 1429.0 | 1427.5 | 1429.6 | 1430.5 | 1414.3 | 1394.3 | 1392.5 |
| 45°   | 1510.5 | 1512.9 | 1539.8 | 1554.2 | 1549.7 | 1539.8 | 1544.0 | 1551.2 | 1528.8 | 1504.0 | 1506.4 |
| 47.5° | 1643.8 | 1649.8 | 1678.5 | 1691.9 | 1680.9 | 1667.4 | 1675.5 | 1686.2 | 1659.9 | 1629.2 | 1627.7 |
| 50°   | 1792.0 | 1799.5 | 1837.7 | 1856.6 | 1845.5 | 1820.7 | 1834.2 | 1841.3 | 1803.4 | 1763.6 | 1760.4 |
| 52.5° | 1950.1 | 1957.6 | 2005.7 | 2044.5 | 2037.4 | 1998.8 | 2017.6 | 2010.2 | 1966.5 | 1913.0 | 1908.9 |
| 55°   | 2129.1 | 2132.1 | 2184.1 | 2246.8 | 2254.0 | 2225.6 | 2224.4 | 2212.2 | 2147.6 | 2085.8 | 2082.8 |
| 57.5° | 2313.2 | 2315.3 | 2382.5 | 2456.6 | 2490.4 | 2490.4 | 2456.9 | 2430.9 | 2345.1 | 2273.4 | 2266.0 |
| 60°   | 2511.9 | 2519.4 | 2593.8 | 2694.5 | 2773.4 | 2796.7 | 2737.5 | 2666.7 | 2573.4 | 2485.9 | 2477.2 |
| 62.5° | 2688.8 | 2697.5 | 2811.3 | 2961.3 | 3088.0 | 3172.9 | 3028.2 | 2912.9 | 2743.2 | 2602.7 | 2586.3 |
| 65°   | 2711.2 | 2734.5 | 2900.4 | 3172.0 | 3455.6 | 3625.0 | 3347.7 | 3063.5 | 2754.2 | 2559.1 | 2542.4 |
| 67.5° | 2476.0 | 2515.5 | 2739.6 | 3162.4 | 3748.4 | 4112.1 | 3551.8 | 2977.4 | 2555.8 | 2340.1 | 2321.5 |
| 70°   | 1902.6 | 1960.0 | 2218.4 | 2766.2 | 3697.9 | 4268.9 | 3423.9 | 2606.6 | 2130.9 | 1898.7 | 1872.7 |
| 72.5° | 1043.8 | 1067.4 | 1299.9 | 1894.2 | 2964.6 | 3627.7 | 2855.8 | 1927.4 | 1413.1 | 1149.9 | 1106.2 |
| 75°   | 331.1  | 339.5  | 457.8  | 775.1  | 1677.0 | 2402.8 | 1814.1 | 946.1  | 520.8  | 384.0  | 379.5  |
| 77.5° | 147.0  | 147.9  | 165.5  | 226.2  | 577.6  | 1217.4 | 693.9  | 257.6  | 177.5  | 155.1  | 160.2  |
| 80°   | 92.9   | 92.9   | 102.5  | 112.1  | 157.2  | 353.5  | 187.7  | 122.5  | 104.6  | 97.1   | 99.2   |
| 82.5° | 44.5   | 49.3   | 66.6   | 71.7   | 86.4   | 118.9  | 96.2   | 80.1   | 69.9   | 52.0   | 48.4   |
| 85°   | 29.3   | 24.5   | 42.1   | 47.5   | 50.2   | 57.1   | 55.9   | 52.9   | 45.7   | 26.0   | 29.0   |
| 87.5° | 13.1   | 12.6   | 21.8   | 20.0   | 18.8   | 14.3   | 21.5   | 26.6   | 25.7   | 12.8   | 12.8   |
| 90°   | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |

LM-79-2008: Approved Method: Electrical and Photometric Measurements of Solid-State Lighting Products

Report Prepared for

Cooper Lighting Solutions

McGRAW-EDISON

Report Number: SP1-1908-441-10-R4

Test Date: 10/25/2019

Luminaire Tested: SA1C-722-U-5WQ

Data in this report applies to families of products SA1C-722-U-5WQ.

### Test Information

Test Method: LM-79-2008 Report  
 Number: SP1-1908-441-10-R4  
 Test Lab: COOPER LIGHTING SOLUTIONS  
 Photometer: SP1 - 76IN SPHERE  
 Measurement Geometry:  $4\pi$   
 Issue Date: 10/28/2024  
 Manufacturer: COOPER LIGHTING SOLUTIONS  
 Product Line: MCGRAW-EDISON  
 Catalog Number: **SA1C-722-U-5WQ**  
 Description: MCGRAW EDISON ROADWAY AND AREA LUMINAIRE

\*\*\*THIS IS A REVISION OF SP1-1908-441-4-R3. TO UPDATE THE CATALOG INFORMATION.\*\*\*TESTED IN SITU. ROADWAY AND AREA LUMINAIRE. (1) 70 CRI, 5000K, 1050MA LIGHTSQUARE WITH 16 LEDS AND TYPE V WIDE OPTICS.

### Spectral Parameters

|                           |         |           |      |      |       |
|---------------------------|---------|-----------|------|------|-------|
| CCT (K):                  | 2237    | CRI (Ra): | 72.0 |      |       |
| CIE u':                   | 0.2876  | R1:       | 68.9 | R9:  | -17.4 |
| CIE v':                   | 0.5346  | R2:       | 83.0 | R10: | 61.3  |
| Duv:                      | -0.0006 | R3:       | 95.2 | R11: | 59.8  |
| CIE x:                    | 0.5005  | R4:       | 66.2 | R12: | 50.5  |
| CIE y:                    | 0.4134  | R5:       | 65.9 | R13: | 71.1  |
| CIE z:                    | 0.0860  | R6:       | 76.3 | R14: | 96.9  |
| Peak Wavelength (nm):     | 603     | R7:       | 76.7 |      |       |
| Dominant Wavelength (nm): | 587     | R8:       | 43.8 |      |       |
| Purity:                   | 74.5    |           |      |      |       |
| Rf:                       | 69.8    |           |      |      |       |
| Rg:                       | 99.2    |           |      |      |       |



### Test Conditions

Stabilization Time: 71M  
 Operation Time: 12H  
 Room Temperature (°C) / RH%: 24.7/41%  
 Sphere Temperature (°C): 25.6

REPORT NUMBER: SP1-1908-441-10-R4

| Measurement and Test Equipment |                       |                  |                      |
|--------------------------------|-----------------------|------------------|----------------------|
| Instrument                     | Identification Number | Calibration Date | Calibration Due Date |
| Photometer                     | IN0058                | 6/28/2019        | 12/28/2019           |
| Power Meter                    | IN0071                | 12/5/2018        | 12/5/2019            |
| AC Power Source                | IN0063                | 12/5/2018        | 12/5/2019            |
| DC Power Source                | IN0208                | 12/5/2018        | 12/5/2019            |
| Sphere Thermometer             | IN0085                | 12/5/2018        | 12/5/2019            |
| Room Thermometer               | IN0046                | 12/5/2018        | 12/5/2019            |

REPORT NUMBER: SP1-1908-441-10-R4

CIE 1931 Chromaticity Diagram



CIE 1931 Chromaticity Diagram with 2017 ANSI 7-Step and 4-Step Quadrangles



Point lies inside the ANSI 2200K 4-step quadrangle

REPORT NUMBER: SP1-1908-441-10-R4

**Photopic Flux vs. Wavelength**



#####

| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 1768             | NR               | 490       | 5206             | NR               | 620       | 130919           | NR               | 750       | 8553             | NR               | 880       | 2713             | NR               |
| 365       | 1569             | NR               | 495       | 7286             | NR               | 625       | 125335           | NR               | 755       | 7696             | NR               | 885       | 2316             | NR               |
| 370       | 1594             | NR               | 500       | 10654            | NR               | 630       | 118388           | NR               | 760       | 6978             | NR               | 890       | 2539             | NR               |
| 375       | 1744             | NR               | 505       | 15189            | NR               | 635       | 111855           | NR               | 765       | 6377             | NR               | 895       | 1933             | NR               |
| 380       | 1659             | NR               | 510       | 20541            | NR               | 640       | 104062           | NR               | 770       | 5600             | NR               | 900       | 2216             | NR               |
| 385       | 1504             | NR               | 515       | 26492            | NR               | 645       | 96365            | NR               | 775       | 5000             | NR               | 905       | 2067             | NR               |
| 390       | 1541             | NR               | 520       | 32294            | NR               | 650       | 88651            | NR               | 780       | 4709             | NR               | 910       | 1959             | NR               |
| 395       | 1355             | NR               | 525       | 38123            | NR               | 655       | 81152            | NR               | 785       | 4305             | NR               | 915       | 1874             | NR               |
| 400       | 1243             | NR               | 530       | 43232            | NR               | 660       | 73523            | NR               | 790       | 4040             | NR               | 920       | 1484             | NR               |
| 405       | 1417             | NR               | 535       | 48012            | NR               | 665       | 66123            | NR               | 795       | 3642             | NR               | 925       | 1914             | NR               |
| 410       | 2147             | NR               | 540       | 52623            | NR               | 670       | 58677            | NR               | 800       | 3594             | NR               | 930       | 1948             | NR               |
| 415       | 3837             | NR               | 545       | 57516            | NR               | 675       | 52349            | NR               | 805       | 3190             | NR               | 935       | 2079             | NR               |
| 420       | 7159             | NR               | 550       | 62613            | NR               | 680       | 46159            | NR               | 810       | 3241             | NR               | 940       | 2263             | NR               |
| 425       | 12599            | NR               | 555       | 68554            | NR               | 685       | 40525            | NR               | 815       | 2732             | NR               | 945       | 1688             | NR               |
| 430       | 19019            | NR               | 560       | 75325            | NR               | 690       | 35615            | NR               | 820       | 2612             | NR               | 950       | 1560             | NR               |
| 435       | 24875            | NR               | 565       | 82533            | NR               | 695       | 31158            | NR               | 825       | 2966             | NR               | 955       | 2826             | NR               |
| 440       | 29103            | NR               | 570       | 90909            | NR               | 700       | 27409            | NR               | 830       | 2574             | NR               | 960       | 1477             | NR               |
| 445       | 29901            | NR               | 575       | 99621            | NR               | 705       | 24204            | NR               | 835       | 2633             | NR               | 965       | 1568             | NR               |
| 450       | 24862            | NR               | 580       | 108484           | NR               | 710       | 21558            | NR               | 840       | 2526             | NR               | 970       | 2030             | NR               |
| 455       | 15942            | NR               | 585       | 116679           | NR               | 715       | 19222            | NR               | 845       | 2631             | NR               | 975       | 1986             | NR               |
| 460       | 9916             | NR               | 590       | 123752           | NR               | 720       | 17310            | NR               | 850       | 2079             | NR               | 980       | 2540             | NR               |
| 465       | 7051             | NR               | 595       | 129324           | NR               | 725       | 15280            | NR               | 855       | 2309             | NR               | 985       | 1139             | NR               |
| 470       | 5227             | NR               | 600       | 134082           | NR               | 730       | 13282            | NR               | 860       | 2528             | NR               | 990       | 2018             | NR               |
| 475       | 4257             | NR               | 605       | 135698           | NR               | 735       | 11753            | NR               | 865       | 2121             | NR               | 995       | 3445             | NR               |
| 480       | 4052             | NR               | 610       | 135144           | NR               | 740       | 10654            | NR               | 870       | 2751             | NR               | 1000      | 3704             | NR               |
| 485       | 4298             | NR               | 615       | 134180           | NR               | 745       | 9451             | NR               | 875       | 2317             | NR               |           |                  |                  |

REPORT NUMBER: SP1-1908-441-10-R4

Scotopic Flux vs. Wavelength



Scotopic Lumens: 4696.9

S/P: 0.85

| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 1768             | NR               | 490       | 5206             | NR               | 620       | 130919           | NR               | 750       | 8553             | NR               | 880       | 2713             | NR               |
| 365       | 1569             | NR               | 495       | 7286             | NR               | 625       | 125335           | NR               | 755       | 7696             | NR               | 885       | 2316             | NR               |
| 370       | 1594             | NR               | 500       | 10654            | NR               | 630       | 118388           | NR               | 760       | 6978             | NR               | 890       | 2539             | NR               |
| 375       | 1744             | NR               | 505       | 15189            | NR               | 635       | 111855           | NR               | 765       | 6377             | NR               | 895       | 1933             | NR               |
| 380       | 1659             | NR               | 510       | 20541            | NR               | 640       | 104062           | NR               | 770       | 5600             | NR               | 900       | 2216             | NR               |
| 385       | 1504             | NR               | 515       | 26492            | NR               | 645       | 96365            | NR               | 775       | 5000             | NR               | 905       | 2067             | NR               |
| 390       | 1541             | NR               | 520       | 32294            | NR               | 650       | 88651            | NR               | 780       | 4709             | NR               | 910       | 1959             | NR               |
| 395       | 1355             | NR               | 525       | 38123            | NR               | 655       | 81152            | NR               | 785       | 4305             | NR               | 915       | 1874             | NR               |
| 400       | 1243             | NR               | 530       | 43232            | NR               | 660       | 73523            | NR               | 790       | 4040             | NR               | 920       | 1484             | NR               |
| 405       | 1417             | NR               | 535       | 48012            | NR               | 665       | 66123            | NR               | 795       | 3642             | NR               | 925       | 1914             | NR               |
| 410       | 2147             | NR               | 540       | 52623            | NR               | 670       | 58677            | NR               | 800       | 3594             | NR               | 930       | 1948             | NR               |
| 415       | 3837             | NR               | 545       | 57516            | NR               | 675       | 52349            | NR               | 805       | 3190             | NR               | 935       | 2079             | NR               |
| 420       | 7159             | NR               | 550       | 62613            | NR               | 680       | 46159            | NR               | 810       | 3241             | NR               | 940       | 2263             | NR               |
| 425       | 12599            | NR               | 555       | 68554            | NR               | 685       | 40525            | NR               | 815       | 2732             | NR               | 945       | 1688             | NR               |
| 430       | 19019            | NR               | 560       | 75325            | NR               | 690       | 35615            | NR               | 820       | 2612             | NR               | 950       | 1560             | NR               |
| 435       | 24875            | NR               | 565       | 82533            | NR               | 695       | 31158            | NR               | 825       | 2966             | NR               | 955       | 2826             | NR               |
| 440       | 29103            | NR               | 570       | 90909            | NR               | 700       | 27409            | NR               | 830       | 2574             | NR               | 960       | 1477             | NR               |
| 445       | 29901            | NR               | 575       | 99621            | NR               | 705       | 24204            | NR               | 835       | 2633             | NR               | 965       | 1568             | NR               |
| 450       | 24862            | NR               | 580       | 108484           | NR               | 710       | 21558            | NR               | 840       | 2526             | NR               | 970       | 2030             | NR               |
| 455       | 15942            | NR               | 585       | 116679           | NR               | 715       | 19222            | NR               | 845       | 2631             | NR               | 975       | 1986             | NR               |
| 460       | 9916             | NR               | 590       | 123752           | NR               | 720       | 17310            | NR               | 850       | 2079             | NR               | 980       | 2540             | NR               |
| 465       | 7051             | NR               | 595       | 129324           | NR               | 725       | 15280            | NR               | 855       | 2309             | NR               | 985       | 1139             | NR               |
| 470       | 5227             | NR               | 600       | 134082           | NR               | 730       | 13282            | NR               | 860       | 2528             | NR               | 990       | 2018             | NR               |
| 475       | 4257             | NR               | 605       | 135698           | NR               | 735       | 11753            | NR               | 865       | 2121             | NR               | 995       | 3445             | NR               |
| 480       | 4052             | NR               | 610       | 135144           | NR               | 740       | 10654            | NR               | 870       | 2751             | NR               | 1000      | 3704             | NR               |
| 485       | 4298             | NR               | 615       | 134180           | NR               | 745       | 9451             | NR               | 875       | 2317             | NR               |           |                  |                  |

REPORT NUMBER: SP1-1908-441-10-R4

**Melanopic Flux vs. Wavelength**



**Melanopic Lumens: 1470.8 M/P: 0.27**

| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 1768             | NR               | 490       | 5206             | NR               | 620       | 130919           | NR               | 750       | 8553             | NR               | 880       | 2713             | NR               |
| 365       | 1569             | NR               | 495       | 7286             | NR               | 625       | 125335           | NR               | 755       | 7696             | NR               | 885       | 2316             | NR               |
| 370       | 1594             | NR               | 500       | 10654            | NR               | 630       | 118388           | NR               | 760       | 6978             | NR               | 890       | 2539             | NR               |
| 375       | 1744             | NR               | 505       | 15189            | NR               | 635       | 111855           | NR               | 765       | 6377             | NR               | 895       | 1933             | NR               |
| 380       | 1659             | NR               | 510       | 20541            | NR               | 640       | 104062           | NR               | 770       | 5600             | NR               | 900       | 2216             | NR               |
| 385       | 1504             | NR               | 515       | 26492            | NR               | 645       | 96365            | NR               | 775       | 5000             | NR               | 905       | 2067             | NR               |
| 390       | 1541             | NR               | 520       | 32294            | NR               | 650       | 88651            | NR               | 780       | 4709             | NR               | 910       | 1959             | NR               |
| 395       | 1355             | NR               | 525       | 38123            | NR               | 655       | 81152            | NR               | 785       | 4305             | NR               | 915       | 1874             | NR               |
| 400       | 1243             | NR               | 530       | 43232            | NR               | 660       | 73523            | NR               | 790       | 4040             | NR               | 920       | 1484             | NR               |
| 405       | 1417             | NR               | 535       | 48012            | NR               | 665       | 66123            | NR               | 795       | 3642             | NR               | 925       | 1914             | NR               |
| 410       | 2147             | NR               | 540       | 52623            | NR               | 670       | 58677            | NR               | 800       | 3594             | NR               | 930       | 1948             | NR               |
| 415       | 3837             | NR               | 545       | 57516            | NR               | 675       | 52349            | NR               | 805       | 3190             | NR               | 935       | 2079             | NR               |
| 420       | 7159             | NR               | 550       | 62613            | NR               | 680       | 46159            | NR               | 810       | 3241             | NR               | 940       | 2263             | NR               |
| 425       | 12599            | NR               | 555       | 68554            | NR               | 685       | 40525            | NR               | 815       | 2732             | NR               | 945       | 1688             | NR               |
| 430       | 19019            | NR               | 560       | 75325            | NR               | 690       | 35615            | NR               | 820       | 2612             | NR               | 950       | 1560             | NR               |
| 435       | 24875            | NR               | 565       | 82533            | NR               | 695       | 31158            | NR               | 825       | 2966             | NR               | 955       | 2826             | NR               |
| 440       | 29103            | NR               | 570       | 90909            | NR               | 700       | 27409            | NR               | 830       | 2574             | NR               | 960       | 1477             | NR               |
| 445       | 29901            | NR               | 575       | 99621            | NR               | 705       | 24204            | NR               | 835       | 2633             | NR               | 965       | 1568             | NR               |
| 450       | 24862            | NR               | 580       | 108484           | NR               | 710       | 21558            | NR               | 840       | 2526             | NR               | 970       | 2030             | NR               |
| 455       | 15942            | NR               | 585       | 116679           | NR               | 715       | 19222            | NR               | 845       | 2631             | NR               | 975       | 1986             | NR               |
| 460       | 9916             | NR               | 590       | 123752           | NR               | 720       | 17310            | NR               | 850       | 2079             | NR               | 980       | 2540             | NR               |
| 465       | 7051             | NR               | 595       | 129324           | NR               | 725       | 15280            | NR               | 855       | 2309             | NR               | 985       | 1139             | NR               |
| 470       | 5227             | NR               | 600       | 134082           | NR               | 730       | 13282            | NR               | 860       | 2528             | NR               | 990       | 2018             | NR               |
| 475       | 4257             | NR               | 605       | 135698           | NR               | 735       | 11753            | NR               | 865       | 2121             | NR               | 995       | 3445             | NR               |
| 480       | 4052             | NR               | 610       | 135144           | NR               | 740       | 10654            | NR               | 870       | 2751             | NR               | 1000      | 3704             | NR               |
| 485       | 4298             | NR               | 615       | 134180           | NR               | 745       | 9451             | NR               | 875       | 2317             | NR               |           |                  |                  |

REPORT NUMBER: SP1-1908-441-10-R4

**TM-30-18**

### Summary

$R_f = 69.8$   
 $R_g = 99.2$   
 CIE  $R_a = 72.0$   
 $R_9 = -17.4$



### Color Vector Graphics



REPORT NUMBER: SP1-1908-441-10-R4

**TM-30-18**

**Individual Sample Fidelity Index ( $R_{f,i}$ )**

|            |            |            |            |
|------------|------------|------------|------------|
| CES01 = 87 | CES26 = 56 | CES51 = 74 | CES76 = 56 |
| CES02 = 65 | CES27 = 76 | CES52 = 76 | CES77 = 81 |
| CES03 = 32 | CES28 = 83 | CES53 = 65 | CES78 = 63 |
| CES04 = 72 | CES29 = 46 | CES54 = 78 | CES79 = 84 |
| CES05 = 52 | CES30 = 48 | CES55 = 75 | CES80 = 84 |
| CES06 = 52 | CES31 = 51 | CES56 = 65 | CES81 = 63 |
| CES07 = 44 | CES32 = 51 | CES57 = 62 | CES82 = 92 |
| CES08 = 42 | CES33 = 53 | CES58 = 66 | CES83 = 83 |
| CES09 = 29 | CES34 = 70 | CES59 = 84 | CES84 = 92 |
| CES10 = 78 | CES35 = 85 | CES60 = 90 | CES85 = 81 |
| CES11 = 61 | CES36 = 78 | CES61 = 84 | CES86 = 56 |
| CES12 = 68 | CES37 = 80 | CES62 = 70 | CES87 = 78 |
| CES13 = 45 | CES38 = 53 | CES63 = 68 | CES88 = 72 |
| CES14 = 75 | CES39 = 90 | CES64 = 69 | CES89 = 62 |
| CES15 = 72 | CES40 = 84 | CES65 = 67 | CES90 = 67 |
| CES16 = 49 | CES41 = 75 | CES66 = 64 | CES91 = 90 |
| CES17 = 51 | CES42 = 79 | CES67 = 63 | CES92 = 67 |
| CES18 = 57 | CES43 = 64 | CES68 = 69 | CES93 = 79 |
| CES19 = 74 | CES44 = 98 | CES69 = 80 | CES94 = 52 |
| CES20 = 68 | CES45 = 73 | CES70 = 63 | CES95 = 76 |
| CES21 = 89 | CES46 = 67 | CES71 = 63 | CES96 = 78 |
| CES22 = 81 | CES47 = 60 | CES72 = 87 | CES97 = 77 |
| CES23 = 92 | CES48 = 48 | CES73 = 56 | CES98 = 71 |
| CES24 = 92 | CES49 = 64 | CES74 = 87 | CES99 = 65 |
| CES25 = 74 | CES50 = 74 | CES75 = 66 |            |



REPORT NUMBER: SP1-1908-441-10-R4

**TM-30-18**

Color Rendition by Hue-Angle Bin



REPORT NUMBER: SP1-1908-441-10-R4

**TM-30-18**

**Measure Comparisons**



(END OF REPORT)