

Signify Classified - Internal  
Cooper Lighting Solutions Photometric Lab  
1121 Highway 74 South  
Peachtree City, GA 30269



Scaled data based on original data using  
LM-79-08 Approved Method: Electrical and Photometric Measurements of Solid-  
State Lighting Products

Test Report Prepared for  
Cooper Lighting Solutions  
(formerly Eaton)

Brand: McGRAW-EDISON

Report Number: P383355

Luminaire Tested: **GLEON-SA6D-735-U-5NQ**

Issue Date: 3/3/2020

**Test Information**

Test Method: LM-79-08  
Report Number: P383355  
TEST IS SCALED FROM IESNA LM-79-08 TEST DATA (G2-1903-205-5)  
Test Lab: INNOVATION CENTER  
Issue Date: 3/3/2020  
Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)  
Product Line: McGRAW-EDISON  
Catalog Number: GLEON-SA6D-735-U-5NQ  
Description: GALLEON AREA AND ROADWAY LUMINAIRE  
(6) 70 CRI, 3500K, 1200mA LIGHTSQUARES WITH 16 LEDS EACH AND TYPE V  
NARROW OPTICS  
Light Source: -  
Ballast/Driver: ELECTRONIC DRIVER

**Summary**

Lumens per Lamp: N/A  
Luminaire Lumens: 44593.2 lumens  
Efficiency: N/A  
Efficacy: 116.7 lumens/watt  
Luminous Opening: Rectangular (W 1.5' x L: 1' x H: 0')  
IES Classification: Type V - Short  
BUG Rating: B5 - U0 - G3


Input Watts (W): 382  
Input Voltage (V): NR  
Input Current (Ain): NR  
Voltage Rise (V): NR  
Power Factor: NR  
Total Harmonic Distortion (THDi): NR  
Frequency (hertz): 60  
Stabilization Time: NR  
Operation Time: NR  
Ambient Temperature (°C): NR  
Test Distance: 24 FT



REPORT NUMBER: P383355  
 CATALOG NUMBER: GLEON-SA6D-735-U-5NQ

## Iso-Footcandle Lines of Horizontal Illumination


✕ Max cd  
 - - - 1/2 Max cd



Based on 25 foot mounting height. Maximum calculated value = 8.7 fc  
 Type V - Short - N/A

REPORT NUMBER: P383355  
CATALOG NUMBER: GLEON-SA6D-735-U-5NQ

## Luminous Intensity Polar Plot



REPORT NUMBER: P383355

CATALOG NUMBER: GLEON-SA6D-735-U-5NQ

**FLUX DISTRIBUTION:**

|                    |           | Downward | Upward | Total   |
|--------------------|-----------|----------|--------|---------|
| <b>House Side</b>  | Lumens    | 22296.6  | 0.0    | 22296.6 |
|                    | % Fixture | 50.0     | 0.0    | 50.0    |
| <b>Street Side</b> | Lumens    | 22296.6  | 0.0    | 22296.6 |
|                    | % Fixture | 50.0     | 0.0    | 50.0    |
| <b>Total</b>       | Lumens    | 44593.2  | 0.0    | 44593.2 |
|                    | % Fixture | 100.0    | 0.0    | 100.0   |

**ZONAL LUMENS:**

| Zone      | Lumens  | % Fixture |
|-----------|---------|-----------|
| 0°-10°    | 528.3   | 1.2       |
| 10°-20°   | 1698.3  | 3.8       |
| 20°-30°   | 3186.3  | 7.1       |
| 30°-40°   | 5269.5  | 11.8      |
| 40°-50°   | 8161.8  | 18.3      |
| 50°-60°   | 12517.9 | 28.1      |
| 60°-70°   | 11680.6 | 26.2      |
| 70°-80°   | 1359.4  | 3.0       |
| 80°-90°   | 191.0   | 0.4       |
| 90°-100°  | 0.0     | 0.0       |
| 100°-110° | 0.0     | 0.0       |
| 110°-120° | 0.0     | 0.0       |
| 120°-130° | 0.0     | 0.0       |
| 130°-140° | 0.0     | 0.0       |
| 140°-150° | 0.0     | 0.0       |
| 150°-160° | 0.0     | 0.0       |
| 160°-170° | 0.0     | 0.0       |
| 170°-180° | 0.0     | 0.0       |
| 0°-90°    | 44593.2 | 100.0     |
| 0°-180°   | 44593.2 | 100.0     |

**Coefficient of Utilization**



REPORT NUMBER: P383355


CATALOG NUMBER: GLEON-SA6D-735-U-5NQ

**LUMINAIRE CLASSIFICATION SYSTEM LUMEN TABLE AND BUG RATING:**

| Zone |             | Lumens  | % Fixture | Zone Rating/Lumen Limit |      |         |
|------|-------------|---------|-----------|-------------------------|------|---------|
|      |             |         |           | B                       | U    | G       |
| FL   | (0°-30°)    | 2706.5  | 6.1       |                         |      |         |
| FM   | (30°-60°)   | 12974.6 | 29.1      |                         |      |         |
| FH   | (60°-80°)   | 6520.0  | 14.6      |                         |      | G3/7500 |
| FVH  | (80°-90°)   | 95.5    | 0.2       |                         |      | G1/100  |
| BL   | (0°-30°)    | 2706.5  | 6.1       | B4/5000                 |      |         |
| BM   | (30°-60°)   | 12974.6 | 29.1      | B5                      |      |         |
| BH   | (60°-80°)   | 6520.0  | 14.6      | B5                      |      | G3/7500 |
| BVH  | (80°-90°)   | 95.5    | 0.2       |                         |      | G1/100  |
| UL   | (90°-100°)  | 0.0     | 0.0       |                         | U0/0 |         |
| UH   | (100°-180°) | 0.0     | 0.0       |                         | U0/0 |         |

**BUG Rating: B5-U0-G3**

Type V Short



REPORT NUMBER: P383355

CATALOG NUMBER: GLEON-SA6D-735-U-5NQ

**CANDELA DISTRIBUTION (FULL):**

|       | 0°      | 5°      | 15°     | 25°     | 35°     | 45°     | 55°     | 65°     | 75°     | 85°     | 90°     |
|-------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 0°    | 5385.2  | 5385.2  | 5385.2  | 5385.2  | 5385.2  | 5385.2  | 5385.2  | 5385.2  | 5385.2  | 5385.2  | 5385.2  |
| 2.5°  | 5403.0  | 5400.0  | 5403.0  | 5404.5  | 5395.5  | 5400.0  | 5398.5  | 5406.0  | 5408.8  | 5406.0  | 5406.0  |
| 5°    | 5465.1  | 5460.6  | 5466.6  | 5474.1  | 5462.1  | 5465.1  | 5460.6  | 5469.6  | 5472.6  | 5466.6  | 5471.1  |
| 7.5°  | 5551.0  | 5552.5  | 5558.4  | 5571.7  | 5564.3  | 5570.2  | 5561.3  | 5562.8  | 5561.3  | 5552.5  | 5554.0  |
| 10°   | 5644.2  | 5645.7  | 5656.1  | 5673.9  | 5676.8  | 5676.8  | 5670.9  | 5666.4  | 5660.5  | 5654.6  | 5656.1  |
| 12.5° | 5756.8  | 5764.1  | 5771.5  | 5793.8  | 5793.8  | 5805.6  | 5802.6  | 5790.8  | 5780.4  | 5771.5  | 5771.5  |
| 15°   | 5909.2  | 5907.7  | 5916.6  | 5938.8  | 5949.1  | 5968.4  | 5968.4  | 5952.1  | 5938.8  | 5930.0  | 5927.0  |
| 17.5° | 6069.0  | 6073.5  | 6079.5  | 6106.1  | 6122.3  | 6144.6  | 6147.6  | 6134.2  | 6125.3  | 6113.5  | 6106.1  |
| 20°   | 6255.6  | 6263.0  | 6286.6  | 6297.1  | 6311.8  | 6332.6  | 6339.9  | 6337.0  | 6328.1  | 6322.2  | 6323.7  |
| 22.5° | 6473.1  | 6492.4  | 6507.2  | 6522.0  | 6539.8  | 6554.6  | 6562.0  | 6572.3  | 6563.5  | 6559.0  | 6556.0  |
| 25°   | 6736.7  | 6750.0  | 6779.6  | 6806.3  | 6818.1  | 6822.6  | 6831.4  | 6846.2  | 6844.7  | 6834.4  | 6834.4  |
| 27.5° | 7035.7  | 7060.9  | 7097.8  | 7136.3  | 7136.3  | 7121.5  | 7151.1  | 7176.3  | 7167.4  | 7154.1  | 7136.3  |
| 30°   | 7398.4  | 7422.0  | 7465.0  | 7518.2  | 7491.6  | 7481.3  | 7521.2  | 7567.1  | 7553.7  | 7531.6  | 7528.6  |
| 32.5° | 7789.1  | 7811.3  | 7867.6  | 7925.3  | 7891.2  | 7876.5  | 7919.4  | 7986.0  | 7962.3  | 7917.9  | 7891.2  |
| 35°   | 8212.5  | 8234.7  | 8314.6  | 8384.2  | 8326.5  | 8301.3  | 8336.8  | 8409.4  | 8367.9  | 8285.0  | 8264.3  |
| 37.5° | 8672.9  | 8684.7  | 8788.3  | 8859.4  | 8819.4  | 8752.8  | 8797.2  | 8850.4  | 8815.0  | 8714.3  | 8674.3  |
| 40°   | 9151.0  | 9193.9  | 9313.8  | 9396.7  | 9327.1  | 9222.0  | 9296.0  | 9370.1  | 9316.8  | 9187.9  | 9119.9  |
| 42.5° | 9709.1  | 9741.6  | 9901.5  | 9975.5  | 9862.9  | 9714.9  | 9815.6  | 9916.2  | 9862.9  | 9738.7  | 9679.4  |
| 45°   | 10289.3 | 10339.6 | 10530.6 | 10604.6 | 10441.8 | 10253.7 | 10376.6 | 10552.8 | 10548.4 | 10369.2 | 10307.0 |
| 47.5° | 10921.4 | 10971.7 | 11199.6 | 11297.3 | 11121.2 | 10869.6 | 11042.8 | 11291.5 | 11273.7 | 11076.8 | 11026.4 |
| 50°   | 11651.1 | 11704.4 | 11988.6 | 12111.5 | 11947.2 | 11654.1 | 11914.6 | 12133.7 | 12101.2 | 11858.4 | 11862.8 |
| 52.5° | 12567.4 | 12564.4 | 12918.2 | 13131.4 | 12962.7 | 12703.6 | 12943.4 | 13156.5 | 13021.8 | 12685.8 | 12675.5 |
| 55°   | 13369.8 | 13418.6 | 13856.8 | 14260.9 | 14250.4 | 14151.3 | 14247.6 | 14256.4 | 13871.5 | 13424.5 | 13369.8 |
| 57.5° | 13896.7 | 13990.0 | 14607.2 | 15338.5 | 15886.1 | 16017.9 | 15831.4 | 15265.9 | 14364.5 | 13649.5 | 13562.1 |
| 60°   | 13572.6 | 13714.6 | 14684.2 | 16174.8 | 17788.3 | 18562.5 | 17510.0 | 15755.9 | 13981.0 | 12984.8 | 12866.4 |
| 62.5° | 11384.7 | 11624.5 | 13044.1 | 15770.7 | 19425.5 | 21688.8 | 18726.8 | 14969.9 | 12456.4 | 11084.2 | 10881.4 |
| 65°   | 6933.5  | 7186.7  | 8897.9  | 12980.4 | 19160.5 | 24163.8 | 18171.7 | 12425.4 | 9091.8  | 7385.0  | 7165.9  |
| 67.5° | 2310.7  | 2384.7  | 3392.8  | 7174.9  | 15058.7 | 21711.0 | 15083.9 | 7438.3  | 3956.7  | 2623.1  | 2546.0  |
| 70°   | 904.4   | 911.8   | 1076.1  | 2079.8  | 7111.2  | 14912.1 | 7846.9  | 2116.8  | 1125.0  | 889.6   | 908.9   |
| 72.5° | 664.7   | 667.6   | 713.5   | 868.9   | 1853.3  | 6569.4  | 1919.9  | 873.3   | 694.3   | 623.2   | 623.2   |
| 75°   | 534.3   | 534.3   | 566.9   | 633.5   | 830.4   | 1506.9  | 842.3   | 626.2   | 543.3   | 497.4   | 491.5   |
| 77.5° | 421.9   | 430.7   | 455.9   | 498.8   | 562.5   | 725.3   | 583.2   | 495.9   | 438.2   | 395.3   | 386.3   |
| 80°   | 313.8   | 322.7   | 364.1   | 384.8   | 404.1   | 503.3   | 430.7   | 387.8   | 346.3   | 296.0   | 287.2   |
| 82.5° | 205.8   | 214.6   | 266.4   | 278.3   | 273.9   | 328.6   | 290.2   | 285.7   | 254.6   | 191.0   | 182.1   |
| 85°   | 134.7   | 137.7   | 177.6   | 185.0   | 170.2   | 149.5   | 185.0   | 195.4   | 177.6   | 124.4   | 119.9   |
| 87.5° | 63.6    | 63.6    | 90.3    | 84.4    | 76.9    | 62.1    | 84.4    | 99.2    | 100.7   | 60.7    | 59.2    |
| 90°   | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |

LM-79-08: Approved Method: Electrical and Photometric Measurements of Solid-  
State Lighting Products

Report Prepared for

Cooper Lighting Solutions

All Brands

Data applicable to all product families using SA light engines

Report Number: SP1-2101-121-7

Luminaire Tested: IFLD-S-SA2A-735-U-T2

Test Date: 03/04/2021

### Test Information

Test Method: LM-79-08  
 Report Number: SP1-2101-121-7  
 Test Lab: COOPER LIGHTING SOLUTIONS  
 Photometer: SP1  
 Measurement Geometry:  $4\pi$   
 Issue Date: 03/04/2021  
 Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)  
 Product Line: STREETWORKS  
 Catalog Number: **IFLD-S-SA2A-735-U-T2**  
 Description: STREETWORKS INF FLOOD

PROGRAMMED @ 615mA.

### Spectral Parameters

|                           |        |           |      |      |       |
|---------------------------|--------|-----------|------|------|-------|
| CCT (K):                  | 3388   | CRI (Ra): | 73.1 |      |       |
| CIE u':                   | 0.2371 | R1:       | 68.9 | R9:  | -34.6 |
| CIE v':                   | 0.5177 | R2:       | 81.1 | R10: | 57.8  |
| Duv:                      | 0.0032 | R3:       | 93.1 | R11: | 68.6  |
| CIE x:                    | 0.4153 | R4:       | 71.6 | R12: | 53.9  |
| CIE y:                    | 0.4030 | R5:       | 69.4 | R13: | 70.9  |
| CIE z:                    | 0.1817 | R6:       | 75.0 | R14: | 96.2  |
| Peak Wavelength (nm):     | 590    | R7:       | 79.5 |      |       |
| Dominant Wavelength (nm): | 580    | R8:       | 46.4 |      |       |
| Purity:                   | 45.7   |           |      |      |       |
| Rf:                       | 76.9   |           |      |      |       |
| Rg:                       | 94.4   |           |      |      |       |



### Test Conditions

Stabilization Time: 81M  
 Operation Time: 12H  
 Room Temperature (°C) / RH%: 25.0/30%  
 Sphere Temperature (°C): 24.1

REPORT NUMBER: SP1-2101-121-7

| Measurement and Test Equipment |                       |                  |                      |
|--------------------------------|-----------------------|------------------|----------------------|
| Instrument                     | Identification Number | Calibration Date | Calibration Due Date |
| Photometer                     | IN0058                | 1/31/2021        | 7/31/2021            |
| Power Meter                    | IN0071                | 12/1/2020        | 12/1/2021            |
| AC Power Source                | IN0063                | 12/1/2020        | 12/1/2021            |
| DC Power Source                | IN0208                | 12/1/2020        | 12/1/2021            |
| Sphere Thermometer             | IN0085                | 12/1/2020        | 12/1/2021            |
| Room Thermometer               | IN0046                | 12/1/2020        | 12/1/2021            |

REPORT NUMBER: SP1-2101-121-7

**CIE 1931 Chromaticity Diagram**



**CIE 1931 Chromaticity Diagram with 2017 ANSI 7-Step and 4-Step Quadrangles**



Point lies inside the ANSI 3500K 4-step quadrangle

REPORT NUMBER: SP1-2101-121-7

### Photopic Flux vs. Wavelength



#####

| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 2672             | 0.0              | 490       | 34553            | 4.9              | 620       | 136720           | 35.6             | 750       | 5870             | 0.0              | 880       | 4216             | 0.0              |
| 365       | 2252             | 0.0              | 495       | 44336            | 8.0              | 625       | 126308           | 27.9             | 755       | 5421             | 0.0              | 885       | 4132             | 0.0              |
| 370       | 2217             | 0.0              | 500       | 54643            | 12.1             | 630       | 114625           | 20.7             | 760       | 5097             | 0.0              | 890       | 3992             | 0.0              |
| 375       | 2697             | 0.0              | 505       | 64676            | 18.1             | 635       | 103216           | 15.5             | 765       | 4626             | 0.0              | 895       | 3214             | 0.0              |
| 380       | 3039             | 0.0              | 510       | 73825            | 25.4             | 640       | 92605            | 11.1             | 770       | 3782             | 0.0              | 900       | 2580             | 0.0              |
| 385       | 2655             | 0.0              | 515       | 81872            | 33.9             | 645       | 83234            | 8.0              | 775       | 3506             | 0.0              | 905       | 1776             | 0.0              |
| 390       | 2357             | 0.0              | 520       | 88574            | 43.0             | 650       | 73263            | 5.4              | 780       | 3507             | 0.0              | 910       | 3995             | 0.0              |
| 395       | 2186             | 0.0              | 525       | 93289            | 50.1             | 655       | 64627            | 3.7              | 785       | 3267             | 0.0              | 915       | 4288             | 0.0              |
| 400       | 2015             | 0.0              | 530       | 98393            | 57.9             | 660       | 56614            | 2.4              | 790       | 2849             | 0.0              | 920       | 2446             | 0.0              |
| 405       | 2234             | 0.0              | 535       | 103269           | 64.0             | 665       | 49537            | 1.6              | 795       | 3037             | 0.0              | 925       | 3009             | 0.0              |
| 410       | 3412             | 0.0              | 540       | 107316           | 69.9             | 670       | 42866            | 0.9              | 800       | 2716             | 0.0              | 930       | 3026             | 0.0              |
| 415       | 6135             | 0.0              | 545       | 113101           | 75.3             | 675       | 36708            | 0.6              | 805       | 2648             | 0.0              | 935       | 4734             | 0.0              |
| 420       | 12146            | 0.0              | 550       | 120690           | 82.0             | 680       | 31814            | 0.4              | 810       | 3187             | 0.0              | 940       | 3719             | 0.0              |
| 425       | 23983            | 0.1              | 555       | 128583           | 87.8             | 685       | 27485            | 0.2              | 815       | 2931             | 0.0              | 945       | 1480             | 0.0              |
| 430       | 42142            | 0.3              | 560       | 137796           | 93.6             | 690       | 23698            | 0.1              | 820       | 2717             | 0.0              | 950       | 3450             | 0.0              |
| 435       | 68228            | 0.8              | 565       | 146577           | 97.5             | 695       | 20309            | 0.1              | 825       | 2236             | 0.0              | 955       | 5051             | 0.0              |
| 440       | 99323            | 1.6              | 570       | 154581           | 100.5            | 700       | 17890            | 0.1              | 830       | 2628             | 0.0              | 960       | 3176             | 0.0              |
| 445       | 115584           | 2.4              | 575       | 162633           | 101.2            | 705       | 15500            | 0.0              | 835       | 3140             | 0.0              | 965       | 5178             | 0.0              |
| 450       | 94997            | 2.5              | 580       | 168101           | 99.9             | 710       | 13699            | 0.0              | 840       | 3675             | 0.0              | 970       | 6385             | 0.0              |
| 455       | 61433            | 2.1              | 585       | 173145           | 96.2             | 715       | 12398            | 0.0              | 845       | 3283             | 0.0              | 975       | 3810             | 0.0              |
| 460       | 43373            | 1.8              | 590       | 174675           | 90.3             | 720       | 11147            | 0.0              | 850       | 3055             | 0.0              | 980       | 4322             | 0.0              |
| 465       | 32472            | 1.7              | 595       | 173724           | 82.3             | 725       | 9761             | 0.0              | 855       | 2932             | 0.0              | 985       | 4200             | 0.0              |
| 470       | 24257            | 1.5              | 600       | 171241           | 73.8             | 730       | 8651             | 0.0              | 860       | 3382             | 0.0              | 990       | 4661             | 0.0              |
| 475       | 21690            | 1.7              | 605       | 165134           | 64.0             | 735       | 7730             | 0.0              | 865       | 2605             | 0.0              | 995       | 6746             | 0.0              |
| 480       | 23173            | 2.2              | 610       | 156652           | 53.8             | 740       | 6847             | 0.0              | 870       | 3325             | 0.0              | 1000      | 4150             | 0.0              |
| 485       | 27564            | 3.3              | 615       | 147879           | 44.6             | 745       | 6124             | 0.0              | 875       | 3325             | 0.0              |           |                  |                  |

REPORT NUMBER: SP1-2101-121-7

### Scotopic Flux vs. Wavelength



Scotopic Lumens: 12126

S/P: 1.36

| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 2672             | 0.0              | 490       | 34553            | 53.2             | 620       | 136720           | 1.7              | 750       | 5870             | 0.0              | 880       | 4216             | 0.0              |
| 365       | 2252             | 0.0              | 495       | 44336            | 71.7             | 625       | 126308           | 1.1              | 755       | 5421             | 0.0              | 885       | 4132             | 0.0              |
| 370       | 2217             | 0.0              | 500       | 54643            | 91.4             | 630       | 114625           | 0.6              | 760       | 5097             | 0.0              | 890       | 3992             | 0.0              |
| 375       | 2697             | 0.0              | 505       | 64676            | 110.0            | 635       | 103216           | 0.4              | 765       | 4626             | 0.0              | 895       | 3214             | 0.0              |
| 380       | 3039             | 0.0              | 510       | 73825            | 125.1            | 640       | 92605            | 0.2              | 770       | 3782             | 0.0              | 900       | 2580             | 0.0              |
| 385       | 2655             | 0.0              | 515       | 81872            | 135.7            | 645       | 83234            | 0.1              | 775       | 3506             | 0.0              | 905       | 1776             | 0.0              |
| 390       | 2357             | 0.0              | 520       | 88574            | 140.8            | 650       | 73263            | 0.1              | 780       | 3507             | 0.0              | 910       | 3995             | 0.0              |
| 395       | 2186             | 0.0              | 525       | 93289            | 139.6            | 655       | 64627            | 0.1              | 785       | 3267             | 0.0              | 915       | 4288             | 0.0              |
| 400       | 2015             | 0.0              | 530       | 98393            | 135.7            | 660       | 56614            | 0.0              | 790       | 2849             | 0.0              | 920       | 2446             | 0.0              |
| 405       | 2234             | 0.1              | 535       | 103269           | 128.7            | 665       | 49537            | 0.0              | 795       | 3037             | 0.0              | 925       | 3009             | 0.0              |
| 410       | 3412             | 0.2              | 540       | 107316           | 118.6            | 670       | 42866            | 0.0              | 800       | 2716             | 0.0              | 930       | 3026             | 0.0              |
| 415       | 6135             | 0.6              | 545       | 113101           | 108.4            | 675       | 36708            | 0.0              | 805       | 2648             | 0.0              | 935       | 4734             | 0.0              |
| 420       | 12146            | 2.0              | 550       | 120690           | 98.7             | 680       | 31814            | 0.0              | 810       | 3187             | 0.0              | 940       | 3719             | 0.0              |
| 425       | 23983            | 5.9              | 555       | 128583           | 87.9             | 685       | 27485            | 0.0              | 815       | 2931             | 0.0              | 945       | 1480             | 0.0              |
| 430       | 42142            | 14.3             | 560       | 137796           | 77.0             | 690       | 23698            | 0.0              | 820       | 2717             | 0.0              | 950       | 3450             | 0.0              |
| 435       | 68228            | 30.5             | 565       | 146577           | 65.8             | 695       | 20309            | 0.0              | 825       | 2236             | 0.0              | 955       | 5051             | 0.0              |
| 440       | 99323            | 55.5             | 570       | 154581           | 54.6             | 700       | 17890            | 0.0              | 830       | 2628             | 0.0              | 960       | 3176             | 0.0              |
| 445       | 115584           | 77.4             | 575       | 162633           | 44.3             | 705       | 15500            | 0.0              | 835       | 3140             | 0.0              | 965       | 5178             | 0.0              |
| 450       | 94997            | 73.6             | 580       | 168101           | 34.6             | 710       | 13699            | 0.0              | 840       | 3675             | 0.0              | 970       | 6385             | 0.0              |
| 455       | 61433            | 53.7             | 585       | 173145           | 26.5             | 715       | 12398            | 0.0              | 845       | 3283             | 0.0              | 975       | 3810             | 0.0              |
| 460       | 43373            | 41.9             | 590       | 174675           | 19.5             | 720       | 11147            | 0.0              | 850       | 3055             | 0.0              | 980       | 4322             | 0.0              |
| 465       | 32472            | 34.3             | 595       | 173724           | 13.9             | 725       | 9761             | 0.0              | 855       | 2932             | 0.0              | 985       | 4200             | 0.0              |
| 470       | 24257            | 27.9             | 600       | 171241           | 9.7              | 730       | 8651             | 0.0              | 860       | 3382             | 0.0              | 990       | 4661             | 0.0              |
| 475       | 21690            | 27.1             | 605       | 165134           | 6.5              | 735       | 7730             | 0.0              | 865       | 2605             | 0.0              | 995       | 6746             | 0.0              |
| 480       | 23173            | 31.3             | 610       | 156652           | 4.2              | 740       | 6847             | 0.0              | 870       | 3325             | 0.0              | 1000      | 4150             | 0.0              |
| 485       | 27564            | 40.0             | 615       | 147879           | 2.7              | 745       | 6124             | 0.0              | 875       | 3325             | 0.0              |           |                  |                  |

REPORT NUMBER: SP1-2101-121-7

### Melanopic Flux vs. Wavelength



Melanopic Lumens: 4490.7

M/P: 0.5

| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 2672             | 0.0              | 490       | 34553            | 28.8             | 620       | 136720           | 0.1              | 750       | 5870             | 0.0              | 880       | 4216             | 0.0              |
| 365       | 2252             | 0.0              | 495       | 44336            | 36.6             | 625       | 126308           | 0.1              | 755       | 5421             | 0.0              | 885       | 4132             | 0.0              |
| 370       | 2217             | 0.0              | 500       | 54643            | 43.9             | 630       | 114625           | 0.0              | 760       | 5097             | 0.0              | 890       | 3992             | 0.0              |
| 375       | 2697             | 0.0              | 505       | 64676            | 49.6             | 635       | 103216           | 0.0              | 765       | 4626             | 0.0              | 895       | 3214             | 0.0              |
| 380       | 3039             | 0.0              | 510       | 73825            | 53.0             | 640       | 92605            | 0.0              | 770       | 3782             | 0.0              | 900       | 2580             | 0.0              |
| 385       | 2655             | 0.0              | 515       | 81872            | 53.5             | 645       | 83234            | 0.0              | 775       | 3506             | 0.0              | 905       | 1776             | 0.0              |
| 390       | 2357             | 0.0              | 520       | 88574            | 51.6             | 650       | 73263            | 0.0              | 780       | 3507             | 0.0              | 910       | 3995             | 0.0              |
| 395       | 2186             | 0.0              | 525       | 93289            | 47.3             | 655       | 64627            | 0.0              | 785       | 3267             | 0.0              | 915       | 4288             | 0.0              |
| 400       | 2015             | 0.0              | 530       | 98393            | 42.5             | 660       | 56614            | 0.0              | 790       | 2849             | 0.0              | 920       | 2446             | 0.0              |
| 405       | 2234             | 0.0              | 535       | 103269           | 37.2             | 665       | 49537            | 0.0              | 795       | 3037             | 0.0              | 925       | 3009             | 0.0              |
| 410       | 3412             | 0.1              | 540       | 107316           | 31.4             | 670       | 42866            | 0.0              | 800       | 2716             | 0.0              | 930       | 3026             | 0.0              |
| 415       | 6135             | 0.4              | 545       | 113101           | 26.3             | 675       | 36708            | 0.0              | 805       | 2648             | 0.0              | 935       | 4734             | 0.0              |
| 420       | 12146            | 1.4              | 550       | 120690           | 21.7             | 680       | 31814            | 0.0              | 810       | 3187             | 0.0              | 940       | 3719             | 0.0              |
| 425       | 23983            | 3.7              | 555       | 128583           | 17.3             | 685       | 27485            | 0.0              | 815       | 2931             | 0.0              | 945       | 1480             | 0.0              |
| 430       | 42142            | 8.9              | 560       | 137796           | 13.6             | 690       | 23698            | 0.0              | 820       | 2717             | 0.0              | 950       | 3450             | 0.0              |
| 435       | 68228            | 18.2             | 565       | 146577           | 10.3             | 695       | 20309            | 0.0              | 825       | 2236             | 0.0              | 955       | 5051             | 0.0              |
| 440       | 99323            | 33.2             | 570       | 154581           | 7.6              | 700       | 17890            | 0.0              | 830       | 2628             | 0.0              | 960       | 3176             | 0.0              |
| 445       | 115584           | 45.6             | 575       | 162633           | 5.4              | 705       | 15500            | 0.0              | 835       | 3140             | 0.0              | 965       | 5178             | 0.0              |
| 450       | 94997            | 43.8             | 580       | 168101           | 3.8              | 710       | 13699            | 0.0              | 840       | 3675             | 0.0              | 970       | 6385             | 0.0              |
| 455       | 61433            | 32.2             | 585       | 173145           | 2.6              | 715       | 12398            | 0.0              | 845       | 3283             | 0.0              | 975       | 3810             | 0.0              |
| 460       | 43373            | 25.6             | 590       | 174675           | 1.7              | 720       | 11147            | 0.0              | 850       | 3055             | 0.0              | 980       | 4322             | 0.0              |
| 465       | 32472            | 21.2             | 595       | 173724           | 1.1              | 725       | 9761             | 0.0              | 855       | 2932             | 0.0              | 985       | 4200             | 0.0              |
| 470       | 24257            | 17.4             | 600       | 171241           | 0.7              | 730       | 8651             | 0.0              | 860       | 3382             | 0.0              | 990       | 4661             | 0.0              |
| 475       | 21690            | 16.6             | 605       | 165134           | 0.5              | 735       | 7730             | 0.0              | 865       | 2605             | 0.0              | 995       | 6746             | 0.0              |
| 480       | 23173            | 18.6             | 610       | 156652           | 0.3              | 740       | 6847             | 0.0              | 870       | 3325             | 0.0              | 1000      | 4150             | 0.0              |
| 485       | 27564            | 22.7             | 615       | 147879           | 0.2              | 745       | 6124             | 0.0              | 875       | 3325             | 0.0              |           |                  |                  |

REPORT NUMBER: SP1-2101-121-7

TM-30-18

### Summary

$R_f = 76.9$   
 $R_g = 94.4$   
 CIE  $R_a = 73.1$   
 $R_g = -34.6$

### Spectral Power Distribution Comparison



### Color Vector Graphics



**Individual Sample Fidelity Index ( $R_{f,i}$ )**

|            |            |            |            |
|------------|------------|------------|------------|
| CES01 = 86 | CES26 = 68 | CES51 = 90 | CES76 = 63 |
| CES02 = 62 | CES27 = 88 | CES52 = 89 | CES77 = 80 |
| CES03 = 31 | CES28 = 87 | CES53 = 80 | CES78 = 65 |
| CES04 = 70 | CES29 = 67 | CES54 = 84 | CES79 = 87 |
| CES05 = 48 | CES30 = 74 | CES55 = 84 | CES80 = 86 |
| CES06 = 51 | CES31 = 71 | CES56 = 75 | CES81 = 75 |
| CES07 = 40 | CES32 = 67 | CES57 = 74 | CES82 = 94 |
| CES08 = 39 | CES33 = 74 | CES58 = 76 | CES83 = 91 |
| CES09 = 29 | CES34 = 78 | CES59 = 87 | CES84 = 89 |
| CES10 = 75 | CES35 = 89 | CES60 = 93 | CES85 = 80 |
| CES11 = 58 | CES36 = 98 | CES61 = 86 | CES86 = 66 |
| CES12 = 64 | CES37 = 86 | CES62 = 89 | CES87 = 79 |
| CES13 = 43 | CES38 = 82 | CES63 = 77 | CES88 = 79 |
| CES14 = 74 | CES39 = 95 | CES64 = 74 | CES89 = 70 |
| CES15 = 71 | CES40 = 91 | CES65 = 68 | CES90 = 77 |
| CES16 = 47 | CES41 = 89 | CES66 = 71 | CES91 = 88 |
| CES17 = 50 | CES42 = 88 | CES67 = 69 | CES92 = 60 |
| CES18 = 56 | CES43 = 82 | CES68 = 74 | CES93 = 77 |
| CES19 = 72 | CES44 = 99 | CES69 = 82 | CES94 = 52 |
| CES20 = 65 | CES45 = 87 | CES70 = 67 | CES95 = 69 |
| CES21 = 86 | CES46 = 82 | CES71 = 66 | CES96 = 78 |
| CES22 = 79 | CES47 = 82 | CES72 = 88 | CES97 = 85 |
| CES23 = 92 | CES48 = 72 | CES73 = 59 | CES98 = 76 |
| CES24 = 91 | CES49 = 82 | CES74 = 97 | CES99 = 63 |
| CES25 = 72 | CES50 = 88 | CES75 = 66 |            |



Color Rendition by Hue-Angle Bin



**Measure Comparisons**



(END OF REPORT)