

Scaled data based on original data using  
LM-79-08 Approved Method: Electrical and Photometric Measurements of Solid-  
State Lighting Products

Test Report Prepared for  
Cooper Lighting Solutions  
(formerly Eaton)

Brand: McGRAW-EDISON

Report Number: P316907

Luminaire Tested: **GLEON-SA3A-827-U-5NQ**

Issue Date: 3/3/2020

**Test Information**

Test Method: LM-79-08  
Report Number: P316907  
TEST IS SCALED FROM IESNA LM-79-08 TEST DATA (G2-1903-205-5)  
Test Lab: INNOVATION CENTER  
Issue Date: 3/3/2020  
Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)  
Product Line: McGRAW-EDISON  
Catalog Number: GLEON-SA3A-827-U-5NQ  
Description: GALLEON AREA AND ROADWAY LUMINAIRE  
(3) 80 CRI, 2700K, 615mA LIGHTSQUARES WITH 16 LEDS EACH AND TYPE V NARROW OPTICS  
Light Source: -  
Ballast/Driver: ELECTRONIC DRIVER

**Summary**

Lumens per Lamp: N/A  
Luminaire Lumens: 10789 lumens  
Efficiency: N/A  
Efficacy: 112.4 lumens/watt  
Luminous Opening: Rectangular (W 1' x L: 1' x H: 0')  
IES Classification: Type V - Short  
BUG Rating: B3 - U0 - G1

Input Watts (W): 96  
Input Voltage (V): NR  
Input Current (Ain): NR  
Voltage Rise (V): NR  
Power Factor: NR  
Total Harmonic Distortion (THDi): NR  
Frequency (hertz): 60  
Stabilization Time: NR  
Operation Time: NR  
Ambient Temperature (°C): NR  
Test Distance: 24 FT




REPORT NUMBER: P316907

CATALOG NUMBER: GLEON-SA3A-827-U-5NQ

## Iso-Footcandle Lines of Horizontal Illumination

× Max cd


--- 1/2 Max cd



Based on 25 foot mounting height. Maximum calculated value = 2.1 fc  
 Type V - Short - N/A

REPORT NUMBER: P316907  
CATALOG NUMBER: GLEON-SA3A-827-U-5NQ

## Luminous Intensity Polar Plot



REPORT NUMBER: P316907

CATALOG NUMBER: GLEON-SA3A-827-U-5NQ

**FLUX DISTRIBUTION:**

|                    |           | Downward | Upward | Total   |
|--------------------|-----------|----------|--------|---------|
| <b>House Side</b>  | Lumens    | 5394.5   | 0.0    | 5394.5  |
|                    | % Fixture | 50.0     | 0.0    | 50.0    |
| <b>Street Side</b> | Lumens    | 5394.5   | 0.0    | 5394.5  |
|                    | % Fixture | 50.0     | 0.0    | 50.0    |
| <b>Total</b>       | Lumens    | 10789.0  | 0.0    | 10789.0 |
|                    | % Fixture | 100.0    | 0.0    | 100.0   |

**ZONAL LUMENS:**

| Zone      | Lumens  | % Fixture |
|-----------|---------|-----------|
| 0°-10°    | 127.8   | 1.2       |
| 10°-20°   | 410.9   | 3.8       |
| 20°-30°   | 770.9   | 7.1       |
| 30°-40°   | 1274.9  | 11.8      |
| 40°-50°   | 1974.7  | 18.3      |
| 50°-60°   | 3028.6  | 28.1      |
| 60°-70°   | 2826.0  | 26.2      |
| 70°-80°   | 328.9   | 3.0       |
| 80°-90°   | 46.2    | 0.4       |
| 90°-100°  | 0.0     | 0.0       |
| 100°-110° | 0.0     | 0.0       |
| 110°-120° | 0.0     | 0.0       |
| 120°-130° | 0.0     | 0.0       |
| 130°-140° | 0.0     | 0.0       |
| 140°-150° | 0.0     | 0.0       |
| 150°-160° | 0.0     | 0.0       |
| 160°-170° | 0.0     | 0.0       |
| 170°-180° | 0.0     | 0.0       |
| 0°-90°    | 10789.0 | 100.0     |
| 0°-180°   | 10789.0 | 100.0     |

**Coefficient of Utilization**



REPORT NUMBER: P316907


CATALOG NUMBER: GLEON-SA3A-827-U-5NQ

**LUMINAIRE CLASSIFICATION SYSTEM LUMEN TABLE AND BUG RATING:**

| Zone |             | Lumens | % Fixture | Zone Rating/Lumen Limit |      |         |
|------|-------------|--------|-----------|-------------------------|------|---------|
|      |             |        |           | B                       | U    | G       |
| FL   | (0°-30°)    | 654.8  | 6.1       |                         |      |         |
| FM   | (30°-60°)   | 3139.1 | 29.1      |                         |      |         |
| FH   | (60°-80°)   | 1577.5 | 14.6      |                         |      | G1/1800 |
| FVH  | (80°-90°)   | 23.1   | 0.2       |                         |      | G1/100  |
| BL   | (0°-30°)    | 654.8  | 6.1       | B2/1000                 |      |         |
| BM   | (30°-60°)   | 3139.1 | 29.1      | B3/5000                 |      |         |
| BH   | (60°-80°)   | 1577.5 | 14.6      | B3/2500                 |      | G1/1800 |
| BVH  | (80°-90°)   | 23.1   | 0.2       |                         |      | G1/100  |
| UL   | (90°-100°)  | 0.0    | 0.0       |                         | U0/0 |         |
| UH   | (100°-180°) | 0.0    | 0.0       |                         | U0/0 |         |

**BUG Rating: B3-U0-G1**

Type V Short





REPORT NUMBER: P316907

CATALOG NUMBER: GLEON-SA3A-827-U-5NQ

**CANDELA DISTRIBUTION (FULL):**

|       | 0°     | 5°     | 15°    | 25°    | 35°    | 45°    | 55°    | 65°    | 75°    | 85°    | 90°    |
|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0°    | 1302.9 | 1302.9 | 1302.9 | 1302.9 | 1302.9 | 1302.9 | 1302.9 | 1302.9 | 1302.9 | 1302.9 | 1302.9 |
| 2.5°  | 1307.2 | 1306.5 | 1307.2 | 1307.6 | 1305.4 | 1306.5 | 1306.1 | 1307.9 | 1308.6 | 1307.9 | 1307.9 |
| 5°    | 1322.2 | 1321.2 | 1322.6 | 1324.4 | 1321.5 | 1322.2 | 1321.2 | 1323.3 | 1324.0 | 1322.6 | 1323.7 |
| 7.5°  | 1343.0 | 1343.4 | 1344.8 | 1348.0 | 1346.2 | 1347.7 | 1345.5 | 1345.9 | 1345.5 | 1343.4 | 1343.7 |
| 10°   | 1365.6 | 1365.9 | 1368.4 | 1372.7 | 1373.5 | 1373.5 | 1372.0 | 1371.0 | 1369.5 | 1368.1 | 1368.4 |
| 12.5° | 1392.8 | 1394.6 | 1396.4 | 1401.8 | 1401.8 | 1404.6 | 1403.9 | 1401.0 | 1398.5 | 1396.4 | 1396.4 |
| 15°   | 1429.7 | 1429.3 | 1431.5 | 1436.9 | 1439.4 | 1444.0 | 1444.0 | 1440.1 | 1436.9 | 1434.7 | 1434.0 |
| 17.5° | 1468.4 | 1469.4 | 1470.9 | 1477.3 | 1481.3 | 1486.6 | 1487.3 | 1484.1 | 1482.0 | 1479.1 | 1477.3 |
| 20°   | 1513.5 | 1515.3 | 1521.0 | 1523.5 | 1527.1 | 1532.1 | 1533.9 | 1533.2 | 1531.0 | 1529.6 | 1530.0 |
| 22.5° | 1566.1 | 1570.8 | 1574.4 | 1578.0 | 1582.3 | 1585.8 | 1587.6 | 1590.1 | 1588.0 | 1586.9 | 1586.2 |
| 25°   | 1629.9 | 1633.1 | 1640.3 | 1646.7 | 1649.6 | 1650.7 | 1652.8 | 1656.4 | 1656.0 | 1653.5 | 1653.5 |
| 27.5° | 1702.2 | 1708.3 | 1717.3 | 1726.6 | 1726.6 | 1723.0 | 1730.2 | 1736.3 | 1734.1 | 1730.9 | 1726.6 |
| 30°   | 1790.0 | 1795.7 | 1806.1 | 1819.0 | 1812.5 | 1810.0 | 1819.7 | 1830.8 | 1827.6 | 1822.2 | 1821.5 |
| 32.5° | 1884.5 | 1889.9 | 1903.5 | 1917.5 | 1909.2 | 1905.7 | 1916.0 | 1932.2 | 1926.4 | 1915.7 | 1909.2 |
| 35°   | 1987.0 | 1992.3 | 2011.7 | 2028.5 | 2014.5 | 2008.4 | 2017.0 | 2034.6 | 2024.6 | 2004.5 | 1999.5 |
| 37.5° | 2098.3 | 2101.2 | 2126.3 | 2143.5 | 2133.8 | 2117.7 | 2128.4 | 2141.3 | 2132.7 | 2108.4 | 2098.7 |
| 40°   | 2214.0 | 2224.4 | 2253.4 | 2273.5 | 2256.6 | 2231.2 | 2249.1 | 2267.0 | 2254.1 | 2223.0 | 2206.5 |
| 42.5° | 2349.0 | 2356.9 | 2395.6 | 2413.5 | 2386.3 | 2350.5 | 2374.8 | 2399.2 | 2386.3 | 2356.2 | 2341.9 |
| 45°   | 2489.4 | 2501.6 | 2547.8 | 2565.7 | 2526.3 | 2480.8 | 2510.6 | 2553.2 | 2552.1 | 2508.8 | 2493.7 |
| 47.5° | 2642.3 | 2654.5 | 2709.7 | 2733.3 | 2690.7 | 2629.8 | 2671.7 | 2731.9 | 2727.6 | 2680.0 | 2667.8 |
| 50°   | 2818.9 | 2831.8 | 2900.6 | 2930.3 | 2890.5 | 2819.6 | 2882.7 | 2935.7 | 2927.8 | 2869.0 | 2870.1 |
| 52.5° | 3040.6 | 3039.9 | 3125.5 | 3177.0 | 3136.2 | 3073.5 | 3131.6 | 3183.1 | 3150.5 | 3069.2 | 3066.7 |
| 55°   | 3234.7 | 3246.5 | 3352.5 | 3450.3 | 3447.8 | 3423.8 | 3447.1 | 3449.2 | 3356.1 | 3248.0 | 3234.7 |
| 57.5° | 3362.2 | 3384.8 | 3534.1 | 3711.0 | 3843.5 | 3875.4 | 3830.3 | 3693.5 | 3475.4 | 3302.4 | 3281.3 |
| 60°   | 3283.8 | 3318.2 | 3552.7 | 3913.4 | 4303.8 | 4491.1 | 4236.4 | 3812.0 | 3382.6 | 3141.6 | 3112.9 |
| 62.5° | 2754.4 | 2812.5 | 3155.9 | 3815.6 | 4699.9 | 5247.4 | 4530.8 | 3621.9 | 3013.7 | 2681.7 | 2632.7 |
| 65°   | 1677.5 | 1738.8 | 2152.8 | 3140.5 | 4635.7 | 5846.3 | 4396.5 | 3006.2 | 2199.7 | 1786.8 | 1733.7 |
| 67.5° | 559.1  | 577.0  | 820.9  | 1735.9 | 3643.3 | 5252.8 | 3649.4 | 1799.6 | 957.3  | 634.6  | 616.0  |
| 70°   | 218.8  | 220.6  | 260.4  | 503.2  | 1720.5 | 3607.9 | 1898.5 | 512.1  | 272.2  | 215.2  | 219.9  |
| 72.5° | 160.8  | 161.5  | 172.6  | 210.2  | 448.4  | 1589.4 | 464.5  | 211.3  | 168.0  | 150.8  | 150.8  |
| 75°   | 129.3  | 129.3  | 137.2  | 153.3  | 200.9  | 364.6  | 203.8  | 151.5  | 131.4  | 120.3  | 118.9  |
| 77.5° | 102.1  | 104.2  | 110.3  | 120.7  | 136.1  | 175.5  | 141.1  | 120.0  | 106.0  | 95.6   | 93.5   |
| 80°   | 75.9   | 78.1   | 88.1   | 93.1   | 97.8   | 121.8  | 104.2  | 93.8   | 83.8   | 71.6   | 69.5   |
| 82.5° | 49.8   | 51.9   | 64.5   | 67.3   | 66.3   | 79.5   | 70.2   | 69.1   | 61.6   | 46.2   | 44.1   |
| 85°   | 32.6   | 33.3   | 43.0   | 44.8   | 41.2   | 36.2   | 44.8   | 47.3   | 43.0   | 30.1   | 29.0   |
| 87.5° | 15.4   | 15.4   | 21.8   | 20.4   | 18.6   | 15.0   | 20.4   | 24.0   | 24.4   | 14.7   | 14.3   |
| 90°   | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |

LM-79-2019: Approved Method: Electrical and Photometric Measurements of Solid-State Lighting Products

Report Prepared for

Cooper Lighting Solutions

Invue

Report Number: SP1-2407-157-9

Test Date: 10/03/2024

Luminaire Tested: EMM2-HTN-SA1A-827-U-5WQ

Data applicable to all product families utilizing light square engine

### Test Information

Test Method: LM-79-2019  
 Report Number: SP1-2407-157-9  
 Test Lab: COOPER LIGHTING SOLUTIONS  
 Photometer: SP1 - 76IN SPHERE  
 Measurement Geometry:  $4\pi$   
 Issue Date: 10/03/2024  
 Manufacturer: COOPER LIGHTING SOLUTIONS  
 Product Line: Invue  
 Catalog Number: **EMM2-HTN-SA1A-827-U-5WQ**  
 Description: Epic Modern Light Square 40W 5WQ Optic

### Spectral Parameters

CCT (K): 2764  
 CIE  $u'$ : 0.2591  
 CIE  $v'$ : 0.5290  
 Duv: 0.0020  
 CIE x: 0.4581  
 CIE y: 0.4156  
 CIE z: 0.1263  
 Peak Wavelength (nm): 603  
 Dominant Wavelength (nm): 583  
 Purity: 62.2537  
 R<sub>f</sub>: 84.7  
 R<sub>g</sub>: 94.6

CRI (Ra): 80.9  
 R1: 78.8  
 R2: 89.9  
 R3: 96.2  
 R4: 79.1  
 R5: 79.1  
 R6: 88.8  
 R7: 81.3  
 R8: 54.3  
 R9: -1.5  
 R10: 77.9  
 R11: 78.9  
 R12: 71.6  
 R13: 81.2  
 R14: 98.5  
 R15: 69.9



### Test Conditions

Stabilization Time: 81M  
 Operation Time: 2H 21M  
 Sphere Temperature (°C): 25.2

REPORT NUMBER: SP1-2407-157-9

| Measurement and Test Equipment |                       |                  |                      |
|--------------------------------|-----------------------|------------------|----------------------|
| Instrument                     | Identification Number | Calibration Date | Calibration Due Date |
| Photometer                     | IN0058                | 6/18/2024        | 12/18/2024           |
| Power Meter                    | INXT2011004           | 2/8/2024         | 2/8/2025             |
| AC Power Source                | IN0063                | 10/24/2023       | 10/24/2024           |
| DC Power Source                | IN0208                | 10/24/2023       | 10/24/2024           |
| Sphere Thermometer             | IN0085                | 10/24/2023       | 10/24/2024           |
| Room Thermometer               | IN0046                | 10/24/2023       | 10/24/2024           |

REPORT NUMBER: SP1-2407-157-9

**CIE 1931 Chromaticity Diagram**



**CIE 1931 Chromaticity Diagram with 2017 ANSI 7-Step and 4-Step Quadrangles**



REPORT NUMBER: SP1-2407-157-9

### Photopic Flux vs. Wavelength



**Photopic Lumens: 4337.9**

| λ (nm) | Power (μW/nm) | Lumens (Φ/nm) | λ (nm) | Power (μW/nm) | Lumens (Φ/nm) | λ (nm) | Power (μW/nm) | Lumens (Φ/nm) | λ (nm) | Power (μW/nm) | Lumens (Φ/nm) | λ (nm) | Power (μW/nm) | Lumens (Φ/nm) |
|--------|---------------|---------------|--------|---------------|---------------|--------|---------------|---------------|--------|---------------|---------------|--------|---------------|---------------|
| 360    | 0             | 0.0           | 490    | 18018         | 2.6           | 620    | 87426         | 22.8          | 750    | 2680          | 0.0           | 880    | 58            | 0.0           |
| 365    | 0             | 0.0           | 495    | 22295         | 3.9           | 625    | 83013         | 18.2          | 755    | 2287          | 0.0           | 885    | 46            | 0.0           |
| 370    | 0             | 0.0           | 500    | 26478         | 5.8           | 630    | 78077         | 14.1          | 760    | 1944          | 0.0           | 890    | 45            | 0.0           |
| 375    | 0             | 0.0           | 505    | 30524         | 8.5           | 635    | 72080         | 10.7          | 765    | 1653          | 0.0           | 895    | 41            | 0.0           |
| 380    | 0             | 0.0           | 510    | 33611         | 11.5          | 640    | 66249         | 7.9           | 770    | 1413          | 0.0           | 900    | 38            | 0.0           |
| 385    | 0             | 0.0           | 515    | 36490         | 15.2          | 645    | 59973         | 5.7           | 775    | 1198          | 0.0           | 905    | 33            | 0.0           |
| 390    | 0             | 0.0           | 520    | 38610         | 18.7          | 650    | 53972         | 3.9           | 780    | 1025          | 0.0           | 910    | 30            | 0.0           |
| 395    | 0             | 0.0           | 525    | 40511         | 21.9          | 655    | 48369         | 2.7           | 785    | 874           | 0.0           | 915    | 23            | 0.0           |
| 400    | 48            | 0.0           | 530    | 42223         | 24.9          | 660    | 42641         | 1.8           | 790    | 747           | 0.0           | 920    | 24            | 0.0           |
| 405    | 201           | 0.0           | 535    | 44137         | 27.6          | 665    | 37602         | 1.1           | 795    | 639           | 0.0           | 925    | 22            | 0.0           |
| 410    | 457           | 0.0           | 540    | 46032         | 30.0          | 670    | 32798         | 0.7           | 800    | 547           | 0.0           | 930    | 22            | 0.0           |
| 415    | 925           | 0.0           | 545    | 48553         | 32.5          | 675    | 28558         | 0.5           | 805    | 473           | 0.0           | 935    | 17            | 0.0           |
| 420    | 1816          | 0.0           | 550    | 51408         | 34.9          | 680    | 24782         | 0.3           | 810    | 401           | 0.0           | 940    | 13            | 0.0           |
| 425    | 3217          | 0.0           | 555    | 54711         | 37.4          | 685    | 21386         | 0.2           | 815    | 351           | 0.0           | 945    | 6             | 0.0           |
| 430    | 5520          | 0.0           | 560    | 58847         | 40.0          | 690    | 18413         | 0.1           | 820    | 307           | 0.0           | 950    | 10            | 0.0           |
| 435    | 9225          | 0.1           | 565    | 63386         | 42.4          | 695    | 15721         | 0.1           | 825    | 261           | 0.0           | 955    | 11            | 0.0           |
| 440    | 15522         | 0.2           | 570    | 68196         | 44.3          | 700    | 13432         | 0.0           | 830    | 228           | 0.0           | 960    | 8             | 0.0           |
| 445    | 27642         | 0.6           | 575    | 73613         | 46.0          | 705    | 11513         | 0.0           | 835    | 193           | 0.0           | 965    | 12            | 0.0           |
| 450    | 36602         | 0.9           | 580    | 79207         | 47.1          | 710    | 9780          | 0.0           | 840    | 174           | 0.0           | 970    | 3             | 0.0           |
| 455    | 28292         | 0.9           | 585    | 84248         | 47.0          | 715    | 8356          | 0.0           | 845    | 151           | 0.0           | 975    | 8             | 0.0           |
| 460    | 21166         | 0.9           | 590    | 88397         | 45.7          | 720    | 7161          | 0.0           | 850    | 123           | 0.0           | 980    | 2             | 0.0           |
| 465    | 19092         | 1.0           | 595    | 91428         | 43.4          | 725    | 6067          | 0.0           | 855    | 106           | 0.0           | 985    | 13            | 0.0           |
| 470    | 14951         | 0.9           | 600    | 93452         | 40.3          | 730    | 5164          | 0.0           | 860    | 95            | 0.0           | 990    | 16            | 0.0           |
| 475    | 12606         | 1.0           | 605    | 93959         | 36.4          | 735    | 4393          | 0.0           | 865    | 82            | 0.0           | 995    | 20            | 0.0           |
| 480    | 13323         | 1.3           | 610    | 93079         | 32.0          | 740    | 3694          | 0.0           | 870    | 77            | 0.0           | 1000   | 0             | 0.0           |
| 485    | 15164         | 1.8           | 615    | 90707         | 27.3          | 745    | 3157          | 0.0           | 875    | 65            | 0.0           |        |               |               |

REPORT NUMBER: SP1-2407-157-9

### Scotopic Flux vs. Wavelength


**Scotopic Lumens: 5286.7**
**S/P: 1.22**

| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 0                | 0.0              | 490       | 18018            | 75.9             | 620       | 87426            | 0.4              | 750       | 2680             | 0.0              | 880       | 58               | 0.0              |
| 365       | 0                | 0.0              | 495       | 22295            | 93.2             | 625       | 83013            | 0.2              | 755       | 2287             | 0.0              | 885       | 46               | 0.0              |
| 370       | 0                | 0.0              | 500       | 26478            | 107.8            | 630       | 78077            | 0.1              | 760       | 1944             | 0.0              | 890       | 45               | 0.0              |
| 375       | 0                | 0.0              | 505       | 30524            | 118.7            | 635       | 72080            | 0.1              | 765       | 1653             | 0.0              | 895       | 41               | 0.0              |
| 380       | 0                | 0.0              | 510       | 33611            | 122.2            | 640       | 66249            | 0.1              | 770       | 1413             | 0.0              | 900       | 38               | 0.0              |
| 385       | 0                | 0.0              | 515       | 36490            | 120.8            | 645       | 59973            | 0.0              | 775       | 1198             | 0.0              | 905       | 33               | 0.0              |
| 390       | 0                | 0.0              | 520       | 38610            | 113.9            | 650       | 53972            | 0.0              | 780       | 1025             | 0.0              | 910       | 30               | 0.0              |
| 395       | 0                | 0.0              | 525       | 40511            | 104.1            | 655       | 48369            | 0.0              | 785       | 874              | 0.0              | 915       | 23               | 0.0              |
| 400       | 48               | 0.0              | 530       | 42223            | 92.4             | 660       | 42641            | 0.0              | 790       | 747              | 0.0              | 920       | 24               | 0.0              |
| 405       | 201              | 0.0              | 535       | 44137            | 80.5             | 665       | 37602            | 0.0              | 795       | 639              | 0.0              | 925       | 22               | 0.0              |
| 410       | 457              | 0.1              | 540       | 46032            | 68.2             | 670       | 32798            | 0.0              | 800       | 547              | 0.0              | 930       | 22               | 0.0              |
| 415       | 925              | 0.3              | 545       | 48553            | 57.1             | 675       | 28558            | 0.0              | 805       | 473              | 0.0              | 935       | 17               | 0.0              |
| 420       | 1816             | 1.1              | 550       | 51408            | 46.7             | 680       | 24782            | 0.0              | 810       | 401              | 0.0              | 940       | 13               | 0.0              |
| 425       | 3217             | 2.5              | 555       | 54711            | 37.4             | 685       | 21386            | 0.0              | 815       | 351              | 0.0              | 945       | 6                | 0.0              |
| 430       | 5520             | 5.9              | 560       | 58847            | 29.4             | 690       | 18413            | 0.0              | 820       | 307              | 0.0              | 950       | 10               | 0.0              |
| 435       | 9225             | 12.5             | 565       | 63386            | 22.5             | 695       | 15721            | 0.0              | 825       | 261              | 0.0              | 955       | 11               | 0.0              |
| 440       | 15522            | 26.3             | 570       | 68196            | 16.9             | 700       | 13432            | 0.0              | 830       | 228              | 0.0              | 960       | 8                | 0.0              |
| 445       | 27642            | 55.2             | 575       | 73613            | 12.4             | 705       | 11513            | 0.0              | 835       | 193              | 0.0              | 965       | 12               | 0.0              |
| 450       | 36602            | 85.4             | 580       | 79207            | 9.0              | 710       | 9780             | 0.0              | 840       | 174              | 0.0              | 970       | 3                | 0.0              |
| 455       | 28292            | 75.1             | 585       | 84248            | 6.3              | 715       | 8356             | 0.0              | 845       | 151              | 0.0              | 975       | 8                | 0.0              |
| 460       | 21166            | 63.2             | 590       | 88397            | 4.4              | 720       | 7161             | 0.0              | 850       | 123              | 0.0              | 980       | 2                | 0.0              |
| 465       | 19092            | 63.2             | 595       | 91428            | 3.0              | 725       | 6067             | 0.0              | 855       | 106              | 0.0              | 985       | 13               | 0.0              |
| 470       | 14951            | 54.2             | 600       | 93452            | 2.0              | 730       | 5164             | 0.0              | 860       | 95               | 0.0              | 990       | 16               | 0.0              |
| 475       | 12606            | 48.8             | 605       | 93959            | 1.3              | 735       | 4393             | 0.0              | 865       | 82               | 0.0              | 995       | 20               | 0.0              |
| 480       | 13323            | 54.2             | 610       | 93079            | 0.9              | 740       | 3694             | 0.0              | 870       | 77               | 0.0              | 1000      | 0                | 0.0              |
| 485       | 15164            | 63.3             | 615       | 90707            | 0.5              | 745       | 3157             | 0.0              | 875       | 65               | 0.0              |           |                  |                  |

REPORT NUMBER: SP1-2407-157-9

### Melanopic Flux vs. Wavelength



**Melanopic Lumens: 9797**

**M/P: 2.26**

| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 0                | 0.0              | 490       | 18018            | 27.7             | 620       | 87426            | 1.1              | 750       | 2680             | 0.0              | 880       | 58               | 0.0              |
| 365       | 0                | 0.0              | 495       | 22295            | 36.0             | 625       | 83013            | 0.7              | 755       | 2287             | 0.0              | 885       | 46               | 0.0              |
| 370       | 0                | 0.0              | 500       | 26478            | 44.2             | 630       | 78077            | 0.4              | 760       | 1944             | 0.0              | 890       | 45               | 0.0              |
| 375       | 0                | 0.0              | 505       | 30524            | 51.8             | 635       | 72080            | 0.3              | 765       | 1653             | 0.0              | 895       | 41               | 0.0              |
| 380       | 0                | 0.0              | 510       | 33611            | 57.0             | 640       | 66249            | 0.2              | 770       | 1413             | 0.0              | 900       | 38               | 0.0              |
| 385       | 0                | 0.0              | 515       | 36490            | 60.5             | 645       | 59973            | 0.1              | 775       | 1198             | 0.0              | 905       | 33               | 0.0              |
| 390       | 0                | 0.0              | 520       | 38610            | 61.4             | 650       | 53972            | 0.1              | 780       | 1025             | 0.0              | 910       | 30               | 0.0              |
| 395       | 0                | 0.0              | 525       | 40511            | 60.6             | 655       | 48369            | 0.0              | 785       | 874              | 0.0              | 915       | 23               | 0.0              |
| 400       | 48               | 0.0              | 530       | 42223            | 58.2             | 660       | 42641            | 0.0              | 790       | 747              | 0.0              | 920       | 24               | 0.0              |
| 405       | 201              | 0.0              | 535       | 44137            | 55.0             | 665       | 37602            | 0.0              | 795       | 639              | 0.0              | 925       | 22               | 0.0              |
| 410       | 457              | 0.0              | 540       | 46032            | 50.9             | 670       | 32798            | 0.0              | 800       | 547              | 0.0              | 930       | 22               | 0.0              |
| 415       | 925              | 0.1              | 545       | 48553            | 46.6             | 675       | 28558            | 0.0              | 805       | 473              | 0.0              | 935       | 17               | 0.0              |
| 420       | 1816             | 0.3              | 550       | 51408            | 42.0             | 680       | 24782            | 0.0              | 810       | 401              | 0.0              | 940       | 13               | 0.0              |
| 425       | 3217             | 0.8              | 555       | 54711            | 37.4             | 685       | 21386            | 0.0              | 815       | 351              | 0.0              | 945       | 6                | 0.0              |
| 430       | 5520             | 1.9              | 560       | 58847            | 32.9             | 690       | 18413            | 0.0              | 820       | 307              | 0.0              | 950       | 10               | 0.0              |
| 435       | 9225             | 4.1              | 565       | 63386            | 28.4             | 695       | 15721            | 0.0              | 825       | 261              | 0.0              | 955       | 11               | 0.0              |
| 440       | 15522            | 8.7              | 570       | 68196            | 24.1             | 700       | 13432            | 0.0              | 830       | 228              | 0.0              | 960       | 8                | 0.0              |
| 445       | 27642            | 18.5             | 575       | 73613            | 20.0             | 705       | 11513            | 0.0              | 835       | 193              | 0.0              | 965       | 12               | 0.0              |
| 450       | 36602            | 28.3             | 580       | 79207            | 16.3             | 710       | 9780             | 0.0              | 840       | 174              | 0.0              | 970       | 3                | 0.0              |
| 455       | 28292            | 24.7             | 585       | 84248            | 12.9             | 715       | 8356             | 0.0              | 845       | 151              | 0.0              | 975       | 8                | 0.0              |
| 460       | 21166            | 20.4             | 590       | 88397            | 9.8              | 720       | 7161             | 0.0              | 850       | 123              | 0.0              | 980       | 2                | 0.0              |
| 465       | 19092            | 20.1             | 595       | 91428            | 7.3              | 725       | 6067             | 0.0              | 855       | 106              | 0.0              | 985       | 13               | 0.0              |
| 470       | 14951            | 17.2             | 600       | 93452            | 5.3              | 730       | 5164             | 0.0              | 860       | 95               | 0.0              | 990       | 16               | 0.0              |
| 475       | 12606            | 15.7             | 605       | 93959            | 3.7              | 735       | 4393             | 0.0              | 865       | 82               | 0.0              | 995       | 20               | 0.0              |
| 480       | 13323            | 18.0             | 610       | 93079            | 2.5              | 740       | 3694             | 0.0              | 870       | 77               | 0.0              | 1000      | 0                | 0.0              |
| 485       | 15164            | 21.9             | 615       | 90707            | 1.7              | 745       | 3157             | 0.0              | 875       | 65               | 0.0              |           |                  |                  |

REPORT NUMBER: SP1-2407-157-9


TM-30-18

### Summary

$R_f = 84.7$   
 $R_g = 94.6$   
 $CIE R_a = 80.9$   
 $R_g = -1.5$



### Color Vector Graphics




**Individual Sample Fidelity Index ( $R_{f,i}$ )**

|            |            |            |            |
|------------|------------|------------|------------|
| CES01 = 86 | CES26 = 84 | CES51 = 95 | CES76 = 81 |
| CES02 = 63 | CES27 = 95 | CES52 = 94 | CES77 = 84 |
| CES03 = 31 | CES28 = 94 | CES53 = 89 | CES78 = 81 |
| CES04 = 71 | CES29 = 87 | CES54 = 91 | CES79 = 89 |
| CES05 = 50 | CES30 = 94 | CES55 = 90 | CES80 = 89 |
| CES06 = 52 | CES31 = 89 | CES56 = 86 | CES81 = 69 |
| CES07 = 43 | CES32 = 82 | CES57 = 85 | CES82 = 96 |
| CES08 = 41 | CES33 = 91 | CES58 = 86 | CES83 = 93 |
| CES09 = 29 | CES34 = 92 | CES59 = 91 | CES84 = 92 |
| CES10 = 77 | CES35 = 96 | CES60 = 94 | CES85 = 76 |
| CES11 = 60 | CES36 = 90 | CES61 = 89 | CES86 = 65 |
| CES12 = 66 | CES37 = 96 | CES62 = 94 | CES87 = 84 |
| CES13 = 44 | CES38 = 98 | CES63 = 87 | CES88 = 86 |
| CES14 = 74 | CES39 = 98 | CES64 = 82 | CES89 = 73 |
| CES15 = 72 | CES40 = 95 | CES65 = 78 | CES90 = 88 |
| CES16 = 48 | CES41 = 96 | CES66 = 81 | CES91 = 82 |
| CES17 = 50 | CES42 = 97 | CES67 = 80 | CES92 = 64 |
| CES18 = 57 | CES43 = 91 | CES68 = 83 | CES93 = 78 |
| CES19 = 73 | CES44 = 99 | CES69 = 88 | CES94 = 59 |
| CES20 = 67 | CES45 = 93 | CES70 = 80 | CES95 = 74 |
| CES21 = 87 | CES46 = 89 | CES71 = 79 | CES96 = 83 |
| CES22 = 79 | CES47 = 92 | CES72 = 92 | CES97 = 88 |
| CES23 = 92 | CES48 = 83 | CES73 = 75 | CES98 = 83 |
| CES24 = 91 | CES49 = 90 | CES74 = 91 | CES99 = 74 |
| CES25 = 72 | CES50 = 94 | CES75 = 81 |            |



Color Rendition by Hue-Angle Bin



**Measure Comparisons**



(END OF REPORT)