

Scaled data based on original data using  
LM-79-08 Approved Method: Electrical and Photometric Measurements of Solid-  
State Lighting Products

Test Report Prepared for  
Cooper Lighting Solutions  
(formerly Eaton)

Brand: McGRAW-EDISON

Report Number: P317258

Luminaire Tested: **GLEON-SA4D-827-U-RW**

Issue Date: 3/3/2020

### Test Information

Test Method: LM-79-08  
Report Number: P317258  
TEST IS SCALED FROM IESNA LM-79-08 TEST DATA (G2-1903-205-7)  
Test Lab: INNOVATION CENTER  
Issue Date: 3/3/2020  
Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)  
Product Line: McGRAW-EDISON  
Catalog Number: GLEON-SA4D-827-U-RW  
Description: GALLEON AREA AND ROADWAY LUMINAIRE  
(4) 80 CRI, 2700K, 1200mA LIGHTSQUARES WITH 16 LEDS EACH AND RECTANGULAR  
WIDE OPTICS  
Light Source: -  
Ballast/Driver: ELECTRONIC DRIVER

### Summary

Lumens per Lamp: N/A  
Luminaire Lumens: 23519 lumens  
Efficiency: N/A  
Efficacy: 91.2 lumens/watt  
Luminous Opening: Rectangular (W 1' x L: 1' x H: 0')  
IES Classification: Type III - Short  
BUG Rating: B4 - U0 - G4


Input Watts (W): 258  
Input Voltage (V): NR  
Input Current (Ain): NR  
Voltage Rise (V): NR  
Power Factor: NR  
Total Harmonic Distortion (THDi): NR  
Frequency (hertz): 60  
Stabilization Time: NR  
Operation Time: NR  
Ambient Temperature (°C): NR  
Test Distance: 24 FT



REPORT NUMBER: P317258  
 CATALOG NUMBER: GLEON-SA4D-827-U-RW

## Iso-Footcandle Lines of Horizontal Illumination


× Max cd  
 --- 1/2 Max cd



Based on 25 foot mounting height. Maximum calculated value = 4.4 fc  
 Type III - Short - N/A

REPORT NUMBER: P317258  
CATALOG NUMBER: GLEON-SA4D-827-U-RW

## Luminous Intensity Polar Plot



REPORT NUMBER: P317258

CATALOG NUMBER: GLEON-SA4D-827-U-RW

**FLUX DISTRIBUTION:**

|                    |           | Downward | Upward | Total   |
|--------------------|-----------|----------|--------|---------|
| <b>House Side</b>  | Lumens    | 11759.5  | 0.0    | 11759.5 |
|                    | % Fixture | 50.0     | 0.0    | 50.0    |
| <b>Street Side</b> | Lumens    | 11759.5  | 0.0    | 11759.5 |
|                    | % Fixture | 50.0     | 0.0    | 50.0    |
| <b>Total</b>       | Lumens    | 23519.0  | 0.0    | 23519.0 |
|                    | % Fixture | 100.0    | 0.0    | 100.0   |

**ZONAL LUMENS:**

| Zone      | Lumens  | % Fixture |
|-----------|---------|-----------|
| 0°-10°    | 239.4   | 1.0       |
| 10°-20°   | 801.7   | 3.4       |
| 20°-30°   | 1563.1  | 6.6       |
| 30°-40°   | 2625.9  | 11.2      |
| 40°-50°   | 4137.4  | 17.6      |
| 50°-60°   | 5533.1  | 23.5      |
| 60°-70°   | 5378.9  | 22.9      |
| 70°-80°   | 2940.4  | 12.5      |
| 80°-90°   | 299.0   | 1.3       |
| 90°-100°  | 0.0     | 0.0       |
| 100°-110° | 0.0     | 0.0       |
| 110°-120° | 0.0     | 0.0       |
| 120°-130° | 0.0     | 0.0       |
| 130°-140° | 0.0     | 0.0       |
| 140°-150° | 0.0     | 0.0       |
| 150°-160° | 0.0     | 0.0       |
| 160°-170° | 0.0     | 0.0       |
| 170°-180° | 0.0     | 0.0       |
| 0°-90°    | 23519.0 | 100.0     |
| 0°-180°   | 23519.0 | 100.0     |

**Coefficient of Utilization**



REPORT NUMBER: P317258


CATALOG NUMBER: GLEON-SA4D-827-U-RW

**LUMINAIRE CLASSIFICATION SYSTEM LUMEN TABLE AND BUG RATING:**

| Zone |             | Lumens | % Fixture | Zone Rating/Lumen Limit |      |         |
|------|-------------|--------|-----------|-------------------------|------|---------|
|      |             |        |           | B                       | U    | G       |
| FL   | (0°-30°)    | 1302.1 | 5.5       |                         |      |         |
| FM   | (30°-60°)   | 6148.2 | 26.1      |                         |      |         |
| FH   | (60°-80°)   | 4159.6 | 17.7      |                         |      | G2/5000 |
| FVH  | (80°-90°)   | 149.5  | 0.6       |                         |      | G2/225  |
| BL   | (0°-30°)    | 1302.1 | 5.5       | B3/2500                 |      |         |
| BM   | (30°-60°)   | 6148.2 | 26.1      | B4/8500                 |      |         |
| BH   | (60°-80°)   | 4159.6 | 17.7      | B4/5000                 |      | G4/5000 |
| BVH  | (80°-90°)   | 149.5  | 0.6       |                         |      | G2/225  |
| UL   | (90°-100°)  | 0.0    | 0.0       |                         | U0/0 |         |
| UH   | (100°-180°) | 0.0    | 0.0       |                         | U0/0 |         |

**BUG Rating: B4-U0-G4**

Type III Short





REPORT NUMBER: P317258

CATALOG NUMBER: GLEON-SA4D-827-U-RW

**CANDELA DISTRIBUTION (FULL):**

|       | 0°     | 5°     | 15°    | 25°    | 35°    | 45°    | 55°    | 65°    | 75°    | 85°    | 90°    |
|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0°    | 2445.4 | 2445.4 | 2445.4 | 2445.4 | 2445.4 | 2445.4 | 2445.4 | 2445.4 | 2445.4 | 2445.4 | 2445.4 |
| 2.5°  | 2428.1 | 2428.9 | 2432.8 | 2437.5 | 2441.5 | 2451.7 | 2454.1 | 2458.0 | 2459.6 | 2463.6 | 2463.6 |
| 5°    | 2406.8 | 2408.4 | 2417.8 | 2430.4 | 2444.6 | 2469.9 | 2488.0 | 2508.5 | 2518.8 | 2529.8 | 2529.0 |
| 7.5°  | 2404.4 | 2408.4 | 2421.8 | 2442.3 | 2465.9 | 2507.7 | 2545.6 | 2586.6 | 2614.2 | 2639.4 | 2637.8 |
| 10°   | 2428.9 | 2435.2 | 2454.1 | 2484.9 | 2520.3 | 2572.4 | 2628.4 | 2683.6 | 2731.7 | 2770.3 | 2771.9 |
| 12.5° | 2465.9 | 2473.8 | 2503.8 | 2550.3 | 2603.9 | 2671.0 | 2737.2 | 2799.5 | 2865.7 | 2923.3 | 2928.0 |
| 15°   | 2514.8 | 2525.1 | 2570.0 | 2639.4 | 2721.4 | 2801.1 | 2872.1 | 2935.9 | 3012.4 | 3092.1 | 3100.0 |
| 17.5° | 2587.4 | 2601.6 | 2660.7 | 2754.6 | 2862.6 | 2950.1 | 3024.2 | 3072.4 | 3136.2 | 3218.2 | 3233.2 |
| 20°   | 2697.8 | 2715.9 | 2790.8 | 2902.8 | 3034.5 | 3126.0 | 3182.8 | 3193.0 | 3224.6 | 3297.9 | 3315.2 |
| 22.5° | 2841.3 | 2857.1 | 2940.7 | 3073.9 | 3221.4 | 3320.8 | 3350.7 | 3309.7 | 3306.6 | 3365.7 | 3382.3 |
| 25°   | 3001.4 | 3015.6 | 3112.6 | 3262.4 | 3420.9 | 3530.5 | 3529.7 | 3450.1 | 3394.9 | 3440.6 | 3458.0 |
| 27.5° | 3181.2 | 3203.3 | 3296.3 | 3454.0 | 3623.6 | 3731.6 | 3725.3 | 3602.3 | 3497.4 | 3509.2 | 3524.2 |
| 30°   | 3387.8 | 3412.2 | 3502.9 | 3663.0 | 3832.6 | 3938.2 | 3930.3 | 3767.9 | 3610.2 | 3578.6 | 3589.7 |
| 32.5° | 3644.1 | 3673.3 | 3759.2 | 3916.9 | 4066.8 | 4162.2 | 4139.3 | 3947.7 | 3745.8 | 3677.2 | 3687.5 |
| 35°   | 3952.4 | 3969.8 | 4060.5 | 4215.8 | 4337.3 | 4402.7 | 4354.6 | 4155.9 | 3917.7 | 3834.9 | 3834.9 |
| 37.5° | 4264.7 | 4278.1 | 4379.8 | 4530.5 | 4648.0 | 4682.7 | 4588.8 | 4383.8 | 4142.5 | 4025.0 | 4027.3 |
| 40°   | 4564.4 | 4600.6 | 4715.0 | 4869.6 | 4985.5 | 4994.9 | 4870.3 | 4644.0 | 4392.5 | 4271.0 | 4285.2 |
| 42.5° | 4877.4 | 4912.9 | 5049.4 | 5224.4 | 5326.9 | 5342.7 | 5196.8 | 4935.8 | 4674.8 | 4576.2 | 4592.0 |
| 45°   | 5156.6 | 5185.0 | 5342.7 | 5546.2 | 5673.9 | 5714.9 | 5542.2 | 5270.2 | 4980.0 | 4883.7 | 4887.7 |
| 47.5° | 5351.4 | 5388.4 | 5561.9 | 5801.7 | 5987.8 | 6050.9 | 5881.3 | 5595.8 | 5280.4 | 5163.7 | 5173.9 |
| 50°   | 5528.0 | 5547.7 | 5723.6 | 5985.4 | 6222.0 | 6352.1 | 6207.0 | 5917.6 | 5584.0 | 5460.2 | 5471.2 |
| 52.5° | 5626.6 | 5651.8 | 5822.2 | 6095.0 | 6375.0 | 6584.7 | 6496.4 | 6207.0 | 5877.4 | 5756.7 | 5770.1 |
| 55°   | 5558.0 | 5576.9 | 5781.2 | 6119.5 | 6469.6 | 6728.3 | 6741.7 | 6490.1 | 6165.2 | 6059.5 | 6097.4 |
| 57.5° | 5245.7 | 5269.4 | 5518.6 | 5961.8 | 6481.4 | 6825.3 | 6926.2 | 6752.7 | 6434.1 | 6348.2 | 6370.2 |
| 60°   | 4757.6 | 4772.6 | 5038.3 | 5536.7 | 6251.2 | 6865.5 | 7043.7 | 6967.2 | 6697.5 | 6611.6 | 6641.5 |
| 62.5° | 3887.8 | 3909.8 | 4227.6 | 4895.6 | 5764.6 | 6746.4 | 7157.3 | 7144.6 | 6942.8 | 6863.9 | 6890.7 |
| 65°   | 2657.6 | 2696.2 | 3047.9 | 3892.5 | 5014.7 | 6382.1 | 7260.6 | 7351.3 | 7159.6 | 7060.3 | 7095.7 |
| 67.5° | 1604.8 | 1633.2 | 1887.9 | 2570.0 | 3837.3 | 5647.1 | 7154.1 | 7586.3 | 7312.6 | 7152.5 | 7181.7 |
| 68°   | 1434.4 | 1460.5 | 1673.4 | 2319.2 | 3549.5 | 5439.7 | 7057.1 | 7613.1 | 7329.2 | 7150.9 | 7177.0 |
| 70°   | 866.7  | 884.0  | 1026.7 | 1433.7 | 2366.6 | 4315.2 | 6395.5 | 7591.0 | 7434.8 | 7173.0 | 7188.0 |
| 72.5° | 564.6  | 570.2  | 593.8  | 735.8  | 1208.9 | 2413.1 | 4800.2 | 7073.7 | 7593.3 | 7301.6 | 7299.2 |
| 75°   | 469.2  | 466.1  | 468.4  | 485.0  | 596.2  | 1058.3 | 2805.0 | 5588.0 | 7238.5 | 7098.9 | 7049.2 |
| 77.5° | 396.7  | 394.3  | 393.5  | 394.3  | 399.0  | 511.0  | 1217.6 | 3480.8 | 5539.1 | 6279.6 | 6323.7 |
| 80°   | 321.0  | 317.8  | 328.1  | 323.3  | 309.1  | 317.8  | 510.2  | 1447.9 | 2611.0 | 2809.0 | 2632.3 |
| 82.5° | 233.4  | 221.6  | 265.8  | 253.1  | 241.3  | 224.0  | 281.5  | 467.6  | 623.0  | 427.4  | 300.5  |
| 85°   | 179.8  | 167.2  | 201.9  | 194.0  | 165.6  | 114.3  | 167.2  | 228.7  | 252.3  | 144.3  | 113.6  |
| 87.5° | 73.3   | 77.3   | 145.9  | 115.1  | 97.0   | 55.2   | 68.6   | 91.5   | 123.0  | 61.5   | 47.3   |
| 90°   | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |

LM-79-2019: Approved Method: Electrical and Photometric Measurements of Solid-State Lighting Products

Report Prepared for

Cooper Lighting Solutions

Invue

Report Number: SP1-2407-157-9

Test Date: 10/03/2024

Luminaire Tested: EMM2-HTN-SA1A-827-U-5WQ

Data applicable to all product families utilizing light square engine

### Test Information

Test Method: LM-79-2019  
 Report Number: SP1-2407-157-9  
 Test Lab: COOPER LIGHTING SOLUTIONS  
 Photometer: SP1 - 76IN SPHERE  
 Measurement Geometry:  $4\pi$   
 Issue Date: 10/03/2024  
 Manufacturer: COOPER LIGHTING SOLUTIONS  
 Product Line: Invue  
 Catalog Number: **EMM2-HTN-SA1A-827-U-5WQ**  
 Description: Epic Modern Light Square 40W 5WQ Optic

### Spectral Parameters

CCT (K): 2764  
 CIE  $u'$ : 0.2591  
 CIE  $v'$ : 0.5290  
 Duv: 0.0020  
 CIE x: 0.4581  
 CIE y: 0.4156  
 CIE z: 0.1263  
 Peak Wavelength (nm): 603  
 Dominant Wavelength (nm): 583  
 Purity: 62.2537  
 Rf: 84.7  
 Rg: 94.6

CRI (Ra): 80.9  
 R1: 78.8  
 R2: 89.9  
 R3: 96.2  
 R4: 79.1  
 R5: 79.1  
 R6: 88.8  
 R7: 81.3  
 R8: 54.3  
 R9: -1.5  
 R10: 77.9  
 R11: 78.9  
 R12: 71.6  
 R13: 81.2  
 R14: 98.5  
 R15: 69.9



### Test Conditions

Stabilization Time: 81M  
 Operation Time: 2H 21M  
 Sphere Temperature (°C): 25.2

REPORT NUMBER: SP1-2407-157-9

| Measurement and Test Equipment |                       |                  |                      |
|--------------------------------|-----------------------|------------------|----------------------|
| Instrument                     | Identification Number | Calibration Date | Calibration Due Date |
| Photometer                     | IN0058                | 6/18/2024        | 12/18/2024           |
| Power Meter                    | INXT2011004           | 2/8/2024         | 2/8/2025             |
| AC Power Source                | IN0063                | 10/24/2023       | 10/24/2024           |
| DC Power Source                | IN0208                | 10/24/2023       | 10/24/2024           |
| Sphere Thermometer             | IN0085                | 10/24/2023       | 10/24/2024           |
| Room Thermometer               | IN0046                | 10/24/2023       | 10/24/2024           |

REPORT NUMBER: SP1-2407-157-9

**CIE 1931 Chromaticity Diagram**



**CIE 1931 Chromaticity Diagram with 2017 ANSI 7-Step and 4-Step Quadrangles**



Point lies inside the ANSI 2700K 4-step quadrangle

REPORT NUMBER: SP1-2407-157-9

### Photopic Flux vs. Wavelength



**Photopic Lumens: 4337.9**

| λ (nm) | Power (μW/nm) | Lumens (Φ/nm) | λ (nm) | Power (μW/nm) | Lumens (Φ/nm) | λ (nm) | Power (μW/nm) | Lumens (Φ/nm) | λ (nm) | Power (μW/nm) | Lumens (Φ/nm) | λ (nm) | Power (μW/nm) | Lumens (Φ/nm) |
|--------|---------------|---------------|--------|---------------|---------------|--------|---------------|---------------|--------|---------------|---------------|--------|---------------|---------------|
| 360    | 0             | 0.0           | 490    | 18018         | 2.6           | 620    | 87426         | 22.8          | 750    | 2680          | 0.0           | 880    | 58            | 0.0           |
| 365    | 0             | 0.0           | 495    | 22295         | 3.9           | 625    | 83013         | 18.2          | 755    | 2287          | 0.0           | 885    | 46            | 0.0           |
| 370    | 0             | 0.0           | 500    | 26478         | 5.8           | 630    | 78077         | 14.1          | 760    | 1944          | 0.0           | 890    | 45            | 0.0           |
| 375    | 0             | 0.0           | 505    | 30524         | 8.5           | 635    | 72080         | 10.7          | 765    | 1653          | 0.0           | 895    | 41            | 0.0           |
| 380    | 0             | 0.0           | 510    | 33611         | 11.5          | 640    | 66249         | 7.9           | 770    | 1413          | 0.0           | 900    | 38            | 0.0           |
| 385    | 0             | 0.0           | 515    | 36490         | 15.2          | 645    | 59973         | 5.7           | 775    | 1198          | 0.0           | 905    | 33            | 0.0           |
| 390    | 0             | 0.0           | 520    | 38610         | 18.7          | 650    | 53972         | 3.9           | 780    | 1025          | 0.0           | 910    | 30            | 0.0           |
| 395    | 0             | 0.0           | 525    | 40511         | 21.9          | 655    | 48369         | 2.7           | 785    | 874           | 0.0           | 915    | 23            | 0.0           |
| 400    | 48            | 0.0           | 530    | 42223         | 24.9          | 660    | 42641         | 1.8           | 790    | 747           | 0.0           | 920    | 24            | 0.0           |
| 405    | 201           | 0.0           | 535    | 44137         | 27.6          | 665    | 37602         | 1.1           | 795    | 639           | 0.0           | 925    | 22            | 0.0           |
| 410    | 457           | 0.0           | 540    | 46032         | 30.0          | 670    | 32798         | 0.7           | 800    | 547           | 0.0           | 930    | 22            | 0.0           |
| 415    | 925           | 0.0           | 545    | 48553         | 32.5          | 675    | 28558         | 0.5           | 805    | 473           | 0.0           | 935    | 17            | 0.0           |
| 420    | 1816          | 0.0           | 550    | 51408         | 34.9          | 680    | 24782         | 0.3           | 810    | 401           | 0.0           | 940    | 13            | 0.0           |
| 425    | 3217          | 0.0           | 555    | 54711         | 37.4          | 685    | 21386         | 0.2           | 815    | 351           | 0.0           | 945    | 6             | 0.0           |
| 430    | 5520          | 0.0           | 560    | 58847         | 40.0          | 690    | 18413         | 0.1           | 820    | 307           | 0.0           | 950    | 10            | 0.0           |
| 435    | 9225          | 0.1           | 565    | 63386         | 42.4          | 695    | 15721         | 0.1           | 825    | 261           | 0.0           | 955    | 11            | 0.0           |
| 440    | 15522         | 0.2           | 570    | 68196         | 44.3          | 700    | 13432         | 0.0           | 830    | 228           | 0.0           | 960    | 8             | 0.0           |
| 445    | 27642         | 0.6           | 575    | 73613         | 46.0          | 705    | 11513         | 0.0           | 835    | 193           | 0.0           | 965    | 12            | 0.0           |
| 450    | 36602         | 0.9           | 580    | 79207         | 47.1          | 710    | 9780          | 0.0           | 840    | 174           | 0.0           | 970    | 3             | 0.0           |
| 455    | 28292         | 0.9           | 585    | 84248         | 47.0          | 715    | 8356          | 0.0           | 845    | 151           | 0.0           | 975    | 8             | 0.0           |
| 460    | 21166         | 0.9           | 590    | 88397         | 45.7          | 720    | 7161          | 0.0           | 850    | 123           | 0.0           | 980    | 2             | 0.0           |
| 465    | 19092         | 1.0           | 595    | 91428         | 43.4          | 725    | 6067          | 0.0           | 855    | 106           | 0.0           | 985    | 13            | 0.0           |
| 470    | 14951         | 0.9           | 600    | 93452         | 40.3          | 730    | 5164          | 0.0           | 860    | 95            | 0.0           | 990    | 16            | 0.0           |
| 475    | 12606         | 1.0           | 605    | 93959         | 36.4          | 735    | 4393          | 0.0           | 865    | 82            | 0.0           | 995    | 20            | 0.0           |
| 480    | 13323         | 1.3           | 610    | 93079         | 32.0          | 740    | 3694          | 0.0           | 870    | 77            | 0.0           | 1000   | 0             | 0.0           |
| 485    | 15164         | 1.8           | 615    | 90707         | 27.3          | 745    | 3157          | 0.0           | 875    | 65            | 0.0           |        |               |               |

REPORT NUMBER: SP1-2407-157-9


### Scotopic Flux vs. Wavelength


**Scotopic Lumens: 5286.7**
**S/P: 1.22**

| λ (nm) | Power (μW/nm) | Lumens (φ/nm) | λ (nm) | Power (μW/nm) | Lumens (φ/nm) | λ (nm) | Power (μW/nm) | Lumens (φ/nm) | λ (nm) | Power (μW/nm) | Lumens (φ/nm) | λ (nm) | Power (μW/nm) | Lumens (φ/nm) |
|--------|---------------|---------------|--------|---------------|---------------|--------|---------------|---------------|--------|---------------|---------------|--------|---------------|---------------|
| 360    | 0             | 0.0           | 490    | 18018         | 75.9          | 620    | 87426         | 0.4           | 750    | 2680          | 0.0           | 880    | 58            | 0.0           |
| 365    | 0             | 0.0           | 495    | 22295         | 93.2          | 625    | 83013         | 0.2           | 755    | 2287          | 0.0           | 885    | 46            | 0.0           |
| 370    | 0             | 0.0           | 500    | 26478         | 107.8         | 630    | 78077         | 0.1           | 760    | 1944          | 0.0           | 890    | 45            | 0.0           |
| 375    | 0             | 0.0           | 505    | 30524         | 118.7         | 635    | 72080         | 0.1           | 765    | 1653          | 0.0           | 895    | 41            | 0.0           |
| 380    | 0             | 0.0           | 510    | 33611         | 122.2         | 640    | 66249         | 0.1           | 770    | 1413          | 0.0           | 900    | 38            | 0.0           |
| 385    | 0             | 0.0           | 515    | 36490         | 120.8         | 645    | 59973         | 0.0           | 775    | 1198          | 0.0           | 905    | 33            | 0.0           |
| 390    | 0             | 0.0           | 520    | 38610         | 113.9         | 650    | 53972         | 0.0           | 780    | 1025          | 0.0           | 910    | 30            | 0.0           |
| 395    | 0             | 0.0           | 525    | 40511         | 104.1         | 655    | 48369         | 0.0           | 785    | 874           | 0.0           | 915    | 23            | 0.0           |
| 400    | 48            | 0.0           | 530    | 42223         | 92.4          | 660    | 42641         | 0.0           | 790    | 747           | 0.0           | 920    | 24            | 0.0           |
| 405    | 201           | 0.0           | 535    | 44137         | 80.5          | 665    | 37602         | 0.0           | 795    | 639           | 0.0           | 925    | 22            | 0.0           |
| 410    | 457           | 0.1           | 540    | 46032         | 68.2          | 670    | 32798         | 0.0           | 800    | 547           | 0.0           | 930    | 22            | 0.0           |
| 415    | 925           | 0.3           | 545    | 48553         | 57.1          | 675    | 28558         | 0.0           | 805    | 473           | 0.0           | 935    | 17            | 0.0           |
| 420    | 1816          | 1.1           | 550    | 51408         | 46.7          | 680    | 24782         | 0.0           | 810    | 401           | 0.0           | 940    | 13            | 0.0           |
| 425    | 3217          | 2.5           | 555    | 54711         | 37.4          | 685    | 21386         | 0.0           | 815    | 351           | 0.0           | 945    | 6             | 0.0           |
| 430    | 5520          | 5.9           | 560    | 58847         | 29.4          | 690    | 18413         | 0.0           | 820    | 307           | 0.0           | 950    | 10            | 0.0           |
| 435    | 9225          | 12.5          | 565    | 63386         | 22.5          | 695    | 15721         | 0.0           | 825    | 261           | 0.0           | 955    | 11            | 0.0           |
| 440    | 15522         | 26.3          | 570    | 68196         | 16.9          | 700    | 13432         | 0.0           | 830    | 228           | 0.0           | 960    | 8             | 0.0           |
| 445    | 27642         | 55.2          | 575    | 73613         | 12.4          | 705    | 11513         | 0.0           | 835    | 193           | 0.0           | 965    | 12            | 0.0           |
| 450    | 36602         | 85.4          | 580    | 79207         | 9.0           | 710    | 9780          | 0.0           | 840    | 174           | 0.0           | 970    | 3             | 0.0           |
| 455    | 28292         | 75.1          | 585    | 84248         | 6.3           | 715    | 8356          | 0.0           | 845    | 151           | 0.0           | 975    | 8             | 0.0           |
| 460    | 21166         | 63.2          | 590    | 88397         | 4.4           | 720    | 7161          | 0.0           | 850    | 123           | 0.0           | 980    | 2             | 0.0           |
| 465    | 19092         | 63.2          | 595    | 91428         | 3.0           | 725    | 6067          | 0.0           | 855    | 106           | 0.0           | 985    | 13            | 0.0           |
| 470    | 14951         | 54.2          | 600    | 93452         | 2.0           | 730    | 5164          | 0.0           | 860    | 95            | 0.0           | 990    | 16            | 0.0           |
| 475    | 12606         | 48.8          | 605    | 93959         | 1.3           | 735    | 4393          | 0.0           | 865    | 82            | 0.0           | 995    | 20            | 0.0           |
| 480    | 13323         | 54.2          | 610    | 93079         | 0.9           | 740    | 3694          | 0.0           | 870    | 77            | 0.0           | 1000   | 0             | 0.0           |
| 485    | 15164         | 63.3          | 615    | 90707         | 0.5           | 745    | 3157          | 0.0           | 875    | 65            | 0.0           |        |               |               |

REPORT NUMBER: SP1-2407-157-9

### Melanopic Flux vs. Wavelength



**Melanopic Lumens: 9797**

**M/P: 2.26**

| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 0                | 0.0              | 490       | 18018            | 27.7             | 620       | 87426            | 1.1              | 750       | 2680             | 0.0              | 880       | 58               | 0.0              |
| 365       | 0                | 0.0              | 495       | 22295            | 36.0             | 625       | 83013            | 0.7              | 755       | 2287             | 0.0              | 885       | 46               | 0.0              |
| 370       | 0                | 0.0              | 500       | 26478            | 44.2             | 630       | 78077            | 0.4              | 760       | 1944             | 0.0              | 890       | 45               | 0.0              |
| 375       | 0                | 0.0              | 505       | 30524            | 51.8             | 635       | 72080            | 0.3              | 765       | 1653             | 0.0              | 895       | 41               | 0.0              |
| 380       | 0                | 0.0              | 510       | 33611            | 57.0             | 640       | 66249            | 0.2              | 770       | 1413             | 0.0              | 900       | 38               | 0.0              |
| 385       | 0                | 0.0              | 515       | 36490            | 60.5             | 645       | 59973            | 0.1              | 775       | 1198             | 0.0              | 905       | 33               | 0.0              |
| 390       | 0                | 0.0              | 520       | 38610            | 61.4             | 650       | 53972            | 0.1              | 780       | 1025             | 0.0              | 910       | 30               | 0.0              |
| 395       | 0                | 0.0              | 525       | 40511            | 60.6             | 655       | 48369            | 0.0              | 785       | 874              | 0.0              | 915       | 23               | 0.0              |
| 400       | 48               | 0.0              | 530       | 42223            | 58.2             | 660       | 42641            | 0.0              | 790       | 747              | 0.0              | 920       | 24               | 0.0              |
| 405       | 201              | 0.0              | 535       | 44137            | 55.0             | 665       | 37602            | 0.0              | 795       | 639              | 0.0              | 925       | 22               | 0.0              |
| 410       | 457              | 0.0              | 540       | 46032            | 50.9             | 670       | 32798            | 0.0              | 800       | 547              | 0.0              | 930       | 22               | 0.0              |
| 415       | 925              | 0.1              | 545       | 48553            | 46.6             | 675       | 28558            | 0.0              | 805       | 473              | 0.0              | 935       | 17               | 0.0              |
| 420       | 1816             | 0.3              | 550       | 51408            | 42.0             | 680       | 24782            | 0.0              | 810       | 401              | 0.0              | 940       | 13               | 0.0              |
| 425       | 3217             | 0.8              | 555       | 54711            | 37.4             | 685       | 21386            | 0.0              | 815       | 351              | 0.0              | 945       | 6                | 0.0              |
| 430       | 5520             | 1.9              | 560       | 58847            | 32.9             | 690       | 18413            | 0.0              | 820       | 307              | 0.0              | 950       | 10               | 0.0              |
| 435       | 9225             | 4.1              | 565       | 63386            | 28.4             | 695       | 15721            | 0.0              | 825       | 261              | 0.0              | 955       | 11               | 0.0              |
| 440       | 15522            | 8.7              | 570       | 68196            | 24.1             | 700       | 13432            | 0.0              | 830       | 228              | 0.0              | 960       | 8                | 0.0              |
| 445       | 27642            | 18.5             | 575       | 73613            | 20.0             | 705       | 11513            | 0.0              | 835       | 193              | 0.0              | 965       | 12               | 0.0              |
| 450       | 36602            | 28.3             | 580       | 79207            | 16.3             | 710       | 9780             | 0.0              | 840       | 174              | 0.0              | 970       | 3                | 0.0              |
| 455       | 28292            | 24.7             | 585       | 84248            | 12.9             | 715       | 8356             | 0.0              | 845       | 151              | 0.0              | 975       | 8                | 0.0              |
| 460       | 21166            | 20.4             | 590       | 88397            | 9.8              | 720       | 7161             | 0.0              | 850       | 123              | 0.0              | 980       | 2                | 0.0              |
| 465       | 19092            | 20.1             | 595       | 91428            | 7.3              | 725       | 6067             | 0.0              | 855       | 106              | 0.0              | 985       | 13               | 0.0              |
| 470       | 14951            | 17.2             | 600       | 93452            | 5.3              | 730       | 5164             | 0.0              | 860       | 95               | 0.0              | 990       | 16               | 0.0              |
| 475       | 12606            | 15.7             | 605       | 93959            | 3.7              | 735       | 4393             | 0.0              | 865       | 82               | 0.0              | 995       | 20               | 0.0              |
| 480       | 13323            | 18.0             | 610       | 93079            | 2.5              | 740       | 3694             | 0.0              | 870       | 77               | 0.0              | 1000      | 0                | 0.0              |
| 485       | 15164            | 21.9             | 615       | 90707            | 1.7              | 745       | 3157             | 0.0              | 875       | 65               | 0.0              |           |                  |                  |

REPORT NUMBER: SP1-2407-157-9

TM-30-18

### Summary

$R_f = 84.7$   
 $R_g = 94.6$   
 $CIE R_a = 80.9$   
 $R_g = -1.5$



### Color Vector Graphics




**Individual Sample Fidelity Index ( $R_{f,i}$ )**

|            |            |            |            |
|------------|------------|------------|------------|
| CES01 = 86 | CES26 = 84 | CES51 = 95 | CES76 = 81 |
| CES02 = 63 | CES27 = 95 | CES52 = 94 | CES77 = 84 |
| CES03 = 31 | CES28 = 94 | CES53 = 89 | CES78 = 81 |
| CES04 = 71 | CES29 = 87 | CES54 = 91 | CES79 = 89 |
| CES05 = 50 | CES30 = 94 | CES55 = 90 | CES80 = 89 |
| CES06 = 52 | CES31 = 89 | CES56 = 86 | CES81 = 69 |
| CES07 = 43 | CES32 = 82 | CES57 = 85 | CES82 = 96 |
| CES08 = 41 | CES33 = 91 | CES58 = 86 | CES83 = 93 |
| CES09 = 29 | CES34 = 92 | CES59 = 91 | CES84 = 92 |
| CES10 = 77 | CES35 = 96 | CES60 = 94 | CES85 = 76 |
| CES11 = 60 | CES36 = 90 | CES61 = 89 | CES86 = 65 |
| CES12 = 66 | CES37 = 96 | CES62 = 94 | CES87 = 84 |
| CES13 = 44 | CES38 = 98 | CES63 = 87 | CES88 = 86 |
| CES14 = 74 | CES39 = 98 | CES64 = 82 | CES89 = 73 |
| CES15 = 72 | CES40 = 95 | CES65 = 78 | CES90 = 88 |
| CES16 = 48 | CES41 = 96 | CES66 = 81 | CES91 = 82 |
| CES17 = 50 | CES42 = 97 | CES67 = 80 | CES92 = 64 |
| CES18 = 57 | CES43 = 91 | CES68 = 83 | CES93 = 78 |
| CES19 = 73 | CES44 = 99 | CES69 = 88 | CES94 = 59 |
| CES20 = 67 | CES45 = 93 | CES70 = 80 | CES95 = 74 |
| CES21 = 87 | CES46 = 89 | CES71 = 79 | CES96 = 83 |
| CES22 = 79 | CES47 = 92 | CES72 = 92 | CES97 = 88 |
| CES23 = 92 | CES48 = 83 | CES73 = 75 | CES98 = 83 |
| CES24 = 91 | CES49 = 90 | CES74 = 91 | CES99 = 74 |
| CES25 = 72 | CES50 = 94 | CES75 = 81 |            |



Color Rendition by Hue-Angle Bin



**Measure Comparisons**



(END OF REPORT)