

Scaled data based on original data using  
LM-79-08 Approved Method: Electrical and Photometric Measurements of Solid-  
State Lighting Products

Test Report Prepared for  
Cooper Lighting Solutions  
(formerly Eaton)

Brand: McGRAW-EDISON

Report Number: P316913

Luminaire Tested: **GLEON-SA9A-827-U-5NQ**

Issue Date: 3/3/2020

**Test Information**

Test Method: LM-79-08  
Report Number: P316913  
TEST IS SCALED FROM IESNA LM-79-08 TEST DATA (G2-1903-205-5)  
Test Lab: INNOVATION CENTER  
Issue Date: 3/3/2020  
Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)  
Product Line: McGRAW-EDISON  
Catalog Number: GLEON-SA9A-827-U-5NQ  
Description: GALLEON AREA AND ROADWAY LUMINAIRE  
(9) 80 CRI, 2700K, 615mA LIGHTSQUARES WITH 16 LEDS EACH AND TYPE V NARROW OPTICS  
Light Source: -  
Ballast/Driver: ELECTRONIC DRIVER

**Summary**

Lumens per Lamp: N/A  
Luminaire Lumens: 31592 lumens  
Efficiency: N/A  
Efficacy: 108.9 lumens/watt  
Luminous Opening: Rectangular (W 2.5' x L: 1' x H: 0')  
IES Classification: Type V - Short  
BUG Rating: B5 - U0 - G2

Input Watts (W): 290  
Input Voltage (V): NR  
Input Current (Ain): NR  
Voltage Rise (V): NR  
Power Factor: NR  
Total Harmonic Distortion (THDi): NR  
Frequency (hertz): 60  
Stabilization Time: NR  
Operation Time: NR  
Ambient Temperature (°C): NR  
Test Distance: 24 FT




REPORT NUMBER: P316913

CATALOG NUMBER: GLEON-SA9A-827-U-5NQ

## Iso-Footcandle Lines of Horizontal Illumination


✕ Max cd  
 - - - 1/2 Max cd



Based on 25 foot mounting height. Maximum calculated value = 6.1 fc  
 Type V - Short - N/A

REPORT NUMBER: P316913  
CATALOG NUMBER: GLEON-SA9A-827-U-5NQ

## Luminous Intensity Polar Plot



REPORT NUMBER: P316913

CATALOG NUMBER: GLEON-SA9A-827-U-5NQ

**FLUX DISTRIBUTION:**

|                    |           | Downward | Upward | Total   |
|--------------------|-----------|----------|--------|---------|
| <b>House Side</b>  | Lumens    | 15796.0  | 0.0    | 15796.0 |
|                    | % Fixture | 50.0     | 0.0    | 50.0    |
| <b>Street Side</b> | Lumens    | 15796.0  | 0.0    | 15796.0 |
|                    | % Fixture | 50.0     | 0.0    | 50.0    |
| <b>Total</b>       | Lumens    | 31592.0  | 0.0    | 31592.0 |
|                    | % Fixture | 100.0    | 0.0    | 100.0   |

**ZONAL LUMENS:**

| Zone      | Lumens  | % Fixture |
|-----------|---------|-----------|
| 0°-10°    | 374.3   | 1.2       |
| 10°-20°   | 1203.2  | 3.8       |
| 20°-30°   | 2257.3  | 7.1       |
| 30°-40°   | 3733.2  | 11.8      |
| 40°-50°   | 5782.2  | 18.3      |
| 50°-60°   | 8868.3  | 28.1      |
| 60°-70°   | 8275.1  | 26.2      |
| 70°-80°   | 963.1   | 3.0       |
| 80°-90°   | 135.3   | 0.4       |
| 90°-100°  | 0.0     | 0.0       |
| 100°-110° | 0.0     | 0.0       |
| 110°-120° | 0.0     | 0.0       |
| 120°-130° | 0.0     | 0.0       |
| 130°-140° | 0.0     | 0.0       |
| 140°-150° | 0.0     | 0.0       |
| 150°-160° | 0.0     | 0.0       |
| 160°-170° | 0.0     | 0.0       |
| 170°-180° | 0.0     | 0.0       |
| 0°-90°    | 31592.0 | 100.0     |
| 0°-180°   | 31592.0 | 100.0     |

**Coefficient of Utilization**



REPORT NUMBER: P316913


CATALOG NUMBER: GLEON-SA9A-827-U-5NQ

**LUMINAIRE CLASSIFICATION SYSTEM LUMEN TABLE AND BUG RATING:**

| Zone |             | Lumens | % Fixture | Zone Rating/Lumen Limit |      |         |
|------|-------------|--------|-----------|-------------------------|------|---------|
|      |             |        |           | B                       | U    | G       |
| FL   | (0°-30°)    | 1917.4 | 6.1       |                         |      |         |
| FM   | (30°-60°)   | 9191.8 | 29.1      |                         |      |         |
| FH   | (60°-80°)   | 4619.1 | 14.6      |                         |      | G2/5000 |
| FVH  | (80°-90°)   | 67.7   | 0.2       |                         |      | G1/100  |
| BL   | (0°-30°)    | 1917.4 | 6.1       | B3/2500                 |      |         |
| BM   | (30°-60°)   | 9191.8 | 29.1      | B5                      |      |         |
| BH   | (60°-80°)   | 4619.1 | 14.6      | B4/5000                 |      | G2/5000 |
| BVH  | (80°-90°)   | 67.7   | 0.2       |                         |      | G1/100  |
| UL   | (90°-100°)  | 0.0    | 0.0       |                         | U0/0 |         |
| UH   | (100°-180°) | 0.0    | 0.0       |                         | U0/0 |         |

**BUG Rating: B5-U0-G2**

Type V Short





REPORT NUMBER: P316913

CATALOG NUMBER: GLEON-SA9A-827-U-5NQ

**CANDELA DISTRIBUTION (FULL):**

|       | 0°     | 5°     | 15°     | 25°     | 35°     | 45°     | 55°     | 65°     | 75°     | 85°    | 90°    |
|-------|--------|--------|---------|---------|---------|---------|---------|---------|---------|--------|--------|
| 0°    | 3815.1 | 3815.1 | 3815.1  | 3815.1  | 3815.1  | 3815.1  | 3815.1  | 3815.1  | 3815.1  | 3815.1 | 3815.1 |
| 2.5°  | 3827.7 | 3825.6 | 3827.7  | 3828.8  | 3822.5  | 3825.6  | 3824.6  | 3829.8  | 3831.9  | 3829.8 | 3829.8 |
| 5°    | 3871.8 | 3868.6 | 3872.8  | 3878.1  | 3869.7  | 3871.8  | 3868.6  | 3874.9  | 3877.0  | 3872.8 | 3876.0 |
| 7.5°  | 3932.6 | 3933.6 | 3937.8  | 3947.3  | 3942.0  | 3946.2  | 3939.9  | 3941.0  | 3939.9  | 3933.6 | 3934.7 |
| 10°   | 3998.7 | 3999.7 | 4007.0  | 4019.6  | 4021.7  | 4021.7  | 4017.5  | 4014.4  | 4010.2  | 4006.0 | 4007.0 |
| 12.5° | 4078.4 | 4083.6 | 4088.8  | 4104.6  | 4104.6  | 4113.0  | 4110.9  | 4102.5  | 4095.1  | 4088.8 | 4088.8 |
| 15°   | 4186.4 | 4185.3 | 4191.6  | 4207.3  | 4214.7  | 4228.3  | 4228.3  | 4216.8  | 4207.3  | 4201.1 | 4199.0 |
| 17.5° | 4299.6 | 4302.8 | 4307.0  | 4325.8  | 4337.4  | 4353.1  | 4355.2  | 4345.8  | 4339.5  | 4331.1 | 4325.8 |
| 20°   | 4431.8 | 4437.0 | 4453.8  | 4461.1  | 4471.6  | 4486.3  | 4491.5  | 4489.4  | 4483.1  | 4479.0 | 4480.0 |
| 22.5° | 4585.9 | 4599.6 | 4610.0  | 4620.5  | 4633.1  | 4643.6  | 4648.8  | 4656.2  | 4649.9  | 4646.7 | 4644.6 |
| 25°   | 4772.6 | 4782.0 | 4803.0  | 4821.9  | 4830.3  | 4833.4  | 4839.7  | 4850.2  | 4849.1  | 4841.8 | 4841.8 |
| 27.5° | 4984.4 | 5002.3 | 5028.5  | 5055.7  | 5055.7  | 5045.2  | 5066.2  | 5084.0  | 5077.8  | 5068.3 | 5055.7 |
| 30°   | 5241.4 | 5258.1 | 5288.5  | 5326.3  | 5307.4  | 5300.1  | 5328.4  | 5360.9  | 5351.5  | 5335.7 | 5333.6 |
| 32.5° | 5518.2 | 5533.9 | 5573.8  | 5614.7  | 5590.6  | 5580.1  | 5610.5  | 5657.7  | 5640.9  | 5609.4 | 5590.6 |
| 35°   | 5818.1 | 5833.9 | 5890.5  | 5939.8  | 5898.9  | 5881.1  | 5906.2  | 5957.6  | 5928.2  | 5869.5 | 5854.8 |
| 37.5° | 6144.3 | 6152.7 | 6226.1  | 6276.4  | 6248.1  | 6200.9  | 6232.4  | 6270.1  | 6244.9  | 6173.6 | 6145.3 |
| 40°   | 6483.0 | 6513.4 | 6598.4  | 6657.1  | 6607.8  | 6533.3  | 6585.8  | 6638.2  | 6600.5  | 6509.2 | 6461.0 |
| 42.5° | 6878.4 | 6901.4 | 7014.7  | 7067.1  | 6987.4  | 6882.6  | 6953.9  | 7025.2  | 6987.4  | 6899.3 | 6857.4 |
| 45°   | 7289.4 | 7325.1 | 7460.4  | 7512.8  | 7397.5  | 7264.3  | 7351.3  | 7476.1  | 7473.0  | 7346.1 | 7302.0 |
| 47.5° | 7737.2 | 7772.9 | 7934.4  | 8003.6  | 7878.8  | 7700.5  | 7823.2  | 7999.4  | 7986.8  | 7847.3 | 7811.7 |
| 50°   | 8254.2 | 8292.0 | 8493.3  | 8580.4  | 8464.0  | 8256.3  | 8440.9  | 8596.1  | 8573.0  | 8401.1 | 8404.2 |
| 52.5° | 8903.4 | 8901.3 | 9151.9  | 9302.9  | 9183.4  | 8999.9  | 9169.7  | 9320.8  | 9225.3  | 8987.3 | 8979.9 |
| 55°   | 9471.8 | 9506.4 | 9816.8  | 10103.1 | 10095.7 | 10025.5 | 10093.6 | 10099.9 | 9827.3  | 9510.6 | 9471.8 |
| 57.5° | 9845.1 | 9911.2 | 10348.5 | 10866.5 | 11254.5 | 11347.9 | 11215.7 | 10815.1 | 10176.5 | 9670.0 | 9608.1 |
| 60°   | 9615.4 | 9716.1 | 10403.0 | 11459.0 | 12602.1 | 13150.6 | 12405.0 | 11162.3 | 9904.9  | 9199.1 | 9115.2 |
| 62.5° | 8065.5 | 8235.4 | 9241.1  | 11172.7 | 13762.0 | 15365.4 | 13267.0 | 10605.4 | 8824.7  | 7852.6 | 7708.9 |
| 65°   | 4912.1 | 5091.4 | 6303.7  | 9196.0  | 13574.2 | 17118.8 | 12873.7 | 8802.7  | 6441.1  | 5231.9 | 5076.7 |
| 67.5° | 1637.0 | 1689.4 | 2403.6  | 5083.0  | 10668.3 | 15381.1 | 10686.2 | 5269.7  | 2803.1  | 1858.3 | 1803.7 |
| 70°   | 640.7  | 646.0  | 762.4   | 1473.4  | 5037.9  | 10564.5 | 5559.1  | 1499.6  | 797.0   | 630.3  | 643.9  |
| 72.5° | 470.9  | 473.0  | 505.5   | 615.6   | 1313.0  | 4654.1  | 1360.2  | 618.7   | 491.8   | 441.5  | 441.5  |
| 75°   | 378.6  | 378.6  | 401.6   | 448.8   | 588.3   | 1067.6  | 596.7   | 443.6   | 384.9   | 352.4  | 348.2  |
| 77.5° | 298.9  | 305.2  | 323.0   | 353.4   | 398.5   | 513.9   | 413.2   | 351.3   | 310.4   | 280.0  | 273.7  |
| 80°   | 222.3  | 228.6  | 258.0   | 272.7   | 286.3   | 356.6   | 305.2   | 274.8   | 245.4   | 209.7  | 203.4  |
| 82.5° | 145.8  | 152.1  | 188.8   | 197.2   | 194.0   | 232.8   | 205.5   | 202.4   | 180.4   | 135.3  | 129.0  |
| 85°   | 95.4   | 97.5   | 125.8   | 131.1   | 120.6   | 105.9   | 131.1   | 138.4   | 125.8   | 88.1   | 84.9   |
| 87.5° | 45.1   | 45.1   | 64.0    | 59.8    | 54.5    | 44.0    | 59.8    | 70.3    | 71.3    | 43.0   | 41.9   |
| 90°   | 0.0    | 0.0    | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0    | 0.0    |

Cooper Lighting Solutions Photometric Lab  
1121 Highway 74 South  
Peachtree City, GA 30269



LM-79-2019: Approved Method: Electrical and Photometric Measurements of Solid-State Lighting Products

Report Prepared for

Cooper Lighting Solutions

Invue

Report Number: SP1-2407-157-9

Test Date: 10/03/2024

Luminaire Tested: EMM2-HTN-SA1A-827-U-5WQ

Data applicable to all product families utilizing light square engine

### Test Information

Test Method: LM-79-2019  
 Report Number: SP1-2407-157-9  
 Test Lab: COOPER LIGHTING SOLUTIONS  
 Photometer: SP1 - 76IN SPHERE  
 Measurement Geometry:  $4\pi$   
 Issue Date: 10/03/2024  
 Manufacturer: COOPER LIGHTING SOLUTIONS  
 Product Line: Invue  
 Catalog Number: **EMM2-HTN-SA1A-827-U-5WQ**  
 Description: Epic Modern Light Square 40W 5WQ Optic

### Spectral Parameters

CCT (K): 2764  
 CIE  $u'$ : 0.2591  
 CIE  $v'$ : 0.5290  
 Duv: 0.0020  
 CIE x: 0.4581  
 CIE y: 0.4156  
 CIE z: 0.1263  
 Peak Wavelength (nm): 603  
 Dominant Wavelength (nm): 583  
 Purity: 62.2537  
 R<sub>f</sub>: 84.7  
 R<sub>g</sub>: 94.6

CRI (Ra): 80.9  
 R1: 78.8  
 R2: 89.9  
 R3: 96.2  
 R4: 79.1  
 R5: 79.1  
 R6: 88.8  
 R7: 81.3  
 R8: 54.3  
 R9: -1.5  
 R10: 77.9  
 R11: 78.9  
 R12: 71.6  
 R13: 81.2  
 R14: 98.5  
 R15: 69.9



### Test Conditions

Stabilization Time: 81M  
 Operation Time: 2H 21M  
 Sphere Temperature (°C): 25.2

REPORT NUMBER: SP1-2407-157-9

| Measurement and Test Equipment |                       |                  |                      |
|--------------------------------|-----------------------|------------------|----------------------|
| Instrument                     | Identification Number | Calibration Date | Calibration Due Date |
| Photometer                     | IN0058                | 6/18/2024        | 12/18/2024           |
| Power Meter                    | INXT2011004           | 2/8/2024         | 2/8/2025             |
| AC Power Source                | IN0063                | 10/24/2023       | 10/24/2024           |
| DC Power Source                | IN0208                | 10/24/2023       | 10/24/2024           |
| Sphere Thermometer             | IN0085                | 10/24/2023       | 10/24/2024           |
| Room Thermometer               | IN0046                | 10/24/2023       | 10/24/2024           |

REPORT NUMBER: SP1-2407-157-9

**CIE 1931 Chromaticity Diagram**



**CIE 1931 Chromaticity Diagram with 2017 ANSI 7-Step and 4-Step Quadrangles**



REPORT NUMBER: SP1-2407-157-9

### Photopic Flux vs. Wavelength



**Photopic Lumens: 4337.9**

| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 0                | 0.0              | 490       | 18018            | 2.6              | 620       | 87426            | 22.8             | 750       | 2680             | 0.0              | 880       | 58               | 0.0              |
| 365       | 0                | 0.0              | 495       | 22295            | 3.9              | 625       | 83013            | 18.2             | 755       | 2287             | 0.0              | 885       | 46               | 0.0              |
| 370       | 0                | 0.0              | 500       | 26478            | 5.8              | 630       | 78077            | 14.1             | 760       | 1944             | 0.0              | 890       | 45               | 0.0              |
| 375       | 0                | 0.0              | 505       | 30524            | 8.5              | 635       | 72080            | 10.7             | 765       | 1653             | 0.0              | 895       | 41               | 0.0              |
| 380       | 0                | 0.0              | 510       | 33611            | 11.5             | 640       | 66249            | 7.9              | 770       | 1413             | 0.0              | 900       | 38               | 0.0              |
| 385       | 0                | 0.0              | 515       | 36490            | 15.2             | 645       | 59973            | 5.7              | 775       | 1198             | 0.0              | 905       | 33               | 0.0              |
| 390       | 0                | 0.0              | 520       | 38610            | 18.7             | 650       | 53972            | 3.9              | 780       | 1025             | 0.0              | 910       | 30               | 0.0              |
| 395       | 0                | 0.0              | 525       | 40511            | 21.9             | 655       | 48369            | 2.7              | 785       | 874              | 0.0              | 915       | 23               | 0.0              |
| 400       | 48               | 0.0              | 530       | 42223            | 24.9             | 660       | 42641            | 1.8              | 790       | 747              | 0.0              | 920       | 24               | 0.0              |
| 405       | 201              | 0.0              | 535       | 44137            | 27.6             | 665       | 37602            | 1.1              | 795       | 639              | 0.0              | 925       | 22               | 0.0              |
| 410       | 457              | 0.0              | 540       | 46032            | 30.0             | 670       | 32798            | 0.7              | 800       | 547              | 0.0              | 930       | 22               | 0.0              |
| 415       | 925              | 0.0              | 545       | 48553            | 32.5             | 675       | 28558            | 0.5              | 805       | 473              | 0.0              | 935       | 17               | 0.0              |
| 420       | 1816             | 0.0              | 550       | 51408            | 34.9             | 680       | 24782            | 0.3              | 810       | 401              | 0.0              | 940       | 13               | 0.0              |
| 425       | 3217             | 0.0              | 555       | 54711            | 37.4             | 685       | 21386            | 0.2              | 815       | 351              | 0.0              | 945       | 6                | 0.0              |
| 430       | 5520             | 0.0              | 560       | 58847            | 40.0             | 690       | 18413            | 0.1              | 820       | 307              | 0.0              | 950       | 10               | 0.0              |
| 435       | 9225             | 0.1              | 565       | 63386            | 42.4             | 695       | 15721            | 0.1              | 825       | 261              | 0.0              | 955       | 11               | 0.0              |
| 440       | 15522            | 0.2              | 570       | 68196            | 44.3             | 700       | 13432            | 0.0              | 830       | 228              | 0.0              | 960       | 8                | 0.0              |
| 445       | 27642            | 0.6              | 575       | 73613            | 46.0             | 705       | 11513            | 0.0              | 835       | 193              | 0.0              | 965       | 12               | 0.0              |
| 450       | 36602            | 0.9              | 580       | 79207            | 47.1             | 710       | 9780             | 0.0              | 840       | 174              | 0.0              | 970       | 3                | 0.0              |
| 455       | 28292            | 0.9              | 585       | 84248            | 47.0             | 715       | 8356             | 0.0              | 845       | 151              | 0.0              | 975       | 8                | 0.0              |
| 460       | 21166            | 0.9              | 590       | 88397            | 45.7             | 720       | 7161             | 0.0              | 850       | 123              | 0.0              | 980       | 2                | 0.0              |
| 465       | 19092            | 1.0              | 595       | 91428            | 43.4             | 725       | 6067             | 0.0              | 855       | 106              | 0.0              | 985       | 13               | 0.0              |
| 470       | 14951            | 0.9              | 600       | 93452            | 40.3             | 730       | 5164             | 0.0              | 860       | 95               | 0.0              | 990       | 16               | 0.0              |
| 475       | 12606            | 1.0              | 605       | 93959            | 36.4             | 735       | 4393             | 0.0              | 865       | 82               | 0.0              | 995       | 20               | 0.0              |
| 480       | 13323            | 1.3              | 610       | 93079            | 32.0             | 740       | 3694             | 0.0              | 870       | 77               | 0.0              | 1000      | 0                | 0.0              |
| 485       | 15164            | 1.8              | 615       | 90707            | 27.3             | 745       | 3157             | 0.0              | 875       | 65               | 0.0              |           |                  |                  |

REPORT NUMBER: SP1-2407-157-9

### Scotopic Flux vs. Wavelength


**Scotopic Lumens: 5286.7**
**S/P: 1.22**

| $\lambda$<br>(nm) | Power<br>( $\mu\text{W}/\text{nm}$ ) | Lumens<br>( $\phi/\text{nm}$ ) | $\lambda$<br>(nm) | Power<br>( $\mu\text{W}/\text{nm}$ ) | Lumens<br>( $\phi/\text{nm}$ ) | $\lambda$<br>(nm) | Power<br>( $\mu\text{W}/\text{nm}$ ) | Lumens<br>( $\phi/\text{nm}$ ) | $\lambda$<br>(nm) | Power<br>( $\mu\text{W}/\text{nm}$ ) | Lumens<br>( $\phi/\text{nm}$ ) | $\lambda$<br>(nm) | Power<br>( $\mu\text{W}/\text{nm}$ ) | Lumens<br>( $\phi/\text{nm}$ ) |
|-------------------|--------------------------------------|--------------------------------|-------------------|--------------------------------------|--------------------------------|-------------------|--------------------------------------|--------------------------------|-------------------|--------------------------------------|--------------------------------|-------------------|--------------------------------------|--------------------------------|
| 360               | 0                                    | 0.0                            | 490               | 18018                                | 75.9                           | 620               | 87426                                | 0.4                            | 750               | 2680                                 | 0.0                            | 880               | 58                                   | 0.0                            |
| 365               | 0                                    | 0.0                            | 495               | 22295                                | 93.2                           | 625               | 83013                                | 0.2                            | 755               | 2287                                 | 0.0                            | 885               | 46                                   | 0.0                            |
| 370               | 0                                    | 0.0                            | 500               | 26478                                | 107.8                          | 630               | 78077                                | 0.1                            | 760               | 1944                                 | 0.0                            | 890               | 45                                   | 0.0                            |
| 375               | 0                                    | 0.0                            | 505               | 30524                                | 118.7                          | 635               | 72080                                | 0.1                            | 765               | 1653                                 | 0.0                            | 895               | 41                                   | 0.0                            |
| 380               | 0                                    | 0.0                            | 510               | 33611                                | 122.2                          | 640               | 66249                                | 0.1                            | 770               | 1413                                 | 0.0                            | 900               | 38                                   | 0.0                            |
| 385               | 0                                    | 0.0                            | 515               | 36490                                | 120.8                          | 645               | 59973                                | 0.0                            | 775               | 1198                                 | 0.0                            | 905               | 33                                   | 0.0                            |
| 390               | 0                                    | 0.0                            | 520               | 38610                                | 113.9                          | 650               | 53972                                | 0.0                            | 780               | 1025                                 | 0.0                            | 910               | 30                                   | 0.0                            |
| 395               | 0                                    | 0.0                            | 525               | 40511                                | 104.1                          | 655               | 48369                                | 0.0                            | 785               | 874                                  | 0.0                            | 915               | 23                                   | 0.0                            |
| 400               | 48                                   | 0.0                            | 530               | 42223                                | 92.4                           | 660               | 42641                                | 0.0                            | 790               | 747                                  | 0.0                            | 920               | 24                                   | 0.0                            |
| 405               | 201                                  | 0.0                            | 535               | 44137                                | 80.5                           | 665               | 37602                                | 0.0                            | 795               | 639                                  | 0.0                            | 925               | 22                                   | 0.0                            |
| 410               | 457                                  | 0.1                            | 540               | 46032                                | 68.2                           | 670               | 32798                                | 0.0                            | 800               | 547                                  | 0.0                            | 930               | 22                                   | 0.0                            |
| 415               | 925                                  | 0.3                            | 545               | 48553                                | 57.1                           | 675               | 28558                                | 0.0                            | 805               | 473                                  | 0.0                            | 935               | 17                                   | 0.0                            |
| 420               | 1816                                 | 1.1                            | 550               | 51408                                | 46.7                           | 680               | 24782                                | 0.0                            | 810               | 401                                  | 0.0                            | 940               | 13                                   | 0.0                            |
| 425               | 3217                                 | 2.5                            | 555               | 54711                                | 37.4                           | 685               | 21386                                | 0.0                            | 815               | 351                                  | 0.0                            | 945               | 6                                    | 0.0                            |
| 430               | 5520                                 | 5.9                            | 560               | 58847                                | 29.4                           | 690               | 18413                                | 0.0                            | 820               | 307                                  | 0.0                            | 950               | 10                                   | 0.0                            |
| 435               | 9225                                 | 12.5                           | 565               | 63386                                | 22.5                           | 695               | 15721                                | 0.0                            | 825               | 261                                  | 0.0                            | 955               | 11                                   | 0.0                            |
| 440               | 15522                                | 26.3                           | 570               | 68196                                | 16.9                           | 700               | 13432                                | 0.0                            | 830               | 228                                  | 0.0                            | 960               | 8                                    | 0.0                            |
| 445               | 27642                                | 55.2                           | 575               | 73613                                | 12.4                           | 705               | 11513                                | 0.0                            | 835               | 193                                  | 0.0                            | 965               | 12                                   | 0.0                            |
| 450               | 36602                                | 85.4                           | 580               | 79207                                | 9.0                            | 710               | 9780                                 | 0.0                            | 840               | 174                                  | 0.0                            | 970               | 3                                    | 0.0                            |
| 455               | 28292                                | 75.1                           | 585               | 84248                                | 6.3                            | 715               | 8356                                 | 0.0                            | 845               | 151                                  | 0.0                            | 975               | 8                                    | 0.0                            |
| 460               | 21166                                | 63.2                           | 590               | 88397                                | 4.4                            | 720               | 7161                                 | 0.0                            | 850               | 123                                  | 0.0                            | 980               | 2                                    | 0.0                            |
| 465               | 19092                                | 63.2                           | 595               | 91428                                | 3.0                            | 725               | 6067                                 | 0.0                            | 855               | 106                                  | 0.0                            | 985               | 13                                   | 0.0                            |
| 470               | 14951                                | 54.2                           | 600               | 93452                                | 2.0                            | 730               | 5164                                 | 0.0                            | 860               | 95                                   | 0.0                            | 990               | 16                                   | 0.0                            |
| 475               | 12606                                | 48.8                           | 605               | 93959                                | 1.3                            | 735               | 4393                                 | 0.0                            | 865               | 82                                   | 0.0                            | 995               | 20                                   | 0.0                            |
| 480               | 13323                                | 54.2                           | 610               | 93079                                | 0.9                            | 740               | 3694                                 | 0.0                            | 870               | 77                                   | 0.0                            | 1000              | 0                                    | 0.0                            |
| 485               | 15164                                | 63.3                           | 615               | 90707                                | 0.5                            | 745               | 3157                                 | 0.0                            | 875               | 65                                   | 0.0                            |                   |                                      |                                |

REPORT NUMBER: SP1-2407-157-9

### Melanopic Flux vs. Wavelength



**Melanopic Lumens: 9797**

**M/P: 2.26**

| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 0                | 0.0              | 490       | 18018            | 27.7             | 620       | 87426            | 1.1              | 750       | 2680             | 0.0              | 880       | 58               | 0.0              |
| 365       | 0                | 0.0              | 495       | 22295            | 36.0             | 625       | 83013            | 0.7              | 755       | 2287             | 0.0              | 885       | 46               | 0.0              |
| 370       | 0                | 0.0              | 500       | 26478            | 44.2             | 630       | 78077            | 0.4              | 760       | 1944             | 0.0              | 890       | 45               | 0.0              |
| 375       | 0                | 0.0              | 505       | 30524            | 51.8             | 635       | 72080            | 0.3              | 765       | 1653             | 0.0              | 895       | 41               | 0.0              |
| 380       | 0                | 0.0              | 510       | 33611            | 57.0             | 640       | 66249            | 0.2              | 770       | 1413             | 0.0              | 900       | 38               | 0.0              |
| 385       | 0                | 0.0              | 515       | 36490            | 60.5             | 645       | 59973            | 0.1              | 775       | 1198             | 0.0              | 905       | 33               | 0.0              |
| 390       | 0                | 0.0              | 520       | 38610            | 61.4             | 650       | 53972            | 0.1              | 780       | 1025             | 0.0              | 910       | 30               | 0.0              |
| 395       | 0                | 0.0              | 525       | 40511            | 60.6             | 655       | 48369            | 0.0              | 785       | 874              | 0.0              | 915       | 23               | 0.0              |
| 400       | 48               | 0.0              | 530       | 42223            | 58.2             | 660       | 42641            | 0.0              | 790       | 747              | 0.0              | 920       | 24               | 0.0              |
| 405       | 201              | 0.0              | 535       | 44137            | 55.0             | 665       | 37602            | 0.0              | 795       | 639              | 0.0              | 925       | 22               | 0.0              |
| 410       | 457              | 0.0              | 540       | 46032            | 50.9             | 670       | 32798            | 0.0              | 800       | 547              | 0.0              | 930       | 22               | 0.0              |
| 415       | 925              | 0.1              | 545       | 48553            | 46.6             | 675       | 28558            | 0.0              | 805       | 473              | 0.0              | 935       | 17               | 0.0              |
| 420       | 1816             | 0.3              | 550       | 51408            | 42.0             | 680       | 24782            | 0.0              | 810       | 401              | 0.0              | 940       | 13               | 0.0              |
| 425       | 3217             | 0.8              | 555       | 54711            | 37.4             | 685       | 21386            | 0.0              | 815       | 351              | 0.0              | 945       | 6                | 0.0              |
| 430       | 5520             | 1.9              | 560       | 58847            | 32.9             | 690       | 18413            | 0.0              | 820       | 307              | 0.0              | 950       | 10               | 0.0              |
| 435       | 9225             | 4.1              | 565       | 63386            | 28.4             | 695       | 15721            | 0.0              | 825       | 261              | 0.0              | 955       | 11               | 0.0              |
| 440       | 15522            | 8.7              | 570       | 68196            | 24.1             | 700       | 13432            | 0.0              | 830       | 228              | 0.0              | 960       | 8                | 0.0              |
| 445       | 27642            | 18.5             | 575       | 73613            | 20.0             | 705       | 11513            | 0.0              | 835       | 193              | 0.0              | 965       | 12               | 0.0              |
| 450       | 36602            | 28.3             | 580       | 79207            | 16.3             | 710       | 9780             | 0.0              | 840       | 174              | 0.0              | 970       | 3                | 0.0              |
| 455       | 28292            | 24.7             | 585       | 84248            | 12.9             | 715       | 8356             | 0.0              | 845       | 151              | 0.0              | 975       | 8                | 0.0              |
| 460       | 21166            | 20.4             | 590       | 88397            | 9.8              | 720       | 7161             | 0.0              | 850       | 123              | 0.0              | 980       | 2                | 0.0              |
| 465       | 19092            | 20.1             | 595       | 91428            | 7.3              | 725       | 6067             | 0.0              | 855       | 106              | 0.0              | 985       | 13               | 0.0              |
| 470       | 14951            | 17.2             | 600       | 93452            | 5.3              | 730       | 5164             | 0.0              | 860       | 95               | 0.0              | 990       | 16               | 0.0              |
| 475       | 12606            | 15.7             | 605       | 93959            | 3.7              | 735       | 4393             | 0.0              | 865       | 82               | 0.0              | 995       | 20               | 0.0              |
| 480       | 13323            | 18.0             | 610       | 93079            | 2.5              | 740       | 3694             | 0.0              | 870       | 77               | 0.0              | 1000      | 0                | 0.0              |
| 485       | 15164            | 21.9             | 615       | 90707            | 1.7              | 745       | 3157             | 0.0              | 875       | 65               | 0.0              |           |                  |                  |

REPORT NUMBER: SP1-2407-157-9


TM-30-18

### Summary

$R_f = 84.7$   
 $R_g = 94.6$   
 $CIE R_a = 80.9$   
 $R_g = -1.5$



### Color Vector Graphics



**Individual Sample Fidelity Index ( $R_{f,i}$ )**

|            |            |            |            |
|------------|------------|------------|------------|
| CES01 = 86 | CES26 = 84 | CES51 = 95 | CES76 = 81 |
| CES02 = 63 | CES27 = 95 | CES52 = 94 | CES77 = 84 |
| CES03 = 31 | CES28 = 94 | CES53 = 89 | CES78 = 81 |
| CES04 = 71 | CES29 = 87 | CES54 = 91 | CES79 = 89 |
| CES05 = 50 | CES30 = 94 | CES55 = 90 | CES80 = 89 |
| CES06 = 52 | CES31 = 89 | CES56 = 86 | CES81 = 69 |
| CES07 = 43 | CES32 = 82 | CES57 = 85 | CES82 = 96 |
| CES08 = 41 | CES33 = 91 | CES58 = 86 | CES83 = 93 |
| CES09 = 29 | CES34 = 92 | CES59 = 91 | CES84 = 92 |
| CES10 = 77 | CES35 = 96 | CES60 = 94 | CES85 = 76 |
| CES11 = 60 | CES36 = 90 | CES61 = 89 | CES86 = 65 |
| CES12 = 66 | CES37 = 96 | CES62 = 94 | CES87 = 84 |
| CES13 = 44 | CES38 = 98 | CES63 = 87 | CES88 = 86 |
| CES14 = 74 | CES39 = 98 | CES64 = 82 | CES89 = 73 |
| CES15 = 72 | CES40 = 95 | CES65 = 78 | CES90 = 88 |
| CES16 = 48 | CES41 = 96 | CES66 = 81 | CES91 = 82 |
| CES17 = 50 | CES42 = 97 | CES67 = 80 | CES92 = 64 |
| CES18 = 57 | CES43 = 91 | CES68 = 83 | CES93 = 78 |
| CES19 = 73 | CES44 = 99 | CES69 = 88 | CES94 = 59 |
| CES20 = 67 | CES45 = 93 | CES70 = 80 | CES95 = 74 |
| CES21 = 87 | CES46 = 89 | CES71 = 79 | CES96 = 83 |
| CES22 = 79 | CES47 = 92 | CES72 = 92 | CES97 = 88 |
| CES23 = 92 | CES48 = 83 | CES73 = 75 | CES98 = 83 |
| CES24 = 91 | CES49 = 90 | CES74 = 91 | CES99 = 74 |
| CES25 = 72 | CES50 = 94 | CES75 = 81 |            |



Color Rendition by Hue-Angle Bin



**Measure Comparisons**


(END OF REPORT)