

Scaled data based on original data using  
LM-79-08 Approved Method: Electrical and Photometric Measurements of Solid-  
State Lighting Products

Test Report Prepared for  
Cooper Lighting Solutions  
(formerly Eaton)

Brand: McGRAW-EDISON

Report Number: P316315

Luminaire Tested: **GLEON-SA1B-830-U-5WQ**

Issue Date: 3/3/2020

**Test Information**

Test Method: LM-79-08  
Report Number: P316315  
TEST IS SCALED FROM IESNA LM-79-08 TEST DATA (G2-1903-205-2)  
Test Lab: INNOVATION CENTER  
Issue Date: 3/3/2020  
Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)  
Product Line: McGRAW-EDISON  
Catalog Number: GLEON-SA1B-830-U-5WQ  
Description: GALLEON AREA AND ROADWAY LUMINAIRE  
(1) 80 CRI, 3000K, 800mA LIGHTSQUARE WITH 16 LEDS AND TYPE V WIDE OPTICS  
Light Source: -  
Ballast/Driver: ELECTRONIC DRIVER

**Summary**

Lumens per Lamp: N/A  
Luminaire Lumens: 5009 lumens  
Efficiency: N/A  
Efficacy: 113.8 lumens/watt  
Luminous Opening: Rectangular (W 0.5' x L: 0.5' x H: 0')  
IES Classification: Type V - Short  
BUG Rating: B3 - U0 - G1


Input Watts (W): 44  
Input Voltage (V): NR  
Input Current (Ain): NR  
Voltage Rise (V): NR  
Power Factor: NR  
Total Harmonic Distortion (THDi): NR  
Frequency (hertz): 60  
Stabilization Time: NR  
Operation Time: NR  
Ambient Temperature (°C): NR  
Test Distance: 24 FT



REPORT NUMBER: P316315  
 CATALOG NUMBER: GLEON-SA1B-830-U-5WQ

## Iso-Footcandle Lines of Horizontal Illumination


✕ Max cd  
 - - - 1/2 Max cd



Based on 25 foot mounting height. Maximum calculated value = 0.7 fc  
 Type V - Short - N/A

REPORT NUMBER: P316315  
CATALOG NUMBER: GLEON-SA1B-830-U-5WQ

## Luminous Intensity Polar Plot



REPORT NUMBER: P316315

CATALOG NUMBER: GLEON-SA1B-830-U-5WQ

**FLUX DISTRIBUTION:**

|                    |           | Downward | Upward | Total  |
|--------------------|-----------|----------|--------|--------|
| <b>House Side</b>  | Lumens    | 2504.5   | 0.0    | 2504.5 |
|                    | % Fixture | 50.0     | 0.0    | 50.0   |
| <b>Street Side</b> | Lumens    | 2504.5   | 0.0    | 2504.5 |
|                    | % Fixture | 50.0     | 0.0    | 50.0   |
| <b>Total</b>       | Lumens    | 5009.0   | 0.0    | 5009.0 |
|                    | % Fixture | 100.0    | 0.0    | 100.0  |

**ZONAL LUMENS:**

| Zone      | Lumens | % Fixture |
|-----------|--------|-----------|
| 0°-10°    | 38.5   | 0.8       |
| 10°-20°   | 112.4  | 2.2       |
| 20°-30°   | 191.6  | 3.8       |
| 30°-40°   | 299.4  | 6.0       |
| 40°-50°   | 507.4  | 10.1      |
| 50°-60°   | 925.3  | 18.5      |
| 60°-70°   | 1593.0 | 31.8      |
| 70°-80°   | 1248.7 | 24.9      |
| 80°-90°   | 92.6   | 1.8       |
| 90°-100°  | 0.0    | 0.0       |
| 100°-110° | 0.0    | 0.0       |
| 110°-120° | 0.0    | 0.0       |
| 120°-130° | 0.0    | 0.0       |
| 130°-140° | 0.0    | 0.0       |
| 140°-150° | 0.0    | 0.0       |
| 150°-160° | 0.0    | 0.0       |
| 160°-170° | 0.0    | 0.0       |
| 170°-180° | 0.0    | 0.0       |
| 0°-90°    | 5009.0 | 100.0     |
| 0°-180°   | 5009.0 | 100.0     |

**Coefficient of Utilization**



REPORT NUMBER: P316315


CATALOG NUMBER: GLEON-SA1B-830-U-5WQ

**LUMINAIRE CLASSIFICATION SYSTEM LUMEN TABLE AND BUG RATING:**

| Zone |             | Lumens | % Fixture | Zone Rating/Lumen Limit |      |         |
|------|-------------|--------|-----------|-------------------------|------|---------|
|      |             |        |           | B                       | U    | G       |
| FL   | (0°-30°)    | 171.2  | 3.4       |                         |      |         |
| FM   | (30°-60°)   | 866.1  | 17.3      |                         |      |         |
| FH   | (60°-80°)   | 1420.9 | 28.4      |                         |      | G1/1800 |
| FVH  | (80°-90°)   | 46.3   | 0.9       |                         |      | G1/100  |
| BL   | (0°-30°)    | 171.2  | 3.4       | B1/500                  |      |         |
| BM   | (30°-60°)   | 866.1  | 17.3      | B1/1000                 |      |         |
| BH   | (60°-80°)   | 1420.9 | 28.4      | B3/2500                 |      | G1/1800 |
| BVH  | (80°-90°)   | 46.3   | 0.9       |                         |      | G1/100  |
| UL   | (90°-100°)  | 0.0    | 0.0       |                         | U0/0 |         |
| UH   | (100°-180°) | 0.0    | 0.0       |                         | U0/0 |         |

**BUG Rating: B3-U0-G1**

Type V Short



REPORT NUMBER: P316315

CATALOG NUMBER: GLEON-SA1B-830-U-5WQ

**CANDELA DISTRIBUTION (FULL):**

|       | 0°     | 5°     | 15°    | 25°    | 35°    | 45°    | 55°    | 65°    | 75°    | 85°    | 90°    |
|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0°    | 412.2  | 412.2  | 412.2  | 412.2  | 412.2  | 412.2  | 412.2  | 412.2  | 412.2  | 412.2  | 412.2  |
| 2.5°  | 410.4  | 410.9  | 410.4  | 410.8  | 409.9  | 410.3  | 410.3  | 410.3  | 410.1  | 410.3  | 409.9  |
| 5°    | 406.8  | 407.1  | 406.4  | 406.8  | 406.3  | 406.8  | 406.9  | 406.8  | 406.4  | 406.6  | 405.9  |
| 7.5°  | 401.3  | 401.6  | 401.1  | 401.6  | 401.0  | 401.8  | 401.6  | 401.1  | 400.6  | 400.6  | 400.0  |
| 10°   | 398.3  | 398.5  | 397.2  | 396.7  | 395.2  | 395.5  | 396.0  | 396.5  | 397.0  | 398.0  | 397.8  |
| 12.5° | 398.5  | 398.5  | 396.5  | 394.3  | 392.2  | 392.7  | 393.5  | 395.3  | 397.3  | 399.2  | 399.3  |
| 15°   | 400.1  | 400.0  | 397.0  | 393.5  | 392.0  | 393.5  | 394.0  | 395.2  | 398.3  | 401.5  | 401.6  |
| 17.5° | 401.3  | 401.3  | 396.7  | 392.7  | 392.5  | 394.8  | 394.7  | 395.2  | 398.7  | 403.3  | 403.5  |
| 20°   | 403.5  | 403.5  | 397.5  | 393.2  | 393.2  | 395.7  | 395.8  | 396.7  | 400.1  | 405.3  | 406.1  |
| 22.5° | 408.3  | 408.4  | 402.1  | 398.7  | 399.0  | 400.5  | 401.0  | 402.3  | 405.4  | 411.1  | 412.1  |
| 25°   | 415.1  | 415.4  | 408.9  | 406.9  | 408.1  | 410.9  | 410.6  | 411.6  | 415.1  | 420.5  | 421.5  |
| 27.5° | 424.5  | 423.7  | 417.7  | 416.9  | 418.0  | 420.0  | 419.9  | 420.0  | 422.8  | 427.8  | 429.0  |
| 30°   | 436.8  | 436.4  | 432.1  | 432.6  | 432.1  | 431.5  | 431.6  | 433.0  | 434.4  | 438.4  | 439.6  |
| 32.5° | 448.7  | 449.0  | 446.4  | 448.9  | 452.5  | 455.0  | 451.2  | 447.5  | 445.9  | 448.0  | 449.0  |
| 35°   | 470.2  | 471.1  | 466.9  | 465.3  | 470.2  | 477.5  | 466.8  | 460.8  | 464.1  | 466.9  | 467.7  |
| 37.5° | 506.9  | 507.3  | 500.4  | 493.8  | 490.1  | 497.1  | 486.3  | 486.8  | 498.4  | 503.7  | 503.5  |
| 40°   | 548.6  | 548.8  | 544.1  | 538.3  | 532.0  | 533.7  | 529.4  | 530.7  | 538.3  | 543.1  | 544.5  |
| 42.5° | 598.3  | 597.8  | 590.5  | 582.2  | 580.4  | 582.1  | 574.8  | 573.8  | 582.6  | 591.2  | 591.4  |
| 45°   | 662.8  | 661.6  | 652.2  | 643.1  | 634.3  | 630.6  | 628.8  | 633.6  | 645.7  | 653.7  | 653.8  |
| 47.5° | 732.2  | 729.0  | 724.1  | 716.8  | 709.2  | 705.5  | 702.5  | 704.9  | 713.6  | 716.8  | 717.1  |
| 50°   | 803.6  | 804.3  | 805.3  | 802.4  | 799.6  | 798.5  | 790.7  | 786.2  | 788.9  | 783.1  | 782.2  |
| 52.5° | 888.3  | 889.6  | 899.2  | 907.3  | 912.1  | 914.6  | 899.9  | 884.5  | 875.8  | 864.6  | 861.3  |
| 55°   | 988.2  | 990.3  | 1004.4 | 1027.0 | 1050.2 | 1062.4 | 1035.7 | 1006.9 | 980.2  | 959.2  | 952.4  |
| 57.5° | 1099.5 | 1103.3 | 1122.7 | 1166.0 | 1213.5 | 1242.5 | 1197.5 | 1145.1 | 1093.6 | 1063.2 | 1057.9 |
| 60°   | 1230.1 | 1233.7 | 1260.6 | 1322.6 | 1399.6 | 1443.2 | 1374.9 | 1289.2 | 1225.1 | 1196.1 | 1186.4 |
| 62.5° | 1385.5 | 1385.8 | 1418.8 | 1491.2 | 1593.0 | 1653.6 | 1561.1 | 1446.7 | 1380.5 | 1345.6 | 1336.1 |
| 65°   | 1552.7 | 1553.5 | 1587.7 | 1665.9 | 1771.1 | 1837.0 | 1732.6 | 1613.3 | 1532.5 | 1481.0 | 1473.7 |
| 67.5° | 1670.8 | 1674.3 | 1710.3 | 1804.4 | 1902.8 | 1962.3 | 1854.3 | 1719.4 | 1625.9 | 1564.5 | 1558.3 |
| 70°   | 1651.9 | 1665.5 | 1707.8 | 1817.6 | 1954.5 | 2039.3 | 1874.0 | 1706.8 | 1583.5 | 1510.9 | 1505.8 |
| 72.5° | 1440.7 | 1466.7 | 1523.0 | 1667.2 | 1886.1 | 2002.9 | 1766.4 | 1528.7 | 1389.2 | 1327.4 | 1318.1 |
| 75°   | 981.1  | 1023.3 | 1108.3 | 1316.3 | 1611.4 | 1734.1 | 1487.1 | 1218.8 | 1087.6 | 1002.1 | 995.8  |
| 77.5° | 437.4  | 447.0  | 554.7  | 794.2  | 1112.0 | 1245.3 | 1080.5 | 797.3  | 598.5  | 477.4  | 451.8  |
| 80°   | 121.9  | 123.4  | 164.7  | 295.8  | 556.6  | 731.7  | 597.5  | 310.7  | 174.6  | 123.1  | 116.0  |
| 82.5° | 38.8   | 42.1   | 51.4   | 76.7   | 187.1  | 333.9  | 192.0  | 82.8   | 59.0   | 47.1   | 42.4   |
| 85°   | 18.9   | 18.7   | 26.0   | 31.2   | 47.7   | 73.9   | 50.9   | 38.4   | 33.6   | 22.4   | 20.2   |
| 87.5° | 8.0    | 8.1    | 12.1   | 10.9   | 13.9   | 11.9   | 16.4   | 17.2   | 18.1   | 9.9    | 8.6    |
| 90°   | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |

LM-79-2019: Approved Method: Electrical and Photometric Measurements of Solid-State Lighting Products

Report Prepared for

Cooper Lighting Solutions

MCGRAW EDISON

Report Number: SP1-2408-195-9

Test Date: 08/07/2024

Luminaire Tested: GALN-SB1A-830-U-5WQ

Data in this report applies to families of products including GALN-SB1A-830-U-5WQ.

### Test Information

Test Method: LM-79-2019  
 Report Number: SP1-2408-195-9  
 Test Lab: COOPER LIGHTING SOLUTIONS  
 Photometer: SP1 - 76IN SPHERE  
 Measurement Geometry:  $4\pi$   
 Issue Date: 08/07/2024  
 Manufacturer: COOPER LIGHTING SOLUTIONS  
 Product Line: MCGRAW EDISON  
 Catalog Number: **GALN-SB1A-830-U-5WQ**  
 Description: GALLEON AREA AND ROADWAY LUMINAIRE. (1) 80 CRI, 3000K, 350MA HIGH DENSITY LIGHTSQUARE WITH 26 LEDS AND TYPE V WIDE OPTICS

### Spectral Parameters

CCT (K): 3050  
 CIE  $u'$ : 0.2476  
 CIE  $v'$ : 0.5251  
 Duv: 0.0034  
 CIE x: 0.4383  
 CIE y: 0.4131  
 CIE z: 0.1487  
 Peak Wavelength (nm): 603  
 Dominant Wavelength (nm): 581  
 Purity: 55.55201  
 Rf: 81.5  
 Rg: 99.2

CRI (Ra): 81.0  
 R1: 79.6  
 R2: 85.6  
 R3: 92.0  
 R4: 82.6  
 R5: 78.9  
 R6: 81.7  
 R7: 85.2  
 R8: 62.0  
 R9: 7.1  
 R10: 67.0  
 R11: 82.7  
 R12: 63.2  
 R13: 80.3  
 R14: 95.0  
 R15: 71.7



### Test Conditions

Stabilization Time: 20M  
 Operation Time: 1H 20M  
 Sphere Temperature (°C): 24.2

REPORT NUMBER: SP1-2408-195-9

| Measurement and Test Equipment |                       |                  |                      |
|--------------------------------|-----------------------|------------------|----------------------|
| Instrument                     | Identification Number | Calibration Date | Calibration Due Date |
| Photometer                     | IN0058                | 6/18/2024        | 12/18/2024           |
| Power Meter                    | INXT2011004           | 2/8/2024         | 2/8/2025             |
| AC Power Source                | IN0063                | 10/24/2023       | 10/24/2024           |
| DC Power Source                | IN0208                | 10/24/2023       | 10/24/2024           |
| Sphere Thermometer             | IN0085                | 10/24/2023       | 10/24/2024           |
| Room Thermometer               | IN0046                | 10/24/2023       | 10/24/2024           |

REPORT NUMBER: SP1-2408-195-9

**CIE 1931 Chromaticity Diagram**



**CIE 1931 Chromaticity Diagram with 2017 ANSI 7-Step and 4-Step Quadrangles**



Point lies inside the ANSI 3000K 4-step quadrangle

REPORT NUMBER: SP1-2408-195-9

### Photopic Flux vs. Wavelength



### Photopic Lumens: NR

| λ (nm) | Power W <sup>λ</sup> /nm | Lumens (φ/nm) | λ (nm) | Power W <sup>λ</sup> /nm | Lumens (φ/nm) | λ (nm) | Power W <sup>λ</sup> /nm | Lumens (φ/nm) | λ (nm) | Power W <sup>λ</sup> /nm | Lumens (φ/nm) | λ (nm) | Power W <sup>λ</sup> /nm | Lumens (φ/nm) |
|--------|--------------------------|---------------|--------|--------------------------|---------------|--------|--------------------------|---------------|--------|--------------------------|---------------|--------|--------------------------|---------------|
| 360    | 0                        | NR            | 490    | 168                      | NR            | 620    | 940                      | NR            | 750    | 35                       | NR            | 880    | 1                        | NR            |
| 365    | 0                        | NR            | 495    | 233                      | NR            | 625    | 897                      | NR            | 755    | 30                       | NR            | 885    | 1                        | NR            |
| 370    | 0                        | NR            | 500    | 300                      | NR            | 630    | 847                      | NR            | 760    | 26                       | NR            | 890    | 1                        | NR            |
| 375    | 0                        | NR            | 505    | 372                      | NR            | 635    | 790                      | NR            | 765    | 22                       | NR            | 895    | 1                        | NR            |
| 380    | 0                        | NR            | 510    | 430                      | NR            | 640    | 730                      | NR            | 770    | 19                       | NR            | 900    | 1                        | NR            |
| 385    | 0                        | NR            | 515    | 483                      | NR            | 645    | 668                      | NR            | 775    | 16                       | NR            | 905    | 1                        | NR            |
| 390    | 0                        | NR            | 520    | 524                      | NR            | 650    | 605                      | NR            | 780    | 14                       | NR            | 910    | 0                        | NR            |
| 395    | 2                        | NR            | 525    | 555                      | NR            | 655    | 545                      | NR            | 785    | 12                       | NR            | 915    | 0                        | NR            |
| 400    | 4                        | NR            | 530    | 581                      | NR            | 660    | 485                      | NR            | 790    | 10                       | NR            | 920    | 0                        | NR            |
| 405    | 7                        | NR            | 535    | 604                      | NR            | 665    | 430                      | NR            | 795    | 9                        | NR            | 925    | 0                        | NR            |
| 410    | 17                       | NR            | 540    | 623                      | NR            | 670    | 378                      | NR            | 800    | 8                        | NR            | 930    | 0                        | NR            |
| 415    | 34                       | NR            | 545    | 645                      | NR            | 675    | 331                      | NR            | 805    | 7                        | NR            | 935    | 0                        | NR            |
| 420    | 68                       | NR            | 550    | 667                      | NR            | 680    | 290                      | NR            | 810    | 6                        | NR            | 940    | 0                        | NR            |
| 425    | 128                      | NR            | 555    | 693                      | NR            | 685    | 251                      | NR            | 815    | 5                        | NR            | 945    | 0                        | NR            |
| 430    | 214                      | NR            | 560    | 719                      | NR            | 690    | 218                      | NR            | 820    | 4                        | NR            | 950    | 0                        | NR            |
| 435    | 339                      | NR            | 565    | 754                      | NR            | 695    | 188                      | NR            | 825    | 4                        | NR            | 955    | 0                        | NR            |
| 440    | 507                      | NR            | 570    | 791                      | NR            | 700    | 162                      | NR            | 830    | 3                        | NR            | 960    | 0                        | NR            |
| 445    | 573                      | NR            | 575    | 830                      | NR            | 705    | 139                      | NR            | 835    | 3                        | NR            | 965    | 0                        | NR            |
| 450    | 356                      | NR            | 580    | 873                      | NR            | 710    | 119                      | NR            | 840    | 3                        | NR            | 970    | 0                        | NR            |
| 455    | 217                      | NR            | 585    | 913                      | NR            | 715    | 102                      | NR            | 845    | 2                        | NR            | 975    | 0                        | NR            |
| 460    | 168                      | NR            | 590    | 948                      | NR            | 720    | 88                       | NR            | 850    | 2                        | NR            | 980    | 0                        | NR            |
| 465    | 113                      | NR            | 595    | 974                      | NR            | 725    | 76                       | NR            | 855    | 2                        | NR            | 985    | 0                        | NR            |
| 470    | 85                       | NR            | 600    | 994                      | NR            | 730    | 65                       | NR            | 860    | 1                        | NR            | 990    | 0                        | NR            |
| 475    | 85                       | NR            | 605    | 998                      | NR            | 735    | 55                       | NR            | 865    | 1                        | NR            | 995    | 0                        | NR            |
| 480    | 94                       | NR            | 610    | 994                      | NR            | 740    | 47                       | NR            | 870    | 1                        | NR            | 1000   | 0                        | NR            |
| 485    | 120                      | NR            | 615    | 973                      | NR            | 745    | 41                       | NR            | 875    | 1                        | NR            |        |                          |               |

REPORT NUMBER: SP1-2408-195-9

### Scotopic Flux vs. Wavelength




Scotopic Lumens: NR

S/P: 1.27

| λ (nm) | Power W <sup>^</sup> /nm | Lumens (Φ/nm) | λ (nm) | Power W <sup>^</sup> /nm | Lumens (Φ/nm) | λ (nm) | Power W <sup>^</sup> /nm | Lumens (Φ/nm) | λ (nm) | Power W <sup>^</sup> /nm | Lumens (Φ/nm) | λ (nm) | Power W <sup>^</sup> /nm | Lumens (Φ/nm) |
|--------|--------------------------|---------------|--------|--------------------------|---------------|--------|--------------------------|---------------|--------|--------------------------|---------------|--------|--------------------------|---------------|
| 360    | 0                        | NR            | 490    | 168                      | NR            | 620    | 940                      | NR            | 750    | 35                       | NR            | 880    | 1                        | NR            |
| 365    | 0                        | NR            | 495    | 233                      | NR            | 625    | 897                      | NR            | 755    | 30                       | NR            | 885    | 1                        | NR            |
| 370    | 0                        | NR            | 500    | 300                      | NR            | 630    | 847                      | NR            | 760    | 26                       | NR            | 890    | 1                        | NR            |
| 375    | 0                        | NR            | 505    | 372                      | NR            | 635    | 790                      | NR            | 765    | 22                       | NR            | 895    | 1                        | NR            |
| 380    | 0                        | NR            | 510    | 430                      | NR            | 640    | 730                      | NR            | 770    | 19                       | NR            | 900    | 1                        | NR            |
| 385    | 0                        | NR            | 515    | 483                      | NR            | 645    | 668                      | NR            | 775    | 16                       | NR            | 905    | 1                        | NR            |
| 390    | 0                        | NR            | 520    | 524                      | NR            | 650    | 605                      | NR            | 780    | 14                       | NR            | 910    | 0                        | NR            |
| 395    | 2                        | NR            | 525    | 555                      | NR            | 655    | 545                      | NR            | 785    | 12                       | NR            | 915    | 0                        | NR            |
| 400    | 4                        | NR            | 530    | 581                      | NR            | 660    | 485                      | NR            | 790    | 10                       | NR            | 920    | 0                        | NR            |
| 405    | 7                        | NR            | 535    | 604                      | NR            | 665    | 430                      | NR            | 795    | 9                        | NR            | 925    | 0                        | NR            |
| 410    | 17                       | NR            | 540    | 623                      | NR            | 670    | 378                      | NR            | 800    | 8                        | NR            | 930    | 0                        | NR            |
| 415    | 34                       | NR            | 545    | 645                      | NR            | 675    | 331                      | NR            | 805    | 7                        | NR            | 935    | 0                        | NR            |
| 420    | 68                       | NR            | 550    | 667                      | NR            | 680    | 290                      | NR            | 810    | 6                        | NR            | 940    | 0                        | NR            |
| 425    | 128                      | NR            | 555    | 693                      | NR            | 685    | 251                      | NR            | 815    | 5                        | NR            | 945    | 0                        | NR            |
| 430    | 214                      | NR            | 560    | 719                      | NR            | 690    | 218                      | NR            | 820    | 4                        | NR            | 950    | 0                        | NR            |
| 435    | 339                      | NR            | 565    | 754                      | NR            | 695    | 188                      | NR            | 825    | 4                        | NR            | 955    | 0                        | NR            |
| 440    | 507                      | NR            | 570    | 791                      | NR            | 700    | 162                      | NR            | 830    | 3                        | NR            | 960    | 0                        | NR            |
| 445    | 573                      | NR            | 575    | 830                      | NR            | 705    | 139                      | NR            | 835    | 3                        | NR            | 965    | 0                        | NR            |
| 450    | 356                      | NR            | 580    | 873                      | NR            | 710    | 119                      | NR            | 840    | 3                        | NR            | 970    | 0                        | NR            |
| 455    | 217                      | NR            | 585    | 913                      | NR            | 715    | 102                      | NR            | 845    | 2                        | NR            | 975    | 0                        | NR            |
| 460    | 168                      | NR            | 590    | 948                      | NR            | 720    | 88                       | NR            | 850    | 2                        | NR            | 980    | 0                        | NR            |
| 465    | 113                      | NR            | 595    | 974                      | NR            | 725    | 76                       | NR            | 855    | 2                        | NR            | 985    | 0                        | NR            |
| 470    | 85                       | NR            | 600    | 994                      | NR            | 730    | 65                       | NR            | 860    | 1                        | NR            | 990    | 0                        | NR            |
| 475    | 85                       | NR            | 605    | 998                      | NR            | 735    | 55                       | NR            | 865    | 1                        | NR            | 995    | 0                        | NR            |
| 480    | 94                       | NR            | 610    | 994                      | NR            | 740    | 47                       | NR            | 870    | 1                        | NR            | 1000   | 0                        | NR            |
| 485    | 120                      | NR            | 615    | 973                      | NR            | 745    | 41                       | NR            | 875    | 1                        | NR            |        |                          |               |

REPORT NUMBER: SP1-2408-195-9

**Melanopic Flux vs. Wavelength**

**Melanopic Lumens: NR**
**M/P: 2.32**

| $\lambda$<br>(nm) | Power<br>$\text{W}^\wedge/\text{nm}$ | Lumens<br>( $\phi/\text{nm}$ ) | $\lambda$<br>(nm) | Power<br>$\text{W}^\wedge/\text{nm}$ | Lumens<br>( $\phi/\text{nm}$ ) | $\lambda$<br>(nm) | Power<br>$\text{W}^\wedge/\text{nm}$ | Lumens<br>( $\phi/\text{nm}$ ) | $\lambda$<br>(nm) | Power<br>$\text{W}^\wedge/\text{nm}$ | Lumens<br>( $\phi/\text{nm}$ ) | $\lambda$<br>(nm) | Power<br>$\text{W}^\wedge/\text{nm}$ | Lumens<br>( $\phi/\text{nm}$ ) |
|-------------------|--------------------------------------|--------------------------------|-------------------|--------------------------------------|--------------------------------|-------------------|--------------------------------------|--------------------------------|-------------------|--------------------------------------|--------------------------------|-------------------|--------------------------------------|--------------------------------|
| 360               | 0                                    | NR                             | 490               | 168                                  | NR                             | 620               | 940                                  | NR                             | 750               | 35                                   | NR                             | 880               | 1                                    | NR                             |
| 365               | 0                                    | NR                             | 495               | 233                                  | NR                             | 625               | 897                                  | NR                             | 755               | 30                                   | NR                             | 885               | 1                                    | NR                             |
| 370               | 0                                    | NR                             | 500               | 300                                  | NR                             | 630               | 847                                  | NR                             | 760               | 26                                   | NR                             | 890               | 1                                    | NR                             |
| 375               | 0                                    | NR                             | 505               | 372                                  | NR                             | 635               | 790                                  | NR                             | 765               | 22                                   | NR                             | 895               | 1                                    | NR                             |
| 380               | 0                                    | NR                             | 510               | 430                                  | NR                             | 640               | 730                                  | NR                             | 770               | 19                                   | NR                             | 900               | 1                                    | NR                             |
| 385               | 0                                    | NR                             | 515               | 483                                  | NR                             | 645               | 668                                  | NR                             | 775               | 16                                   | NR                             | 905               | 1                                    | NR                             |
| 390               | 0                                    | NR                             | 520               | 524                                  | NR                             | 650               | 605                                  | NR                             | 780               | 14                                   | NR                             | 910               | 0                                    | NR                             |
| 395               | 2                                    | NR                             | 525               | 555                                  | NR                             | 655               | 545                                  | NR                             | 785               | 12                                   | NR                             | 915               | 0                                    | NR                             |
| 400               | 4                                    | NR                             | 530               | 581                                  | NR                             | 660               | 485                                  | NR                             | 790               | 10                                   | NR                             | 920               | 0                                    | NR                             |
| 405               | 7                                    | NR                             | 535               | 604                                  | NR                             | 665               | 430                                  | NR                             | 795               | 9                                    | NR                             | 925               | 0                                    | NR                             |
| 410               | 17                                   | NR                             | 540               | 623                                  | NR                             | 670               | 378                                  | NR                             | 800               | 8                                    | NR                             | 930               | 0                                    | NR                             |
| 415               | 34                                   | NR                             | 545               | 645                                  | NR                             | 675               | 331                                  | NR                             | 805               | 7                                    | NR                             | 935               | 0                                    | NR                             |
| 420               | 68                                   | NR                             | 550               | 667                                  | NR                             | 680               | 290                                  | NR                             | 810               | 6                                    | NR                             | 940               | 0                                    | NR                             |
| 425               | 128                                  | NR                             | 555               | 693                                  | NR                             | 685               | 251                                  | NR                             | 815               | 5                                    | NR                             | 945               | 0                                    | NR                             |
| 430               | 214                                  | NR                             | 560               | 719                                  | NR                             | 690               | 218                                  | NR                             | 820               | 4                                    | NR                             | 950               | 0                                    | NR                             |
| 435               | 339                                  | NR                             | 565               | 754                                  | NR                             | 695               | 188                                  | NR                             | 825               | 4                                    | NR                             | 955               | 0                                    | NR                             |
| 440               | 507                                  | NR                             | 570               | 791                                  | NR                             | 700               | 162                                  | NR                             | 830               | 3                                    | NR                             | 960               | 0                                    | NR                             |
| 445               | 573                                  | NR                             | 575               | 830                                  | NR                             | 705               | 139                                  | NR                             | 835               | 3                                    | NR                             | 965               | 0                                    | NR                             |
| 450               | 356                                  | NR                             | 580               | 873                                  | NR                             | 710               | 119                                  | NR                             | 840               | 3                                    | NR                             | 970               | 0                                    | NR                             |
| 455               | 217                                  | NR                             | 585               | 913                                  | NR                             | 715               | 102                                  | NR                             | 845               | 2                                    | NR                             | 975               | 0                                    | NR                             |
| 460               | 168                                  | NR                             | 590               | 948                                  | NR                             | 720               | 88                                   | NR                             | 850               | 2                                    | NR                             | 980               | 0                                    | NR                             |
| 465               | 113                                  | NR                             | 595               | 974                                  | NR                             | 725               | 76                                   | NR                             | 855               | 2                                    | NR                             | 985               | 0                                    | NR                             |
| 470               | 85                                   | NR                             | 600               | 994                                  | NR                             | 730               | 65                                   | NR                             | 860               | 1                                    | NR                             | 990               | 0                                    | NR                             |
| 475               | 85                                   | NR                             | 605               | 998                                  | NR                             | 735               | 55                                   | NR                             | 865               | 1                                    | NR                             | 995               | 0                                    | NR                             |
| 480               | 94                                   | NR                             | 610               | 994                                  | NR                             | 740               | 47                                   | NR                             | 870               | 1                                    | NR                             | 1000              | 0                                    | NR                             |
| 485               | 120                                  | NR                             | 615               | 973                                  | NR                             | 745               | 41                                   | NR                             | 875               | 1                                    | NR                             |                   |                                      |                                |

REPORT NUMBER: SP1-2408-195-9


TM-30-18

### Summary

$R_f = 81.5$   
 $R_g = 99.2$   
 $CIE R_a = 81.0$   
 $R_g = 7.1$




### Color Vector Graphics



**Individual Sample Fidelity Index ( $R_{f,i}$ )**

|            |            |            |            |
|------------|------------|------------|------------|
| CES01 = 86 | CES26 = 74 | CES51 = 89 | CES76 = 70 |
| CES02 = 63 | CES27 = 88 | CES52 = 92 | CES77 = 86 |
| CES03 = 31 | CES28 = 89 | CES53 = 81 | CES78 = 72 |
| CES04 = 70 | CES29 = 67 | CES54 = 87 | CES79 = 90 |
| CES05 = 50 | CES30 = 68 | CES55 = 85 | CES80 = 88 |
| CES06 = 51 | CES31 = 71 | CES56 = 78 | CES81 = 78 |
| CES07 = 42 | CES32 = 70 | CES57 = 76 | CES82 = 95 |
| CES08 = 41 | CES33 = 71 | CES58 = 78 | CES83 = 90 |
| CES09 = 29 | CES34 = 82 | CES59 = 92 | CES84 = 94 |
| CES10 = 76 | CES35 = 90 | CES60 = 95 | CES85 = 86 |
| CES11 = 59 | CES36 = 93 | CES61 = 93 | CES86 = 72 |
| CES12 = 65 | CES37 = 87 | CES62 = 83 | CES87 = 85 |
| CES13 = 43 | CES38 = 75 | CES63 = 77 | CES88 = 83 |
| CES14 = 74 | CES39 = 94 | CES64 = 83 | CES89 = 75 |
| CES15 = 71 | CES40 = 89 | CES65 = 77 | CES90 = 81 |
| CES16 = 47 | CES41 = 85 | CES66 = 80 | CES91 = 96 |
| CES17 = 50 | CES42 = 86 | CES67 = 79 | CES92 = 73 |
| CES18 = 56 | CES43 = 81 | CES68 = 84 | CES93 = 84 |
| CES19 = 72 | CES44 = 99 | CES69 = 91 | CES94 = 64 |
| CES20 = 66 | CES45 = 87 | CES70 = 78 | CES95 = 80 |
| CES21 = 87 | CES46 = 82 | CES71 = 76 | CES96 = 84 |
| CES22 = 79 | CES47 = 77 | CES72 = 92 | CES97 = 87 |
| CES23 = 92 | CES48 = 71 | CES73 = 71 | CES98 = 81 |
| CES24 = 91 | CES49 = 81 | CES74 = 93 | CES99 = 74 |
| CES25 = 72 | CES50 = 89 | CES75 = 74 |            |



**Color Rendition by Hue-Angle Bin**


**Measure Comparisons**



(END OF REPORT)