

Signify Classified - Internal  
Cooper Lighting Solutions Photometric Lab  
1121 Highway 74 South  
Peachtree City, GA 30269



Scaled data based on original data using  
LM-79-08 Approved Method: Electrical and Photometric Measurements of Solid-  
State Lighting Products

Test Report Prepared for  
Cooper Lighting Solutions  
(formerly Eaton)

Brand: McGRAW-EDISON

Report Number: P387167

Luminaire Tested: **GPC-SA2D-830-U-RW**

Issue Date: 3/3/2020

**Test Information**

Test Method: LM-79-08  
Report Number: P387167  
TEST IS SCALED FROM IESNA LM-79-08 TEST DATA (G2-1903-205-7)  
Test Lab: INNOVATION CENTER  
Issue Date: 3/3/2020  
Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)  
Product Line: McGRAW-EDISON  
Catalog Number: GPC-SA2D-830-U-RW  
Description: GALLEON PEDESTRIAN LUMINAIRE  
(2) 80 CRI, 3000K, 1200mA LIGHTSQUARES WITH 16 LEDS EACH AND RECTANGULAR WIDE OPTICS  
Light Source: -  
Ballast/Driver: ELECTRONIC DRIVER

**Summary**

Lumens per Lamp: N/A  
Luminaire Lumens: 13154 lumens  
Efficiency: N/A  
Efficacy: 102.8 lumens/watt  
Luminous Opening: Rectangular (W 1' x L: 0.5' x H: 0')  
IES Classification: Type III - Short  
BUG Rating: B3 - U0 - G3


Input Watts (W): 128  
Input Voltage (V): NR  
Input Current (Ain): NR  
Voltage Rise (V): NR  
Power Factor: NR  
Total Harmonic Distortion (THDi): NR  
Frequency (hertz): 60  
Stabilization Time: NR  
Operation Time: NR  
Ambient Temperature (°C): NR  
Test Distance: 28.75 FT



REPORT NUMBER: P387167  
 CATALOG NUMBER: GPC-SA2D-830-U-RW

### Iso-Footcandle Lines of Horizontal Illumination


✕ Max cd  
 - - - 1/2 Max cd



Based on 25 foot mounting height. Maximum calculated value = 2.5 fc  
 Type III - Short - N/A

REPORT NUMBER: P387167  
CATALOG NUMBER: GPC-SA2D-830-U-RW

### Luminous Intensity Polar Plot



— Vertical Plane Through 65-Deg Lateral      - - - Horizontal Cone Through 68-Deg Vertical

REPORT NUMBER: P387167  
 CATALOG NUMBER: GPC-SA2D-830-U-RW


**FLUX DISTRIBUTION:**

|                    |           | Downward | Upward | Total   |
|--------------------|-----------|----------|--------|---------|
| <b>House Side</b>  | Lumens    | 6577.0   | 0.0    | 6577.0  |
|                    | % Fixture | 50.0     | 0.0    | 50.0    |
| <b>Street Side</b> | Lumens    | 6577.0   | 0.0    | 6577.0  |
|                    | % Fixture | 50.0     | 0.0    | 50.0    |
| <b>Total</b>       | Lumens    | 13154.0  | 0.0    | 13154.0 |
|                    | % Fixture | 100.0    | 0.0    | 100.0   |

**ZONAL LUMENS:**

| Zone      | Lumens  | % Fixture |
|-----------|---------|-----------|
| 0°-10°    | 133.9   | 1.0       |
| 10°-20°   | 448.4   | 3.4       |
| 20°-30°   | 874.2   | 6.6       |
| 30°-40°   | 1468.6  | 11.2      |
| 40°-50°   | 2314.0  | 17.6      |
| 50°-60°   | 3094.7  | 23.5      |
| 60°-70°   | 3008.4  | 22.9      |
| 70°-80°   | 1644.5  | 12.5      |
| 80°-90°   | 167.3   | 1.3       |
| 90°-100°  | 0.0     | 0.0       |
| 100°-110° | 0.0     | 0.0       |
| 110°-120° | 0.0     | 0.0       |
| 120°-130° | 0.0     | 0.0       |
| 130°-140° | 0.0     | 0.0       |
| 140°-150° | 0.0     | 0.0       |
| 150°-160° | 0.0     | 0.0       |
| 160°-170° | 0.0     | 0.0       |
| 170°-180° | 0.0     | 0.0       |
| 0°-90°    | 13154.0 | 100.0     |
| 0°-180°   | 13154.0 | 100.0     |

**Coefficient of Utilization**



REPORT NUMBER: P387167


CATALOG NUMBER: GPC-SA2D-830-U-RW

**LUMINAIRE CLASSIFICATION SYSTEM LUMEN TABLE AND BUG RATING:**

| Zone           | Lumens | % Fixture | Zone Rating/Lumen Limit |      |         |
|----------------|--------|-----------|-------------------------|------|---------|
|                |        |           | B                       | U    | G       |
| FL (0°-30°)    | 728.3  | 5.5       |                         |      |         |
| FM (30°-60°)   | 3438.7 | 26.1      |                         |      |         |
| FH (60°-80°)   | 2326.5 | 17.7      |                         |      | G2/5000 |
| FVH (80°-90°)  | 83.6   | 0.6       |                         |      | G1/100  |
| BL (0°-30°)    | 728.3  | 5.5       | B2/1000                 |      |         |
| BM (30°-60°)   | 3438.7 | 26.1      | B3/5000                 |      |         |
| BH (60°-80°)   | 2326.5 | 17.7      | B3/2500                 |      | G3/2500 |
| BVH (80°-90°)  | 83.6   | 0.6       |                         |      | G1/100  |
| UL (90°-100°)  | 0.0    | 0.0       |                         | U0/0 |         |
| UH (100°-180°) | 0.0    | 0.0       |                         | U0/0 |         |

**BUG Rating: B3-U0-G3**

Type III Short





REPORT NUMBER: P387167

CATALOG NUMBER: GPC-SA2D-830-U-RW

**CANDELA DISTRIBUTION (FULL):**

|       | 0°     | 5°     | 15°    | 25°    | 35°    | 45°    | 55°    | 65°    | 75°    | 85°    | 90°    |
|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0°    | 1367.7 | 1367.7 | 1367.7 | 1367.7 | 1367.7 | 1367.7 | 1367.7 | 1367.7 | 1367.7 | 1367.7 | 1367.7 |
| 2.5°  | 1358.0 | 1358.4 | 1360.6 | 1363.3 | 1365.5 | 1371.2 | 1372.6 | 1374.8 | 1375.6 | 1377.9 | 1377.9 |
| 5°    | 1346.1 | 1347.0 | 1352.3 | 1359.3 | 1367.3 | 1381.4 | 1391.5 | 1403.0 | 1408.7 | 1414.9 | 1414.5 |
| 7.5°  | 1344.8 | 1347.0 | 1354.5 | 1365.9 | 1379.2 | 1402.5 | 1423.7 | 1446.7 | 1462.1 | 1476.2 | 1475.3 |
| 10°   | 1358.4 | 1362.0 | 1372.6 | 1389.8 | 1409.6 | 1438.7 | 1470.0 | 1500.9 | 1527.8 | 1549.4 | 1550.3 |
| 12.5° | 1379.2 | 1383.6 | 1400.3 | 1426.4 | 1456.4 | 1493.8 | 1530.9 | 1565.7 | 1602.8 | 1635.0 | 1637.6 |
| 15°   | 1406.5 | 1412.3 | 1437.4 | 1476.2 | 1522.1 | 1566.6 | 1606.3 | 1642.0 | 1684.8 | 1729.4 | 1733.8 |
| 17.5° | 1447.1 | 1455.0 | 1488.1 | 1540.6 | 1601.0 | 1650.0 | 1691.4 | 1718.3 | 1754.1 | 1799.9 | 1808.3 |
| 20°   | 1508.8 | 1519.0 | 1560.9 | 1623.5 | 1697.2 | 1748.3 | 1780.1 | 1785.8 | 1803.5 | 1844.5 | 1854.2 |
| 22.5° | 1589.1 | 1597.9 | 1644.7 | 1719.2 | 1801.7 | 1857.3 | 1874.0 | 1851.1 | 1849.3 | 1882.4 | 1891.7 |
| 25°   | 1678.6 | 1686.6 | 1740.8 | 1824.6 | 1913.3 | 1974.6 | 1974.2 | 1929.6 | 1898.7 | 1924.3 | 1934.0 |
| 27.5° | 1779.2 | 1791.6 | 1843.6 | 1931.8 | 2026.6 | 2087.1 | 2083.5 | 2014.7 | 1956.1 | 1962.7 | 1971.1 |
| 30°   | 1894.8 | 1908.4 | 1959.2 | 2048.7 | 2143.5 | 2202.6 | 2198.2 | 2107.4 | 2019.1 | 2001.5 | 2007.7 |
| 32.5° | 2038.1 | 2054.4 | 2102.5 | 2190.7 | 2274.5 | 2327.9 | 2315.1 | 2207.9 | 2095.0 | 2056.6 | 2062.4 |
| 35°   | 2210.6 | 2220.3 | 2271.0 | 2357.9 | 2425.8 | 2462.4 | 2435.5 | 2324.4 | 2191.2 | 2144.8 | 2144.8 |
| 37.5° | 2385.2 | 2392.7 | 2449.6 | 2533.9 | 2599.6 | 2619.0 | 2566.5 | 2451.8 | 2316.9 | 2251.1 | 2252.5 |
| 40°   | 2552.8 | 2573.1 | 2637.1 | 2723.5 | 2788.3 | 2793.6 | 2723.9 | 2597.4 | 2456.7 | 2388.7 | 2396.7 |
| 42.5° | 2727.9 | 2747.8 | 2824.1 | 2922.0 | 2979.3 | 2988.1 | 2906.5 | 2760.6 | 2614.6 | 2559.4 | 2568.3 |
| 45°   | 2884.0 | 2899.9 | 2988.1 | 3101.9 | 3173.4 | 3196.3 | 3099.7 | 2947.6 | 2785.3 | 2731.4 | 2733.6 |
| 47.5° | 2993.0 | 3013.7 | 3110.7 | 3244.8 | 3348.9 | 3384.2 | 3289.4 | 3129.7 | 2953.3 | 2888.0 | 2893.8 |
| 50°   | 3091.8 | 3102.8 | 3201.2 | 3347.6 | 3479.9 | 3552.7 | 3471.5 | 3309.7 | 3123.1 | 3053.9 | 3060.0 |
| 52.5° | 3146.9 | 3161.0 | 3256.3 | 3408.9 | 3565.5 | 3682.8 | 3633.4 | 3471.5 | 3287.2 | 3219.7 | 3227.2 |
| 55°   | 3108.5 | 3119.1 | 3233.4 | 3422.6 | 3618.4 | 3763.1 | 3770.6 | 3629.9 | 3448.2 | 3389.1 | 3410.2 |
| 57.5° | 2933.9 | 2947.1 | 3086.5 | 3334.4 | 3625.0 | 3817.3 | 3873.8 | 3776.7 | 3598.6 | 3550.5 | 3562.8 |
| 60°   | 2660.9 | 2669.3 | 2817.9 | 3096.6 | 3496.2 | 3839.8 | 3939.5 | 3896.7 | 3745.9 | 3697.8 | 3714.6 |
| 62.5° | 2174.4 | 2186.7 | 2364.5 | 2738.1 | 3224.1 | 3773.2 | 4003.0 | 3995.9 | 3883.0 | 3838.9 | 3853.9 |
| 65°   | 1486.3 | 1508.0 | 1704.7 | 2177.0 | 2804.7 | 3569.4 | 4060.8 | 4111.5 | 4004.3 | 3948.8 | 3968.6 |
| 67.5° | 897.5  | 913.4  | 1055.9 | 1437.4 | 2146.2 | 3158.4 | 4001.2 | 4242.9 | 4089.9 | 4000.4 | 4016.7 |
| 68°   | 802.3  | 816.8  | 935.9  | 1297.1 | 1985.2 | 3042.4 | 3947.0 | 4257.9 | 4099.1 | 3999.5 | 4014.0 |
| 70°   | 484.7  | 494.4  | 574.3  | 801.8  | 1323.6 | 2413.4 | 3576.9 | 4245.6 | 4158.3 | 4011.8 | 4020.2 |
| 72.5° | 315.8  | 318.9  | 332.1  | 411.5  | 676.1  | 1349.6 | 2684.7 | 3956.2 | 4246.9 | 4083.7 | 4082.4 |
| 75°   | 262.4  | 260.7  | 262.0  | 271.2  | 333.4  | 591.9  | 1568.8 | 3125.3 | 4048.4 | 3970.4 | 3942.6 |
| 77.5° | 221.8  | 220.5  | 220.1  | 220.5  | 223.2  | 285.8  | 681.0  | 1946.8 | 3098.0 | 3512.1 | 3536.8 |
| 80°   | 179.5  | 177.7  | 183.5  | 180.8  | 172.9  | 177.7  | 285.4  | 809.8  | 1460.3 | 1571.0 | 1472.2 |
| 82.5° | 130.6  | 123.9  | 148.6  | 141.6  | 135.0  | 125.3  | 157.5  | 261.5  | 348.4  | 239.1  | 168.0  |
| 85°   | 100.6  | 93.5   | 112.9  | 108.5  | 92.6   | 64.0   | 93.5   | 127.9  | 141.1  | 80.7   | 63.5   |
| 87.5° | 41.0   | 43.2   | 81.6   | 64.4   | 54.2   | 30.9   | 38.4   | 51.2   | 68.8   | 34.4   | 26.5   |
| 90°   | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |

Cooper Lighting Solutions Photometric Lab  
1121 Highway 74 South  
Peachtree City, GA 30269



LM-79-2019: Approved Method: Electrical and Photometric Measurements of Solid-State Lighting Products

Report Prepared for

Cooper Lighting Solutions

MCGRAW EDISON

Report Number: SP1-2408-195-9

Test Date: 08/07/2024

Luminaire Tested: GALN-SB1A-830-U-5WQ

Data in this report applies to families of products including GALN-SB1A-830-U-5WQ.



**Test Information**

Test Method: LM-79-2019  
 Report Number: SP1-2408-195-9  
 Test Lab: COOPER LIGHTING SOLUTIONS  
 Photometer: SP1 - 76IN SPHERE  
 Measurement Geometry: 4π  
 Issue Date: 08/07/2024  
 Manufacturer: COOPER LIGHTING SOLUTIONS  
 Product Line: MCGRAW EDISON  
 Catalog Number: **GALN-SB1A-830-U-5WQ**  
 Description: GALLEON AREA AND ROADWAY LUMINAIRE. (1) 80 CRI, 3000K, 350MA HIGH DENSITY LIGHTSQUARE WITH 26 LEDS AND TYPE V WIDE OPTICS

**Spectral Parameters**

CCT (K): 3050  
 CIE u': 0.2476  
 CIE v': 0.5251  
 Duv: 0.0034  
 CIE x: 0.4383  
 CIE y: 0.4131  
 CIE z: 0.1487  
 Peak Wavelength (nm): 603  
 Dominant Wavelength (nm): 581  
 Purity: 55.55201  
 Rf: 81.5  
 Rg: 99.2

|           |      |      |      |
|-----------|------|------|------|
| CRI (Ra): | 81.0 |      |      |
| R1:       | 79.6 | R9:  | 7.1  |
| R2:       | 85.6 | R10: | 67.0 |
| R3:       | 92.0 | R11: | 82.7 |
| R4:       | 82.6 | R12: | 63.2 |
| R5:       | 78.9 | R13: | 80.3 |
| R6:       | 81.7 | R14: | 95.0 |
| R7:       | 85.2 | R15: | 71.7 |
| R8:       | 62.0 |      |      |



**Test Conditions**

Stabilization Time: 20M  
 Operation Time: 1H 20M  
 Sphere Temperature (°C): 24.2

REPORT NUMBER: SP1-2408-195-9

| Measurement and Test Equipment |                       |                  |                      |
|--------------------------------|-----------------------|------------------|----------------------|
| Instrument                     | Identification Number | Calibration Date | Calibration Due Date |
| Photometer                     | IN0058                | 6/18/2024        | 12/18/2024           |
| Power Meter                    | INXT2011004           | 2/8/2024         | 2/8/2025             |
| AC Power Source                | IN0063                | 10/24/2023       | 10/24/2024           |
| DC Power Source                | IN0208                | 10/24/2023       | 10/24/2024           |
| Sphere Thermometer             | IN0085                | 10/24/2023       | 10/24/2024           |
| Room Thermometer               | IN0046                | 10/24/2023       | 10/24/2024           |

REPORT NUMBER: SP1-2408-195-9

**CIE 1931 Chromaticity Diagram**



**CIE 1931 Chromaticity Diagram with 2017 ANSI 7-Step and 4-Step Quadrangles**



CCT = 3050K  
 CIE x = 0.4383  
 CIE y = 0.4131  
 Duv = 0.0034

Point lies inside the ANSI 3000K 4-step quadrangle

REPORT NUMBER: SP1-2408-195-9

**Photopic Flux vs. Wavelength**



**Photopic Lumens: NR**

| $\lambda$<br>(nm) | Power<br>W <sup>^</sup> /nm | Lumens<br>( $\phi$ /nm) | $\lambda$<br>(nm) | Power<br>W <sup>^</sup> /nm | Lumens<br>( $\phi$ /nm) | $\lambda$<br>(nm) | Power<br>W <sup>^</sup> /nm | Lumens<br>( $\phi$ /nm) | $\lambda$<br>(nm) | Power<br>W <sup>^</sup> /nm | Lumens<br>( $\phi$ /nm) | $\lambda$<br>(nm) | Power<br>W <sup>^</sup> /nm | Lumens<br>( $\phi$ /nm) |
|-------------------|-----------------------------|-------------------------|-------------------|-----------------------------|-------------------------|-------------------|-----------------------------|-------------------------|-------------------|-----------------------------|-------------------------|-------------------|-----------------------------|-------------------------|
| 360               | 0                           | NR                      | 490               | 168                         | NR                      | 620               | 940                         | NR                      | 750               | 35                          | NR                      | 880               | 1                           | NR                      |
| 365               | 0                           | NR                      | 495               | 233                         | NR                      | 625               | 897                         | NR                      | 755               | 30                          | NR                      | 885               | 1                           | NR                      |
| 370               | 0                           | NR                      | 500               | 300                         | NR                      | 630               | 847                         | NR                      | 760               | 26                          | NR                      | 890               | 1                           | NR                      |
| 375               | 0                           | NR                      | 505               | 372                         | NR                      | 635               | 790                         | NR                      | 765               | 22                          | NR                      | 895               | 1                           | NR                      |
| 380               | 0                           | NR                      | 510               | 430                         | NR                      | 640               | 730                         | NR                      | 770               | 19                          | NR                      | 900               | 1                           | NR                      |
| 385               | 0                           | NR                      | 515               | 483                         | NR                      | 645               | 668                         | NR                      | 775               | 16                          | NR                      | 905               | 1                           | NR                      |
| 390               | 0                           | NR                      | 520               | 524                         | NR                      | 650               | 605                         | NR                      | 780               | 14                          | NR                      | 910               | 0                           | NR                      |
| 395               | 2                           | NR                      | 525               | 555                         | NR                      | 655               | 545                         | NR                      | 785               | 12                          | NR                      | 915               | 0                           | NR                      |
| 400               | 4                           | NR                      | 530               | 581                         | NR                      | 660               | 485                         | NR                      | 790               | 10                          | NR                      | 920               | 0                           | NR                      |
| 405               | 7                           | NR                      | 535               | 604                         | NR                      | 665               | 430                         | NR                      | 795               | 9                           | NR                      | 925               | 0                           | NR                      |
| 410               | 17                          | NR                      | 540               | 623                         | NR                      | 670               | 378                         | NR                      | 800               | 8                           | NR                      | 930               | 0                           | NR                      |
| 415               | 34                          | NR                      | 545               | 645                         | NR                      | 675               | 331                         | NR                      | 805               | 7                           | NR                      | 935               | 0                           | NR                      |
| 420               | 68                          | NR                      | 550               | 667                         | NR                      | 680               | 290                         | NR                      | 810               | 6                           | NR                      | 940               | 0                           | NR                      |
| 425               | 128                         | NR                      | 555               | 693                         | NR                      | 685               | 251                         | NR                      | 815               | 5                           | NR                      | 945               | 0                           | NR                      |
| 430               | 214                         | NR                      | 560               | 719                         | NR                      | 690               | 218                         | NR                      | 820               | 4                           | NR                      | 950               | 0                           | NR                      |
| 435               | 339                         | NR                      | 565               | 754                         | NR                      | 695               | 188                         | NR                      | 825               | 4                           | NR                      | 955               | 0                           | NR                      |
| 440               | 507                         | NR                      | 570               | 791                         | NR                      | 700               | 162                         | NR                      | 830               | 3                           | NR                      | 960               | 0                           | NR                      |
| 445               | 573                         | NR                      | 575               | 830                         | NR                      | 705               | 139                         | NR                      | 835               | 3                           | NR                      | 965               | 0                           | NR                      |
| 450               | 356                         | NR                      | 580               | 873                         | NR                      | 710               | 119                         | NR                      | 840               | 3                           | NR                      | 970               | 0                           | NR                      |
| 455               | 217                         | NR                      | 585               | 913                         | NR                      | 715               | 102                         | NR                      | 845               | 2                           | NR                      | 975               | 0                           | NR                      |
| 460               | 168                         | NR                      | 590               | 948                         | NR                      | 720               | 88                          | NR                      | 850               | 2                           | NR                      | 980               | 0                           | NR                      |
| 465               | 113                         | NR                      | 595               | 974                         | NR                      | 725               | 76                          | NR                      | 855               | 2                           | NR                      | 985               | 0                           | NR                      |
| 470               | 85                          | NR                      | 600               | 994                         | NR                      | 730               | 65                          | NR                      | 860               | 1                           | NR                      | 990               | 0                           | NR                      |
| 475               | 85                          | NR                      | 605               | 998                         | NR                      | 735               | 55                          | NR                      | 865               | 1                           | NR                      | 995               | 0                           | NR                      |
| 480               | 94                          | NR                      | 610               | 994                         | NR                      | 740               | 47                          | NR                      | 870               | 1                           | NR                      | 1000              | 0                           | NR                      |
| 485               | 120                         | NR                      | 615               | 973                         | NR                      | 745               | 41                          | NR                      | 875               | 1                           | NR                      |                   |                             |                         |

REPORT NUMBER: SP1-2408-195-9

**Scotopic Flux vs. Wavelength**



**Scotopic Lumens: NR**

**S/P: 1.27**

| $\lambda$ (nm) | Power W <sup>^</sup> /nm | Lumens ( $\phi$ /nm) | $\lambda$ (nm) | Power W <sup>^</sup> /nm | Lumens ( $\phi$ /nm) | $\lambda$ (nm) | Power W <sup>^</sup> /nm | Lumens ( $\phi$ /nm) | $\lambda$ (nm) | Power W <sup>^</sup> /nm | Lumens ( $\phi$ /nm) | $\lambda$ (nm) | Power W <sup>^</sup> /nm | Lumens ( $\phi$ /nm) |
|----------------|--------------------------|----------------------|----------------|--------------------------|----------------------|----------------|--------------------------|----------------------|----------------|--------------------------|----------------------|----------------|--------------------------|----------------------|
| 360            | 0                        | NR                   | 490            | 168                      | NR                   | 620            | 940                      | NR                   | 750            | 35                       | NR                   | 880            | 1                        | NR                   |
| 365            | 0                        | NR                   | 495            | 233                      | NR                   | 625            | 897                      | NR                   | 755            | 30                       | NR                   | 885            | 1                        | NR                   |
| 370            | 0                        | NR                   | 500            | 300                      | NR                   | 630            | 847                      | NR                   | 760            | 26                       | NR                   | 890            | 1                        | NR                   |
| 375            | 0                        | NR                   | 505            | 372                      | NR                   | 635            | 790                      | NR                   | 765            | 22                       | NR                   | 895            | 1                        | NR                   |
| 380            | 0                        | NR                   | 510            | 430                      | NR                   | 640            | 730                      | NR                   | 770            | 19                       | NR                   | 900            | 1                        | NR                   |
| 385            | 0                        | NR                   | 515            | 483                      | NR                   | 645            | 668                      | NR                   | 775            | 16                       | NR                   | 905            | 1                        | NR                   |
| 390            | 0                        | NR                   | 520            | 524                      | NR                   | 650            | 605                      | NR                   | 780            | 14                       | NR                   | 910            | 0                        | NR                   |
| 395            | 2                        | NR                   | 525            | 555                      | NR                   | 655            | 545                      | NR                   | 785            | 12                       | NR                   | 915            | 0                        | NR                   |
| 400            | 4                        | NR                   | 530            | 581                      | NR                   | 660            | 485                      | NR                   | 790            | 10                       | NR                   | 920            | 0                        | NR                   |
| 405            | 7                        | NR                   | 535            | 604                      | NR                   | 665            | 430                      | NR                   | 795            | 9                        | NR                   | 925            | 0                        | NR                   |
| 410            | 17                       | NR                   | 540            | 623                      | NR                   | 670            | 378                      | NR                   | 800            | 8                        | NR                   | 930            | 0                        | NR                   |
| 415            | 34                       | NR                   | 545            | 645                      | NR                   | 675            | 331                      | NR                   | 805            | 7                        | NR                   | 935            | 0                        | NR                   |
| 420            | 68                       | NR                   | 550            | 667                      | NR                   | 680            | 290                      | NR                   | 810            | 6                        | NR                   | 940            | 0                        | NR                   |
| 425            | 128                      | NR                   | 555            | 693                      | NR                   | 685            | 251                      | NR                   | 815            | 5                        | NR                   | 945            | 0                        | NR                   |
| 430            | 214                      | NR                   | 560            | 719                      | NR                   | 690            | 218                      | NR                   | 820            | 4                        | NR                   | 950            | 0                        | NR                   |
| 435            | 339                      | NR                   | 565            | 754                      | NR                   | 695            | 188                      | NR                   | 825            | 4                        | NR                   | 955            | 0                        | NR                   |
| 440            | 507                      | NR                   | 570            | 791                      | NR                   | 700            | 162                      | NR                   | 830            | 3                        | NR                   | 960            | 0                        | NR                   |
| 445            | 573                      | NR                   | 575            | 830                      | NR                   | 705            | 139                      | NR                   | 835            | 3                        | NR                   | 965            | 0                        | NR                   |
| 450            | 356                      | NR                   | 580            | 873                      | NR                   | 710            | 119                      | NR                   | 840            | 3                        | NR                   | 970            | 0                        | NR                   |
| 455            | 217                      | NR                   | 585            | 913                      | NR                   | 715            | 102                      | NR                   | 845            | 2                        | NR                   | 975            | 0                        | NR                   |
| 460            | 168                      | NR                   | 590            | 948                      | NR                   | 720            | 88                       | NR                   | 850            | 2                        | NR                   | 980            | 0                        | NR                   |
| 465            | 113                      | NR                   | 595            | 974                      | NR                   | 725            | 76                       | NR                   | 855            | 2                        | NR                   | 985            | 0                        | NR                   |
| 470            | 85                       | NR                   | 600            | 994                      | NR                   | 730            | 65                       | NR                   | 860            | 1                        | NR                   | 990            | 0                        | NR                   |
| 475            | 85                       | NR                   | 605            | 998                      | NR                   | 735            | 55                       | NR                   | 865            | 1                        | NR                   | 995            | 0                        | NR                   |
| 480            | 94                       | NR                   | 610            | 994                      | NR                   | 740            | 47                       | NR                   | 870            | 1                        | NR                   | 1000           | 0                        | NR                   |
| 485            | 120                      | NR                   | 615            | 973                      | NR                   | 745            | 41                       | NR                   | 875            | 1                        | NR                   |                |                          |                      |

REPORT NUMBER: SP1-2408-195-9

Melanopic Flux vs. Wavelength



Melanopic Lumens: NR

M/P: 2.32

| λ (nm) | Power W <sup>^</sup> /nm | Lumens (φ/nm) | λ (nm) | Power W <sup>^</sup> /nm | Lumens (φ/nm) | λ (nm) | Power W <sup>^</sup> /nm | Lumens (φ/nm) | λ (nm) | Power W <sup>^</sup> /nm | Lumens (φ/nm) | λ (nm) | Power W <sup>^</sup> /nm | Lumens (φ/nm) |
|--------|--------------------------|---------------|--------|--------------------------|---------------|--------|--------------------------|---------------|--------|--------------------------|---------------|--------|--------------------------|---------------|
| 360    | 0                        | NR            | 490    | 168                      | NR            | 620    | 940                      | NR            | 750    | 35                       | NR            | 880    | 1                        | NR            |
| 365    | 0                        | NR            | 495    | 233                      | NR            | 625    | 897                      | NR            | 755    | 30                       | NR            | 885    | 1                        | NR            |
| 370    | 0                        | NR            | 500    | 300                      | NR            | 630    | 847                      | NR            | 760    | 26                       | NR            | 890    | 1                        | NR            |
| 375    | 0                        | NR            | 505    | 372                      | NR            | 635    | 790                      | NR            | 765    | 22                       | NR            | 895    | 1                        | NR            |
| 380    | 0                        | NR            | 510    | 430                      | NR            | 640    | 730                      | NR            | 770    | 19                       | NR            | 900    | 1                        | NR            |
| 385    | 0                        | NR            | 515    | 483                      | NR            | 645    | 668                      | NR            | 775    | 16                       | NR            | 905    | 1                        | NR            |
| 390    | 0                        | NR            | 520    | 524                      | NR            | 650    | 605                      | NR            | 780    | 14                       | NR            | 910    | 0                        | NR            |
| 395    | 2                        | NR            | 525    | 555                      | NR            | 655    | 545                      | NR            | 785    | 12                       | NR            | 915    | 0                        | NR            |
| 400    | 4                        | NR            | 530    | 581                      | NR            | 660    | 485                      | NR            | 790    | 10                       | NR            | 920    | 0                        | NR            |
| 405    | 7                        | NR            | 535    | 604                      | NR            | 665    | 430                      | NR            | 795    | 9                        | NR            | 925    | 0                        | NR            |
| 410    | 17                       | NR            | 540    | 623                      | NR            | 670    | 378                      | NR            | 800    | 8                        | NR            | 930    | 0                        | NR            |
| 415    | 34                       | NR            | 545    | 645                      | NR            | 675    | 331                      | NR            | 805    | 7                        | NR            | 935    | 0                        | NR            |
| 420    | 68                       | NR            | 550    | 667                      | NR            | 680    | 290                      | NR            | 810    | 6                        | NR            | 940    | 0                        | NR            |
| 425    | 128                      | NR            | 555    | 693                      | NR            | 685    | 251                      | NR            | 815    | 5                        | NR            | 945    | 0                        | NR            |
| 430    | 214                      | NR            | 560    | 719                      | NR            | 690    | 218                      | NR            | 820    | 4                        | NR            | 950    | 0                        | NR            |
| 435    | 339                      | NR            | 565    | 754                      | NR            | 695    | 188                      | NR            | 825    | 4                        | NR            | 955    | 0                        | NR            |
| 440    | 507                      | NR            | 570    | 791                      | NR            | 700    | 162                      | NR            | 830    | 3                        | NR            | 960    | 0                        | NR            |
| 445    | 573                      | NR            | 575    | 830                      | NR            | 705    | 139                      | NR            | 835    | 3                        | NR            | 965    | 0                        | NR            |
| 450    | 356                      | NR            | 580    | 873                      | NR            | 710    | 119                      | NR            | 840    | 3                        | NR            | 970    | 0                        | NR            |
| 455    | 217                      | NR            | 585    | 913                      | NR            | 715    | 102                      | NR            | 845    | 2                        | NR            | 975    | 0                        | NR            |
| 460    | 168                      | NR            | 590    | 948                      | NR            | 720    | 88                       | NR            | 850    | 2                        | NR            | 980    | 0                        | NR            |
| 465    | 113                      | NR            | 595    | 974                      | NR            | 725    | 76                       | NR            | 855    | 2                        | NR            | 985    | 0                        | NR            |
| 470    | 85                       | NR            | 600    | 994                      | NR            | 730    | 65                       | NR            | 860    | 1                        | NR            | 990    | 0                        | NR            |
| 475    | 85                       | NR            | 605    | 998                      | NR            | 735    | 55                       | NR            | 865    | 1                        | NR            | 995    | 0                        | NR            |
| 480    | 94                       | NR            | 610    | 994                      | NR            | 740    | 47                       | NR            | 870    | 1                        | NR            | 1000   | 0                        | NR            |
| 485    | 120                      | NR            | 615    | 973                      | NR            | 745    | 41                       | NR            | 875    | 1                        | NR            |        |                          |               |

**Summary**

$R_f = 81.5$   
 $R_g = 99.2$   
 $CIE R_a = 81.0$   
 $R_9 = 7.1$



**Color Vector Graphics**




**Individual Sample Fidelity Index ( $R_{f,i}$ )**

|            |            |            |            |
|------------|------------|------------|------------|
| CES01 = 86 | CES26 = 74 | CES51 = 89 | CES76 = 70 |
| CES02 = 63 | CES27 = 88 | CES52 = 92 | CES77 = 86 |
| CES03 = 31 | CES28 = 89 | CES53 = 81 | CES78 = 72 |
| CES04 = 70 | CES29 = 67 | CES54 = 87 | CES79 = 90 |
| CES05 = 50 | CES30 = 68 | CES55 = 85 | CES80 = 88 |
| CES06 = 51 | CES31 = 71 | CES56 = 78 | CES81 = 78 |
| CES07 = 42 | CES32 = 70 | CES57 = 76 | CES82 = 95 |
| CES08 = 41 | CES33 = 71 | CES58 = 78 | CES83 = 90 |
| CES09 = 29 | CES34 = 82 | CES59 = 92 | CES84 = 94 |
| CES10 = 76 | CES35 = 90 | CES60 = 95 | CES85 = 86 |
| CES11 = 59 | CES36 = 93 | CES61 = 93 | CES86 = 72 |
| CES12 = 65 | CES37 = 87 | CES62 = 83 | CES87 = 85 |
| CES13 = 43 | CES38 = 75 | CES63 = 77 | CES88 = 83 |
| CES14 = 74 | CES39 = 94 | CES64 = 83 | CES89 = 75 |
| CES15 = 71 | CES40 = 89 | CES65 = 77 | CES90 = 81 |
| CES16 = 47 | CES41 = 85 | CES66 = 80 | CES91 = 96 |
| CES17 = 50 | CES42 = 86 | CES67 = 79 | CES92 = 73 |
| CES18 = 56 | CES43 = 81 | CES68 = 84 | CES93 = 84 |
| CES19 = 72 | CES44 = 99 | CES69 = 91 | CES94 = 64 |
| CES20 = 66 | CES45 = 87 | CES70 = 78 | CES95 = 80 |
| CES21 = 87 | CES46 = 82 | CES71 = 76 | CES96 = 84 |
| CES22 = 79 | CES47 = 77 | CES72 = 92 | CES97 = 87 |
| CES23 = 92 | CES48 = 71 | CES73 = 71 | CES98 = 81 |
| CES24 = 91 | CES49 = 81 | CES74 = 93 | CES99 = 74 |
| CES25 = 72 | CES50 = 89 | CES75 = 74 |            |





Color Rendition by Hue-Angle Bin



Measure Comparisons



(END OF REPORT)