

Scaled data based on original data using
LM-79-08 Approved Method: Electrical and Photometric Measurements of Solid-
State Lighting Products

Test Report Prepared for
Cooper Lighting Solutions
(formerly Eaton)

Brand: STREETWORKS

Report Number: P953072

Luminaire Tested: **GLAN-SB6D-727-U-SLL**

Issue Date: 1/21/2025

Test Information

Test Method: LM-79-08
Report Number: P953072
TEST IS SCALED FROM IESNA LM-79-08 TEST DATA (G2-2411-289-8)
Test Lab: INNOVATION CENTER
Issue Date: 1/21/2025
Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)
Product Line: STREETWORKS
Catalog Number: GLAN-SB6D-727-U-SLL
Description: GALLEON AREA AND ROADWAY HIGH DENSITY LED LUMINAIRE
(6) 70 CRI, 2700K, 900mA LIGHTSQUARES WITH 26 LEDS EACH AND SPILL LIGHT
ELIMINATOR LEFT OPTICS
Light Source: -
Ballast/Driver: -

Summary

Lumens per Lamp: N/A
Luminaire Lumens: 57031 lumens
Efficiency: N/A
Efficacy: 129.6 lumens/watt
Luminous Opening: Rectangular (W 1.5' x L: 1' x H: 0')
IES Classification: Type IV - Short
BUG Rating: B4 - U0 - G5


Input Watts (W): 440.1
Input Voltage (V): NR
Input Current (Ain): NR
Voltage Rise (V): NR
Power Factor: NR
Total Harmonic Distortion (THDi): NR
Frequency (hertz): 60
Stabilization Time: NR
Operation Time: NR
Ambient Temperature (°C): NR
Test Distance: 24 FT



REPORT NUMBER: P953072
 CATALOG NUMBER: GLAN-SB6D-727-U-SLL

Iso-Footcandle Lines of Horizontal Illumination


✕ Max cd
 - - - 1/2 Max cd



Based on 25 foot mounting height. Maximum calculated value = 17.4 fc
 Type IV - Short - N/A

REPORT NUMBER: P953072
CATALOG NUMBER: GLAN-SB6D-727-U-SLL

Luminous Intensity Polar Plot



— Vertical Plane Through 45-Deg Lateral - - - Horizontal Cone Through 65-Deg Vertical

REPORT NUMBER: P953072
 CATALOG NUMBER: GLAN-SB6D-727-U-SLL

FLUX DISTRIBUTION:

| | | Downward | Upward | Total |
|--------------------|-----------|----------|--------|---------|
| House Side | Lumens | 14494.4 | 0.0 | 14494.4 |
| | % Fixture | 25.4 | 0.0 | 25.4 |
| Street Side | Lumens | 42536.6 | 0.0 | 42536.6 |
| | % Fixture | 74.6 | 0.0 | 74.6 |
| Total | Lumens | 57031.0 | 0.0 | 57031.0 |
| | % Fixture | 100.0 | 0.0 | 100.0 |

Coefficient of Utilization

ZONAL LUMENS:

| Zone | Lumens | % Fixture |
|-----------|---------|-----------|
| 0°-10° | 777.9 | 1.4 |
| 10°-20° | 2442.1 | 4.3 |
| 20°-30° | 3772.2 | 6.6 |
| 30°-40° | 4780.4 | 8.4 |
| 40°-50° | 7210.0 | 12.6 |
| 50°-60° | 11648.9 | 20.4 |
| 60°-70° | 14522.2 | 25.5 |
| 70°-80° | 9522.9 | 16.7 |
| 80°-90° | 2354.3 | 4.1 |
| 90°-100° | 0.0 | 0.0 |
| 100°-110° | 0.0 | 0.0 |
| 110°-120° | 0.0 | 0.0 |
| 120°-130° | 0.0 | 0.0 |
| 130°-140° | 0.0 | 0.0 |
| 140°-150° | 0.0 | 0.0 |
| 150°-160° | 0.0 | 0.0 |
| 160°-170° | 0.0 | 0.0 |
| 170°-180° | 0.0 | 0.0 |
| 0°-90° | 57031.0 | 100.0 |
| 0°-180° | 57031.0 | 100.0 |



REPORT NUMBER: P953072


CATALOG NUMBER: GLAN-SB6D-727-U-SLL

LUMINAIRE CLASSIFICATION SYSTEM LUMEN TABLE AND BUG RATING:

| Zone | Lumens | % Fixture | Zone Rating/Lumen Limit | | |
|----------------|---------|-----------|-------------------------|------|---------|
| | | | B | U | G |
| FL (0°-30°) | 3836.0 | 6.7 | | | |
| FM (30°-60°) | 16634.7 | 29.2 | | | |
| FH (60°-80°) | 20126.5 | 35.3 | | | G5 |
| FVH (80°-90°) | 1939.4 | 3.4 | | | G5 |
| BL (0°-30°) | 3156.3 | 5.5 | B4/5000 | | |
| BM (30°-60°) | 7004.6 | 12.3 | B4/8500 | | |
| BH (60°-80°) | 3918.6 | 6.9 | B4/5000 | | G4/5000 |
| BVH (80°-90°) | 414.9 | 0.7 | | | G3/500 |
| UL (90°-100°) | 0.0 | 0.0 | | U0/0 | |
| UH (100°-180°) | 0.0 | 0.0 | | U0/0 | |

BUG Rating: B4-U0-G5

Type IV Short



REPORT NUMBER: P953072

CATALOG NUMBER: GLAN-SB6D-727-U-SLL

CANDELA DISTRIBUTION (FULL):

| | 0° | 5° | 10° | 15° | 20° | 25° | 30° | 35° | 40° | 45° |
|-------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 0° | 7842.3 | 7842.3 | 7842.3 | 7842.3 | 7842.3 | 7842.3 | 7842.3 | 7842.3 | 7842.3 | 7842.3 |
| 2.5° | 8433.6 | 8465.5 | 8497.7 | 8543.1 | 8588.6 | 8615.6 | 8642.7 | 8656.3 | 8669.8 | 8663.8 |
| 5° | 9068.5 | 9180.2 | 9292.1 | 9402.9 | 9513.9 | 9574.1 | 9634.3 | 9670.7 | 9707.4 | 9735.1 |
| 7.5° | 9706.5 | 9888.3 | 10069.7 | 10233.1 | 10396.6 | 10495.0 | 10593.4 | 10646.6 | 10699.6 | 10725.2 |
| 10° | 10195.5 | 10410.4 | 10625.3 | 10817.0 | 11008.6 | 11124.8 | 11240.4 | 11292.1 | 11343.6 | 11363.1 |
| 12.5° | 10495.0 | 10727.9 | 10960.5 | 11133.8 | 11306.6 | 11390.8 | 11475.1 | 11503.4 | 11531.7 | 11534.7 |
| 15° | 10677.0 | 10878.0 | 11078.8 | 11187.4 | 11296.3 | 11299.3 | 11302.4 | 11272.3 | 11242.2 | 11206.7 |
| 17.5° | 10779.3 | 10915.1 | 11050.8 | 11052.9 | 11054.7 | 10932.8 | 10810.9 | 10699.3 | 10587.3 | 10508.5 |
| 20° | 10892.2 | 10939.4 | 10987.0 | 10844.0 | 10701.1 | 10432.1 | 10163.0 | 9967.1 | 9771.2 | 9650.8 |
| 22.5° | 11023.1 | 10961.1 | 10899.1 | 10603.0 | 10306.9 | 9911.2 | 9515.4 | 9270.5 | 9025.5 | 8892.5 |
| 25° | 11191.6 | 10996.0 | 10800.4 | 10350.8 | 9901.2 | 9420.6 | 8940.0 | 8682.5 | 8425.5 | 8299.7 |
| 27.5° | 11420.3 | 11070.6 | 10720.7 | 10125.1 | 9529.9 | 8997.2 | 8464.6 | 8211.2 | 7958.1 | 7839.2 |
| 30° | 11728.8 | 11207.3 | 10686.0 | 9953.0 | 9219.9 | 8665.0 | 8110.1 | 7875.1 | 7640.0 | 7529.3 |
| 32.5° | 12092.9 | 11378.8 | 10665.0 | 9835.6 | 9006.3 | 8484.7 | 7963.2 | 7778.8 | 7594.0 | 7514.2 |
| 35° | 12535.3 | 11661.4 | 10787.8 | 9923.5 | 9059.5 | 8697.2 | 8335.2 | 8292.1 | 8249.1 | 8242.5 |
| 37.5° | 13280.1 | 12252.1 | 11224.1 | 10438.7 | 9653.3 | 9629.8 | 9606.3 | 9803.1 | 9999.9 | 10102.2 |
| 40° | 14405.6 | 13287.6 | 12169.6 | 11585.5 | 11001.4 | 11413.7 | 11826.0 | 12304.5 | 12782.9 | 13021.3 |
| 42.5° | 15898.2 | 14788.9 | 13679.7 | 13343.3 | 13006.8 | 13906.0 | 14805.2 | 15675.5 | 16545.8 | 17056.8 |
| 45° | 17741.4 | 16745.0 | 15748.3 | 15599.9 | 15451.3 | 16891.8 | 18332.7 | 19762.7 | 21193.0 | 22061.2 |
| 47.5° | 20046.5 | 19077.2 | 18107.6 | 18077.5 | 18047.4 | 20125.6 | 22203.3 | 24296.8 | 26390.1 | 27619.4 |
| 50° | 23067.8 | 21870.4 | 20673.3 | 20678.5 | 20683.6 | 23361.9 | 26040.1 | 28803.6 | 31567.0 | 33237.8 |
| 52.5° | 26536.1 | 25086.2 | 23636.6 | 23490.0 | 23343.2 | 26542.4 | 29741.6 | 33160.8 | 36579.6 | 38582.3 |
| 55° | 30228.5 | 28796.1 | 27363.6 | 26792.2 | 26220.7 | 29781.3 | 33341.6 | 37417.7 | 41493.8 | 43875.7 |
| 57.5° | 33586.9 | 32806.9 | 32026.5 | 30880.3 | 29734.4 | 33329.6 | 36924.8 | 41541.7 | 46158.3 | 49111.9 |
| 60° | 35616.7 | 36828.2 | 38040.0 | 36616.6 | 35193.2 | 38595.6 | 41997.9 | 46941.0 | 51884.1 | 55076.3 |
| 62.5° | 34586.0 | 37896.5 | 41207.0 | 41046.6 | 40885.9 | 44002.7 | 47119.7 | 51822.7 | 56525.3 | 59475.9 |
| 65° | 32523.1 | 35630.2 | 38737.3 | 39352.1 | 39966.6 | 43927.5 | 47888.6 | 52448.9 | 57008.9 | 59521.1 |
| 67.5° | 29759.0 | 32714.2 | 35669.3 | 35957.6 | 36245.6 | 40372.6 | 44499.2 | 49079.1 | 53659.0 | 55627.0 |
| 70° | 26438.3 | 29652.5 | 32867.0 | 32995.8 | 33124.9 | 36815.6 | 40505.9 | 44447.2 | 48388.1 | 49482.0 |
| 72.5° | 22481.0 | 26169.5 | 29858.3 | 29951.0 | 30043.4 | 32930.8 | 35818.3 | 38770.1 | 41721.6 | 41832.4 |
| 75° | 17475.0 | 21292.7 | 25110.3 | 25453.0 | 25795.8 | 28042.2 | 30288.7 | 32366.6 | 34444.5 | 33887.8 |
| 77.5° | 12485.6 | 16049.2 | 19613.2 | 20103.7 | 20594.2 | 22302.0 | 24009.8 | 25483.4 | 26957.4 | 26000.4 |
| 80° | 8171.8 | 11169.9 | 14167.8 | 14777.5 | 15387.2 | 16677.0 | 17966.2 | 18740.2 | 19513.9 | 17974.6 |
| 82.5° | 4750.2 | 6799.8 | 8849.8 | 9530.8 | 10212.1 | 11099.8 | 11987.6 | 12310.5 | 12633.1 | 11423.3 |
| 85° | 2090.0 | 3177.8 | 4265.7 | 4845.0 | 5424.3 | 6153.7 | 6882.9 | 7066.2 | 7249.4 | 6280.4 |
| 87.5° | 647.0 | 1012.6 | 1378.3 | 1701.5 | 2024.7 | 2389.4 | 2754.1 | 2769.8 | 2785.1 | 2338.2 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

REPORT NUMBER: P953072
 CATALOG NUMBER: GLAN-SB6D-727-U-SLL

CANDELA DISTRIBUTION (continued):

| 50° | | 55° | 60° | 65° | 70° | 75° | 80° | 85° | 90° | 95° | 100° |
|---------|-------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 7842.3 | 0° | 7842.3 | 7842.3 | 7842.3 | 7842.3 | 7842.3 | 7842.3 | 7842.3 | 7842.3 | 7842.3 | 7842.3 |
| 8669.8 | 2.5° | 8656.3 | 8642.7 | 8615.6 | 8588.6 | 8543.1 | 8497.7 | 8465.5 | 8433.6 | 8368.9 | 8304.2 |
| 9707.4 | 5° | 9670.7 | 9634.3 | 9574.1 | 9513.9 | 9402.9 | 9292.1 | 9180.2 | 9068.5 | 8925.6 | 8782.7 |
| 10699.6 | 7.5° | 10646.6 | 10593.4 | 10495.0 | 10396.6 | 10233.1 | 10069.7 | 9888.3 | 9706.5 | 9470.6 | 9235.0 |
| 11343.6 | 10° | 11292.1 | 11240.4 | 11124.8 | 11008.6 | 10817.0 | 10625.3 | 10410.4 | 10195.5 | 9897.3 | 9599.1 |
| 11531.7 | 12.5° | 11503.4 | 11475.1 | 11390.8 | 11306.6 | 11133.8 | 10960.5 | 10727.9 | 10495.0 | 10167.2 | 9839.8 |
| 11242.2 | 15° | 11272.3 | 11302.4 | 11299.3 | 11296.3 | 11187.4 | 11078.8 | 10878.0 | 10677.0 | 10335.5 | 9993.9 |
| 10587.3 | 17.5° | 10699.3 | 10810.9 | 10932.8 | 11054.7 | 11052.9 | 11050.8 | 10915.1 | 10779.3 | 10433.0 | 10086.6 |
| 9771.2 | 20° | 9967.1 | 10163.0 | 10432.1 | 10701.1 | 10844.0 | 10987.0 | 10939.4 | 10892.2 | 10532.3 | 10172.1 |
| 9025.5 | 22.5° | 9270.5 | 9515.4 | 9911.2 | 10306.9 | 10603.0 | 10899.1 | 10961.1 | 11023.1 | 10655.4 | 10287.3 |
| 8425.5 | 25° | 8682.5 | 8940.0 | 9420.6 | 9901.2 | 10350.8 | 10800.4 | 10996.0 | 11191.6 | 10831.1 | 10470.9 |
| 7958.1 | 27.5° | 8211.2 | 8464.6 | 8997.2 | 9529.9 | 10125.1 | 10720.7 | 11070.6 | 11420.3 | 11076.7 | 10732.7 |
| 7640.0 | 30° | 7875.1 | 8110.1 | 8665.0 | 9219.9 | 9953.0 | 10686.0 | 11207.3 | 11728.8 | 11396.5 | 11064.6 |
| 7594.0 | 32.5° | 7778.8 | 7963.2 | 8484.7 | 9006.3 | 9835.6 | 10665.0 | 11378.8 | 12092.9 | 11764.0 | 11435.4 |
| 8249.1 | 35° | 8292.1 | 8335.2 | 8697.2 | 9059.5 | 9923.5 | 10787.8 | 11661.4 | 12535.3 | 12220.5 | 11905.4 |
| 9999.9 | 37.5° | 9803.1 | 9606.3 | 9629.8 | 9653.3 | 10438.7 | 11224.1 | 12252.1 | 13280.1 | 12878.6 | 12477.2 |
| 12782.9 | 40° | 12304.5 | 11826.0 | 11413.7 | 11001.4 | 11585.5 | 12169.6 | 13287.6 | 14405.6 | 13820.5 | 13235.5 |
| 16545.8 | 42.5° | 15675.5 | 14805.2 | 13906.0 | 13006.8 | 13343.3 | 13679.7 | 14788.9 | 15898.2 | 15053.8 | 14209.3 |
| 21193.0 | 45° | 19762.7 | 18332.7 | 16891.8 | 15451.3 | 15599.9 | 15748.3 | 16745.0 | 17741.4 | 16602.3 | 15463.3 |
| 26390.1 | 47.5° | 24296.8 | 22203.3 | 20125.6 | 18047.4 | 18077.5 | 18107.6 | 19077.2 | 20046.5 | 18443.4 | 16840.1 |
| 31567.0 | 50° | 28803.6 | 26040.1 | 23361.9 | 20683.6 | 20678.5 | 20673.3 | 21870.4 | 23067.8 | 20651.1 | 18234.0 |
| 36579.6 | 52.5° | 33160.8 | 29741.6 | 26542.4 | 23343.2 | 23490.0 | 23636.6 | 25086.2 | 26536.1 | 22970.0 | 19404.0 |
| 41493.8 | 55° | 37417.7 | 33341.6 | 29781.3 | 26220.7 | 26792.2 | 27363.6 | 28796.1 | 30228.5 | 25026.0 | 19823.8 |
| 46158.3 | 57.5° | 41541.7 | 36924.8 | 33329.6 | 29734.4 | 30880.3 | 32026.5 | 32806.9 | 33586.9 | 26483.1 | 19379.3 |
| 51884.1 | 60° | 46941.0 | 41997.9 | 38595.6 | 35193.2 | 36616.6 | 38040.0 | 36828.2 | 35616.7 | 26847.2 | 18077.5 |
| 56525.3 | 62.5° | 51822.7 | 47119.7 | 44002.7 | 40885.9 | 41046.6 | 41207.0 | 37896.5 | 34586.0 | 25314.0 | 16042.0 |
| 57008.9 | 65° | 52448.9 | 47888.6 | 43927.5 | 39966.6 | 39352.1 | 38737.3 | 35630.2 | 32523.1 | 23144.6 | 13766.1 |
| 53659.0 | 67.5° | 49079.1 | 44499.2 | 40372.6 | 36245.6 | 35957.6 | 35669.3 | 32714.2 | 29759.0 | 20562.9 | 11366.8 |
| 48388.1 | 70° | 44447.2 | 40505.9 | 36815.6 | 33124.9 | 32995.8 | 32867.0 | 29652.5 | 26438.3 | 17745.9 | 9053.5 |
| 41721.6 | 72.5° | 38770.1 | 35818.3 | 32930.8 | 30043.4 | 29951.0 | 29858.3 | 26169.5 | 22481.0 | 14692.0 | 6903.3 |
| 34444.5 | 75° | 32366.6 | 30288.7 | 28042.2 | 25795.8 | 25453.0 | 25110.3 | 21292.7 | 17475.0 | 11191.3 | 4907.6 |
| 26957.4 | 77.5° | 25483.4 | 24009.8 | 22302.0 | 20594.2 | 20103.7 | 19613.2 | 16049.2 | 12485.6 | 7832.9 | 3180.2 |
| 19513.9 | 80° | 18740.2 | 17966.2 | 16677.0 | 15387.2 | 14777.5 | 14167.8 | 11169.9 | 8171.8 | 5046.6 | 1921.4 |
| 12633.1 | 82.5° | 12310.5 | 11987.6 | 11099.8 | 10212.1 | 9530.8 | 8849.8 | 6799.8 | 4750.2 | 2920.8 | 1091.8 |
| 7249.4 | 85° | 7066.2 | 6882.9 | 6153.7 | 5424.3 | 4845.0 | 4265.7 | 3177.8 | 2090.0 | 1313.9 | 538.1 |
| 2785.1 | 87.5° | 2769.8 | 2754.1 | 2389.4 | 2024.7 | 1701.5 | 1378.3 | 1012.6 | 647.0 | 430.3 | 213.7 |
| 0.0 | 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

REPORT NUMBER: P953072
 CATALOG NUMBER: GLAN-SB6D-727-U-SLL

CANDELA DISTRIBUTION (continued):

| 105° | | 110° | 115° | 120° | 125° | 130° | 135° | 140° | 145° | 150° | 155° |
|---------|-------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 7842.3 | 0° | 7842.3 | 7842.3 | 7842.3 | 7842.3 | 7842.3 | 7842.3 | 7842.3 | 7842.3 | 7842.3 | 7842.3 |
| 8235.3 | 2.5° | 8166.7 | 8097.4 | 8028.2 | 7962.0 | 7895.8 | 7831.7 | 7760.4 | 7702.6 | 7645.1 | 7593.1 |
| 8640.0 | 5° | 8497.7 | 8354.1 | 8210.9 | 8077.0 | 7943.1 | 7816.7 | 7691.8 | 7582.9 | 7473.6 | 7382.1 |
| 9017.1 | 7.5° | 8799.2 | 8587.1 | 8374.9 | 8188.0 | 8001.1 | 7828.7 | 7667.1 | 7522.1 | 7377.3 | 7256.9 |
| 9311.1 | 10° | 9023.4 | 8765.8 | 8507.9 | 8287.0 | 8065.5 | 7852.8 | 7679.1 | 7526.3 | 7373.4 | 7253.0 |
| 9513.6 | 12.5° | 9187.4 | 8883.5 | 8579.5 | 8329.5 | 8079.4 | 7855.8 | 7694.2 | 7569.0 | 7444.4 | 7364.4 |
| 9640.0 | 15° | 9286.1 | 8936.1 | 8586.2 | 8296.7 | 8007.2 | 7759.5 | 7630.1 | 7570.2 | 7510.6 | 7521.5 |
| 9700.5 | 17.5° | 9314.4 | 8908.2 | 8501.9 | 8153.7 | 7805.5 | 7514.2 | 7434.5 | 7456.5 | 7478.1 | 7609.3 |
| 9747.7 | 20° | 9323.4 | 8831.1 | 8338.8 | 7907.3 | 7475.7 | 7136.6 | 7115.5 | 7217.8 | 7320.1 | 7547.9 |
| 9811.5 | 22.5° | 9335.5 | 8736.6 | 8137.8 | 7618.1 | 7098.4 | 6712.3 | 6753.5 | 6904.9 | 7056.2 | 7316.2 |
| 9927.1 | 25° | 9383.0 | 8643.3 | 7903.9 | 7295.2 | 6686.7 | 6291.0 | 6402.3 | 6576.8 | 6751.4 | 6985.2 |
| 10107.7 | 27.5° | 9482.3 | 8581.0 | 7679.8 | 6999.9 | 6320.1 | 5959.9 | 6095.4 | 6263.9 | 6432.4 | 6624.7 |
| 10341.5 | 30° | 9618.3 | 8551.8 | 7484.7 | 6753.2 | 6021.6 | 5719.2 | 5825.4 | 5959.0 | 6093.2 | 6252.7 |
| 10585.5 | 32.5° | 9735.7 | 8515.7 | 7295.2 | 6540.4 | 5785.4 | 5541.6 | 5588.9 | 5668.0 | 5747.2 | 5874.5 |
| 10863.6 | 35° | 9821.8 | 8447.7 | 7074.3 | 6331.3 | 5588.3 | 5385.2 | 5365.6 | 5387.3 | 5409.2 | 5506.4 |
| 11175.1 | 37.5° | 9872.9 | 8331.3 | 6789.6 | 6085.1 | 5380.6 | 5203.1 | 5131.5 | 5107.4 | 5083.3 | 5153.1 |
| 11570.5 | 40° | 9905.1 | 8170.9 | 6436.9 | 5791.4 | 5145.9 | 4984.9 | 4875.1 | 4820.6 | 4766.1 | 4816.4 |
| 12087.8 | 42.5° | 9966.2 | 8005.4 | 6045.1 | 5467.3 | 4889.5 | 4741.2 | 4602.7 | 4530.5 | 4458.3 | 4499.2 |
| 12768.5 | 45° | 10073.7 | 7851.6 | 5629.8 | 5123.0 | 4616.3 | 4465.8 | 4331.9 | 4261.5 | 4191.4 | 4225.7 |
| 13493.7 | 47.5° | 10147.4 | 7724.6 | 5301.8 | 4850.7 | 4399.6 | 4205.5 | 4090.2 | 4031.3 | 3972.3 | 4004.8 |
| 14166.6 | 50° | 10099.2 | 7586.2 | 5073.1 | 4669.8 | 4266.6 | 4011.4 | 3877.5 | 3825.1 | 3773.1 | 3823.6 |
| 14603.6 | 52.5° | 9802.8 | 7352.3 | 4902.2 | 4550.7 | 4199.5 | 3906.1 | 3718.9 | 3667.1 | 3615.7 | 3691.8 |
| 14507.3 | 55° | 9190.4 | 6964.7 | 4739.1 | 4464.3 | 4189.6 | 3916.6 | 3634.6 | 3552.8 | 3471.2 | 3579.3 |
| 13829.6 | 57.5° | 8280.1 | 6418.2 | 4556.1 | 4362.0 | 4167.9 | 3927.1 | 3584.1 | 3464.9 | 3345.7 | 3461.9 |
| 12568.4 | 60° | 7059.2 | 5708.7 | 4358.1 | 4205.5 | 4052.9 | 3894.0 | 3536.5 | 3382.2 | 3227.5 | 3329.5 |
| 10863.0 | 62.5° | 5684.0 | 4859.4 | 4034.9 | 3933.5 | 3832.4 | 3812.8 | 3481.2 | 3288.0 | 3095.1 | 3159.8 |
| 9123.0 | 65° | 4480.3 | 4095.4 | 3710.5 | 3662.6 | 3614.8 | 3617.2 | 3364.4 | 3159.2 | 2953.6 | 2978.6 |
| 7418.5 | 67.5° | 3470.3 | 3361.1 | 3251.6 | 3278.3 | 3304.8 | 3298.2 | 3156.2 | 2985.2 | 2814.3 | 2806.5 |
| 5841.1 | 70° | 2628.6 | 2659.9 | 2690.9 | 2814.9 | 2938.6 | 2938.6 | 2891.9 | 2770.4 | 2648.8 | 2621.7 |
| 4465.5 | 72.5° | 2027.7 | 2121.9 | 2216.4 | 2392.1 | 2567.5 | 2597.0 | 2597.6 | 2514.3 | 2430.9 | 2391.2 |
| 3241.0 | 75° | 1574.5 | 1659.9 | 1745.4 | 1942.2 | 2139.0 | 2275.0 | 2263.6 | 2199.5 | 2135.1 | 2097.2 |
| 2196.2 | 77.5° | 1212.1 | 1270.2 | 1328.6 | 1519.7 | 1710.8 | 1935.0 | 1929.0 | 1877.5 | 1826.0 | 1787.5 |
| 1415.0 | 80° | 908.8 | 932.9 | 957.0 | 1118.9 | 1280.5 | 1548.3 | 1547.4 | 1504.4 | 1461.0 | 1428.8 |
| 870.3 | 82.5° | 649.4 | 653.6 | 658.4 | 777.6 | 896.8 | 1125.5 | 1138.1 | 1117.1 | 1096.0 | 1073.1 |
| 465.2 | 85° | 392.7 | 390.6 | 388.2 | 475.5 | 562.7 | 732.8 | 749.3 | 726.7 | 704.2 | 678.6 |
| 192.9 | 87.5° | 172.1 | 170.0 | 167.9 | 203.4 | 239.2 | 310.0 | 331.0 | 322.0 | 313.0 | 308.2 |
| 0.0 | 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

REPORT NUMBER: P953072
 CATALOG NUMBER: GLAN-SB6D-727-U-SLL

CANDELA DISTRIBUTION (continued):

| 160° | | 165° | 170° | 175° | 180° | 185° | 190° | 195° | 200° | 205° | 210° |
|--------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 7842.3 | 0° | 7842.3 | 7842.3 | 7842.3 | 7842.3 | 7842.3 | 7842.3 | 7842.3 | 7842.3 | 7842.3 | 7842.3 |
| 7541.3 | 2.5° | 7495.9 | 7450.4 | 7404.7 | 7359.3 | 7324.1 | 7288.5 | 7260.0 | 7231.4 | 7209.1 | 7186.8 |
| 7290.9 | 5° | 7210.3 | 7129.6 | 7056.5 | 6983.1 | 6926.8 | 6870.2 | 6830.8 | 6791.4 | 6763.4 | 6735.4 |
| 7136.6 | 7.5° | 7035.2 | 6933.4 | 6843.8 | 6754.4 | 6687.3 | 6620.5 | 6573.5 | 6526.6 | 6494.4 | 6462.5 |
| 7132.7 | 10° | 7023.4 | 6913.9 | 6813.1 | 6712.3 | 6632.2 | 6551.9 | 6499.5 | 6446.5 | 6416.1 | 6385.7 |
| 7284.9 | 12.5° | 7198.9 | 7113.4 | 7009.0 | 6904.9 | 6802.5 | 6700.2 | 6632.5 | 6564.8 | 6530.8 | 6497.1 |
| 7532.3 | 15° | 7510.0 | 7487.8 | 7397.2 | 7306.6 | 7160.9 | 7015.3 | 6912.4 | 6809.5 | 6762.2 | 6715.3 |
| 7740.5 | 17.5° | 7810.4 | 7879.9 | 7806.7 | 7733.9 | 7541.0 | 7348.1 | 7196.5 | 7044.8 | 6975.0 | 6904.9 |
| 7776.0 | 20° | 7922.0 | 8068.0 | 8034.2 | 8000.2 | 7779.7 | 7559.4 | 7373.4 | 7187.7 | 7098.4 | 7008.7 |
| 7576.8 | 22.5° | 7766.7 | 7956.6 | 7977.1 | 7997.2 | 7786.6 | 7575.9 | 7384.5 | 7192.8 | 7098.7 | 7004.2 |
| 7219.3 | 25° | 7406.2 | 7593.1 | 7662.9 | 7732.4 | 7559.7 | 7387.2 | 7216.9 | 7047.2 | 6965.3 | 6883.8 |
| 6816.7 | 27.5° | 6966.5 | 7116.4 | 7194.0 | 7272.0 | 7148.9 | 7026.1 | 6894.0 | 6761.9 | 6707.1 | 6652.1 |
| 6412.2 | 30° | 6536.5 | 6661.1 | 6724.3 | 6787.5 | 6693.9 | 6600.0 | 6505.5 | 6410.4 | 6382.4 | 6354.2 |
| 6002.1 | 32.5° | 6121.2 | 6240.7 | 6310.8 | 6381.2 | 6295.2 | 6208.8 | 6133.3 | 6057.7 | 6039.4 | 6021.0 |
| 5603.3 | 35° | 5721.3 | 5839.6 | 5923.8 | 6008.1 | 5946.7 | 5885.6 | 5815.8 | 5746.3 | 5718.3 | 5690.6 |
| 5222.7 | 37.5° | 5340.3 | 5458.3 | 5562.4 | 5666.5 | 5638.2 | 5609.9 | 5545.9 | 5481.5 | 5430.6 | 5380.0 |
| 4866.7 | 40° | 4980.4 | 5094.2 | 5213.9 | 5334.0 | 5340.9 | 5347.5 | 5293.1 | 5238.6 | 5164.6 | 5091.1 |
| 4540.4 | 42.5° | 4648.2 | 4756.2 | 4885.6 | 5015.0 | 5049.6 | 5084.2 | 5038.2 | 4992.4 | 4900.7 | 4808.9 |
| 4260.6 | 45° | 4362.9 | 4465.2 | 4599.4 | 4733.6 | 4783.3 | 4832.9 | 4791.4 | 4750.2 | 4645.2 | 4540.4 |
| 4037.0 | 47.5° | 4137.2 | 4237.1 | 4369.5 | 4501.9 | 4559.1 | 4616.3 | 4587.4 | 4558.5 | 4465.2 | 4371.9 |
| 3874.5 | 50° | 3969.0 | 4063.2 | 4181.7 | 4300.3 | 4373.7 | 4447.2 | 4445.3 | 4444.1 | 4369.5 | 4294.9 |
| 3767.7 | 52.5° | 3854.3 | 3940.7 | 4051.1 | 4161.9 | 4248.8 | 4335.8 | 4351.5 | 4367.1 | 4306.3 | 4245.5 |
| 3687.0 | 55° | 3780.3 | 3873.6 | 3970.5 | 4067.1 | 4159.2 | 4251.5 | 4273.2 | 4294.9 | 4241.9 | 4189.0 |
| 3578.1 | 57.5° | 3687.6 | 3797.1 | 3892.8 | 3988.8 | 4081.8 | 4174.5 | 4196.5 | 4218.4 | 4164.9 | 4111.3 |
| 3431.2 | 60° | 3557.0 | 3682.8 | 3780.0 | 3877.5 | 3970.8 | 4064.1 | 4088.1 | 4112.2 | 4059.9 | 4007.8 |
| 3224.5 | 62.5° | 3371.0 | 3517.9 | 3621.7 | 3725.5 | 3811.0 | 3896.5 | 3919.6 | 3942.8 | 3895.5 | 3848.3 |
| 3003.3 | 65° | 3160.4 | 3317.8 | 3417.1 | 3516.4 | 3591.6 | 3666.8 | 3690.6 | 3714.1 | 3668.6 | 3623.2 |
| 2798.7 | 67.5° | 2943.7 | 3089.1 | 3183.2 | 3277.1 | 3342.1 | 3407.1 | 3430.3 | 3453.2 | 3411.4 | 3369.8 |
| 2594.6 | 70° | 2722.2 | 2849.8 | 2931.1 | 3012.3 | 3071.0 | 3129.7 | 3151.9 | 3174.2 | 3140.2 | 3106.2 |
| 2351.8 | 72.5° | 2452.3 | 2552.5 | 2625.9 | 2699.3 | 2756.8 | 2814.3 | 2840.8 | 2867.3 | 2839.0 | 2810.7 |
| 2059.0 | 75° | 2133.6 | 2208.2 | 2274.7 | 2341.2 | 2393.6 | 2446.0 | 2473.7 | 2501.3 | 2487.5 | 2473.7 |
| 1749.0 | 77.5° | 1809.8 | 1870.3 | 1927.5 | 1984.6 | 2039.7 | 2094.5 | 2120.4 | 2146.2 | 2127.0 | 2107.1 |
| 1396.3 | 80° | 1446.9 | 1497.1 | 1545.3 | 1593.4 | 1635.3 | 1676.8 | 1711.1 | 1745.4 | 1737.0 | 1728.8 |
| 1050.2 | 82.5° | 1046.0 | 1041.8 | 1025.0 | 1008.1 | 1097.2 | 1186.3 | 1244.6 | 1303.0 | 1299.4 | 1295.5 |
| 653.0 | 85° | 631.4 | 609.4 | 562.7 | 516.1 | 599.5 | 683.1 | 755.3 | 827.6 | 821.5 | 815.5 |
| 303.3 | 87.5° | 302.4 | 301.5 | 266.0 | 230.2 | 265.1 | 300.3 | 329.5 | 358.7 | 351.5 | 343.7 |
| 0.0 | 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

REPORT NUMBER: P953072
 CATALOG NUMBER: GLAN-SB6D-727-U-SLL

CANDELA DISTRIBUTION (continued):

| 215° | | 220° | 225° | 230° | 235° | 240° | 245° | 250° | 255° | 260° | 265° |
|--------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 7842.3 | 0° | 7842.3 | 7842.3 | 7842.3 | 7842.3 | 7842.3 | 7842.3 | 7842.3 | 7842.3 | 7842.3 | 7842.3 |
| 7166.4 | 2.5° | 7145.6 | 7120.0 | 7145.6 | 7166.4 | 7186.8 | 7209.1 | 7231.4 | 7260.0 | 7288.5 | 7324.1 |
| 6714.1 | 5° | 6692.7 | 6671.6 | 6692.7 | 6714.1 | 6735.4 | 6763.4 | 6791.4 | 6830.8 | 6870.2 | 6926.8 |
| 6443.2 | 7.5° | 6424.3 | 6409.8 | 6424.3 | 6443.2 | 6462.5 | 6494.4 | 6526.6 | 6573.5 | 6620.5 | 6687.3 |
| 6369.5 | 10° | 6353.2 | 6346.6 | 6353.2 | 6369.5 | 6385.7 | 6416.1 | 6446.5 | 6499.5 | 6551.9 | 6632.2 |
| 6483.3 | 12.5° | 6469.4 | 6467.0 | 6469.4 | 6483.3 | 6497.1 | 6530.8 | 6564.8 | 6632.5 | 6700.2 | 6802.5 |
| 6697.2 | 15° | 6679.2 | 6677.7 | 6679.2 | 6697.2 | 6715.3 | 6762.2 | 6809.5 | 6912.4 | 7015.3 | 7160.9 |
| 6882.0 | 17.5° | 6858.8 | 6855.2 | 6858.8 | 6882.0 | 6904.9 | 6975.0 | 7044.8 | 7196.5 | 7348.1 | 7541.0 |
| 6980.1 | 20° | 6951.5 | 6942.5 | 6951.5 | 6980.1 | 7008.7 | 7098.4 | 7187.7 | 7373.4 | 7559.4 | 7779.7 |
| 6972.6 | 22.5° | 6941.0 | 6927.4 | 6941.0 | 6972.6 | 7004.2 | 7098.7 | 7192.8 | 7384.5 | 7575.9 | 7786.6 |
| 6854.0 | 25° | 6824.5 | 6807.1 | 6824.5 | 6854.0 | 6883.8 | 6965.3 | 7047.2 | 7216.9 | 7387.2 | 7559.7 |
| 6638.5 | 27.5° | 6625.0 | 6620.5 | 6625.0 | 6638.5 | 6652.1 | 6707.1 | 6761.9 | 6894.0 | 7026.1 | 7148.9 |
| 6354.2 | 30° | 6354.2 | 6358.7 | 6354.2 | 6354.2 | 6354.2 | 6382.4 | 6410.4 | 6505.5 | 6600.0 | 6693.9 |
| 6023.4 | 32.5° | 6026.1 | 6030.7 | 6026.1 | 6023.4 | 6021.0 | 6039.4 | 6057.7 | 6133.3 | 6208.8 | 6295.2 |
| 5684.6 | 35° | 5678.6 | 5675.6 | 5678.6 | 5684.6 | 5690.6 | 5718.3 | 5746.3 | 5815.8 | 5885.6 | 5946.7 |
| 5353.3 | 37.5° | 5326.5 | 5311.4 | 5326.5 | 5353.3 | 5380.0 | 5430.6 | 5481.5 | 5545.9 | 5609.9 | 5638.2 |
| 5041.2 | 40° | 4991.8 | 4962.3 | 4991.8 | 5041.2 | 5091.1 | 5164.6 | 5238.6 | 5293.1 | 5347.5 | 5340.9 |
| 4736.3 | 42.5° | 4663.8 | 4616.3 | 4663.8 | 4736.3 | 4808.9 | 4900.7 | 4992.4 | 5038.2 | 5084.2 | 5049.6 |
| 4455.3 | 45° | 4370.1 | 4315.3 | 4370.1 | 4455.3 | 4540.4 | 4645.2 | 4750.2 | 4791.4 | 4832.9 | 4783.3 |
| 4293.1 | 47.5° | 4214.5 | 4161.9 | 4214.5 | 4293.1 | 4371.9 | 4465.2 | 4558.5 | 4587.4 | 4616.3 | 4559.1 |
| 4222.1 | 50° | 4149.2 | 4098.7 | 4149.2 | 4222.1 | 4294.9 | 4369.5 | 4444.1 | 4445.3 | 4447.2 | 4373.7 |
| 4180.2 | 52.5° | 4115.2 | 4068.6 | 4115.2 | 4180.2 | 4245.5 | 4306.3 | 4367.1 | 4351.5 | 4335.8 | 4248.8 |
| 4131.8 | 55° | 4074.6 | 4032.5 | 4074.6 | 4131.8 | 4189.0 | 4241.9 | 4294.9 | 4273.2 | 4251.5 | 4159.2 |
| 4054.7 | 57.5° | 3997.9 | 3954.2 | 3997.9 | 4054.7 | 4111.3 | 4164.9 | 4218.4 | 4196.5 | 4174.5 | 4081.8 |
| 3949.4 | 60° | 3891.0 | 3845.9 | 3891.0 | 3949.4 | 4007.8 | 4059.9 | 4112.2 | 4088.1 | 4064.1 | 3970.8 |
| 3786.9 | 62.5° | 3725.5 | 3671.4 | 3725.5 | 3786.9 | 3848.3 | 3895.5 | 3942.8 | 3919.6 | 3896.5 | 3811.0 |
| 3563.6 | 65° | 3504.3 | 3457.7 | 3504.3 | 3563.6 | 3623.2 | 3668.6 | 3714.1 | 3690.6 | 3666.8 | 3591.6 |
| 3314.5 | 67.5° | 3259.1 | 3216.9 | 3259.1 | 3314.5 | 3369.8 | 3411.4 | 3453.2 | 3430.3 | 3407.1 | 3342.1 |
| 3053.2 | 70° | 3000.3 | 2952.1 | 3000.3 | 3053.2 | 3106.2 | 3140.2 | 3174.2 | 3151.9 | 3129.7 | 3071.0 |
| 2760.1 | 72.5° | 2709.9 | 2663.2 | 2709.9 | 2760.1 | 2810.7 | 2839.0 | 2867.3 | 2840.8 | 2814.3 | 2756.8 |
| 2431.2 | 75° | 2388.8 | 2344.3 | 2388.8 | 2431.2 | 2473.7 | 2487.5 | 2501.3 | 2473.7 | 2446.0 | 2393.6 |
| 2064.4 | 77.5° | 2021.7 | 1986.1 | 2021.7 | 2064.4 | 2107.1 | 2127.0 | 2146.2 | 2120.4 | 2094.5 | 2039.7 |
| 1671.4 | 80° | 1613.6 | 1546.8 | 1613.6 | 1671.4 | 1728.8 | 1737.0 | 1745.4 | 1711.1 | 1676.8 | 1635.3 |
| 1247.1 | 82.5° | 1198.3 | 1155.6 | 1198.3 | 1247.1 | 1295.5 | 1299.4 | 1303.0 | 1244.6 | 1186.3 | 1097.2 |
| 777.6 | 85° | 739.7 | 701.2 | 739.7 | 777.6 | 815.5 | 821.5 | 827.6 | 755.3 | 683.1 | 599.5 |
| 324.4 | 87.5° | 304.5 | 285.9 | 304.5 | 324.4 | 343.7 | 351.5 | 358.7 | 329.5 | 300.3 | 265.1 |
| 0.0 | 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

REPORT NUMBER: P953072
 CATALOG NUMBER: GLAN-SB6D-727-U-SLL

CANDELA DISTRIBUTION (continued):

| 270° | | 275° | 280° | 285° | 290° | 295° | 300° | 305° | 310° | 315° | 320° |
|--------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 7842.3 | 0° | 7842.3 | 7842.3 | 7842.3 | 7842.3 | 7842.3 | 7842.3 | 7842.3 | 7842.3 | 7842.3 | 7842.3 |
| 7359.3 | 2.5° | 7404.7 | 7450.4 | 7495.9 | 7541.3 | 7593.1 | 7645.1 | 7702.6 | 7760.4 | 7831.7 | 7895.8 |
| 6983.1 | 5° | 7056.5 | 7129.6 | 7210.3 | 7290.9 | 7382.1 | 7473.6 | 7582.9 | 7691.8 | 7816.7 | 7943.1 |
| 6754.4 | 7.5° | 6843.8 | 6933.4 | 7035.2 | 7136.6 | 7256.9 | 7377.3 | 7522.1 | 7667.1 | 7828.7 | 8001.1 |
| 6712.3 | 10° | 6813.1 | 6913.9 | 7023.4 | 7132.7 | 7253.0 | 7373.4 | 7526.3 | 7679.1 | 7852.8 | 8065.5 |
| 6904.9 | 12.5° | 7009.0 | 7113.4 | 7198.9 | 7284.9 | 7364.4 | 7444.4 | 7569.0 | 7694.2 | 7855.8 | 8079.4 |
| 7306.6 | 15° | 7397.2 | 7487.8 | 7510.0 | 7532.3 | 7521.5 | 7510.6 | 7570.2 | 7630.1 | 7759.5 | 8007.2 |
| 7733.9 | 17.5° | 7806.7 | 7879.9 | 7810.4 | 7740.5 | 7609.3 | 7478.1 | 7456.5 | 7434.5 | 7514.2 | 7805.5 |
| 8000.2 | 20° | 8034.2 | 8068.0 | 7922.0 | 7776.0 | 7547.9 | 7320.1 | 7217.8 | 7115.5 | 7136.6 | 7475.7 |
| 7997.2 | 22.5° | 7977.1 | 7956.6 | 7766.7 | 7576.8 | 7316.2 | 7056.2 | 6904.9 | 6753.5 | 6712.3 | 7098.4 |
| 7732.4 | 25° | 7662.9 | 7593.1 | 7406.2 | 7219.3 | 6985.2 | 6751.4 | 6576.8 | 6402.3 | 6291.0 | 6686.7 |
| 7272.0 | 27.5° | 7194.0 | 7116.4 | 6966.5 | 6816.7 | 6624.7 | 6432.4 | 6263.9 | 6095.4 | 5959.9 | 6320.1 |
| 6787.5 | 30° | 6724.3 | 6661.1 | 6536.5 | 6412.2 | 6252.7 | 6093.2 | 5959.0 | 5825.4 | 5719.2 | 6021.6 |
| 6381.2 | 32.5° | 6310.8 | 6240.7 | 6121.2 | 6002.1 | 5874.5 | 5747.2 | 5668.0 | 5588.9 | 5541.6 | 5785.4 |
| 6008.1 | 35° | 5923.8 | 5839.6 | 5721.3 | 5603.3 | 5506.4 | 5409.2 | 5387.3 | 5365.6 | 5385.2 | 5588.3 |
| 5666.5 | 37.5° | 5562.4 | 5458.3 | 5340.3 | 5222.7 | 5153.1 | 5083.3 | 5107.4 | 5131.5 | 5203.1 | 5380.6 |
| 5334.0 | 40° | 5213.9 | 5094.2 | 4980.4 | 4866.7 | 4816.4 | 4766.1 | 4820.6 | 4875.1 | 4984.9 | 5145.9 |
| 5015.0 | 42.5° | 4885.6 | 4756.2 | 4648.2 | 4540.4 | 4499.2 | 4458.3 | 4530.5 | 4602.7 | 4741.2 | 4889.5 |
| 4733.6 | 45° | 4599.4 | 4465.2 | 4362.9 | 4260.6 | 4225.7 | 4191.4 | 4261.5 | 4331.9 | 4465.8 | 4616.3 |
| 4501.9 | 47.5° | 4369.5 | 4237.1 | 4137.2 | 4037.0 | 4004.8 | 3972.3 | 4031.3 | 4090.2 | 4205.5 | 4399.6 |
| 4300.3 | 50° | 4181.7 | 4063.2 | 3969.0 | 3874.5 | 3823.6 | 3773.1 | 3825.1 | 3877.5 | 4011.4 | 4266.6 |
| 4161.9 | 52.5° | 4051.1 | 3940.7 | 3854.3 | 3767.7 | 3691.8 | 3615.7 | 3667.1 | 3718.9 | 3906.1 | 4199.5 |
| 4067.1 | 55° | 3970.5 | 3873.6 | 3780.3 | 3687.0 | 3579.3 | 3471.2 | 3552.8 | 3634.6 | 3916.6 | 4189.6 |
| 3988.8 | 57.5° | 3892.8 | 3797.1 | 3687.6 | 3578.1 | 3461.9 | 3345.7 | 3464.9 | 3584.1 | 3927.1 | 4167.9 |
| 3877.5 | 60° | 3780.0 | 3682.8 | 3557.0 | 3431.2 | 3329.5 | 3227.5 | 3382.2 | 3536.5 | 3894.0 | 4052.9 |
| 3725.5 | 62.5° | 3621.7 | 3517.9 | 3371.0 | 3224.5 | 3159.8 | 3095.1 | 3288.0 | 3481.2 | 3812.8 | 3832.4 |
| 3516.4 | 65° | 3417.1 | 3317.8 | 3160.4 | 3003.3 | 2978.6 | 2953.6 | 3159.2 | 3364.4 | 3617.2 | 3614.8 |
| 3277.1 | 67.5° | 3183.2 | 3089.1 | 2943.7 | 2798.7 | 2806.5 | 2814.3 | 2985.2 | 3156.2 | 3298.2 | 3304.8 |
| 3012.3 | 70° | 2931.1 | 2849.8 | 2722.2 | 2594.6 | 2621.7 | 2648.8 | 2770.4 | 2891.9 | 2938.6 | 2938.6 |
| 2699.3 | 72.5° | 2625.9 | 2552.5 | 2452.3 | 2351.8 | 2391.2 | 2430.9 | 2514.3 | 2597.6 | 2597.0 | 2567.5 |
| 2341.2 | 75° | 2274.7 | 2208.2 | 2133.6 | 2059.0 | 2097.2 | 2135.1 | 2199.5 | 2263.6 | 2275.0 | 2139.0 |
| 1984.6 | 77.5° | 1927.5 | 1870.3 | 1809.8 | 1749.0 | 1787.5 | 1826.0 | 1877.5 | 1929.0 | 1935.0 | 1710.8 |
| 1593.4 | 80° | 1545.3 | 1497.1 | 1446.9 | 1396.3 | 1428.8 | 1461.0 | 1504.4 | 1547.4 | 1548.3 | 1280.5 |
| 1008.1 | 82.5° | 1025.0 | 1041.8 | 1046.0 | 1050.2 | 1073.1 | 1096.0 | 1117.1 | 1138.1 | 1125.5 | 896.8 |
| 516.1 | 85° | 562.7 | 609.4 | 631.4 | 653.0 | 678.6 | 704.2 | 726.7 | 749.3 | 732.8 | 562.7 |
| 230.2 | 87.5° | 266.0 | 301.5 | 302.4 | 303.3 | 308.2 | 313.0 | 322.0 | 331.0 | 310.0 | 239.2 |
| 0.0 | 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

REPORT NUMBER: P953072
 CATALOG NUMBER: GLAN-SB6D-727-U-SLL

CANDELA DISTRIBUTION (continued):

| 325° | | 330° | 335° | 340° | 345° | 350° | 355° | 360° |
|--------|-------|--------|--------|---------|---------|---------|---------|---------|
| 7842.3 | 0° | 7842.3 | 7842.3 | 7842.3 | 7842.3 | 7842.3 | 7842.3 | 7842.3 |
| 7962.0 | 2.5° | 8028.2 | 8097.4 | 8166.7 | 8235.3 | 8304.2 | 8368.9 | 8433.6 |
| 8077.0 | 5° | 8210.9 | 8354.1 | 8497.7 | 8640.0 | 8782.7 | 8925.6 | 9068.5 |
| 8188.0 | 7.5° | 8374.9 | 8587.1 | 8799.2 | 9017.1 | 9235.0 | 9470.6 | 9706.5 |
| 8287.0 | 10° | 8507.9 | 8765.8 | 9023.4 | 9311.1 | 9599.1 | 9897.3 | 10195.5 |
| 8329.5 | 12.5° | 8579.5 | 8883.5 | 9187.4 | 9513.6 | 9839.8 | 10167.2 | 10495.0 |
| 8296.7 | 15° | 8586.2 | 8936.1 | 9286.1 | 9640.0 | 9993.9 | 10335.5 | 10677.0 |
| 8153.7 | 17.5° | 8501.9 | 8908.2 | 9314.4 | 9700.5 | 10086.6 | 10433.0 | 10779.3 |
| 7907.3 | 20° | 8338.8 | 8831.1 | 9323.4 | 9747.7 | 10172.1 | 10532.3 | 10892.2 |
| 7618.1 | 22.5° | 8137.8 | 8736.6 | 9335.5 | 9811.5 | 10287.3 | 10655.4 | 11023.1 |
| 7295.2 | 25° | 7903.9 | 8643.3 | 9383.0 | 9927.1 | 10470.9 | 10831.1 | 11191.6 |
| 6999.9 | 27.5° | 7679.8 | 8581.0 | 9482.3 | 10107.7 | 10732.7 | 11076.7 | 11420.3 |
| 6753.2 | 30° | 7484.7 | 8551.8 | 9618.3 | 10341.5 | 11064.6 | 11396.5 | 11728.8 |
| 6540.4 | 32.5° | 7295.2 | 8515.7 | 9735.7 | 10585.5 | 11435.4 | 11764.0 | 12092.9 |
| 6331.3 | 35° | 7074.3 | 8447.7 | 9821.8 | 10863.6 | 11905.4 | 12220.5 | 12535.3 |
| 6085.1 | 37.5° | 6789.6 | 8331.3 | 9872.9 | 11175.1 | 12477.2 | 12878.6 | 13280.1 |
| 5791.4 | 40° | 6436.9 | 8170.9 | 9905.1 | 11570.5 | 13235.5 | 13820.5 | 14405.6 |
| 5467.3 | 42.5° | 6045.1 | 8005.4 | 9966.2 | 12087.8 | 14209.3 | 15053.8 | 15898.2 |
| 5123.0 | 45° | 5629.8 | 7851.6 | 10073.7 | 12768.5 | 15463.3 | 16602.3 | 17741.4 |
| 4850.7 | 47.5° | 5301.8 | 7724.6 | 10147.4 | 13493.7 | 16840.1 | 18443.4 | 20046.5 |
| 4669.8 | 50° | 5073.1 | 7586.2 | 10099.2 | 14166.6 | 18234.0 | 20651.1 | 23067.8 |
| 4550.7 | 52.5° | 4902.2 | 7352.3 | 9802.8 | 14603.6 | 19404.0 | 22970.0 | 26536.1 |
| 4464.3 | 55° | 4739.1 | 6964.7 | 9190.4 | 14507.3 | 19823.8 | 25026.0 | 30228.5 |
| 4362.0 | 57.5° | 4556.1 | 6418.2 | 8280.1 | 13829.6 | 19379.3 | 26483.1 | 33586.9 |
| 4205.5 | 60° | 4358.1 | 5708.7 | 7059.2 | 12568.4 | 18077.5 | 26847.2 | 35616.7 |
| 3933.5 | 62.5° | 4034.9 | 4859.4 | 5684.0 | 10863.0 | 16042.0 | 25314.0 | 34586.0 |
| 3662.6 | 65° | 3710.5 | 4095.4 | 4480.3 | 9123.0 | 13766.1 | 23144.6 | 32523.1 |
| 3278.3 | 67.5° | 3251.6 | 3361.1 | 3470.3 | 7418.5 | 11366.8 | 20562.9 | 29759.0 |
| 2814.9 | 70° | 2690.9 | 2659.9 | 2628.6 | 5841.1 | 9053.5 | 17745.9 | 26438.3 |
| 2392.1 | 72.5° | 2216.4 | 2121.9 | 2027.7 | 4465.5 | 6903.3 | 14692.0 | 22481.0 |
| 1942.2 | 75° | 1745.4 | 1659.9 | 1574.5 | 3241.0 | 4907.6 | 11191.3 | 17475.0 |
| 1519.7 | 77.5° | 1328.6 | 1270.2 | 1212.1 | 2196.2 | 3180.2 | 7832.9 | 12485.6 |
| 1118.9 | 80° | 957.0 | 932.9 | 908.8 | 1415.0 | 1921.4 | 5046.6 | 8171.8 |
| 777.6 | 82.5° | 658.4 | 653.6 | 649.4 | 870.3 | 1091.8 | 2920.8 | 4750.2 |
| 475.5 | 85° | 388.2 | 390.6 | 392.7 | 465.2 | 538.1 | 1313.9 | 2090.0 |
| 203.4 | 87.5° | 167.9 | 170.0 | 172.1 | 192.9 | 213.7 | 430.3 | 647.0 |
| 0.0 | 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

(END OF REPORT)