

Scaled data based on original data using  
LM-79-08 Approved Method: Electrical and Photometric Measurements of Solid-  
State Lighting Products

Test Report Prepared for  
Cooper Lighting Solutions  
(formerly Eaton)

Brand: STREETWORKS

Report Number: P951331

Luminaire Tested: **GLAN-SB5C-735-U-SLR**

Issue Date: 1/21/2025

### Test Information

Test Method: LM-79-08  
Report Number: P951331  
TEST IS SCALED FROM IESNA LM-79-08 TEST DATA (G2-2411-289-8)  
Test Lab: INNOVATION CENTER  
Issue Date: 1/21/2025  
Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)  
Product Line: STREETWORKS  
Catalog Number: GLAN-SB5C-735-U-SLR  
Description: GALLEON AREA AND ROADWAY HIGH DENSITY LED LUMINAIRE  
(5) 70 CRI, 3500K, 615mA LIGHTSQUARES WITH 26 LEDS EACH AND SPILL LIGHT  
ELIMINATOR RIGHT OPTICS  
Light Source: -  
Ballast/Driver: -

### Summary

Lumens per Lamp: N/A  
Luminaire Lumens: 37695 lumens  
Efficiency: N/A  
Efficacy: 151.1 lumens/watt  
Luminous Opening: Rectangular (W 1.5' x L: 1' x H: 0')  
IES Classification: Type IV - Short  
BUG Rating: B4 - U0 - G5

Input Watts (W): 249.5  
Input Voltage (V): NR  
Input Current (Ain): NR  
Voltage Rise (V): NR  
Power Factor: NR  
Total Harmonic Distortion (THDi): NR  
Frequency (hertz): 60  
Stabilization Time: NR  
Operation Time: NR  
Ambient Temperature (°C): NR  
Test Distance: 24 FT




REPORT NUMBER: P951331

CATALOG NUMBER: GLAN-SB5C-735-U-SLR

## Iso-Footcandle Lines of Horizontal Illumination


× Max cd  
- - - 1/2 Max cd



Based on 25 foot mounting height. Maximum calculated value = 10.2 fc  
Type IV - Short - N/A

REPORT NUMBER: P951331  
CATALOG NUMBER: GLAN-SB5C-735-U-SLR

## Luminous Intensity Polar Plot



REPORT NUMBER: P951331

CATALOG NUMBER: GLAN-SB5C-735-U-SLR


**FLUX DISTRIBUTION:**

|                    |           | Downward | Upward | Total   |
|--------------------|-----------|----------|--------|---------|
| <b>House Side</b>  | Lumens    | 9580.2   | 0.0    | 9580.2  |
|                    | % Fixture | 25.4     | 0.0    | 25.4    |
| <b>Street Side</b> | Lumens    | 28114.8  | 0.0    | 28114.8 |
|                    | % Fixture | 74.6     | 0.0    | 74.6    |
| <b>Total</b>       | Lumens    | 37695.0  | 0.0    | 37695.0 |
|                    | % Fixture | 100.0    | 0.0    | 100.0   |

**ZONAL LUMENS:**

| Zone      | Lumens  | % Fixture |
|-----------|---------|-----------|
| 0°-10°    | 514.2   | 1.4       |
| 10°-20°   | 1614.1  | 4.3       |
| 20°-30°   | 2493.3  | 6.6       |
| 30°-40°   | 3159.6  | 8.4       |
| 40°-50°   | 4765.5  | 12.6      |
| 50°-60°   | 7699.4  | 20.4      |
| 60°-70°   | 9598.5  | 25.5      |
| 70°-80°   | 6294.2  | 16.7      |
| 80°-90°   | 1556.1  | 4.1       |
| 90°-100°  | 0.0     | 0.0       |
| 100°-110° | 0.0     | 0.0       |
| 110°-120° | 0.0     | 0.0       |
| 120°-130° | 0.0     | 0.0       |
| 130°-140° | 0.0     | 0.0       |
| 140°-150° | 0.0     | 0.0       |
| 150°-160° | 0.0     | 0.0       |
| 160°-170° | 0.0     | 0.0       |
| 170°-180° | 0.0     | 0.0       |
| 0°-90°    | 37695.0 | 100.0     |
| 0°-180°   | 37695.0 | 100.0     |

**Coefficient of Utilization**



REPORT NUMBER: P951331


CATALOG NUMBER: GLAN-SB5C-735-U-SLR

**LUMINAIRE CLASSIFICATION SYSTEM LUMEN TABLE AND BUG RATING:**

| Zone |             | Lumens  | % Fixture | Zone Rating/Lumen Limit |      |         |
|------|-------------|---------|-----------|-------------------------|------|---------|
|      |             |         |           | B                       | U    | G       |
| FL   | (0°-30°)    | 2535.4  | 6.7       |                         |      |         |
| FM   | (30°-60°)   | 10994.8 | 29.2      |                         |      |         |
| FH   | (60°-80°)   | 13302.7 | 35.3      |                         |      | G5      |
| FVH  | (80°-90°)   | 1281.9  | 3.4       |                         |      | G5      |
| BL   | (0°-30°)    | 2086.2  | 5.5       | B3/2500                 |      |         |
| BM   | (30°-60°)   | 4629.7  | 12.3      | B3/5000                 |      |         |
| BH   | (60°-80°)   | 2590.0  | 6.9       | B4/5000                 |      | G4/5000 |
| BVH  | (80°-90°)   | 274.2   | 0.7       |                         |      | G3/500  |
| UL   | (90°-100°)  | 0.0     | 0.0       |                         | U0/0 |         |
| UH   | (100°-180°) | 0.0     | 0.0       |                         | U0/0 |         |

**BUG Rating: B4-U0-G5**

Type IV Short



REPORT NUMBER: P951331

CATALOG NUMBER: GLAN-SB5C-735-U-SLR

**CANDELA DISTRIBUTION (FULL):**

|       | 0°      | 5°      | 10°     | 15°    | 20°    | 25°    | 30°    | 35°    | 40°    | 45°    |
|-------|---------|---------|---------|--------|--------|--------|--------|--------|--------|--------|
| 0°    | 5183.4  | 5183.4  | 5183.4  | 5183.4 | 5183.4 | 5183.4 | 5183.4 | 5183.4 | 5183.4 | 5183.4 |
| 2.5°  | 5574.2  | 5531.5  | 5488.7  | 5443.2 | 5397.8 | 5352.1 | 5306.3 | 5262.6 | 5218.8 | 5176.4 |
| 5°    | 5993.9  | 5899.4  | 5805.0  | 5710.7 | 5616.6 | 5521.7 | 5427.0 | 5338.5 | 5250.0 | 5166.5 |
| 7.5°  | 6415.6  | 6259.6  | 6103.9  | 5959.9 | 5815.9 | 5675.7 | 5535.4 | 5411.9 | 5288.4 | 5174.4 |
| 10°   | 6738.8  | 6541.7  | 6344.6  | 6154.2 | 5964.1 | 5793.8 | 5623.4 | 5477.4 | 5331.0 | 5190.3 |
| 12.5° | 6936.7  | 6720.1  | 6503.7  | 6288.1 | 6072.5 | 5871.6 | 5670.7 | 5505.4 | 5340.1 | 5192.3 |
| 15°   | 7057.0  | 6831.3  | 6605.5  | 6371.6 | 6137.7 | 5906.4 | 5675.1 | 5483.7 | 5292.4 | 5128.7 |
| 17.5° | 7124.7  | 6895.7  | 6666.8  | 6411.6 | 6156.4 | 5887.9 | 5619.4 | 5389.3 | 5159.1 | 4966.6 |
| 20°   | 7199.3  | 6961.4  | 6723.3  | 6442.8 | 6162.4 | 5837.0 | 5511.6 | 5226.3 | 4941.1 | 4717.0 |
| 22.5° | 7285.8  | 7042.7  | 6799.5  | 6485.0 | 6170.3 | 5774.5 | 5378.7 | 5035.2 | 4691.7 | 4436.5 |
| 25°   | 7397.2  | 7158.9  | 6920.8  | 6561.4 | 6201.8 | 5712.9 | 5224.2 | 4821.8 | 4419.6 | 4158.0 |
| 27.5° | 7548.3  | 7321.2  | 7093.8  | 6680.7 | 6267.4 | 5671.7 | 5076.0 | 4626.7 | 4177.3 | 3939.3 |
| 30°   | 7752.2  | 7532.6  | 7313.2  | 6835.3 | 6357.3 | 5652.4 | 4947.1 | 4463.6 | 3980.0 | 3780.1 |
| 32.5° | 7992.9  | 7775.5  | 7558.3  | 6996.6 | 6434.9 | 5628.5 | 4821.8 | 4322.9 | 3823.9 | 3662.8 |
| 35°   | 8285.3  | 8077.2  | 7869.0  | 7180.4 | 6491.8 | 5583.6 | 4675.8 | 4184.7 | 3693.6 | 3559.4 |
| 37.5° | 8777.5  | 8512.2  | 8246.9  | 7386.2 | 6525.6 | 5506.6 | 4487.6 | 4022.0 | 3556.4 | 3439.0 |
| 40°   | 9521.4  | 9134.8  | 8748.1  | 7647.6 | 6546.9 | 5400.6 | 4254.5 | 3827.9 | 3401.2 | 3294.8 |
| 42.5° | 10508.0 | 9949.9  | 9391.8  | 7989.5 | 6587.2 | 5291.2 | 3995.5 | 3613.7 | 3231.8 | 3133.7 |
| 45°   | 11726.3 | 10973.4 | 10220.6 | 8439.4 | 6658.2 | 5189.6 | 3721.1 | 3386.1 | 3051.2 | 2951.7 |
| 47.5° | 13249.9 | 12190.3 | 11130.6 | 8918.8 | 6707.0 | 5105.6 | 3504.3 | 3206.1 | 2907.9 | 2779.7 |
| 50°   | 15246.8 | 13649.5 | 12051.9 | 9363.5 | 6675.2 | 5014.1 | 3353.1 | 3086.6 | 2820.0 | 2651.4 |
| 52.5° | 17539.2 | 15182.2 | 12825.2 | 9652.3 | 6479.2 | 4859.6 | 3240.1 | 3007.8 | 2775.7 | 2581.7 |
| 55°   | 19979.7 | 16541.1 | 13102.7 | 9588.7 | 6074.5 | 4603.4 | 3132.3 | 2950.7 | 2769.1 | 2588.7 |
| 57.5° | 22199.5 | 17504.2 | 12808.9 | 9140.7 | 5472.8 | 4242.2 | 3011.4 | 2883.1 | 2754.8 | 2595.7 |
| 60°   | 23541.1 | 17744.8 | 11948.4 | 8307.1 | 4665.8 | 3773.2 | 2880.5 | 2779.7 | 2678.8 | 2573.8 |
| 62.5° | 22859.8 | 16731.4 | 10603.1 | 7180.0 | 3756.9 | 3211.9 | 2666.9 | 2599.8 | 2533.0 | 2520.1 |
| 65°   | 21496.3 | 15297.6 | 9098.8  | 6029.9 | 2961.3 | 2706.9 | 2452.5 | 2420.8 | 2389.2 | 2390.8 |
| 67.5° | 19669.4 | 13591.2 | 7512.9  | 4903.3 | 2293.7 | 2221.5 | 2149.1 | 2166.8 | 2184.3 | 2180.0 |
| 70°   | 17474.5 | 11729.3 | 5984.0  | 3860.7 | 1737.4 | 1758.1 | 1778.6 | 1860.5 | 1942.3 | 1942.3 |
| 72.5° | 14859.0 | 9710.8  | 4562.8  | 2951.5 | 1340.2 | 1402.5 | 1464.9 | 1581.1 | 1697.0 | 1716.5 |
| 75°   | 11550.2 | 7397.0  | 3243.7  | 2142.2 | 1040.7 | 1097.1 | 1153.6 | 1283.7 | 1413.8 | 1503.7 |
| 77.5° | 8252.4  | 5177.2  | 2102.0  | 1451.6 | 801.2  | 839.6  | 878.2  | 1004.5 | 1130.8 | 1278.9 |
| 80°   | 5401.2  | 3335.6  | 1270.0  | 935.2  | 600.7  | 616.6  | 632.5  | 739.5  | 846.3  | 1023.4 |
| 82.5° | 3139.7  | 1930.5  | 721.6   | 575.2  | 429.2  | 432.0  | 435.2  | 514.0  | 592.7  | 743.9  |
| 85°   | 1381.4  | 868.4   | 355.6   | 307.5  | 259.6  | 258.2  | 256.6  | 314.3  | 371.9  | 484.3  |
| 87.5° | 427.6   | 284.4   | 141.2   | 127.5  | 113.8  | 112.4  | 111.0  | 134.5  | 158.1  | 204.9  |
| 90°   | 0.0     | 0.0     | 0.0     | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |

REPORT NUMBER: P951331

CATALOG NUMBER: GLAN-SB5C-735-U-SLR

**CANDELA DISTRIBUTION (continued):**

| 50°    |       | 55°    | 60°    | 65°    | 70°    | 75°    | 80°    | 85°    | 90°    | 95°    | 100°   |
|--------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 5183.4 | 0°    | 5183.4 | 5183.4 | 5183.4 | 5183.4 | 5183.4 | 5183.4 | 5183.4 | 5183.4 | 5183.4 | 5183.4 |
| 5129.3 | 2.5°  | 5091.1 | 5053.1 | 5018.7 | 4984.5 | 4954.5 | 4924.4 | 4894.2 | 4864.1 | 4840.9 | 4817.4 |
| 5083.9 | 5°    | 5011.9 | 4939.7 | 4879.3 | 4819.0 | 4765.7 | 4712.4 | 4664.1 | 4615.5 | 4578.3 | 4540.9 |
| 5067.6 | 7.5°  | 4971.8 | 4876.1 | 4796.5 | 4717.0 | 4649.9 | 4582.7 | 4523.4 | 4464.4 | 4420.0 | 4375.8 |
| 5075.6 | 10°   | 4974.5 | 4873.5 | 4793.9 | 4714.4 | 4642.2 | 4569.8 | 4503.1 | 4436.5 | 4383.6 | 4330.5 |
| 5085.5 | 12.5° | 5002.8 | 4920.4 | 4867.5 | 4815.0 | 4758.1 | 4701.6 | 4632.6 | 4563.8 | 4496.2 | 4428.6 |
| 5043.2 | 15°   | 5003.6 | 4964.2 | 4971.4 | 4978.5 | 4963.8 | 4949.1 | 4889.2 | 4829.3 | 4733.1 | 4636.8 |
| 4913.9 | 17.5° | 4928.4 | 4942.7 | 5029.4 | 5116.2 | 5162.3 | 5208.2 | 5159.9 | 5111.8 | 4984.3 | 4856.8 |
| 4703.0 | 20°   | 4770.7 | 4838.3 | 4988.9 | 5139.6 | 5236.1 | 5332.6 | 5310.3 | 5287.8 | 5142.0 | 4996.4 |
| 4463.8 | 22.5° | 4563.8 | 4663.9 | 4835.7 | 5008.0 | 5133.5 | 5259.0 | 5272.5 | 5285.8 | 5146.6 | 5007.4 |
| 4231.6 | 25°   | 4347.0 | 4462.4 | 4616.9 | 4771.7 | 4895.2 | 5018.7 | 5064.8 | 5110.8 | 4996.6 | 4882.6 |
| 4028.8 | 27.5° | 4140.1 | 4251.5 | 4378.6 | 4505.5 | 4604.6 | 4703.6 | 4755.0 | 4806.5 | 4725.1 | 4644.0 |
| 3850.3 | 30°   | 3938.7 | 4027.4 | 4132.8 | 4238.2 | 4320.4 | 4402.7 | 4444.5 | 4486.2 | 4424.4 | 4362.3 |
| 3694.0 | 32.5° | 3746.3 | 3798.6 | 3882.8 | 3967.1 | 4045.9 | 4124.8 | 4171.2 | 4217.7 | 4160.8 | 4103.7 |
| 3546.4 | 35°   | 3560.7 | 3575.3 | 3639.5 | 3703.6 | 3781.5 | 3859.7 | 3915.4 | 3971.1 | 3930.5 | 3890.1 |
| 3391.7 | 37.5° | 3375.8 | 3359.9 | 3406.0 | 3451.9 | 3529.7 | 3607.7 | 3676.5 | 3745.3 | 3726.6 | 3707.9 |
| 3222.2 | 40°   | 3186.2 | 3150.2 | 3183.4 | 3216.6 | 3291.8 | 3367.0 | 3446.2 | 3525.5 | 3530.1 | 3534.5 |
| 3042.2 | 42.5° | 2994.5 | 2946.7 | 2973.8 | 3001.0 | 3072.2 | 3143.6 | 3229.2 | 3314.7 | 3337.6 | 3360.4 |
| 2863.2 | 45°   | 2816.7 | 2770.3 | 2793.0 | 2816.1 | 2883.7 | 2951.3 | 3040.0 | 3128.7 | 3161.5 | 3194.4 |
| 2703.5 | 47.5° | 2664.5 | 2625.5 | 2647.0 | 2668.3 | 2734.5 | 2800.5 | 2888.1 | 2975.6 | 3013.4 | 3051.2 |
| 2562.9 | 50°   | 2528.2 | 2493.8 | 2527.2 | 2560.9 | 2623.3 | 2685.6 | 2763.9 | 2842.3 | 2890.8 | 2939.4 |
| 2458.0 | 52.5° | 2423.8 | 2389.8 | 2440.1 | 2490.3 | 2547.5 | 2604.6 | 2677.6 | 2750.8 | 2808.3 | 2865.8 |
| 2402.3 | 55°   | 2348.2 | 2294.3 | 2365.7 | 2436.9 | 2498.6 | 2560.3 | 2624.3 | 2688.2 | 2749.0 | 2810.1 |
| 2368.9 | 57.5° | 2290.2 | 2211.4 | 2288.2 | 2364.9 | 2437.3 | 2509.7 | 2573.0 | 2636.4 | 2697.9 | 2759.2 |
| 2337.5 | 60°   | 2235.5 | 2133.2 | 2200.7 | 2267.9 | 2351.0 | 2434.2 | 2498.4 | 2562.9 | 2624.5 | 2686.2 |
| 2300.9 | 62.5° | 2173.2 | 2045.7 | 2088.5 | 2131.2 | 2228.1 | 2325.2 | 2393.8 | 2462.4 | 2518.9 | 2575.4 |
| 2223.7 | 65°   | 2088.1 | 1952.2 | 1968.7 | 1985.0 | 2088.9 | 2192.9 | 2258.5 | 2324.2 | 2373.9 | 2423.6 |
| 2086.1 | 67.5° | 1973.1 | 1860.1 | 1855.0 | 1849.8 | 1945.7 | 2041.7 | 2104.0 | 2166.0 | 2209.0 | 2252.0 |
| 1911.4 | 70°   | 1831.1 | 1750.7 | 1732.8 | 1714.9 | 1799.3 | 1883.6 | 1937.3 | 1991.0 | 2029.8 | 2068.6 |
| 1716.9 | 72.5° | 1661.8 | 1606.7 | 1580.5 | 1554.4 | 1620.9 | 1687.1 | 1735.6 | 1784.2 | 1822.1 | 1860.1 |
| 1496.1 | 75°   | 1453.8 | 1411.2 | 1386.1 | 1360.9 | 1410.2 | 1459.5 | 1503.5 | 1547.5 | 1582.1 | 1616.7 |
| 1275.0 | 77.5° | 1240.9 | 1206.9 | 1181.5 | 1156.0 | 1196.2 | 1236.2 | 1274.0 | 1311.8 | 1348.2 | 1384.4 |
| 1022.8 | 80°   | 994.3  | 965.7  | 944.4  | 922.9  | 956.3  | 989.5  | 1021.4 | 1053.2 | 1080.8 | 1108.3 |
| 752.2  | 82.5° | 738.3  | 724.4  | 709.3  | 694.2  | 691.4  | 688.6  | 677.5  | 666.3  | 725.2  | 784.1  |
| 495.3  | 85°   | 480.3  | 465.4  | 448.5  | 431.6  | 417.3  | 402.8  | 371.9  | 341.1  | 396.2  | 451.5  |
| 218.8  | 87.5° | 212.8  | 206.9  | 203.7  | 200.5  | 199.9  | 199.3  | 175.8  | 152.2  | 175.2  | 198.5  |
| 0.0    | 90°   | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |



REPORT NUMBER: P951331

CATALOG NUMBER: GLAN-SB5C-735-U-SLR

**CANDELA DISTRIBUTION (continued):**

| 105°   |       | 110°   | 115°   | 120°   | 125°   | 130°   | 135°   | 140°   | 145°   | 150°   | 155°   |
|--------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 5183.4 | 0°    | 5183.4 | 5183.4 | 5183.4 | 5183.4 | 5183.4 | 5183.4 | 5183.4 | 5183.4 | 5183.4 | 5183.4 |
| 4798.5 | 2.5°  | 4779.6 | 4764.9 | 4750.2 | 4736.7 | 4722.9 | 4706.0 | 4722.9 | 4736.7 | 4750.2 | 4764.9 |
| 4514.9 | 5°    | 4488.8 | 4470.3 | 4451.8 | 4437.7 | 4423.6 | 4409.7 | 4423.6 | 4437.7 | 4451.8 | 4470.3 |
| 4344.8 | 7.5°  | 4313.8 | 4292.5 | 4271.4 | 4258.7 | 4246.2 | 4236.6 | 4246.2 | 4258.7 | 4271.4 | 4292.5 |
| 4295.9 | 10°   | 4260.9 | 4240.8 | 4220.7 | 4210.0 | 4199.2 | 4194.8 | 4199.2 | 4210.0 | 4220.7 | 4240.8 |
| 4383.8 | 12.5° | 4339.0 | 4316.6 | 4294.3 | 4285.1 | 4276.0 | 4274.4 | 4276.0 | 4285.1 | 4294.3 | 4316.6 |
| 4568.8 | 15°   | 4500.8 | 4469.5 | 4438.5 | 4426.6 | 4414.6 | 4413.6 | 4414.6 | 4426.6 | 4438.5 | 4469.5 |
| 4756.5 | 17.5° | 4656.3 | 4610.2 | 4563.8 | 4548.7 | 4533.4 | 4531.0 | 4533.4 | 4548.7 | 4563.8 | 4610.2 |
| 4873.5 | 20°   | 4750.8 | 4691.7 | 4632.4 | 4613.5 | 4594.6 | 4588.7 | 4594.6 | 4613.5 | 4632.4 | 4691.7 |
| 4880.9 | 22.5° | 4754.2 | 4691.9 | 4629.4 | 4608.6 | 4587.7 | 4578.7 | 4587.7 | 4608.6 | 4629.4 | 4691.9 |
| 4770.1 | 25°   | 4657.9 | 4603.8 | 4549.9 | 4530.2 | 4510.7 | 4499.2 | 4510.7 | 4530.2 | 4549.9 | 4603.8 |
| 4556.6 | 27.5° | 4469.3 | 4433.1 | 4396.7 | 4387.8 | 4378.8 | 4375.8 | 4378.8 | 4387.8 | 4396.7 | 4433.1 |
| 4299.9 | 30°   | 4237.0 | 4218.5 | 4199.8 | 4199.8 | 4199.8 | 4202.8 | 4199.8 | 4199.8 | 4199.8 | 4218.5 |
| 4053.8 | 32.5° | 4003.9 | 3991.8 | 3979.6 | 3981.2 | 3983.0 | 3986.0 | 3983.0 | 3981.2 | 3979.6 | 3991.8 |
| 3844.0 | 35°   | 3798.0 | 3779.5 | 3761.2 | 3757.3 | 3753.3 | 3751.3 | 3753.3 | 3757.3 | 3761.2 | 3779.5 |
| 3665.6 | 37.5° | 3623.0 | 3589.4 | 3556.0 | 3538.3 | 3520.6 | 3510.6 | 3520.6 | 3538.3 | 3556.0 | 3589.4 |
| 3498.5 | 40°   | 3462.5 | 3413.6 | 3365.0 | 3332.0 | 3299.4 | 3279.9 | 3299.4 | 3332.0 | 3365.0 | 3413.6 |
| 3330.0 | 42.5° | 3299.8 | 3239.1 | 3178.5 | 3130.5 | 3082.6 | 3051.2 | 3082.6 | 3130.5 | 3178.5 | 3239.1 |
| 3166.9 | 45°   | 3139.7 | 3070.3 | 3001.0 | 2944.7 | 2888.5 | 2852.3 | 2888.5 | 2944.7 | 3001.0 | 3070.3 |
| 3032.1 | 47.5° | 3013.0 | 2951.3 | 2889.6 | 2837.5 | 2785.6 | 2750.8 | 2785.6 | 2837.5 | 2889.6 | 2951.3 |
| 2938.2 | 50°   | 2937.4 | 2888.1 | 2838.7 | 2790.6 | 2742.5 | 2709.0 | 2742.5 | 2790.6 | 2838.7 | 2888.1 |
| 2876.1 | 52.5° | 2886.5 | 2846.3 | 2806.1 | 2762.9 | 2720.0 | 2689.2 | 2720.0 | 2762.9 | 2806.1 | 2846.3 |
| 2824.4 | 55°   | 2838.7 | 2803.7 | 2768.7 | 2730.9 | 2693.1 | 2665.3 | 2693.1 | 2730.9 | 2768.7 | 2803.7 |
| 2773.7 | 57.5° | 2788.2 | 2752.8 | 2717.4 | 2680.0 | 2642.4 | 2613.6 | 2642.4 | 2680.0 | 2717.4 | 2752.8 |
| 2702.1 | 60°   | 2718.0 | 2683.4 | 2649.0 | 2610.4 | 2571.8 | 2542.0 | 2571.8 | 2610.4 | 2649.0 | 2683.4 |
| 2590.7 | 62.5° | 2606.0 | 2574.8 | 2543.6 | 2503.0 | 2462.4 | 2426.6 | 2462.4 | 2503.0 | 2543.6 | 2574.8 |
| 2439.3 | 65°   | 2454.8 | 2424.8 | 2394.8 | 2355.4 | 2316.2 | 2285.4 | 2316.2 | 2355.4 | 2394.8 | 2424.8 |
| 2267.3 | 67.5° | 2282.4 | 2254.8 | 2227.3 | 2190.7 | 2154.1 | 2126.3 | 2154.1 | 2190.7 | 2227.3 | 2254.8 |
| 2083.3 | 70°   | 2098.0 | 2075.5 | 2053.1 | 2018.1 | 1983.1 | 1951.2 | 1983.1 | 2018.1 | 2053.1 | 2075.5 |
| 1877.6 | 72.5° | 1895.1 | 1876.4 | 1857.7 | 1824.3 | 1791.1 | 1760.3 | 1791.1 | 1824.3 | 1857.7 | 1876.4 |
| 1635.0 | 75°   | 1653.3 | 1644.1 | 1635.0 | 1606.9 | 1578.9 | 1549.4 | 1578.9 | 1606.9 | 1635.0 | 1644.1 |
| 1401.5 | 77.5° | 1418.6 | 1405.8 | 1392.7 | 1364.5 | 1336.2 | 1312.8 | 1336.2 | 1364.5 | 1392.7 | 1405.8 |
| 1131.0 | 80°   | 1153.6 | 1148.1 | 1142.7 | 1104.7 | 1066.5 | 1022.4 | 1066.5 | 1104.7 | 1142.7 | 1148.1 |
| 822.7  | 82.5° | 861.2  | 858.9  | 856.3  | 824.3  | 792.0  | 763.8  | 792.0  | 824.3  | 856.3  | 858.9  |
| 499.2  | 85°   | 547.0  | 543.0  | 539.0  | 514.0  | 488.9  | 463.4  | 488.9  | 514.0  | 539.0  | 543.0  |
| 217.8  | 87.5° | 237.1  | 232.3  | 227.1  | 214.4  | 201.3  | 189.0  | 201.3  | 214.4  | 227.1  | 232.3  |
| 0.0    | 90°   | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |

REPORT NUMBER: P951331

CATALOG NUMBER: GLAN-SB5C-735-U-SLR

**CANDELA DISTRIBUTION (continued):**

| 160°   |       | 165°   | 170°   | 175°   | 180°   | 185°   | 190°   | 195°   | 200°   | 205°   | 210°   |
|--------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 5183.4 | 0°    | 5183.4 | 5183.4 | 5183.4 | 5183.4 | 5183.4 | 5183.4 | 5183.4 | 5183.4 | 5183.4 | 5183.4 |
| 4779.6 | 2.5°  | 4798.5 | 4817.4 | 4840.9 | 4864.1 | 4894.2 | 4924.4 | 4954.5 | 4984.5 | 5018.7 | 5053.1 |
| 4488.8 | 5°    | 4514.9 | 4540.9 | 4578.3 | 4615.5 | 4664.1 | 4712.4 | 4765.7 | 4819.0 | 4879.3 | 4939.7 |
| 4313.8 | 7.5°  | 4344.8 | 4375.8 | 4420.0 | 4464.4 | 4523.4 | 4582.7 | 4649.9 | 4717.0 | 4796.5 | 4876.1 |
| 4260.9 | 10°   | 4295.9 | 4330.5 | 4383.6 | 4436.5 | 4503.1 | 4569.8 | 4642.2 | 4714.4 | 4793.9 | 4873.5 |
| 4339.0 | 12.5° | 4383.8 | 4428.6 | 4496.2 | 4563.8 | 4632.6 | 4701.6 | 4758.1 | 4815.0 | 4867.5 | 4920.4 |
| 4500.8 | 15°   | 4568.8 | 4636.8 | 4733.1 | 4829.3 | 4889.2 | 4949.1 | 4963.8 | 4978.5 | 4971.4 | 4964.2 |
| 4656.3 | 17.5° | 4756.5 | 4856.8 | 4984.3 | 5111.8 | 5159.9 | 5208.2 | 5162.3 | 5116.2 | 5029.4 | 4942.7 |
| 4750.8 | 20°   | 4873.5 | 4996.4 | 5142.0 | 5287.8 | 5310.3 | 5332.6 | 5236.1 | 5139.6 | 4988.9 | 4838.3 |
| 4754.2 | 22.5° | 4880.9 | 5007.4 | 5146.6 | 5285.8 | 5272.5 | 5259.0 | 5133.5 | 5008.0 | 4835.7 | 4663.9 |
| 4657.9 | 25°   | 4770.1 | 4882.6 | 4996.6 | 5110.8 | 5064.8 | 5018.7 | 4895.2 | 4771.7 | 4616.9 | 4462.4 |
| 4469.3 | 27.5° | 4556.6 | 4644.0 | 4725.1 | 4806.5 | 4755.0 | 4703.6 | 4604.6 | 4505.5 | 4378.6 | 4251.5 |
| 4237.0 | 30°   | 4299.9 | 4362.3 | 4424.4 | 4486.2 | 4444.5 | 4402.7 | 4320.4 | 4238.2 | 4132.8 | 4027.4 |
| 4003.9 | 32.5° | 4053.8 | 4103.7 | 4160.8 | 4217.7 | 4171.2 | 4124.8 | 4045.9 | 3967.1 | 3882.8 | 3798.6 |
| 3798.0 | 35°   | 3844.0 | 3890.1 | 3930.5 | 3971.1 | 3915.4 | 3859.7 | 3781.5 | 3703.6 | 3639.5 | 3575.3 |
| 3623.0 | 37.5° | 3665.6 | 3707.9 | 3726.6 | 3745.3 | 3676.5 | 3607.7 | 3529.7 | 3451.9 | 3406.0 | 3359.9 |
| 3462.5 | 40°   | 3498.5 | 3534.5 | 3530.1 | 3525.5 | 3446.2 | 3367.0 | 3291.8 | 3216.6 | 3183.4 | 3150.2 |
| 3299.8 | 42.5° | 3330.0 | 3360.4 | 3337.6 | 3314.7 | 3229.2 | 3143.6 | 3072.2 | 3001.0 | 2973.8 | 2946.7 |
| 3139.7 | 45°   | 3166.9 | 3194.4 | 3161.5 | 3128.7 | 3040.0 | 2951.3 | 2883.7 | 2816.1 | 2793.0 | 2770.3 |
| 3013.0 | 47.5° | 3032.1 | 3051.2 | 3013.4 | 2975.6 | 2888.1 | 2800.5 | 2734.5 | 2668.3 | 2647.0 | 2625.5 |
| 2937.4 | 50°   | 2938.2 | 2939.4 | 2890.8 | 2842.3 | 2763.9 | 2685.6 | 2623.3 | 2560.9 | 2527.2 | 2493.8 |
| 2886.5 | 52.5° | 2876.1 | 2865.8 | 2808.3 | 2750.8 | 2677.6 | 2604.6 | 2547.5 | 2490.3 | 2440.1 | 2389.8 |
| 2838.7 | 55°   | 2824.4 | 2810.1 | 2749.0 | 2688.2 | 2624.3 | 2560.3 | 2498.6 | 2436.9 | 2365.7 | 2294.3 |
| 2788.2 | 57.5° | 2773.7 | 2759.2 | 2697.9 | 2636.4 | 2573.0 | 2509.7 | 2437.3 | 2364.9 | 2288.2 | 2211.4 |
| 2718.0 | 60°   | 2702.1 | 2686.2 | 2624.5 | 2562.9 | 2498.4 | 2434.2 | 2351.0 | 2267.9 | 2200.7 | 2133.2 |
| 2606.0 | 62.5° | 2590.7 | 2575.4 | 2518.9 | 2462.4 | 2393.8 | 2325.2 | 2228.1 | 2131.2 | 2088.5 | 2045.7 |
| 2454.8 | 65°   | 2439.3 | 2423.6 | 2373.9 | 2324.2 | 2258.5 | 2192.9 | 2088.9 | 1985.0 | 1968.7 | 1952.2 |
| 2282.4 | 67.5° | 2267.3 | 2252.0 | 2209.0 | 2166.0 | 2104.0 | 2041.7 | 1945.7 | 1849.8 | 1855.0 | 1860.1 |
| 2098.0 | 70°   | 2083.3 | 2068.6 | 2029.8 | 1991.0 | 1937.3 | 1883.6 | 1799.3 | 1714.9 | 1732.8 | 1750.7 |
| 1895.1 | 72.5° | 1877.6 | 1860.1 | 1822.1 | 1784.2 | 1735.6 | 1687.1 | 1620.9 | 1554.4 | 1580.5 | 1606.7 |
| 1653.3 | 75°   | 1635.0 | 1616.7 | 1582.1 | 1547.5 | 1503.5 | 1459.5 | 1410.2 | 1360.9 | 1386.1 | 1411.2 |
| 1418.6 | 77.5° | 1401.5 | 1384.4 | 1348.2 | 1311.8 | 1274.0 | 1236.2 | 1196.2 | 1156.0 | 1181.5 | 1206.9 |
| 1153.6 | 80°   | 1131.0 | 1108.3 | 1080.8 | 1053.2 | 1021.4 | 989.5  | 956.3  | 922.9  | 944.4  | 965.7  |
| 861.2  | 82.5° | 822.7  | 784.1  | 725.2  | 666.3  | 677.5  | 688.6  | 691.4  | 694.2  | 709.3  | 724.4  |
| 547.0  | 85°   | 499.2  | 451.5  | 396.2  | 341.1  | 371.9  | 402.8  | 417.3  | 431.6  | 448.5  | 465.4  |
| 237.1  | 87.5° | 217.8  | 198.5  | 175.2  | 152.2  | 175.8  | 199.3  | 199.9  | 200.5  | 203.7  | 206.9  |
| 0.0    | 90°   | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |

REPORT NUMBER: P951331

CATALOG NUMBER: GLAN-SB5C-735-U-SLR

**CANDELA DISTRIBUTION (continued):**

| 215°   |       | 220°   | 225°   | 230°   | 235°   | 240°   | 245°   | 250°   | 255°   | 260°    | 265°    |
|--------|-------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|
| 5183.4 | 0°    | 5183.4 | 5183.4 | 5183.4 | 5183.4 | 5183.4 | 5183.4 | 5183.4 | 5183.4 | 5183.4  | 5183.4  |
| 5091.1 | 2.5°  | 5129.3 | 5176.4 | 5218.8 | 5262.6 | 5306.3 | 5352.1 | 5397.8 | 5443.2 | 5488.7  | 5531.5  |
| 5011.9 | 5°    | 5083.9 | 5166.5 | 5250.0 | 5338.5 | 5427.0 | 5521.7 | 5616.6 | 5710.7 | 5805.0  | 5899.4  |
| 4971.8 | 7.5°  | 5067.6 | 5174.4 | 5288.4 | 5411.9 | 5535.4 | 5675.7 | 5815.9 | 5959.9 | 6103.9  | 6259.6  |
| 4974.5 | 10°   | 5075.6 | 5190.3 | 5331.0 | 5477.4 | 5623.4 | 5793.8 | 5964.1 | 6154.2 | 6344.6  | 6541.7  |
| 5002.8 | 12.5° | 5085.5 | 5192.3 | 5340.1 | 5505.4 | 5670.7 | 5871.6 | 6072.5 | 6288.1 | 6503.7  | 6720.1  |
| 5003.6 | 15°   | 5043.2 | 5128.7 | 5292.4 | 5483.7 | 5675.1 | 5906.4 | 6137.7 | 6371.6 | 6605.5  | 6831.3  |
| 4928.4 | 17.5° | 4913.9 | 4966.6 | 5159.1 | 5389.3 | 5619.4 | 5887.9 | 6156.4 | 6411.6 | 6666.8  | 6895.7  |
| 4770.7 | 20°   | 4703.0 | 4717.0 | 4941.1 | 5226.3 | 5511.6 | 5837.0 | 6162.4 | 6442.8 | 6723.3  | 6961.4  |
| 4563.8 | 22.5° | 4463.8 | 4436.5 | 4691.7 | 5035.2 | 5378.7 | 5774.5 | 6170.3 | 6485.0 | 6799.5  | 7042.7  |
| 4347.0 | 25°   | 4231.6 | 4158.0 | 4419.6 | 4821.8 | 5224.2 | 5712.9 | 6201.8 | 6561.4 | 6920.8  | 7158.9  |
| 4140.1 | 27.5° | 4028.8 | 3939.3 | 4177.3 | 4626.7 | 5076.0 | 5671.7 | 6267.4 | 6680.7 | 7093.8  | 7321.2  |
| 3938.7 | 30°   | 3850.3 | 3780.1 | 3980.0 | 4463.6 | 4947.1 | 5652.4 | 6357.3 | 6835.3 | 7313.2  | 7532.6  |
| 3746.3 | 32.5° | 3694.0 | 3662.8 | 3823.9 | 4322.9 | 4821.8 | 5628.5 | 6434.9 | 6996.6 | 7558.3  | 7775.5  |
| 3560.7 | 35°   | 3546.4 | 3559.4 | 3693.6 | 4184.7 | 4675.8 | 5583.6 | 6491.8 | 7180.4 | 7869.0  | 8077.2  |
| 3375.8 | 37.5° | 3391.7 | 3439.0 | 3556.4 | 4022.0 | 4487.6 | 5506.6 | 6525.6 | 7386.2 | 8246.9  | 8512.2  |
| 3186.2 | 40°   | 3222.2 | 3294.8 | 3401.2 | 3827.9 | 4254.5 | 5400.6 | 6546.9 | 7647.6 | 8748.1  | 9134.8  |
| 2994.5 | 42.5° | 3042.2 | 3133.7 | 3231.8 | 3613.7 | 3995.5 | 5291.2 | 6587.2 | 7989.5 | 9391.8  | 9949.9  |
| 2816.7 | 45°   | 2863.2 | 2951.7 | 3051.2 | 3386.1 | 3721.1 | 5189.6 | 6658.2 | 8439.4 | 10220.6 | 10973.4 |
| 2664.5 | 47.5° | 2703.5 | 2779.7 | 2907.9 | 3206.1 | 3504.3 | 5105.6 | 6707.0 | 8918.8 | 11130.6 | 12190.3 |
| 2528.2 | 50°   | 2562.9 | 2651.4 | 2820.0 | 3086.6 | 3353.1 | 5014.1 | 6675.2 | 9363.5 | 12051.9 | 13649.5 |
| 2423.8 | 52.5° | 2458.0 | 2581.7 | 2775.7 | 3007.8 | 3240.1 | 4859.6 | 6479.2 | 9652.3 | 12825.2 | 15182.2 |
| 2348.2 | 55°   | 2402.3 | 2588.7 | 2769.1 | 2950.7 | 3132.3 | 4603.4 | 6074.5 | 9588.7 | 13102.7 | 16541.1 |
| 2290.2 | 57.5° | 2368.9 | 2595.7 | 2754.8 | 2883.1 | 3011.4 | 4242.2 | 5472.8 | 9140.7 | 12808.9 | 17504.2 |
| 2235.5 | 60°   | 2337.5 | 2573.8 | 2678.8 | 2779.7 | 2880.5 | 3773.2 | 4665.8 | 8307.1 | 11948.4 | 17744.8 |
| 2173.2 | 62.5° | 2300.9 | 2520.1 | 2533.0 | 2599.8 | 2666.9 | 3211.9 | 3756.9 | 7180.0 | 10603.1 | 16731.4 |
| 2088.1 | 65°   | 2223.7 | 2390.8 | 2389.2 | 2420.8 | 2452.5 | 2706.9 | 2961.3 | 6029.9 | 9098.8  | 15297.6 |
| 1973.1 | 67.5° | 2086.1 | 2180.0 | 2184.3 | 2166.8 | 2149.1 | 2221.5 | 2293.7 | 4903.3 | 7512.9  | 13591.2 |
| 1831.1 | 70°   | 1911.4 | 1942.3 | 1942.3 | 1860.5 | 1778.6 | 1758.1 | 1737.4 | 3860.7 | 5984.0  | 11729.3 |
| 1661.8 | 72.5° | 1716.9 | 1716.5 | 1697.0 | 1581.1 | 1464.9 | 1402.5 | 1340.2 | 2951.5 | 4562.8  | 9710.8  |
| 1453.8 | 75°   | 1496.1 | 1503.7 | 1413.8 | 1283.7 | 1153.6 | 1097.1 | 1040.7 | 2142.2 | 3243.7  | 7397.0  |
| 1240.9 | 77.5° | 1275.0 | 1278.9 | 1130.8 | 1004.5 | 878.2  | 839.6  | 801.2  | 1451.6 | 2102.0  | 5177.2  |
| 994.3  | 80°   | 1022.8 | 1023.4 | 846.3  | 739.5  | 632.5  | 616.6  | 600.7  | 935.2  | 1270.0  | 3335.6  |
| 738.3  | 82.5° | 752.2  | 743.9  | 592.7  | 514.0  | 435.2  | 432.0  | 429.2  | 575.2  | 721.6   | 1930.5  |
| 480.3  | 85°   | 495.3  | 484.3  | 371.9  | 314.3  | 256.6  | 258.2  | 259.6  | 307.5  | 355.6   | 868.4   |
| 212.8  | 87.5° | 218.8  | 204.9  | 158.1  | 134.5  | 111.0  | 112.4  | 113.8  | 127.5  | 141.2   | 284.4   |
| 0.0    | 90°   | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0     | 0.0     |

REPORT NUMBER: P951331

CATALOG NUMBER: GLAN-SB5C-735-U-SLR

**CANDELA DISTRIBUTION (continued):**

| 270°    |       | 275°    | 280°    | 285°    | 290°    | 295°    | 300°    | 305°    | 310°    | 315°    | 320°    |
|---------|-------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 5183.4  | 0°    | 5183.4  | 5183.4  | 5183.4  | 5183.4  | 5183.4  | 5183.4  | 5183.4  | 5183.4  | 5183.4  | 5183.4  |
| 5574.2  | 2.5°  | 5595.3  | 5616.6  | 5646.6  | 5676.7  | 5694.6  | 5712.5  | 5721.4  | 5730.4  | 5726.4  | 5730.4  |
| 5993.9  | 5°    | 6067.7  | 6141.7  | 6214.9  | 6288.3  | 6328.1  | 6367.8  | 6391.9  | 6416.2  | 6434.5  | 6416.2  |
| 6415.6  | 7.5°  | 6535.7  | 6655.7  | 6763.7  | 6871.7  | 6936.7  | 7001.7  | 7037.0  | 7072.0  | 7088.9  | 7072.0  |
| 6738.8  | 10°   | 6880.8  | 7022.8  | 7149.5  | 7276.2  | 7353.0  | 7429.4  | 7463.6  | 7497.6  | 7510.5  | 7497.6  |
| 6936.7  | 12.5° | 7090.7  | 7244.4  | 7359.0  | 7473.1  | 7528.8  | 7584.5  | 7603.2  | 7621.9  | 7623.9  | 7621.9  |
| 7057.0  | 15°   | 7189.9  | 7322.6  | 7394.4  | 7466.4  | 7468.4  | 7470.4  | 7450.5  | 7430.6  | 7407.1  | 7430.6  |
| 7124.7  | 17.5° | 7214.4  | 7304.1  | 7305.5  | 7306.7  | 7226.1  | 7145.6  | 7071.8  | 6997.8  | 6945.7  | 6997.8  |
| 7199.3  | 20°   | 7230.5  | 7261.9  | 7167.4  | 7073.0  | 6895.1  | 6717.3  | 6587.8  | 6458.3  | 6378.8  | 6458.3  |
| 7285.8  | 22.5° | 7244.8  | 7203.8  | 7008.1  | 6812.4  | 6550.8  | 6289.3  | 6127.4  | 5965.5  | 5877.6  | 5965.5  |
| 7397.2  | 25°   | 7267.9  | 7138.6  | 6841.4  | 6544.3  | 6226.6  | 5909.0  | 5738.7  | 5568.9  | 5485.7  | 5568.9  |
| 7548.3  | 27.5° | 7317.2  | 7085.9  | 6692.3  | 6298.8  | 5946.8  | 5594.7  | 5427.2  | 5260.0  | 5181.4  | 5260.0  |
| 7752.2  | 30°   | 7407.5  | 7063.0  | 6578.5  | 6094.0  | 5727.2  | 5360.4  | 5205.1  | 5049.7  | 4976.5  | 5049.7  |
| 7992.9  | 32.5° | 7520.9  | 7049.1  | 6500.9  | 5952.7  | 5608.0  | 5263.3  | 5141.4  | 5019.3  | 4966.6  | 5019.3  |
| 8285.3  | 35°   | 7707.7  | 7130.2  | 6559.0  | 5987.9  | 5748.5  | 5509.2  | 5480.7  | 5452.3  | 5447.9  | 5452.3  |
| 8777.5  | 37.5° | 8098.1  | 7418.6  | 6899.5  | 6380.4  | 6364.9  | 6349.4  | 6479.4  | 6609.5  | 6677.1  | 6609.5  |
| 9521.4  | 40°   | 8782.5  | 8043.6  | 7657.5  | 7271.5  | 7544.0  | 7816.5  | 8132.7  | 8449.0  | 8606.5  | 8449.0  |
| 10508.0 | 42.5° | 9774.8  | 9041.7  | 8819.3  | 8596.9  | 9191.3  | 9785.6  | 10360.8 | 10936.0 | 11273.8 | 10936.0 |
| 11726.3 | 45°   | 11067.7 | 10408.9 | 10310.9 | 10212.6 | 11164.8 | 12117.1 | 13062.3 | 14007.7 | 14581.5 | 14007.7 |
| 13249.9 | 47.5° | 12609.2 | 11968.3 | 11948.4 | 11928.6 | 13302.2 | 14675.4 | 16059.2 | 17442.7 | 18255.2 | 17442.7 |
| 15246.8 | 50°   | 14455.4 | 13664.2 | 13667.6 | 13670.9 | 15441.2 | 17211.4 | 19037.9 | 20864.4 | 21968.7 | 20864.4 |
| 17539.2 | 52.5° | 16580.9 | 15622.8 | 15525.9 | 15428.8 | 17543.4 | 19657.9 | 21917.8 | 24177.5 | 25501.2 | 24177.5 |
| 19979.7 | 55°   | 19032.9 | 18086.2 | 17708.4 | 17330.7 | 19684.1 | 22037.4 | 24731.5 | 27425.6 | 28999.9 | 27425.6 |
| 22199.5 | 57.5° | 21683.9 | 21168.1 | 20410.5 | 19653.1 | 22029.4 | 24405.7 | 27457.2 | 30508.6 | 32460.8 | 30508.6 |
| 23541.1 | 60°   | 24341.8 | 25142.8 | 24202.0 | 23261.2 | 25510.0 | 27758.8 | 31025.9 | 34293.1 | 36403.1 | 34293.1 |
| 22859.8 | 62.5° | 25047.9 | 27236.1 | 27130.0 | 27023.8 | 29083.9 | 31144.1 | 34252.5 | 37360.8 | 39311.0 | 37360.8 |
| 21496.3 | 65°   | 23550.0 | 25603.7 | 26010.0 | 26416.2 | 29034.1 | 31652.3 | 34666.4 | 37680.4 | 39340.8 | 37680.4 |
| 19669.4 | 67.5° | 21622.6 | 23575.9 | 23766.4 | 23956.8 | 26684.5 | 29412.0 | 32439.1 | 35466.2 | 36767.0 | 35466.2 |
| 17474.5 | 70°   | 19599.0 | 21723.7 | 21808.8 | 21894.1 | 24333.5 | 26772.6 | 29377.6 | 31982.5 | 32705.5 | 31982.5 |
| 14859.0 | 72.5° | 17296.9 | 19735.1 | 19796.3 | 19857.4 | 21765.9 | 23674.3 | 25625.3 | 27576.2 | 27649.4 | 27576.2 |
| 11550.2 | 75°   | 14073.5 | 16596.8 | 16823.3 | 17049.9 | 18534.7 | 20019.5 | 21392.9 | 22766.3 | 22398.4 | 22766.3 |
| 8252.4  | 77.5° | 10607.8 | 12963.4 | 13287.7 | 13611.9 | 14740.6 | 15869.4 | 16843.4 | 17817.6 | 17185.1 | 17817.6 |
| 5401.2  | 80°   | 7382.8  | 9364.3  | 9767.3  | 10170.3 | 11022.8 | 11874.8 | 12386.4 | 12897.8 | 11880.4 | 12897.8 |
| 3139.7  | 82.5° | 4494.4  | 5849.3  | 6299.4  | 6749.7  | 7336.5  | 7923.3  | 8136.7  | 8349.9  | 7550.3  | 8349.9  |
| 1381.4  | 85°   | 2100.4  | 2819.4  | 3202.3  | 3585.2  | 4067.3  | 4549.3  | 4670.4  | 4791.6  | 4151.1  | 4791.6  |
| 427.6   | 87.5° | 669.3   | 911.0   | 1124.6  | 1338.2  | 1579.3  | 1820.4  | 1830.7  | 1840.8  | 1545.5  | 1840.8  |
| 0.0     | 90°   | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |

REPORT NUMBER: P951331

CATALOG NUMBER: GLAN-SB5C-735-U-SLR

**CANDELA DISTRIBUTION (continued):**

| 325°    |       | 330°    | 335°    | 340°    | 345°    | 350°    | 355°    | 360°    |
|---------|-------|---------|---------|---------|---------|---------|---------|---------|
| 5183.4  | 0°    | 5183.4  | 5183.4  | 5183.4  | 5183.4  | 5183.4  | 5183.4  | 5183.4  |
| 5721.4  | 2.5°  | 5712.5  | 5694.6  | 5676.7  | 5646.6  | 5616.6  | 5595.3  | 5574.2  |
| 6391.9  | 5°    | 6367.8  | 6328.1  | 6288.3  | 6214.9  | 6141.7  | 6067.7  | 5993.9  |
| 7037.0  | 7.5°  | 7001.7  | 6936.7  | 6871.7  | 6763.7  | 6655.7  | 6535.7  | 6415.6  |
| 7463.6  | 10°   | 7429.4  | 7353.0  | 7276.2  | 7149.5  | 7022.8  | 6880.8  | 6738.8  |
| 7603.2  | 12.5° | 7584.5  | 7528.8  | 7473.1  | 7359.0  | 7244.4  | 7090.7  | 6936.7  |
| 7450.5  | 15°   | 7470.4  | 7468.4  | 7466.4  | 7394.4  | 7322.6  | 7189.9  | 7057.0  |
| 7071.8  | 17.5° | 7145.6  | 7226.1  | 7306.7  | 7305.5  | 7304.1  | 7214.4  | 7124.7  |
| 6587.8  | 20°   | 6717.3  | 6895.1  | 7073.0  | 7167.4  | 7261.9  | 7230.5  | 7199.3  |
| 6127.4  | 22.5° | 6289.3  | 6550.8  | 6812.4  | 7008.1  | 7203.8  | 7244.8  | 7285.8  |
| 5738.7  | 25°   | 5909.0  | 6226.6  | 6544.3  | 6841.4  | 7138.6  | 7267.9  | 7397.2  |
| 5427.2  | 27.5° | 5594.7  | 5946.8  | 6298.8  | 6692.3  | 7085.9  | 7317.2  | 7548.3  |
| 5205.1  | 30°   | 5360.4  | 5727.2  | 6094.0  | 6578.5  | 7063.0  | 7407.5  | 7752.2  |
| 5141.4  | 32.5° | 5263.3  | 5608.0  | 5952.7  | 6500.9  | 7049.1  | 7520.9  | 7992.9  |
| 5480.7  | 35°   | 5509.2  | 5748.5  | 5987.9  | 6559.0  | 7130.2  | 7707.7  | 8285.3  |
| 6479.4  | 37.5° | 6349.4  | 6364.9  | 6380.4  | 6899.5  | 7418.6  | 8098.1  | 8777.5  |
| 8132.7  | 40°   | 7816.5  | 7544.0  | 7271.5  | 7657.5  | 8043.6  | 8782.5  | 9521.4  |
| 10360.8 | 42.5° | 9785.6  | 9191.3  | 8596.9  | 8819.3  | 9041.7  | 9774.8  | 10508.0 |
| 13062.3 | 45°   | 12117.1 | 11164.8 | 10212.6 | 10310.9 | 10408.9 | 11067.7 | 11726.3 |
| 16059.2 | 47.5° | 14675.4 | 13302.2 | 11928.6 | 11948.4 | 11968.3 | 12609.2 | 13249.9 |
| 19037.9 | 50°   | 17211.4 | 15441.2 | 13670.9 | 13667.6 | 13664.2 | 14455.4 | 15246.8 |
| 21917.8 | 52.5° | 19657.9 | 17543.4 | 15428.8 | 15525.9 | 15622.8 | 16580.9 | 17539.2 |
| 24731.5 | 55°   | 22037.4 | 19684.1 | 17330.7 | 17708.4 | 18086.2 | 19032.9 | 19979.7 |
| 27457.2 | 57.5° | 24405.7 | 22029.4 | 19653.1 | 20410.5 | 21168.1 | 21683.9 | 22199.5 |
| 31025.9 | 60°   | 27758.8 | 25510.0 | 23261.2 | 24202.0 | 25142.8 | 24341.8 | 23541.1 |
| 34252.5 | 62.5° | 31144.1 | 29083.9 | 27023.8 | 27130.0 | 27236.1 | 25047.9 | 22859.8 |
| 34666.4 | 65°   | 31652.3 | 29034.1 | 26416.2 | 26010.0 | 25603.7 | 23550.0 | 21496.3 |
| 32439.1 | 67.5° | 29412.0 | 26684.5 | 23956.8 | 23766.4 | 23575.9 | 21622.6 | 19669.4 |
| 29377.6 | 70°   | 26772.6 | 24333.5 | 21894.1 | 21808.8 | 21723.7 | 19599.0 | 17474.5 |
| 25625.3 | 72.5° | 23674.3 | 21765.9 | 19857.4 | 19796.3 | 19735.1 | 17296.9 | 14859.0 |
| 21392.9 | 75°   | 20019.5 | 18534.7 | 17049.9 | 16823.3 | 16596.8 | 14073.5 | 11550.2 |
| 16843.4 | 77.5° | 15869.4 | 14740.6 | 13611.9 | 13287.7 | 12963.4 | 10607.8 | 8252.4  |
| 12386.4 | 80°   | 11874.8 | 11022.8 | 10170.3 | 9767.3  | 9364.3  | 7382.8  | 5401.2  |
| 8136.7  | 82.5° | 7923.3  | 7336.5  | 6749.7  | 6299.4  | 5849.3  | 4494.4  | 3139.7  |
| 4670.4  | 85°   | 4549.3  | 4067.3  | 3585.2  | 3202.3  | 2819.4  | 2100.4  | 1381.4  |
| 1830.7  | 87.5° | 1820.4  | 1579.3  | 1338.2  | 1124.6  | 911.0   | 669.3   | 427.6   |
| 0.0     | 90°   | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |

(END OF REPORT)