

Signify Classified - Internal  
Cooper Lighting Solutions Photometric Lab  
1121 Highway 74 South  
Peachtree City, GA 30269



Scaled data based on original data using  
LM-79-08 Approved Method: Electrical and Photometric Measurements of Solid-  
State Lighting Products

Test Report Prepared for  
Cooper Lighting Solutions  
(formerly Eaton)

Brand: STREETWORKS

Report Number: P867769

Luminaire Tested: **MEM2-HTN-SA-130-740-U-T5R**

Issue Date: 08/21/2024



**Test Information**

Test Method: LM-79-08  
Report Number: P867769  
Test Lab: INNOVATION CENTER(G3)  
Issue Date: 08/21/2024  
Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)  
Product Line: STREETWORKS  
Catalog Number: MEM2-HTN-SA-130-740-U-T5R  
Description: EPIC MODERN TALL HOUSING DISCRETE LED ARRAYS 130W 70CRI 4000K  
FITXURE w/ TYPE V ROUND DISTRIBUTION OPTIC  
Light Source: (30) 4000K CCT, 70 CRI LEDS  
Ballast/Driver: ELECTRONIC DRIVER

**Summary**


Lumens per Lamp: N/A  
Luminaire Lumens: 17290.8 lumens  
Efficiency: N/A  
Efficacy: 153.0 lumens/watt  
Luminous Opening: Rectangular (W 1' x L: 0.33' x H: 0')  
IES Classification: Type V - Short  
BUG Rating: B4 - U0 - G2

Input Watts (W): 113  
Input Voltage (V): 120  
Input Current (A<sub>in</sub>): NR  
Voltage Rise (V): NR  
Power Factor: 0.99  
Total Harmonic Distortion (THDi): 7.77%  
Frequency (hertz): 60  
Stabilization Time: NR  
Operation Time: NR  
Ambient Temperature (°C): NR  
Test Distance: 24 FT

REPORT NUMBER: P867769  
 CATALOG NUMBER: MEM2-HTN-SA-130-740-U-T5R

### Iso-Footcandle Lines of Horizontal Illumination


✕ Max cd  
 - - - 1/2 Max cd



Based on 20 foot mounting height. Maximum calculated value = 4.1 fc  
 Type V - Short - N/A

REPORT NUMBER: P867769  
CATALOG NUMBER: MEM2-HTN-SA-130-740-U-T5R

### Luminous Intensity Polar Plot



— Vertical Plane Through 35-Deg Lateral    - - - Horizontal Cone Through 67.5-Deg Vertical

REPORT NUMBER: P867769  
 CATALOG NUMBER: MEM2-HTN-SA-130-740-U-T5R

**FLUX DISTRIBUTION:**

|                    |           | Downward | Upward | Total   |
|--------------------|-----------|----------|--------|---------|
| <b>House Side</b>  | Lumens    | 8645.4   | 0.0    | 8645.4  |
|                    | % Fixture | 50.0     | 0.0    | 50.0    |
| <b>Street Side</b> | Lumens    | 8645.4   | 0.0    | 8645.4  |
|                    | % Fixture | 50.0     | 0.0    | 50.0    |
| <b>Total</b>       | Lumens    | 17290.8  | 0.0    | 17290.8 |
|                    | % Fixture | 100.0    | 0.0    | 100.0   |

**ZONAL LUMENS:**

| Zone      | Lumens  | % Fixture |
|-----------|---------|-----------|
| 0°-10°    | 158.4   | 0.9       |
| 10°-20°   | 519.1   | 3.0       |
| 20°-30°   | 992.1   | 5.7       |
| 30°-40°   | 1603.3  | 9.3       |
| 40°-50°   | 2346.6  | 13.6      |
| 50°-60°   | 3365.0  | 19.5      |
| 60°-70°   | 4716.4  | 27.3      |
| 70°-80°   | 3327.9  | 19.2      |
| 80°-90°   | 262.0   | 1.5       |
| 90°-100°  | 0.0     | 0.0       |
| 100°-110° | 0.0     | 0.0       |
| 110°-120° | 0.0     | 0.0       |
| 120°-130° | 0.0     | 0.0       |
| 130°-140° | 0.0     | 0.0       |
| 140°-150° | 0.0     | 0.0       |
| 150°-160° | 0.0     | 0.0       |
| 160°-170° | 0.0     | 0.0       |
| 170°-180° | 0.0     | 0.0       |
| 0°-90°    | 17290.8 | 100.0     |
| 0°-180°   | 17290.8 | 100.0     |

**Coefficient of Utilization**



REPORT NUMBER: P867769


CATALOG NUMBER: MEM2-HTN-SA-130-740-U-T5R

**LUMINAIRE CLASSIFICATION SYSTEM LUMEN TABLE AND BUG RATING:**

| Zone |             | Lumens | % Fixture | Zone Rating/Lumen Limit |      |         |
|------|-------------|--------|-----------|-------------------------|------|---------|
|      |             |        |           | B                       | U    | G       |
| FL   | (0°-30°)    | 834.8  | 4.8       |                         |      |         |
| FM   | (30°-60°)   | 3657.5 | 21.2      |                         |      |         |
| FH   | (60°-80°)   | 4022.1 | 23.3      |                         |      | G2/5000 |
| FVH  | (80°-90°)   | 131.0  | 0.8       |                         |      | G2/225  |
| BL   | (0°-30°)    | 834.8  | 4.8       | B2/1000                 |      |         |
| BM   | (30°-60°)   | 3657.5 | 21.2      | B3/5000                 |      |         |
| BH   | (60°-80°)   | 4022.1 | 23.3      | B4/5000                 |      | G2/5000 |
| BVH  | (80°-90°)   | 131.0  | 0.8       |                         |      | G2/225  |
| UL   | (90°-100°)  | 0.0    | 0.0       |                         | U0/0 |         |
| UH   | (100°-180°) | 0.0    | 0.0       |                         | U0/0 |         |

**BUG Rating: B4-U0-G2**

Type V Short





REPORT NUMBER: P867769  
 CATALOG NUMBER: MEM2-HTN-SA-130-740-U-T5R

**CANDELA DISTRIBUTION (FULL):**

|       | 0°     | 5°     | 15°    | 25°    | 35°    | 45°    | 55°    | 65°    | 75°    | 85°    | 90°    |
|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0°    | 1628.7 | 1628.7 | 1628.7 | 1628.7 | 1628.7 | 1628.7 | 1628.7 | 1628.7 | 1628.7 | 1628.7 | 1628.7 |
| 2.5°  | 1638.8 | 1635.5 | 1632.1 | 1632.1 | 1628.7 | 1632.1 | 1628.7 | 1632.1 | 1628.7 | 1628.7 | 1628.7 |
| 5°    | 1648.9 | 1645.6 | 1645.6 | 1645.6 | 1642.2 | 1642.2 | 1642.2 | 1642.2 | 1638.8 | 1635.5 | 1638.8 |
| 7.5°  | 1659.0 | 1659.0 | 1655.7 | 1662.4 | 1659.0 | 1662.4 | 1662.4 | 1665.8 | 1659.0 | 1655.7 | 1659.0 |
| 10°   | 1686.0 | 1686.0 | 1686.0 | 1692.7 | 1692.7 | 1702.8 | 1702.8 | 1706.1 | 1702.8 | 1696.1 | 1696.1 |
| 12.5° | 1743.2 | 1739.8 | 1739.8 | 1739.8 | 1746.5 | 1753.3 | 1760.0 | 1760.0 | 1756.6 | 1746.5 | 1746.5 |
| 15°   | 1807.1 | 1813.8 | 1807.1 | 1803.7 | 1807.1 | 1813.8 | 1820.6 | 1820.6 | 1817.2 | 1813.8 | 1813.8 |
| 17.5° | 1884.5 | 1887.9 | 1881.1 | 1874.4 | 1874.4 | 1884.5 | 1887.9 | 1887.9 | 1884.5 | 1877.8 | 1877.8 |
| 20°   | 1951.8 | 1955.2 | 1955.2 | 1951.8 | 1955.2 | 1961.9 | 1965.3 | 1968.6 | 1958.5 | 1948.4 | 1948.4 |
| 22.5° | 2009.0 | 2012.4 | 2019.1 | 2032.6 | 2046.0 | 2052.8 | 2049.4 | 2049.4 | 2032.6 | 2022.5 | 2019.1 |
| 25°   | 2079.7 | 2089.8 | 2103.2 | 2120.1 | 2143.6 | 2160.4 | 2153.7 | 2140.3 | 2126.8 | 2106.6 | 2103.2 |
| 27.5° | 2217.7 | 2217.7 | 2204.2 | 2210.9 | 2237.8 | 2254.7 | 2247.9 | 2237.8 | 2210.9 | 2197.5 | 2194.1 |
| 30°   | 2325.3 | 2325.3 | 2325.3 | 2318.6 | 2335.4 | 2355.6 | 2348.9 | 2332.1 | 2318.6 | 2311.9 | 2311.9 |
| 32.5° | 2429.7 | 2422.9 | 2433.0 | 2446.5 | 2453.2 | 2459.9 | 2459.9 | 2446.5 | 2422.9 | 2412.8 | 2412.8 |
| 35°   | 2527.2 | 2534.0 | 2544.1 | 2564.3 | 2581.1 | 2571.0 | 2554.2 | 2544.1 | 2520.5 | 2500.3 | 2500.3 |
| 37.5° | 2621.5 | 2628.2 | 2638.3 | 2668.6 | 2695.5 | 2692.1 | 2672.0 | 2645.0 | 2614.7 | 2597.9 | 2587.8 |
| 40°   | 2688.8 | 2692.1 | 2719.1 | 2766.2 | 2803.2 | 2816.7 | 2799.8 | 2762.8 | 2715.7 | 2682.0 | 2685.4 |
| 42.5° | 2769.5 | 2776.3 | 2820.0 | 2887.3 | 2941.2 | 2961.4 | 2937.8 | 2887.3 | 2820.0 | 2776.3 | 2776.3 |
| 45°   | 2887.3 | 2890.7 | 2947.9 | 3032.0 | 3102.7 | 3136.3 | 3102.7 | 3032.0 | 2944.5 | 2900.8 | 2897.4 |
| 47.5° | 3005.1 | 3015.2 | 3079.1 | 3180.1 | 3284.4 | 3324.8 | 3287.8 | 3196.9 | 3092.6 | 3038.8 | 3032.0 |
| 50°   | 3139.7 | 3146.4 | 3223.8 | 3361.8 | 3479.6 | 3533.4 | 3486.3 | 3371.9 | 3257.5 | 3190.2 | 3193.6 |
| 52.5° | 3271.0 | 3291.1 | 3395.5 | 3540.2 | 3681.5 | 3742.1 | 3674.8 | 3550.3 | 3429.1 | 3365.2 | 3361.8 |
| 55°   | 3466.1 | 3489.7 | 3580.6 | 3742.1 | 3890.1 | 3957.5 | 3893.5 | 3755.5 | 3624.3 | 3553.6 | 3540.2 |
| 57.5° | 3711.8 | 3725.3 | 3806.0 | 3970.9 | 4095.4 | 4159.4 | 4122.3 | 3994.5 | 3870.0 | 3782.5 | 3765.6 |
| 60°   | 3991.1 | 4004.6 | 4068.5 | 4236.8 | 4337.7 | 4384.8 | 4371.4 | 4297.3 | 4213.2 | 4172.8 | 4162.7 |
| 62.5° | 4388.2 | 4391.6 | 4425.2 | 4522.8 | 4623.8 | 4643.9 | 4610.3 | 4593.5 | 4620.4 | 4576.6 | 4586.7 |
| 65°   | 4842.5 | 4842.5 | 4832.4 | 4845.9 | 4923.3 | 4899.7 | 4876.1 | 4950.2 | 4936.7 | 4862.7 | 4849.2 |
| 67.5° | 4930.0 | 4950.2 | 4990.6 | 5020.8 | 5091.5 | 5047.8 | 5078.1 | 5091.5 | 5007.4 | 4940.1 | 4930.0 |
| 70°   | 4411.7 | 4435.3 | 4660.8 | 4798.7 | 5014.1 | 5054.5 | 4956.9 | 4906.4 | 4812.2 | 4687.7 | 4654.0 |
| 72.5° | 3008.5 | 3126.3 | 3775.7 | 4219.9 | 4549.7 | 4600.2 | 4546.4 | 4482.4 | 4294.0 | 4196.4 | 4129.1 |
| 75°   | 2402.7 | 2466.7 | 3045.5 | 3483.0 | 3678.1 | 3674.8 | 3459.4 | 3388.7 | 3240.7 | 3227.2 | 3240.7 |
| 77.5° | 1467.2 | 1480.7 | 2049.4 | 2392.6 | 2416.2 | 2402.7 | 2315.2 | 2261.4 | 2281.6 | 2180.6 | 2197.5 |
| 80°   | 447.6  | 488.0  | 774.0  | 1167.7 | 1255.2 | 1214.8 | 1198.0 | 1218.2 | 1238.4 | 1268.7 | 1315.8 |
| 82.5° | 90.9   | 114.4  | 154.8  | 336.5  | 383.6  | 380.3  | 376.9  | 417.3  | 454.3  | 471.1  | 572.1  |
| 85°   | 10.1   | 10.1   | 13.5   | 26.9   | 57.2   | 90.9   | 94.2   | 84.1   | 127.9  | 124.5  | 87.5   |
| 87.5° | 3.4    | 3.4    | 3.4    | 3.4    | 3.4    | 6.7    | 6.7    | 6.7    | 6.7    | 6.7    | 6.7    |
| 90°   | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |

LM-79-2019: Approved Method: Electrical and Photometric Measurements of Solid-  
State Lighting Products

Report Prepared for

Cooper Lighting Solutions

Streetworks

Report Number: SP1-2407-157-5

Test Date: 08/07/2024

Luminaire Tested: MEM2-HTN-SA-40-740-U-5WQ-2

Data in this report applies to families of products including MEM2-HTN-SA-40-740-U-5WQ-2



**Test Information**

Test Method: LM-79-2019  
 Report Number: SP1-2407-157-5  
 Test Lab: COOPER LIGHTING SOLUTIONS  
 Photometer: SP1 - 76IN SPHERE  
 Measurement Geometry: 4π  
 Issue Date: 08/20/2024  
 Manufacturer: COOPER LIGHTING SOLUTIONS  
 Product Line: Streetworks  
 Catalog Number: **MEM2-HTN-SA-40-740-U-5WQ-2**  
 Description: Epic Modern Light Square 40W 5WQ Optic and Flare Trim

**Spectral Parameters**

CCT (K): 3915  
 CIE u': 0.2262  
 CIE v': 0.5044  
 Duv: 0.0010  
 CIE x: 0.3850  
 CIE y: 0.3816  
 CIE z: 0.2334  
 Peak Wavelength (nm): 449  
 Dominant Wavelength (nm): 578  
 Purity: 30.05482  
 Rf: 73.2  
 Rg: 93.9

|           |      |      |       |
|-----------|------|------|-------|
| CRI (Ra): | 71.0 |      |       |
| R1:       | 67.6 | R9:  | -38.4 |
| R2:       | 78.3 | R10: | 48.9  |
| R3:       | 87.1 | R11: | 65.3  |
| R4:       | 69.7 | R12: | 40.4  |
| R5:       | 67.4 | R13: | 69.3  |
| R6:       | 69.3 | R14: | 92.6  |
| R7:       | 79.7 | R15: | 59.9  |
| R8:       | 48.7 |      |       |



**Test Conditions**


Stabilization Time: 21M  
 Operation Time: 1H 21M  
 Sphere Temperature (°C): 24.2

REPORT NUMBER: SP1-2407-157-5

| Measurement and Test Equipment |                       |                  |                      |
|--------------------------------|-----------------------|------------------|----------------------|
| Instrument                     | Identification Number | Calibration Date | Calibration Due Date |
| Photometer                     | IN0058                | 6/18/2024        | 12/18/2024           |
| Power Meter                    | INXT2011004           | 2/8/2024         | 2/8/2025             |
| AC Power Source                | IN0063                | 10/24/2023       | 10/24/2024           |
| DC Power Source                | IN0208                | 10/24/2023       | 10/24/2024           |
| Sphere Thermometer             | IN0085                | 10/24/2023       | 10/24/2024           |
| Room Thermometer               | IN0046                | 10/24/2023       | 10/24/2024           |

REPORT NUMBER: SP1-2407-157-5

**CIE 1931 Chromaticity Diagram**




**CIE 1931 Chromaticity Diagram with 2017 ANSI 7-Step and 4-Step Quadrangles**



Point lies inside the ANSI 4000K 4-step quadrangle

REPORT NUMBER: SP1-2407-157-5

**Photopic Flux vs. Wavelength**



**Photopic Lumens: NR**

| λ (nm) | Power W <sup>^</sup> /nm | Lumens (φ/nm) | λ (nm) | Power W <sup>^</sup> /nm | Lumens (φ/nm) | λ (nm) | Power W <sup>^</sup> /nm | Lumens (φ/nm) | λ (nm) | Power W <sup>^</sup> /nm | Lumens (φ/nm) | λ (nm) | Power W <sup>^</sup> /nm | Lumens (φ/nm) |
|--------|--------------------------|---------------|--------|--------------------------|---------------|--------|--------------------------|---------------|--------|--------------------------|---------------|--------|--------------------------|---------------|
| 360    | 0                        | NR            | 490    | 112                      | NR            | 620    | 618                      | NR            | 750    | 15                       | NR            | 880    | 0                        | NR            |
| 365    | 0                        | NR            | 495    | 153                      | NR            | 625    | 563                      | NR            | 755    | 13                       | NR            | 885    | 0                        | NR            |
| 370    | 0                        | NR            | 500    | 216                      | NR            | 630    | 510                      | NR            | 760    | 11                       | NR            | 890    | 0                        | NR            |
| 375    | 0                        | NR            | 505    | 291                      | NR            | 635    | 456                      | NR            | 765    | 9                        | NR            | 895    | 0                        | NR            |
| 380    | 0                        | NR            | 510    | 366                      | NR            | 640    | 407                      | NR            | 770    | 8                        | NR            | 900    | 0                        | NR            |
| 385    | 0                        | NR            | 515    | 436                      | NR            | 645    | 359                      | NR            | 775    | 7                        | NR            | 905    | 0                        | NR            |
| 390    | 0                        | NR            | 520    | 492                      | NR            | 650    | 316                      | NR            | 780    | 6                        | NR            | 910    | 0                        | NR            |
| 395    | 2                        | NR            | 525    | 536                      | NR            | 655    | 277                      | NR            | 785    | 5                        | NR            | 915    | 0                        | NR            |
| 400    | 4                        | NR            | 530    | 567                      | NR            | 660    | 240                      | NR            | 790    | 4                        | NR            | 920    | 0                        | NR            |
| 405    | 7                        | NR            | 535    | 596                      | NR            | 665    | 208                      | NR            | 795    | 4                        | NR            | 925    | 0                        | NR            |
| 410    | 12                       | NR            | 540    | 619                      | NR            | 670    | 179                      | NR            | 800    | 3                        | NR            | 930    | 0                        | NR            |
| 415    | 25                       | NR            | 545    | 644                      | NR            | 675    | 154                      | NR            | 805    | 3                        | NR            | 935    | 0                        | NR            |
| 420    | 51                       | NR            | 550    | 671                      | NR            | 680    | 133                      | NR            | 810    | 3                        | NR            | 940    | 0                        | NR            |
| 425    | 100                      | NR            | 555    | 701                      | NR            | 685    | 114                      | NR            | 815    | 2                        | NR            | 945    | 0                        | NR            |
| 430    | 180                      | NR            | 560    | 735                      | NR            | 690    | 98                       | NR            | 820    | 2                        | NR            | 950    | 0                        | NR            |
| 435    | 315                      | NR            | 565    | 768                      | NR            | 695    | 83                       | NR            | 825    | 2                        | NR            | 955    | 0                        | NR            |
| 440    | 514                      | NR            | 570    | 798                      | NR            | 700    | 71                       | NR            | 830    | 1                        | NR            | 960    | 0                        | NR            |
| 445    | 828                      | NR            | 575    | 825                      | NR            | 705    | 61                       | NR            | 835    | 1                        | NR            | 965    | 0                        | NR            |
| 450    | 992                      | NR            | 580    | 843                      | NR            | 710    | 52                       | NR            | 840    | 1                        | NR            | 970    | 0                        | NR            |
| 455    | 652                      | NR            | 585    | 848                      | NR            | 715    | 44                       | NR            | 845    | 1                        | NR            | 975    | 0                        | NR            |
| 460    | 382                      | NR            | 590    | 844                      | NR            | 720    | 38                       | NR            | 850    | 1                        | NR            | 980    | 0                        | NR            |
| 465    | 282                      | NR            | 595    | 826                      | NR            | 725    | 32                       | NR            | 855    | 1                        | NR            | 985    | 0                        | NR            |
| 470    | 180                      | NR            | 600    | 800                      | NR            | 730    | 28                       | NR            | 860    | 1                        | NR            | 990    | 0                        | NR            |
| 475    | 119                      | NR            | 605    | 762                      | NR            | 735    | 24                       | NR            | 865    | 1                        | NR            | 995    | 0                        | NR            |
| 480    | 101                      | NR            | 610    | 719                      | NR            | 740    | 20                       | NR            | 870    | 1                        | NR            | 1000   | 0                        | NR            |
| 485    | 98                       | NR            | 615    | 669                      | NR            | 745    | 17                       | NR            | 875    | 0                        | NR            |        |                          |               |

REPORT NUMBER: SP1-2407-157-5

**Scotopic Flux vs. Wavelength**




**Scotopic Lumens: NR S/P: 1.49**

| λ (nm) | Power W <sup>^</sup> /nm | Lumens (φ/nm) | λ (nm) | Power W <sup>^</sup> /nm | Lumens (φ/nm) | λ (nm) | Power W <sup>^</sup> /nm | Lumens (φ/nm) | λ (nm) | Power W <sup>^</sup> /nm | Lumens (φ/nm) | λ (nm) | Power W <sup>^</sup> /nm | Lumens (φ/nm) |
|--------|--------------------------|---------------|--------|--------------------------|---------------|--------|--------------------------|---------------|--------|--------------------------|---------------|--------|--------------------------|---------------|
| 360    | 0                        | NR            | 490    | 112                      | NR            | 620    | 618                      | NR            | 750    | 15                       | NR            | 880    | 0                        | NR            |
| 365    | 0                        | NR            | 495    | 153                      | NR            | 625    | 563                      | NR            | 755    | 13                       | NR            | 885    | 0                        | NR            |
| 370    | 0                        | NR            | 500    | 216                      | NR            | 630    | 510                      | NR            | 760    | 11                       | NR            | 890    | 0                        | NR            |
| 375    | 0                        | NR            | 505    | 291                      | NR            | 635    | 456                      | NR            | 765    | 9                        | NR            | 895    | 0                        | NR            |
| 380    | 0                        | NR            | 510    | 366                      | NR            | 640    | 407                      | NR            | 770    | 8                        | NR            | 900    | 0                        | NR            |
| 385    | 0                        | NR            | 515    | 436                      | NR            | 645    | 359                      | NR            | 775    | 7                        | NR            | 905    | 0                        | NR            |
| 390    | 0                        | NR            | 520    | 492                      | NR            | 650    | 316                      | NR            | 780    | 6                        | NR            | 910    | 0                        | NR            |
| 395    | 2                        | NR            | 525    | 536                      | NR            | 655    | 277                      | NR            | 785    | 5                        | NR            | 915    | 0                        | NR            |
| 400    | 4                        | NR            | 530    | 567                      | NR            | 660    | 240                      | NR            | 790    | 4                        | NR            | 920    | 0                        | NR            |
| 405    | 7                        | NR            | 535    | 596                      | NR            | 665    | 208                      | NR            | 795    | 4                        | NR            | 925    | 0                        | NR            |
| 410    | 12                       | NR            | 540    | 619                      | NR            | 670    | 179                      | NR            | 800    | 3                        | NR            | 930    | 0                        | NR            |
| 415    | 25                       | NR            | 545    | 644                      | NR            | 675    | 154                      | NR            | 805    | 3                        | NR            | 935    | 0                        | NR            |
| 420    | 51                       | NR            | 550    | 671                      | NR            | 680    | 133                      | NR            | 810    | 3                        | NR            | 940    | 0                        | NR            |
| 425    | 100                      | NR            | 555    | 701                      | NR            | 685    | 114                      | NR            | 815    | 2                        | NR            | 945    | 0                        | NR            |
| 430    | 180                      | NR            | 560    | 735                      | NR            | 690    | 98                       | NR            | 820    | 2                        | NR            | 950    | 0                        | NR            |
| 435    | 315                      | NR            | 565    | 768                      | NR            | 695    | 83                       | NR            | 825    | 2                        | NR            | 955    | 0                        | NR            |
| 440    | 514                      | NR            | 570    | 798                      | NR            | 700    | 71                       | NR            | 830    | 1                        | NR            | 960    | 0                        | NR            |
| 445    | 828                      | NR            | 575    | 825                      | NR            | 705    | 61                       | NR            | 835    | 1                        | NR            | 965    | 0                        | NR            |
| 450    | 992                      | NR            | 580    | 843                      | NR            | 710    | 52                       | NR            | 840    | 1                        | NR            | 970    | 0                        | NR            |
| 455    | 652                      | NR            | 585    | 848                      | NR            | 715    | 44                       | NR            | 845    | 1                        | NR            | 975    | 0                        | NR            |
| 460    | 382                      | NR            | 590    | 844                      | NR            | 720    | 38                       | NR            | 850    | 1                        | NR            | 980    | 0                        | NR            |
| 465    | 282                      | NR            | 595    | 826                      | NR            | 725    | 32                       | NR            | 855    | 1                        | NR            | 985    | 0                        | NR            |
| 470    | 180                      | NR            | 600    | 800                      | NR            | 730    | 28                       | NR            | 860    | 1                        | NR            | 990    | 0                        | NR            |
| 475    | 119                      | NR            | 605    | 762                      | NR            | 735    | 24                       | NR            | 865    | 1                        | NR            | 995    | 0                        | NR            |
| 480    | 101                      | NR            | 610    | 719                      | NR            | 740    | 20                       | NR            | 870    | 1                        | NR            | 1000   | 0                        | NR            |
| 485    | 98                       | NR            | 615    | 669                      | NR            | 745    | 17                       | NR            | 875    | 0                        | NR            |        |                          |               |

REPORT NUMBER: SP1-2407-157-5

**Melanopic Flux vs. Wavelength**



**Melanopic Lumens: NR**

**M/P: 2.88**

| λ (nm) | Power W <sup>^</sup> /nm | Lumens (φ/nm) | λ (nm) | Power W <sup>^</sup> /nm | Lumens (φ/nm) | λ (nm) | Power W <sup>^</sup> /nm | Lumens (φ/nm) | λ (nm) | Power W <sup>^</sup> /nm | Lumens (φ/nm) | λ (nm) | Power W <sup>^</sup> /nm | Lumens (φ/nm) |
|--------|--------------------------|---------------|--------|--------------------------|---------------|--------|--------------------------|---------------|--------|--------------------------|---------------|--------|--------------------------|---------------|
| 360    | 0                        | NR            | 490    | 112                      | NR            | 620    | 618                      | NR            | 750    | 15                       | NR            | 880    | 0                        | NR            |
| 365    | 0                        | NR            | 495    | 153                      | NR            | 625    | 563                      | NR            | 755    | 13                       | NR            | 885    | 0                        | NR            |
| 370    | 0                        | NR            | 500    | 216                      | NR            | 630    | 510                      | NR            | 760    | 11                       | NR            | 890    | 0                        | NR            |
| 375    | 0                        | NR            | 505    | 291                      | NR            | 635    | 456                      | NR            | 765    | 9                        | NR            | 895    | 0                        | NR            |
| 380    | 0                        | NR            | 510    | 366                      | NR            | 640    | 407                      | NR            | 770    | 8                        | NR            | 900    | 0                        | NR            |
| 385    | 0                        | NR            | 515    | 436                      | NR            | 645    | 359                      | NR            | 775    | 7                        | NR            | 905    | 0                        | NR            |
| 390    | 0                        | NR            | 520    | 492                      | NR            | 650    | 316                      | NR            | 780    | 6                        | NR            | 910    | 0                        | NR            |
| 395    | 2                        | NR            | 525    | 536                      | NR            | 655    | 277                      | NR            | 785    | 5                        | NR            | 915    | 0                        | NR            |
| 400    | 4                        | NR            | 530    | 567                      | NR            | 660    | 240                      | NR            | 790    | 4                        | NR            | 920    | 0                        | NR            |
| 405    | 7                        | NR            | 535    | 596                      | NR            | 665    | 208                      | NR            | 795    | 4                        | NR            | 925    | 0                        | NR            |
| 410    | 12                       | NR            | 540    | 619                      | NR            | 670    | 179                      | NR            | 800    | 3                        | NR            | 930    | 0                        | NR            |
| 415    | 25                       | NR            | 545    | 644                      | NR            | 675    | 154                      | NR            | 805    | 3                        | NR            | 935    | 0                        | NR            |
| 420    | 51                       | NR            | 550    | 671                      | NR            | 680    | 133                      | NR            | 810    | 3                        | NR            | 940    | 0                        | NR            |
| 425    | 100                      | NR            | 555    | 701                      | NR            | 685    | 114                      | NR            | 815    | 2                        | NR            | 945    | 0                        | NR            |
| 430    | 180                      | NR            | 560    | 735                      | NR            | 690    | 98                       | NR            | 820    | 2                        | NR            | 950    | 0                        | NR            |
| 435    | 315                      | NR            | 565    | 768                      | NR            | 695    | 83                       | NR            | 825    | 2                        | NR            | 955    | 0                        | NR            |
| 440    | 514                      | NR            | 570    | 798                      | NR            | 700    | 71                       | NR            | 830    | 1                        | NR            | 960    | 0                        | NR            |
| 445    | 828                      | NR            | 575    | 825                      | NR            | 705    | 61                       | NR            | 835    | 1                        | NR            | 965    | 0                        | NR            |
| 450    | 992                      | NR            | 580    | 843                      | NR            | 710    | 52                       | NR            | 840    | 1                        | NR            | 970    | 0                        | NR            |
| 455    | 652                      | NR            | 585    | 848                      | NR            | 715    | 44                       | NR            | 845    | 1                        | NR            | 975    | 0                        | NR            |
| 460    | 382                      | NR            | 590    | 844                      | NR            | 720    | 38                       | NR            | 850    | 1                        | NR            | 980    | 0                        | NR            |
| 465    | 282                      | NR            | 595    | 826                      | NR            | 725    | 32                       | NR            | 855    | 1                        | NR            | 985    | 0                        | NR            |
| 470    | 180                      | NR            | 600    | 800                      | NR            | 730    | 28                       | NR            | 860    | 1                        | NR            | 990    | 0                        | NR            |
| 475    | 119                      | NR            | 605    | 762                      | NR            | 735    | 24                       | NR            | 865    | 1                        | NR            | 995    | 0                        | NR            |
| 480    | 101                      | NR            | 610    | 719                      | NR            | 740    | 20                       | NR            | 870    | 1                        | NR            | 1000   | 0                        | NR            |
| 485    | 98                       | NR            | 615    | 669                      | NR            | 745    | 17                       | NR            | 875    | 0                        | NR            |        |                          |               |

**Summary**

$R_f = 73.2$   
 $R_g = 93.9$   
 CIE  $R_a = 71.0$   
 $R_g = -38.4$



**Color Vector Graphics**




**Individual Sample Fidelity Index ( $R_{f,i}$ )**

|            |            |            |            |
|------------|------------|------------|------------|
| CES01 = 85 | CES26 = 61 | CES51 = 88 | CES76 = 50 |
| CES02 = 61 | CES27 = 88 | CES52 = 87 | CES77 = 69 |
| CES03 = 30 | CES28 = 81 | CES53 = 77 | CES78 = 53 |
| CES04 = 70 | CES29 = 65 | CES54 = 84 | CES79 = 81 |
| CES05 = 47 | CES30 = 81 | CES55 = 83 | CES80 = 78 |
| CES06 = 50 | CES31 = 69 | CES56 = 73 | CES81 = 77 |
| CES07 = 40 | CES32 = 60 | CES57 = 72 | CES82 = 91 |
| CES08 = 39 | CES33 = 76 | CES58 = 73 | CES83 = 89 |
| CES09 = 29 | CES34 = 70 | CES59 = 85 | CES84 = 86 |
| CES10 = 74 | CES35 = 83 | CES60 = 89 | CES85 = 77 |
| CES11 = 57 | CES36 = 91 | CES61 = 81 | CES86 = 71 |
| CES12 = 63 | CES37 = 79 | CES62 = 85 | CES87 = 76 |
| CES13 = 42 | CES38 = 92 | CES63 = 72 | CES88 = 80 |
| CES14 = 74 | CES39 = 96 | CES64 = 64 | CES89 = 70 |
| CES15 = 71 | CES40 = 91 | CES65 = 61 | CES90 = 79 |
| CES16 = 46 | CES41 = 93 | CES66 = 57 | CES91 = 74 |
| CES17 = 49 | CES42 = 80 | CES67 = 54 | CES92 = 57 |
| CES18 = 56 | CES43 = 76 | CES68 = 63 | CES93 = 74 |
| CES19 = 72 | CES44 = 99 | CES69 = 73 | CES94 = 51 |
| CES20 = 65 | CES45 = 85 | CES70 = 55 | CES95 = 65 |
| CES21 = 86 | CES46 = 82 | CES71 = 48 | CES96 = 76 |
| CES22 = 78 | CES47 = 86 | CES72 = 83 | CES97 = 84 |
| CES23 = 92 | CES48 = 77 | CES73 = 45 | CES98 = 75 |
| CES24 = 91 | CES49 = 80 | CES74 = 93 | CES99 = 62 |
| CES25 = 72 | CES50 = 88 | CES75 = 51 |            |





Color Rendition by Hue-Angle Bin



Measure Comparisons



(END OF REPORT)