

Scaled data based on original data using
LM-79-08 Approved Method: Electrical and Photometric Measurements of Solid-
State Lighting Products

Test Report Prepared for
Cooper Lighting Solutions
(formerly Eaton)

Brand: STREETWORKS

Report Number: P597280

Luminaire Tested: **PMM-SA2A-722-U-SLR**

Issue Date: 5/27/2021

Test Information

Test Method: LM-79-08
Report Number: P597280
TEST IS SCALED FROM IESNA LM-79-08 TEST DATA (G2-1910-543-24)
Test Lab: INNOVATIONS CENTER
Issue Date: 5/27/2021
Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)
Product Line: STREETWORKS
Catalog Number: PMM-SA2A-722-U-SLR
Description: MESA POST TOP DECORATIVE LUMINAIRE. (2) LIGHTSQUARES WITH 16 LEDS EACH AND SPILL LIGHT ELIMINATOR RIGHT OPTICS.
Light Source: -
Ballast/Driver: ELECTRONIC DRIVER

Summary

Lumens per Lamp: N/A
Luminaire Lumens: 5005 lumens
Efficiency: N/A
Efficacy: 75.8 lumens/watt
Luminous Opening: Rectangular (W 0.5' x L: 1' x H: 0')
IES Classification: Type IV - Short
BUG Rating: B1 - U0 - G2


Input Watts (W): 66
Input Voltage (V): NR
Input Current (Ain): NR
Voltage Rise (V): NR
Power Factor: NR
Total Harmonic Distortion (THDi): NR
Frequency (hertz): 60
Stabilization Time: NR
Operation Time: NR
Ambient Temperature (°C): NR
Test Distance: 28.75 FT



REPORT NUMBER: P597280
 CATALOG NUMBER: PMM-SA2A-722-U-SLR

Iso-Footcandle Lines of Horizontal Illumination


× Max cd
 - - - 1/2 Max cd



Based on 10 foot mounting height. Maximum calculated value = 13.3 fc
 Type IV - Short - N/A

REPORT NUMBER: P597280
CATALOG NUMBER: PMM-SA2A-722-U-SLR

Luminous Intensity Polar Plot



— Vertical Plane Through 270-Deg Lateral - - - Horizontal Cone Through 60-Deg Vertical

REPORT NUMBER: P597280
 CATALOG NUMBER: PMM-SA2A-722-U-SLR


FLUX DISTRIBUTION:

| | | Downward | Upward | Total |
|--------------------|-----------|----------|--------|--------|
| House Side | Lumens | 969.4 | 0.0 | 969.4 |
| | % Fixture | 19.4 | 0.0 | 19.4 |
| Street Side | Lumens | 4035.6 | 0.0 | 4035.6 |
| | % Fixture | 80.6 | 0.0 | 80.6 |
| Total | Lumens | 5005.0 | 0.0 | 5005.0 |
| | % Fixture | 100.0 | 0.0 | 100.0 |

ZONAL LUMENS:

| Zone | Lumens | % Fixture |
|-----------|--------|-----------|
| 0°-10° | 60.5 | 1.2 |
| 10°-20° | 175.9 | 3.5 |
| 20°-30° | 310.5 | 6.2 |
| 30°-40° | 483.5 | 9.7 |
| 40°-50° | 796.0 | 15.9 |
| 50°-60° | 1136.2 | 22.7 |
| 60°-70° | 1204.8 | 24.1 |
| 70°-80° | 665.4 | 13.3 |
| 80°-90° | 172.2 | 3.4 |
| 90°-100° | 0.0 | 0.0 |
| 100°-110° | 0.0 | 0.0 |
| 110°-120° | 0.0 | 0.0 |
| 120°-130° | 0.0 | 0.0 |
| 130°-140° | 0.0 | 0.0 |
| 140°-150° | 0.0 | 0.0 |
| 150°-160° | 0.0 | 0.0 |
| 160°-170° | 0.0 | 0.0 |
| 170°-180° | 0.0 | 0.0 |
| 0°-90° | 5005.0 | 100.0 |
| 0°-180° | 5005.0 | 100.0 |

Coefficient of Utilization




REPORT NUMBER: P597280
 CATALOG NUMBER: PMM-SA2A-722-U-SLR

LUMINAIRE CLASSIFICATION SYSTEM LUMEN TABLE AND BUG RATING:

| Zone | Lumens | % Fixture | Zone Rating/Lumen Limit | | |
|----------------|--------|-----------|-------------------------|------|---------|
| | | | B | U | G |
| FL (0°-30°) | 383.0 | 7.7 | | | |
| FM (30°-60°) | 1940.3 | 38.8 | | | |
| FH (60°-80°) | 1566.1 | 31.3 | | | G1/1800 |
| FVH (80°-90°) | 146.3 | 2.9 | | | G2/225 |
| BL (0°-30°) | 163.9 | 3.3 | B1/500 | | |
| BM (30°-60°) | 475.5 | 9.5 | B1/1000 | | |
| BH (60°-80°) | 304.2 | 6.1 | B1/500 | | G1/500 |
| BVH (80°-90°) | 25.8 | 0.5 | | | G1/100 |
| UL (90°-100°) | 0.0 | 0.0 | | U0/0 | |
| UH (100°-180°) | 0.0 | 0.0 | | U0/0 | |

BUG Rating: B1-U0-G2
 Type IV Short





REPORT NUMBER: P597280

CATALOG NUMBER: PMM-SA2A-722-U-SLR

CANDELA DISTRIBUTION (FULL):

| | 0° | 2.5° | 5° | 7.5° | 10° | 12.5° | 15° | 17.5° | 20° | 22.5° | 25° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|-------|-------|
| 0° | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 |
| 2.5° | 706.9 | 711.3 | 715.4 | 707.2 | 698.9 | 690.4 | 682.2 | 669.8 | 657.1 | 644.7 | 632.1 |
| 5° | 849.1 | 833.0 | 816.7 | 810.2 | 803.9 | 797.3 | 790.8 | 784.7 | 778.6 | 772.3 | 766.2 |
| 7.5° | 893.5 | 870.7 | 847.6 | 837.9 | 828.2 | 818.2 | 808.5 | 786.6 | 764.8 | 742.7 | 720.8 |
| 10° | 844.7 | 820.9 | 796.8 | 787.4 | 777.6 | 768.2 | 758.4 | 731.7 | 705.2 | 678.5 | 651.8 |
| 12.5° | 884.0 | 859.7 | 835.2 | 805.1 | 775.0 | 744.6 | 714.5 | 699.7 | 684.8 | 669.8 | 655.0 |
| 15° | 921.9 | 889.1 | 856.1 | 826.0 | 795.9 | 765.5 | 735.4 | 705.7 | 676.1 | 646.4 | 616.8 |
| 17.5° | 1060.4 | 1005.7 | 951.1 | 896.7 | 842.0 | 787.6 | 732.9 | 698.7 | 664.2 | 629.9 | 595.4 |
| 20° | 1229.2 | 1153.2 | 1076.9 | 994.3 | 911.5 | 828.9 | 746.1 | 702.8 | 659.8 | 616.6 | 573.3 |
| 22.5° | 1430.2 | 1334.2 | 1238.2 | 1134.0 | 1029.8 | 925.3 | 821.1 | 758.4 | 695.8 | 632.8 | 570.2 |
| 25° | 1589.8 | 1497.4 | 1405.1 | 1273.0 | 1140.8 | 1008.7 | 876.5 | 805.3 | 734.1 | 662.7 | 591.5 |
| 27.5° | 1744.8 | 1597.8 | 1450.6 | 1299.2 | 1148.1 | 996.8 | 845.4 | 779.6 | 713.7 | 647.9 | 582.1 |
| 30° | 1875.7 | 1759.1 | 1642.5 | 1445.0 | 1247.5 | 1049.7 | 852.2 | 771.3 | 690.4 | 609.5 | 528.6 |
| 32.5° | 2067.4 | 1901.0 | 1734.3 | 1528.3 | 1322.3 | 1116.3 | 910.3 | 806.8 | 703.3 | 599.8 | 496.3 |
| 35° | 2291.6 | 2118.6 | 1945.7 | 1690.8 | 1436.2 | 1181.4 | 926.6 | 817.0 | 707.2 | 597.6 | 487.8 |
| 37.5° | 2709.7 | 2404.8 | 2099.7 | 1821.5 | 1543.4 | 1265.0 | 986.8 | 859.5 | 732.2 | 604.7 | 477.4 |
| 40° | 2940.2 | 2658.4 | 2376.6 | 2030.0 | 1683.3 | 1336.4 | 989.7 | 859.5 | 729.0 | 598.8 | 468.4 |
| 42.5° | 3247.6 | 2891.2 | 2534.5 | 2159.7 | 1785.1 | 1410.2 | 1035.4 | 891.1 | 746.8 | 602.2 | 457.9 |
| 45° | 3434.9 | 3037.7 | 2640.2 | 2239.6 | 1839.0 | 1438.4 | 1037.8 | 891.3 | 744.8 | 598.3 | 451.9 |
| 47.5° | 3555.6 | 3174.2 | 2792.5 | 2361.3 | 1930.1 | 1498.7 | 1067.5 | 912.0 | 756.3 | 600.8 | 445.1 |
| 50° | 3670.0 | 3292.3 | 2914.2 | 2466.5 | 2019.0 | 1571.3 | 1123.6 | 953.8 | 784.0 | 613.9 | 444.1 |
| 52.5° | 3810.4 | 3462.5 | 3114.4 | 2634.1 | 2153.6 | 1673.3 | 1192.8 | 1007.9 | 823.1 | 638.2 | 453.3 |
| 55° | 4014.7 | 3672.0 | 3328.9 | 2813.4 | 2297.7 | 1782.2 | 1266.4 | 1061.1 | 856.1 | 650.8 | 445.5 |
| 57.5° | 4147.1 | 3799.5 | 3451.9 | 2926.1 | 2400.4 | 1874.5 | 1348.8 | 1121.4 | 894.0 | 666.4 | 439.0 |
| 60° | 4103.2 | 3744.6 | 3385.8 | 2884.6 | 2383.4 | 1882.3 | 1381.1 | 1135.5 | 890.1 | 644.5 | 398.9 |
| 62.5° | 3908.8 | 3527.7 | 3146.5 | 2697.5 | 2248.8 | 1799.9 | 1351.0 | 1101.2 | 851.7 | 602.0 | 352.3 |
| 65° | 3637.2 | 3243.2 | 2848.9 | 2443.9 | 2039.0 | 1634.0 | 1229.0 | 1002.3 | 775.4 | 548.8 | 321.9 |
| 67.5° | 3303.9 | 2893.1 | 2482.1 | 2123.5 | 1764.9 | 1406.1 | 1047.5 | 858.0 | 668.8 | 479.3 | 289.8 |
| 70° | 2885.8 | 2482.1 | 2078.3 | 1768.1 | 1457.9 | 1147.6 | 837.4 | 694.8 | 552.4 | 409.8 | 267.2 |
| 72.5° | 2319.5 | 1971.2 | 1622.8 | 1378.7 | 1134.5 | 890.4 | 646.2 | 547.1 | 448.2 | 349.1 | 250.0 |
| 75° | 1649.8 | 1445.0 | 1240.2 | 1050.2 | 860.2 | 670.0 | 480.0 | 415.9 | 351.8 | 287.6 | 223.5 |
| 77.5° | 1172.4 | 1051.7 | 930.9 | 782.0 | 633.1 | 484.2 | 335.2 | 297.6 | 260.2 | 222.5 | 184.9 |
| 80° | 866.8 | 766.0 | 665.2 | 552.9 | 440.7 | 328.4 | 216.2 | 197.7 | 179.5 | 161.1 | 142.6 |
| 82.5° | 570.7 | 525.2 | 479.6 | 390.6 | 301.7 | 212.8 | 123.9 | 117.1 | 110.3 | 103.5 | 96.7 |
| 85° | 255.6 | 269.9 | 284.0 | 229.6 | 174.9 | 120.5 | 65.8 | 62.7 | 59.5 | 56.4 | 53.2 |
| 87.5° | 24.5 | 36.2 | 47.9 | 41.1 | 34.0 | 27.2 | 20.2 | 19.9 | 19.9 | 19.7 | 19.4 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597280
 CATALOG NUMBER: PMM-SA2A-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 0° | 2.5° | 5° | 7.5° | 10° | 12.5° | 15° | 17.5° | 20° | 22.5° | 25° |
|--------|-----|------|-----|------|-----|-------|-----|-------|-----|-------|-----|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597280
 CATALOG NUMBER: PMM-SA2A-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 27.5° | 30° | 32.5° | 35° | 37.5° | 40° | 42.5° | 45° | 47.5° | 50° | 52.5° |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 0° | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 |
| 2.5° | 635.5 | 638.9 | 642.3 | 645.7 | 642.1 | 638.4 | 634.5 | 630.9 | 626.3 | 621.7 | 616.8 |
| 5° | 756.0 | 745.6 | 735.4 | 724.9 | 709.4 | 693.8 | 678.0 | 662.5 | 660.5 | 658.4 | 656.4 |
| 7.5° | 701.6 | 682.6 | 663.5 | 644.3 | 620.0 | 595.9 | 571.6 | 547.3 | 540.0 | 532.8 | 525.5 |
| 10° | 638.9 | 625.8 | 612.9 | 599.8 | 584.7 | 569.7 | 554.4 | 539.3 | 519.4 | 499.2 | 479.3 |
| 12.5° | 633.6 | 612.2 | 590.6 | 569.2 | 560.0 | 550.7 | 541.5 | 532.3 | 514.8 | 497.3 | 479.6 |
| 15° | 599.6 | 582.1 | 564.8 | 547.3 | 534.0 | 520.6 | 507.2 | 493.9 | 479.8 | 465.5 | 451.4 |
| 17.5° | 575.5 | 555.6 | 535.7 | 515.8 | 500.4 | 485.1 | 469.6 | 454.3 | 437.3 | 420.0 | 403.0 |
| 20° | 550.5 | 527.9 | 505.1 | 482.2 | 462.8 | 443.6 | 424.2 | 404.7 | 386.0 | 367.6 | 348.9 |
| 22.5° | 540.3 | 510.4 | 480.5 | 450.6 | 430.2 | 409.6 | 389.2 | 368.5 | 351.3 | 334.0 | 316.8 |
| 25° | 555.8 | 520.4 | 484.7 | 448.9 | 421.5 | 393.8 | 366.3 | 338.7 | 324.3 | 310.0 | 295.4 |
| 27.5° | 537.6 | 492.9 | 448.5 | 403.8 | 374.4 | 344.7 | 315.3 | 285.7 | 283.5 | 281.3 | 278.9 |
| 30° | 481.7 | 434.9 | 388.0 | 341.1 | 314.1 | 286.9 | 259.9 | 232.7 | 227.6 | 222.3 | 217.2 |
| 32.5° | 448.5 | 400.6 | 352.7 | 304.9 | 280.8 | 256.5 | 232.5 | 208.2 | 202.4 | 196.5 | 190.7 |
| 35° | 435.8 | 383.8 | 331.8 | 279.9 | 259.2 | 238.6 | 217.9 | 197.3 | 193.1 | 189.2 | 185.1 |
| 37.5° | 425.6 | 374.1 | 322.4 | 270.6 | 250.7 | 230.8 | 210.6 | 190.7 | 187.5 | 184.4 | 181.2 |
| 40° | 415.9 | 363.7 | 311.2 | 258.7 | 241.0 | 223.5 | 205.8 | 188.0 | 186.1 | 184.1 | 182.0 |
| 42.5° | 407.2 | 356.4 | 305.4 | 254.6 | 238.8 | 223.3 | 207.5 | 191.7 | 189.7 | 187.8 | 185.8 |
| 45° | 402.3 | 352.7 | 303.2 | 253.6 | 242.2 | 230.8 | 219.1 | 207.7 | 203.1 | 198.5 | 193.6 |
| 47.5° | 398.7 | 352.3 | 305.9 | 259.5 | 247.6 | 235.6 | 223.7 | 211.8 | 207.7 | 203.6 | 199.2 |
| 50° | 399.4 | 354.9 | 310.2 | 265.5 | 251.2 | 236.6 | 222.3 | 207.7 | 207.2 | 206.7 | 206.3 |
| 52.5° | 405.9 | 358.8 | 311.4 | 264.1 | 248.5 | 233.0 | 217.2 | 201.6 | 204.8 | 207.7 | 210.9 |
| 55° | 396.5 | 347.4 | 298.1 | 249.0 | 234.2 | 219.6 | 204.8 | 190.0 | 194.1 | 198.0 | 202.1 |
| 57.5° | 385.8 | 332.6 | 279.4 | 226.2 | 215.0 | 203.8 | 192.4 | 181.2 | 185.6 | 190.2 | 194.6 |
| 60° | 350.3 | 301.7 | 253.1 | 204.6 | 197.0 | 189.5 | 182.0 | 174.4 | 176.4 | 178.3 | 180.3 |
| 62.5° | 311.4 | 270.4 | 229.6 | 188.5 | 182.7 | 176.6 | 170.8 | 164.7 | 164.7 | 165.0 | 165.0 |
| 65° | 286.7 | 251.4 | 216.2 | 181.0 | 174.4 | 167.9 | 161.1 | 154.5 | 153.5 | 152.6 | 151.6 |
| 67.5° | 261.9 | 234.2 | 206.3 | 178.3 | 168.8 | 159.6 | 150.1 | 140.7 | 139.4 | 138.5 | 137.3 |
| 70° | 242.4 | 217.7 | 192.9 | 168.1 | 157.4 | 147.0 | 136.3 | 125.6 | 124.6 | 123.9 | 122.9 |
| 72.5° | 226.7 | 203.6 | 180.3 | 156.9 | 145.8 | 134.3 | 123.2 | 111.7 | 111.0 | 110.3 | 109.3 |
| 75° | 202.9 | 182.4 | 161.8 | 141.1 | 130.2 | 119.5 | 108.6 | 97.7 | 96.7 | 96.0 | 95.0 |
| 77.5° | 167.9 | 150.6 | 133.6 | 116.4 | 107.9 | 99.6 | 91.1 | 82.6 | 82.1 | 81.6 | 80.9 |
| 80° | 129.2 | 115.9 | 102.3 | 88.9 | 83.3 | 77.5 | 71.9 | 66.1 | 65.8 | 65.6 | 65.1 |
| 82.5° | 88.7 | 80.7 | 72.6 | 64.6 | 60.5 | 56.1 | 52.0 | 47.6 | 47.9 | 48.1 | 48.3 |
| 85° | 50.5 | 47.6 | 44.9 | 42.0 | 38.6 | 35.5 | 32.1 | 28.7 | 29.4 | 30.1 | 30.6 |
| 87.5° | 18.5 | 17.5 | 16.5 | 15.5 | 13.8 | 12.4 | 10.7 | 9.0 | 9.5 | 10.2 | 10.7 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597280
 CATALOG NUMBER: PMM-SA2A-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 27.5° | 30° | 32.5° | 35° | 37.5° | 40° | 42.5° | 45° | 47.5° | 50° | 52.5° |
|--------|-------|-----|-------|-----|-------|-----|-------|-----|-------|-----|-------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597280
 CATALOG NUMBER: PMM-SA2A-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 55° | 57.5° | 60° | 62.5° | 65° | 67.5° | 70° | 72.5° | 75° | 77.5° | 80° |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 0° | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 |
| 2.5° | 612.2 | 604.9 | 597.6 | 590.3 | 583.0 | 568.0 | 553.2 | 538.1 | 523.0 | 532.3 | 541.7 |
| 5° | 654.2 | 641.8 | 629.2 | 616.8 | 604.2 | 597.1 | 590.1 | 583.0 | 576.0 | 579.6 | 583.5 |
| 7.5° | 518.2 | 510.9 | 503.4 | 496.1 | 488.5 | 485.4 | 482.5 | 479.3 | 476.2 | 485.1 | 494.1 |
| 10° | 459.1 | 448.9 | 438.7 | 428.3 | 418.1 | 412.0 | 405.9 | 399.9 | 393.8 | 396.2 | 398.7 |
| 12.5° | 462.1 | 447.0 | 431.9 | 416.9 | 401.8 | 392.8 | 383.8 | 374.8 | 365.9 | 368.0 | 370.2 |
| 15° | 437.0 | 421.5 | 405.9 | 390.4 | 374.8 | 364.4 | 353.7 | 343.3 | 332.6 | 328.9 | 325.0 |
| 17.5° | 385.8 | 368.8 | 351.8 | 334.8 | 317.8 | 310.7 | 303.7 | 296.6 | 289.6 | 285.7 | 281.8 |
| 20° | 330.1 | 314.4 | 298.6 | 282.8 | 267.0 | 262.1 | 257.3 | 252.2 | 247.3 | 244.9 | 242.2 |
| 22.5° | 299.5 | 289.8 | 279.9 | 270.1 | 260.2 | 254.6 | 249.3 | 243.7 | 238.1 | 235.4 | 232.5 |
| 25° | 281.1 | 283.0 | 285.2 | 287.1 | 289.1 | 286.7 | 284.0 | 281.6 | 278.9 | 279.9 | 280.6 |
| 27.5° | 276.7 | 280.8 | 285.2 | 289.3 | 293.5 | 295.7 | 297.8 | 300.0 | 302.2 | 302.9 | 303.7 |
| 30° | 211.8 | 214.0 | 216.0 | 218.2 | 220.1 | 226.2 | 232.2 | 238.1 | 244.1 | 253.6 | 263.3 |
| 32.5° | 184.9 | 184.1 | 183.4 | 182.4 | 181.7 | 183.2 | 184.6 | 185.8 | 187.3 | 190.7 | 194.3 |
| 35° | 181.0 | 179.3 | 177.3 | 175.6 | 173.7 | 174.4 | 175.2 | 175.9 | 176.6 | 179.3 | 182.0 |
| 37.5° | 178.1 | 177.3 | 176.9 | 176.1 | 175.4 | 177.1 | 178.6 | 180.3 | 181.7 | 183.9 | 186.1 |
| 40° | 180.0 | 179.8 | 179.5 | 179.0 | 178.8 | 179.8 | 180.7 | 181.7 | 182.7 | 185.6 | 188.5 |
| 42.5° | 183.9 | 183.9 | 183.7 | 183.7 | 183.4 | 184.4 | 185.1 | 186.1 | 186.8 | 188.5 | 190.2 |
| 45° | 189.0 | 188.5 | 188.3 | 187.8 | 187.3 | 187.1 | 187.1 | 186.8 | 186.6 | 187.5 | 188.8 |
| 47.5° | 195.1 | 193.4 | 191.4 | 189.7 | 187.8 | 187.3 | 186.6 | 186.1 | 185.4 | 185.8 | 186.3 |
| 50° | 205.8 | 201.1 | 196.8 | 192.2 | 187.5 | 186.3 | 185.1 | 183.9 | 182.7 | 182.4 | 182.4 |
| 52.5° | 213.8 | 207.0 | 200.2 | 193.4 | 186.6 | 184.4 | 182.2 | 180.0 | 177.8 | 177.3 | 177.1 |
| 55° | 206.0 | 200.9 | 196.0 | 190.9 | 185.8 | 182.7 | 179.3 | 176.1 | 172.7 | 172.0 | 171.3 |
| 57.5° | 199.0 | 195.8 | 192.6 | 189.5 | 186.3 | 183.2 | 179.8 | 176.6 | 173.2 | 171.5 | 169.8 |
| 60° | 182.2 | 182.2 | 182.4 | 182.4 | 182.4 | 179.0 | 175.6 | 172.2 | 168.8 | 167.1 | 165.7 |
| 62.5° | 165.0 | 167.6 | 170.1 | 172.7 | 175.2 | 170.5 | 165.7 | 161.1 | 156.2 | 155.0 | 154.0 |
| 65° | 150.6 | 151.3 | 152.3 | 153.0 | 153.8 | 150.1 | 146.5 | 142.8 | 139.2 | 138.5 | 137.5 |
| 67.5° | 136.0 | 135.8 | 135.6 | 135.1 | 134.8 | 132.6 | 130.2 | 128.0 | 125.6 | 124.6 | 123.7 |
| 70° | 122.0 | 121.7 | 121.5 | 121.0 | 120.7 | 118.8 | 116.9 | 114.9 | 113.0 | 112.2 | 111.5 |
| 72.5° | 108.6 | 108.3 | 107.9 | 107.6 | 107.1 | 105.4 | 104.0 | 102.3 | 100.6 | 99.6 | 98.6 |
| 75° | 94.0 | 93.5 | 93.0 | 92.6 | 92.1 | 90.6 | 89.2 | 87.5 | 86.0 | 85.0 | 84.1 |
| 77.5° | 80.4 | 79.7 | 79.0 | 78.0 | 77.3 | 76.0 | 74.6 | 73.4 | 71.9 | 70.7 | 69.7 |
| 80° | 64.9 | 64.4 | 63.9 | 63.2 | 62.7 | 61.5 | 60.2 | 58.8 | 57.6 | 56.1 | 54.9 |
| 82.5° | 48.6 | 48.3 | 47.9 | 47.6 | 47.1 | 45.9 | 44.7 | 43.5 | 42.3 | 40.8 | 39.4 |
| 85° | 31.3 | 31.1 | 30.9 | 30.6 | 30.4 | 29.4 | 28.7 | 27.7 | 26.7 | 25.3 | 24.1 |
| 87.5° | 11.2 | 10.7 | 10.4 | 10.0 | 9.5 | 9.2 | 8.7 | 8.5 | 8.0 | 7.3 | 6.6 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597280
 CATALOG NUMBER: PMM-SA2A-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 55° | 57.5° | 60° | 62.5° | 65° | 67.5° | 70° | 72.5° | 75° | 77.5° | 80° |
|--------|-----|-------|-----|-------|-----|-------|-----|-------|-----|-------|-----|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597280
 CATALOG NUMBER: PMM-SA2A-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 82.5° | 85° | 87.5° | 90° | 92.5° | 95° | 97.5° | 100° | 102.5° | 105° | 107.5° |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|--------|
| 0° | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 |
| 2.5° | 551.0 | 560.2 | 560.5 | 560.5 | 564.8 | 569.0 | 560.5 | 551.9 | 543.2 | 534.7 | 526.2 |
| 5° | 587.2 | 590.8 | 589.8 | 588.6 | 583.3 | 577.9 | 572.4 | 566.8 | 561.2 | 555.6 | 555.8 |
| 7.5° | 503.1 | 512.1 | 519.4 | 526.4 | 519.6 | 512.8 | 509.2 | 505.5 | 501.9 | 498.3 | 497.8 |
| 10° | 400.8 | 403.3 | 406.2 | 408.9 | 404.7 | 400.4 | 407.6 | 414.9 | 422.0 | 429.3 | 421.2 |
| 12.5° | 372.4 | 374.6 | 369.5 | 364.2 | 362.5 | 360.8 | 359.1 | 357.1 | 355.4 | 353.5 | 352.5 |
| 15° | 321.4 | 317.5 | 313.6 | 309.5 | 308.5 | 307.3 | 306.1 | 304.6 | 303.4 | 302.0 | 297.6 |
| 17.5° | 277.9 | 274.0 | 267.5 | 260.7 | 258.0 | 255.1 | 254.4 | 253.6 | 252.7 | 251.9 | 247.8 |
| 20° | 239.8 | 237.1 | 235.4 | 233.5 | 230.8 | 228.1 | 225.4 | 222.8 | 219.9 | 217.2 | 213.3 |
| 22.5° | 229.8 | 226.9 | 224.7 | 222.3 | 221.8 | 221.3 | 216.5 | 211.4 | 206.5 | 201.4 | 199.2 |
| 25° | 281.6 | 282.3 | 268.9 | 255.3 | 254.1 | 252.9 | 244.1 | 235.2 | 226.4 | 217.4 | 209.9 |
| 27.5° | 304.2 | 304.9 | 304.4 | 303.9 | 300.0 | 295.9 | 281.1 | 266.0 | 251.2 | 236.1 | 225.4 |
| 30° | 272.8 | 282.3 | 285.9 | 289.6 | 286.9 | 284.0 | 268.4 | 253.1 | 237.6 | 222.0 | 215.0 |
| 32.5° | 197.7 | 201.1 | 207.2 | 213.1 | 216.2 | 219.1 | 214.3 | 209.4 | 204.6 | 199.7 | 198.5 |
| 35° | 184.4 | 187.1 | 188.3 | 189.5 | 187.5 | 185.6 | 182.0 | 178.3 | 174.4 | 170.8 | 170.1 |
| 37.5° | 188.0 | 190.2 | 192.6 | 195.1 | 189.7 | 184.1 | 180.0 | 176.1 | 172.0 | 167.9 | 164.5 |
| 40° | 191.4 | 194.3 | 195.8 | 197.3 | 191.9 | 186.6 | 181.5 | 176.6 | 171.5 | 166.4 | 163.0 |
| 42.5° | 191.9 | 193.6 | 196.3 | 199.0 | 191.4 | 183.7 | 179.0 | 174.2 | 169.6 | 164.7 | 161.3 |
| 45° | 189.7 | 190.7 | 193.1 | 195.6 | 186.8 | 177.8 | 173.7 | 169.3 | 165.2 | 160.8 | 157.9 |
| 47.5° | 186.6 | 187.1 | 189.0 | 190.7 | 181.5 | 172.0 | 168.1 | 164.2 | 160.1 | 156.2 | 153.3 |
| 50° | 182.2 | 182.0 | 183.4 | 184.6 | 175.2 | 165.7 | 161.8 | 158.2 | 154.3 | 150.4 | 147.9 |
| 52.5° | 176.6 | 176.1 | 177.6 | 178.8 | 168.8 | 158.9 | 155.5 | 152.3 | 148.9 | 145.5 | 143.6 |
| 55° | 170.3 | 169.6 | 170.8 | 172.0 | 162.3 | 152.3 | 149.4 | 146.2 | 143.3 | 140.2 | 138.5 |
| 57.5° | 167.9 | 166.2 | 166.9 | 167.6 | 156.7 | 145.8 | 142.8 | 139.9 | 137.0 | 134.1 | 132.9 |
| 60° | 164.0 | 162.3 | 163.0 | 163.5 | 151.8 | 139.9 | 137.3 | 134.3 | 131.7 | 128.8 | 127.5 |
| 62.5° | 152.8 | 151.6 | 152.6 | 153.5 | 143.1 | 132.4 | 130.0 | 127.8 | 125.4 | 122.9 | 121.2 |
| 65° | 136.8 | 135.8 | 137.7 | 139.7 | 130.7 | 121.7 | 120.3 | 118.8 | 117.1 | 115.6 | 113.9 |
| 67.5° | 122.7 | 121.7 | 123.7 | 125.6 | 119.0 | 112.5 | 111.0 | 109.6 | 108.1 | 106.6 | 105.7 |
| 70° | 110.8 | 110.0 | 111.7 | 113.5 | 107.9 | 102.3 | 100.8 | 99.6 | 98.1 | 96.7 | 96.0 |
| 72.5° | 97.4 | 96.4 | 98.6 | 100.6 | 96.0 | 91.1 | 89.9 | 88.4 | 87.2 | 85.8 | 85.3 |
| 75° | 83.1 | 82.1 | 84.1 | 85.8 | 82.6 | 79.2 | 78.0 | 76.8 | 75.6 | 74.3 | 74.1 |
| 77.5° | 68.5 | 67.3 | 69.2 | 70.9 | 69.0 | 66.8 | 65.8 | 64.6 | 63.6 | 62.4 | 62.4 |
| 80° | 53.4 | 52.0 | 53.4 | 54.7 | 53.9 | 53.2 | 52.5 | 51.5 | 50.8 | 49.8 | 50.0 |
| 82.5° | 37.9 | 36.4 | 37.2 | 37.9 | 38.4 | 38.9 | 38.9 | 38.9 | 38.9 | 38.9 | 38.9 |
| 85° | 22.6 | 21.1 | 21.4 | 21.6 | 22.3 | 23.1 | 23.3 | 23.6 | 23.8 | 24.1 | 24.3 |
| 87.5° | 5.8 | 5.1 | 4.6 | 3.9 | 4.6 | 5.1 | 5.6 | 5.8 | 6.3 | 6.6 | 6.6 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597280
 CATALOG NUMBER: PMM-SA2A-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 82.5° | 85° | 87.5° | 90° | 92.5° | 95° | 97.5° | 100° | 102.5° | 105° | 107.5° |
|--------|-------|-----|-------|-----|-------|-----|-------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597280
 CATALOG NUMBER: PMM-SA2A-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 110° | 112.5° | 115° | 117.5° | 120° | 122.5° | 125° | 127.5° | 130° | 132.5° | 135° |
|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|
| 0° | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 |
| 2.5° | 517.7 | 508.9 | 500.4 | 505.8 | 510.9 | 516.2 | 521.3 | 521.6 | 521.6 | 521.8 | 521.8 |
| 5° | 556.3 | 556.6 | 556.8 | 551.7 | 546.8 | 541.7 | 536.6 | 534.0 | 531.3 | 528.4 | 525.7 |
| 7.5° | 497.0 | 496.6 | 495.8 | 491.0 | 486.1 | 481.3 | 476.4 | 464.7 | 452.8 | 441.2 | 429.3 |
| 10° | 413.0 | 405.0 | 396.7 | 394.8 | 393.1 | 391.1 | 389.2 | 386.0 | 383.1 | 379.9 | 376.8 |
| 12.5° | 351.5 | 350.6 | 349.6 | 344.5 | 339.4 | 334.0 | 328.9 | 328.9 | 328.9 | 328.9 | 328.9 |
| 15° | 293.0 | 288.6 | 284.0 | 281.6 | 278.9 | 276.5 | 273.8 | 272.6 | 271.4 | 270.1 | 268.9 |
| 17.5° | 243.4 | 239.3 | 234.9 | 234.4 | 233.9 | 233.5 | 233.0 | 231.8 | 230.5 | 229.3 | 228.1 |
| 20° | 209.4 | 205.5 | 201.6 | 203.1 | 204.6 | 205.8 | 207.2 | 206.0 | 204.8 | 203.3 | 202.1 |
| 22.5° | 196.8 | 194.6 | 192.2 | 190.9 | 189.7 | 188.3 | 187.1 | 187.1 | 187.3 | 187.3 | 187.3 |
| 25° | 202.6 | 195.1 | 187.5 | 183.9 | 180.3 | 176.4 | 172.7 | 171.3 | 170.1 | 168.6 | 167.1 |
| 27.5° | 214.8 | 203.8 | 193.1 | 186.8 | 180.5 | 174.2 | 167.9 | 165.2 | 162.3 | 159.6 | 156.7 |
| 30° | 207.7 | 200.7 | 193.4 | 186.1 | 178.8 | 171.5 | 164.2 | 160.8 | 157.4 | 153.8 | 150.4 |
| 32.5° | 197.3 | 195.8 | 194.6 | 187.8 | 181.0 | 173.9 | 167.1 | 165.7 | 164.5 | 163.0 | 161.6 |
| 35° | 169.1 | 168.4 | 167.4 | 165.7 | 164.0 | 162.3 | 160.6 | 158.6 | 156.7 | 154.7 | 152.8 |
| 37.5° | 161.3 | 157.9 | 154.5 | 153.8 | 153.0 | 152.3 | 151.6 | 150.9 | 150.1 | 149.2 | 148.4 |
| 40° | 159.6 | 156.2 | 152.8 | 151.6 | 150.4 | 148.9 | 147.7 | 147.9 | 148.4 | 148.7 | 148.9 |
| 42.5° | 157.7 | 154.3 | 150.6 | 149.6 | 148.7 | 147.7 | 146.7 | 147.0 | 147.5 | 147.7 | 147.9 |
| 45° | 155.2 | 152.3 | 149.4 | 147.7 | 146.2 | 144.5 | 142.8 | 144.3 | 145.8 | 147.0 | 148.4 |
| 47.5° | 150.4 | 147.2 | 144.3 | 143.3 | 142.4 | 141.1 | 140.2 | 141.6 | 143.1 | 144.3 | 145.8 |
| 50° | 145.3 | 142.8 | 140.2 | 139.9 | 139.7 | 139.2 | 139.0 | 139.9 | 140.9 | 141.9 | 142.8 |
| 52.5° | 141.4 | 139.4 | 137.3 | 137.3 | 137.0 | 137.0 | 136.8 | 137.7 | 138.7 | 139.4 | 140.4 |
| 55° | 137.0 | 135.3 | 133.6 | 133.9 | 134.3 | 134.6 | 134.8 | 135.8 | 137.0 | 138.0 | 139.0 |
| 57.5° | 131.4 | 130.2 | 128.8 | 129.7 | 130.5 | 131.4 | 132.2 | 132.9 | 133.9 | 134.6 | 135.3 |
| 60° | 126.1 | 124.9 | 123.4 | 124.4 | 125.6 | 126.6 | 127.5 | 128.3 | 129.0 | 129.7 | 130.5 |
| 62.5° | 119.5 | 117.6 | 115.9 | 117.3 | 118.6 | 120.0 | 121.2 | 121.7 | 122.4 | 122.9 | 123.4 |
| 65° | 112.5 | 110.8 | 109.1 | 110.0 | 111.0 | 111.7 | 112.7 | 113.5 | 114.2 | 114.9 | 115.6 |
| 67.5° | 104.5 | 103.5 | 102.3 | 103.0 | 103.7 | 104.5 | 105.2 | 105.4 | 105.4 | 105.7 | 105.7 |
| 70° | 95.0 | 94.3 | 93.3 | 93.8 | 94.5 | 95.0 | 95.5 | 95.5 | 95.5 | 95.2 | 95.2 |
| 72.5° | 85.0 | 84.5 | 84.1 | 84.3 | 84.8 | 85.0 | 85.3 | 85.0 | 84.8 | 84.5 | 84.3 |
| 75° | 73.9 | 73.6 | 73.4 | 73.6 | 74.1 | 74.3 | 74.6 | 74.3 | 73.9 | 73.6 | 73.1 |
| 77.5° | 62.7 | 62.7 | 62.7 | 62.7 | 62.9 | 62.9 | 62.9 | 62.4 | 61.9 | 61.5 | 61.0 |
| 80° | 50.3 | 50.5 | 50.8 | 50.8 | 50.8 | 50.8 | 50.8 | 50.3 | 49.8 | 49.1 | 48.6 |
| 82.5° | 38.9 | 38.9 | 38.9 | 38.9 | 39.1 | 39.1 | 39.1 | 37.9 | 36.9 | 35.7 | 34.5 |
| 85° | 24.3 | 24.5 | 24.5 | 24.8 | 25.0 | 25.0 | 25.3 | 23.6 | 22.1 | 20.4 | 18.7 |
| 87.5° | 6.6 | 6.6 | 6.6 | 6.6 | 6.6 | 6.3 | 6.3 | 4.9 | 3.2 | 1.7 | 0.0 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597280
 CATALOG NUMBER: PMM-SA2A-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 110° | 112.5° | 115° | 117.5° | 120° | 122.5° | 125° | 127.5° | 130° | 132.5° | 135° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597280
 CATALOG NUMBER: PMM-SA2A-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 137.5° | 140° | 142.5° | 145° | 147.5° | 150° | 152.5° | 155° | 157.5° | 160° | 162.5° |
|--------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|
| 0° | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 |
| 2.5° | 523.3 | 524.7 | 526.0 | 527.4 | 527.7 | 527.9 | 527.9 | 528.1 | 523.0 | 517.9 | 512.6 |
| 5° | 529.4 | 532.8 | 536.4 | 539.8 | 539.1 | 538.3 | 537.6 | 536.9 | 535.4 | 534.2 | 532.8 |
| 7.5° | 426.6 | 424.2 | 421.5 | 418.8 | 421.0 | 423.2 | 425.4 | 427.6 | 428.5 | 429.5 | 430.2 |
| 10° | 370.7 | 364.6 | 358.6 | 352.5 | 349.1 | 345.5 | 342.1 | 338.4 | 337.9 | 337.7 | 337.2 |
| 12.5° | 322.6 | 316.1 | 309.7 | 303.2 | 301.2 | 299.1 | 297.1 | 294.9 | 296.9 | 298.8 | 300.5 |
| 15° | 266.3 | 263.8 | 261.2 | 258.5 | 260.7 | 262.9 | 265.0 | 267.2 | 269.2 | 270.9 | 272.8 |
| 17.5° | 226.9 | 225.9 | 224.7 | 223.5 | 225.4 | 227.6 | 229.6 | 231.5 | 235.9 | 240.3 | 244.6 |
| 20° | 201.1 | 200.4 | 199.4 | 198.5 | 197.7 | 196.8 | 196.0 | 195.1 | 201.4 | 207.5 | 213.8 |
| 22.5° | 185.8 | 184.4 | 182.9 | 181.5 | 181.7 | 182.0 | 182.0 | 182.2 | 187.3 | 192.6 | 197.7 |
| 25° | 166.7 | 166.2 | 165.7 | 165.2 | 166.7 | 168.1 | 169.3 | 170.8 | 175.4 | 180.0 | 184.4 |
| 27.5° | 156.9 | 157.2 | 157.4 | 157.7 | 159.6 | 161.8 | 163.7 | 165.7 | 168.8 | 172.0 | 175.2 |
| 30° | 151.6 | 153.0 | 154.3 | 155.5 | 156.2 | 156.9 | 157.7 | 158.4 | 161.6 | 164.5 | 167.6 |
| 32.5° | 159.6 | 157.7 | 155.5 | 153.5 | 154.5 | 155.7 | 156.7 | 157.7 | 160.6 | 163.5 | 166.4 |
| 35° | 152.1 | 151.1 | 150.4 | 149.4 | 150.6 | 151.8 | 152.8 | 154.0 | 156.7 | 159.1 | 161.8 |
| 37.5° | 148.2 | 147.9 | 147.7 | 147.5 | 148.2 | 148.9 | 149.4 | 150.1 | 152.6 | 155.0 | 157.2 |
| 40° | 147.9 | 146.7 | 145.8 | 144.5 | 145.3 | 146.0 | 146.5 | 147.2 | 150.1 | 153.0 | 156.0 |
| 42.5° | 146.5 | 145.0 | 143.3 | 141.9 | 142.6 | 143.6 | 144.3 | 145.0 | 148.2 | 151.1 | 154.3 |
| 45° | 146.2 | 144.1 | 141.6 | 139.4 | 140.4 | 141.4 | 142.4 | 143.3 | 145.8 | 148.2 | 150.4 |
| 47.5° | 143.6 | 141.4 | 139.2 | 137.0 | 137.5 | 138.0 | 138.2 | 138.7 | 140.9 | 142.8 | 145.0 |
| 50° | 141.4 | 139.7 | 138.2 | 136.5 | 135.8 | 135.3 | 134.6 | 133.9 | 135.6 | 137.3 | 139.0 |
| 52.5° | 138.7 | 137.0 | 135.1 | 133.4 | 132.4 | 131.4 | 130.5 | 129.5 | 130.9 | 132.2 | 133.6 |
| 55° | 137.0 | 134.8 | 132.9 | 130.7 | 129.5 | 128.3 | 127.1 | 125.8 | 126.8 | 127.5 | 128.5 |
| 57.5° | 133.4 | 131.4 | 129.2 | 127.3 | 125.8 | 124.4 | 122.7 | 121.2 | 121.7 | 122.2 | 122.7 |
| 60° | 128.5 | 126.3 | 124.4 | 122.2 | 120.5 | 118.8 | 116.9 | 115.2 | 115.4 | 115.9 | 116.1 |
| 62.5° | 121.5 | 119.5 | 117.3 | 115.4 | 113.5 | 111.7 | 109.8 | 107.9 | 108.3 | 108.6 | 109.1 |
| 65° | 113.7 | 111.5 | 109.6 | 107.4 | 105.7 | 104.0 | 102.0 | 100.3 | 100.8 | 101.3 | 101.5 |
| 67.5° | 104.2 | 102.5 | 101.1 | 99.4 | 97.9 | 96.2 | 94.7 | 93.0 | 93.3 | 93.5 | 93.8 |
| 70° | 94.0 | 92.6 | 91.3 | 89.9 | 88.7 | 87.5 | 86.2 | 85.0 | 85.0 | 85.3 | 85.3 |
| 72.5° | 83.1 | 81.9 | 80.7 | 79.4 | 78.2 | 77.3 | 76.0 | 74.8 | 75.3 | 75.8 | 76.0 |
| 75° | 71.9 | 70.9 | 69.7 | 68.5 | 67.5 | 66.6 | 65.3 | 64.4 | 64.9 | 65.3 | 65.6 |
| 77.5° | 60.2 | 59.5 | 58.5 | 57.8 | 56.8 | 55.9 | 54.7 | 53.7 | 54.2 | 54.7 | 54.9 |
| 80° | 48.1 | 47.6 | 46.9 | 46.4 | 45.4 | 44.5 | 43.5 | 42.5 | 42.8 | 42.8 | 43.0 |
| 82.5° | 34.7 | 35.0 | 35.0 | 35.2 | 34.5 | 33.5 | 32.8 | 31.8 | 31.8 | 31.8 | 31.6 |
| 85° | 19.4 | 20.4 | 21.1 | 21.9 | 21.1 | 20.4 | 19.7 | 18.9 | 18.7 | 18.7 | 18.5 |
| 87.5° | 0.7 | 1.2 | 1.9 | 2.4 | 2.2 | 1.9 | 1.5 | 1.2 | 1.5 | 1.7 | 1.7 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597280
 CATALOG NUMBER: PMM-SA2A-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 137.5° | 140° | 142.5° | 145° | 147.5° | 150° | 152.5° | 155° | 157.5° | 160° | 162.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597280
 CATALOG NUMBER: PMM-SA2A-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 165° | 167.5° | 170° | 172.5° | 175° | 177.5° | 180° | 182.5° | 185° | 187.5° | 190° |
|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|
| 0° | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 |
| 2.5° | 507.5 | 511.6 | 515.8 | 519.9 | 524.0 | 530.3 | 536.6 | 543.2 | 549.8 | 546.1 | 542.2 |
| 5° | 531.3 | 533.7 | 536.4 | 538.8 | 541.3 | 548.3 | 555.1 | 563.6 | 571.9 | 570.9 | 569.7 |
| 7.5° | 431.2 | 434.6 | 438.0 | 441.2 | 444.6 | 455.3 | 465.9 | 474.9 | 483.9 | 482.7 | 481.3 |
| 10° | 336.7 | 343.8 | 351.0 | 358.1 | 365.1 | 373.9 | 382.4 | 389.9 | 397.4 | 410.1 | 422.5 |
| 12.5° | 302.5 | 313.4 | 324.3 | 335.2 | 346.2 | 352.5 | 358.6 | 368.3 | 378.0 | 384.8 | 391.9 |
| 15° | 274.5 | 284.7 | 294.9 | 305.1 | 315.3 | 315.8 | 316.3 | 326.5 | 336.7 | 342.5 | 348.1 |
| 17.5° | 249.0 | 254.6 | 260.2 | 265.5 | 271.1 | 269.2 | 267.2 | 272.1 | 276.7 | 279.1 | 281.8 |
| 20° | 219.9 | 223.7 | 227.6 | 231.5 | 235.4 | 238.1 | 240.5 | 243.4 | 246.1 | 243.7 | 241.0 |
| 22.5° | 202.9 | 208.7 | 214.8 | 220.6 | 226.4 | 228.1 | 229.6 | 227.9 | 226.2 | 225.4 | 224.7 |
| 25° | 189.0 | 196.0 | 203.3 | 210.4 | 217.4 | 220.8 | 224.2 | 225.7 | 226.9 | 224.2 | 221.6 |
| 27.5° | 178.3 | 186.8 | 195.1 | 203.6 | 211.8 | 217.9 | 224.0 | 225.7 | 227.1 | 225.2 | 223.0 |
| 30° | 170.5 | 179.8 | 189.0 | 198.2 | 207.5 | 216.7 | 225.7 | 233.7 | 241.5 | 240.7 | 240.0 |
| 32.5° | 169.3 | 175.6 | 182.0 | 188.3 | 194.6 | 200.4 | 206.0 | 206.5 | 206.7 | 204.8 | 202.6 |
| 35° | 164.2 | 168.4 | 172.5 | 176.6 | 180.7 | 184.4 | 187.8 | 187.3 | 186.8 | 184.9 | 182.9 |
| 37.5° | 159.6 | 163.7 | 168.1 | 172.2 | 176.4 | 182.7 | 188.8 | 187.5 | 186.1 | 184.1 | 182.2 |
| 40° | 158.9 | 163.5 | 168.1 | 172.5 | 177.1 | 182.9 | 188.8 | 187.5 | 186.3 | 183.9 | 181.5 |
| 42.5° | 157.2 | 161.8 | 166.2 | 170.8 | 175.2 | 182.2 | 189.0 | 186.8 | 184.4 | 182.4 | 180.5 |
| 45° | 152.8 | 156.9 | 161.1 | 165.2 | 169.3 | 176.9 | 184.4 | 181.7 | 179.0 | 178.3 | 177.3 |
| 47.5° | 147.0 | 151.1 | 155.2 | 159.4 | 163.5 | 171.0 | 178.3 | 176.1 | 173.7 | 173.5 | 173.0 |
| 50° | 140.7 | 144.5 | 148.7 | 152.6 | 156.4 | 164.0 | 171.3 | 169.3 | 167.4 | 167.6 | 167.6 |
| 52.5° | 134.8 | 138.5 | 141.9 | 145.5 | 148.9 | 156.4 | 163.7 | 162.3 | 160.6 | 161.1 | 161.3 |
| 55° | 129.2 | 132.2 | 135.1 | 138.0 | 140.9 | 148.2 | 155.5 | 153.3 | 151.1 | 151.8 | 152.6 |
| 57.5° | 123.2 | 125.6 | 128.0 | 130.2 | 132.6 | 139.9 | 147.0 | 144.5 | 141.9 | 143.1 | 144.1 |
| 60° | 116.4 | 118.6 | 120.7 | 122.7 | 124.9 | 131.4 | 137.7 | 135.6 | 133.1 | 134.8 | 136.3 |
| 62.5° | 109.3 | 111.0 | 112.7 | 114.4 | 116.1 | 122.2 | 128.3 | 126.6 | 124.9 | 126.8 | 128.5 |
| 65° | 102.0 | 103.2 | 104.7 | 105.9 | 107.1 | 113.0 | 118.6 | 117.3 | 116.1 | 117.8 | 119.5 |
| 67.5° | 94.0 | 95.0 | 96.2 | 97.2 | 98.1 | 103.5 | 108.8 | 107.6 | 106.2 | 107.6 | 108.8 |
| 70° | 85.3 | 86.2 | 87.0 | 87.9 | 88.7 | 93.5 | 98.4 | 96.7 | 94.7 | 96.2 | 97.4 |
| 72.5° | 76.5 | 77.0 | 77.7 | 78.2 | 78.7 | 82.4 | 86.0 | 84.5 | 83.1 | 84.5 | 85.8 |
| 75° | 66.1 | 66.6 | 67.0 | 67.5 | 68.0 | 71.2 | 74.1 | 72.4 | 70.5 | 71.9 | 73.4 |
| 77.5° | 55.4 | 55.6 | 56.1 | 56.4 | 56.6 | 58.8 | 60.7 | 59.0 | 57.1 | 58.8 | 60.5 |
| 80° | 43.0 | 43.2 | 43.5 | 43.5 | 43.7 | 44.5 | 45.2 | 44.0 | 42.5 | 44.7 | 46.9 |
| 82.5° | 31.6 | 31.3 | 31.3 | 31.1 | 30.9 | 30.9 | 30.6 | 29.9 | 28.9 | 30.9 | 32.8 |
| 85° | 18.2 | 18.0 | 17.5 | 17.2 | 16.8 | 16.0 | 15.3 | 15.1 | 14.8 | 16.5 | 18.2 |
| 87.5° | 1.9 | 1.7 | 1.2 | 1.0 | 0.5 | 0.2 | 0.0 | 0.0 | 0.0 | 1.0 | 2.2 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597280
 CATALOG NUMBER: PMM-SA2A-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 165° | 167.5° | 170° | 172.5° | 175° | 177.5° | 180° | 182.5° | 185° | 187.5° | 190° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597280
 CATALOG NUMBER: PMM-SA2A-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 192.5° | 195° | 197.5° | 200° | 202.5° | 205° | 207.5° | 210° | 212.5° | 215° | 217.5° |
|--------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|
| 0° | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 |
| 2.5° | 538.6 | 534.7 | 531.1 | 527.4 | 523.8 | 520.1 | 526.9 | 533.7 | 540.5 | 547.3 | 553.4 |
| 5° | 568.7 | 567.5 | 564.3 | 561.4 | 558.3 | 555.1 | 556.8 | 558.7 | 560.5 | 562.2 | 565.8 |
| 7.5° | 480.0 | 478.6 | 485.4 | 491.9 | 498.7 | 505.3 | 507.0 | 508.5 | 510.2 | 511.6 | 510.6 |
| 10° | 435.1 | 447.5 | 450.6 | 453.6 | 456.7 | 459.6 | 464.5 | 469.3 | 474.0 | 478.8 | 481.5 |
| 12.5° | 398.7 | 405.5 | 416.6 | 428.1 | 439.2 | 450.4 | 457.7 | 465.0 | 472.3 | 479.6 | 494.6 |
| 15° | 354.0 | 359.5 | 368.0 | 376.5 | 385.1 | 393.6 | 404.0 | 414.7 | 425.1 | 435.6 | 452.1 |
| 17.5° | 284.2 | 286.7 | 293.0 | 299.3 | 305.4 | 311.7 | 325.8 | 339.6 | 353.7 | 367.6 | 386.5 |
| 20° | 238.6 | 235.9 | 235.9 | 236.1 | 236.1 | 236.1 | 250.2 | 264.1 | 278.2 | 292.0 | 317.0 |
| 22.5° | 223.7 | 223.0 | 220.3 | 217.4 | 214.8 | 211.8 | 219.1 | 226.7 | 233.9 | 241.2 | 261.6 |
| 25° | 218.6 | 216.0 | 212.6 | 209.2 | 205.8 | 202.4 | 207.0 | 211.6 | 216.2 | 220.8 | 236.9 |
| 27.5° | 221.1 | 218.9 | 220.6 | 222.0 | 223.7 | 225.2 | 226.7 | 228.1 | 229.6 | 231.0 | 236.6 |
| 30° | 239.3 | 238.6 | 241.2 | 243.7 | 246.3 | 248.8 | 245.4 | 242.2 | 238.8 | 235.4 | 237.3 |
| 32.5° | 200.7 | 198.5 | 197.5 | 196.5 | 195.6 | 194.6 | 194.3 | 194.1 | 193.6 | 193.4 | 197.7 |
| 35° | 181.0 | 179.0 | 177.6 | 176.1 | 174.4 | 173.0 | 173.7 | 174.2 | 174.9 | 175.4 | 180.3 |
| 37.5° | 180.3 | 178.3 | 176.6 | 174.9 | 173.0 | 171.3 | 172.0 | 173.0 | 173.7 | 174.4 | 178.1 |
| 40° | 179.0 | 176.6 | 175.6 | 174.7 | 173.7 | 172.7 | 173.2 | 173.7 | 173.9 | 174.4 | 177.1 |
| 42.5° | 178.3 | 176.4 | 175.9 | 175.4 | 174.9 | 174.4 | 174.9 | 175.4 | 175.6 | 176.1 | 179.3 |
| 45° | 176.6 | 175.6 | 176.1 | 176.6 | 177.1 | 177.6 | 177.6 | 177.6 | 177.6 | 177.6 | 181.0 |
| 47.5° | 172.7 | 172.2 | 173.7 | 175.2 | 176.6 | 178.1 | 180.5 | 182.9 | 185.1 | 187.5 | 188.3 |
| 50° | 167.9 | 167.9 | 170.3 | 172.7 | 174.9 | 177.3 | 183.2 | 188.8 | 194.6 | 200.2 | 196.5 |
| 52.5° | 161.8 | 162.0 | 165.7 | 169.1 | 172.7 | 176.1 | 181.5 | 186.8 | 191.9 | 197.3 | 191.9 |
| 55° | 153.0 | 153.8 | 158.4 | 162.8 | 167.4 | 171.8 | 175.9 | 180.0 | 184.1 | 188.3 | 182.7 |
| 57.5° | 145.3 | 146.2 | 151.1 | 155.7 | 160.6 | 165.2 | 167.6 | 170.3 | 172.7 | 175.2 | 171.5 |
| 60° | 138.0 | 139.4 | 145.8 | 152.1 | 158.2 | 164.5 | 162.5 | 160.6 | 158.4 | 156.4 | 156.2 |
| 62.5° | 130.5 | 132.2 | 138.0 | 143.8 | 149.4 | 155.2 | 152.3 | 149.4 | 146.2 | 143.3 | 144.5 |
| 65° | 121.0 | 122.7 | 125.4 | 128.0 | 130.5 | 133.1 | 132.9 | 132.9 | 132.6 | 132.4 | 134.8 |
| 67.5° | 110.3 | 111.5 | 113.2 | 114.7 | 116.4 | 117.8 | 118.8 | 120.0 | 121.0 | 122.0 | 124.9 |
| 70° | 98.9 | 100.1 | 101.8 | 103.2 | 104.9 | 106.4 | 107.6 | 108.8 | 109.8 | 111.0 | 113.9 |
| 72.5° | 87.2 | 88.4 | 90.1 | 91.8 | 93.3 | 95.0 | 96.0 | 96.9 | 97.7 | 98.6 | 101.1 |
| 75° | 74.8 | 76.3 | 78.0 | 79.4 | 81.1 | 82.6 | 83.3 | 84.1 | 84.8 | 85.5 | 87.7 |
| 77.5° | 62.2 | 63.9 | 65.6 | 67.3 | 69.0 | 70.7 | 70.9 | 71.2 | 71.4 | 71.7 | 73.6 |
| 80° | 48.8 | 51.0 | 52.7 | 54.4 | 56.1 | 57.8 | 57.8 | 57.8 | 57.8 | 57.8 | 58.8 |
| 82.5° | 34.7 | 36.7 | 38.6 | 40.3 | 42.3 | 44.0 | 44.0 | 43.7 | 43.7 | 43.5 | 43.5 |
| 85° | 19.9 | 21.6 | 22.8 | 24.3 | 25.5 | 26.7 | 26.7 | 26.7 | 26.5 | 26.5 | 26.0 |
| 87.5° | 3.2 | 4.1 | 4.6 | 5.3 | 5.8 | 6.3 | 6.1 | 6.1 | 5.8 | 5.6 | 4.9 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597280
 CATALOG NUMBER: PMM-SA2A-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 192.5° | 195° | 197.5° | 200° | 202.5° | 205° | 207.5° | 210° | 212.5° | 215° | 217.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597280
 CATALOG NUMBER: PMM-SA2A-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 220° | 222.5° | 225° | 227.5° | 230° | 232.5° | 235° | 237.5° | 240° | 242.5° | 245° |
|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|
| 0° | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 |
| 2.5° | 559.5 | 565.6 | 571.6 | 570.7 | 569.7 | 568.7 | 567.7 | 571.4 | 574.8 | 578.4 | 581.8 |
| 5° | 569.2 | 572.8 | 576.2 | 578.9 | 581.6 | 584.3 | 586.9 | 599.3 | 611.5 | 623.9 | 636.0 |
| 7.5° | 509.7 | 508.5 | 507.5 | 518.9 | 530.6 | 542.0 | 553.4 | 569.2 | 585.0 | 600.8 | 616.6 |
| 10° | 484.2 | 486.8 | 489.5 | 494.1 | 499.0 | 503.6 | 508.2 | 523.8 | 539.3 | 554.9 | 570.4 |
| 12.5° | 509.4 | 524.5 | 539.3 | 543.0 | 546.8 | 550.5 | 554.1 | 557.3 | 560.5 | 563.4 | 566.5 |
| 15° | 468.6 | 485.1 | 501.7 | 511.1 | 520.6 | 529.8 | 539.3 | 563.1 | 586.7 | 610.5 | 634.1 |
| 17.5° | 405.2 | 424.2 | 442.9 | 466.2 | 489.5 | 512.8 | 536.2 | 558.0 | 579.9 | 601.5 | 623.4 |
| 20° | 342.1 | 366.8 | 391.9 | 417.4 | 442.6 | 468.1 | 493.4 | 514.8 | 536.2 | 557.3 | 578.7 |
| 22.5° | 281.8 | 302.2 | 322.4 | 353.5 | 384.3 | 415.4 | 446.3 | 486.1 | 525.7 | 565.6 | 605.2 |
| 25° | 252.7 | 268.7 | 284.5 | 316.5 | 348.6 | 380.4 | 412.5 | 464.2 | 515.8 | 567.5 | 619.0 |
| 27.5° | 242.4 | 248.0 | 253.6 | 282.8 | 311.7 | 340.8 | 369.7 | 425.6 | 481.5 | 537.1 | 593.0 |
| 30° | 239.3 | 241.2 | 243.2 | 266.0 | 288.8 | 311.7 | 334.5 | 389.7 | 445.1 | 500.2 | 555.3 |
| 32.5° | 201.9 | 206.3 | 210.4 | 232.7 | 254.8 | 277.2 | 299.3 | 354.9 | 410.3 | 465.9 | 521.3 |
| 35° | 185.1 | 190.0 | 194.8 | 216.7 | 238.6 | 260.2 | 282.0 | 340.6 | 399.4 | 457.9 | 516.5 |
| 37.5° | 181.7 | 185.4 | 189.0 | 213.8 | 238.6 | 263.3 | 288.1 | 347.4 | 406.7 | 465.9 | 525.2 |
| 40° | 180.0 | 182.7 | 185.4 | 209.4 | 233.7 | 257.8 | 281.8 | 344.0 | 405.9 | 468.1 | 530.1 |
| 42.5° | 182.2 | 185.4 | 188.3 | 210.1 | 231.8 | 253.6 | 275.2 | 339.6 | 403.8 | 468.1 | 532.3 |
| 45° | 184.1 | 187.5 | 190.7 | 211.1 | 231.5 | 251.9 | 272.3 | 341.1 | 409.6 | 478.3 | 546.8 |
| 47.5° | 188.8 | 189.5 | 190.0 | 207.7 | 225.2 | 242.9 | 260.4 | 330.4 | 400.4 | 470.1 | 540.0 |
| 50° | 192.6 | 189.0 | 185.1 | 203.6 | 221.8 | 240.3 | 258.5 | 324.8 | 391.1 | 457.2 | 523.5 |
| 52.5° | 186.6 | 181.0 | 175.6 | 195.6 | 215.5 | 235.2 | 255.1 | 321.4 | 388.0 | 454.3 | 520.6 |
| 55° | 177.3 | 171.8 | 166.2 | 186.3 | 206.5 | 226.7 | 246.8 | 312.9 | 379.2 | 445.3 | 511.4 |
| 57.5° | 168.1 | 164.5 | 160.8 | 177.3 | 194.1 | 210.6 | 227.1 | 298.8 | 370.2 | 441.9 | 513.3 |
| 60° | 156.0 | 155.5 | 155.2 | 168.1 | 181.2 | 194.1 | 207.0 | 277.2 | 347.2 | 417.4 | 487.3 |
| 62.5° | 145.5 | 146.7 | 147.7 | 158.2 | 168.6 | 178.8 | 189.2 | 257.0 | 325.0 | 392.8 | 460.6 |
| 65° | 137.5 | 139.9 | 142.4 | 154.3 | 166.2 | 177.8 | 189.7 | 246.6 | 303.4 | 360.3 | 417.1 |
| 67.5° | 127.8 | 130.7 | 133.6 | 149.2 | 164.7 | 180.3 | 195.8 | 242.7 | 289.6 | 336.5 | 383.4 |
| 70° | 116.6 | 119.5 | 122.2 | 142.1 | 161.8 | 181.7 | 201.4 | 242.9 | 284.7 | 326.3 | 367.8 |
| 72.5° | 103.5 | 105.9 | 108.3 | 129.7 | 151.1 | 172.5 | 193.9 | 229.1 | 264.3 | 299.3 | 334.5 |
| 75° | 90.1 | 92.3 | 94.5 | 113.0 | 131.4 | 149.9 | 168.4 | 195.6 | 222.5 | 249.7 | 276.7 |
| 77.5° | 75.3 | 77.3 | 79.0 | 91.3 | 103.7 | 116.1 | 128.5 | 149.4 | 170.1 | 190.9 | 211.6 |
| 80° | 59.8 | 60.7 | 61.7 | 69.0 | 76.0 | 83.3 | 90.4 | 104.2 | 118.1 | 131.7 | 145.5 |
| 82.5° | 43.7 | 43.7 | 43.7 | 48.3 | 53.2 | 57.8 | 62.4 | 69.5 | 76.3 | 83.3 | 90.1 |
| 85° | 25.5 | 24.8 | 24.3 | 27.5 | 30.6 | 33.8 | 36.9 | 39.8 | 42.8 | 45.7 | 48.6 |
| 87.5° | 4.1 | 3.2 | 2.4 | 4.4 | 6.3 | 8.3 | 10.2 | 11.2 | 12.4 | 13.4 | 14.3 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597280
 CATALOG NUMBER: PMM-SA2A-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 220° | 222.5° | 225° | 227.5° | 230° | 232.5° | 235° | 237.5° | 240° | 242.5° | 245° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597280

CATALOG NUMBER: PMM-SA2A-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 247.5° | 250° | 252.5° | 255° | 257.5° | 260° | 262.5° | 265° | 267.5° | 270° | 272.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 |
| 2.5° | 573.6 | 565.6 | 557.3 | 549.0 | 561.2 | 573.3 | 585.5 | 597.6 | 629.9 | 649.1 | 650.3 |
| 5° | 646.2 | 656.4 | 666.6 | 676.8 | 687.0 | 697.2 | 707.2 | 717.4 | 769.9 | 802.2 | 808.2 |
| 7.5° | 633.3 | 650.3 | 667.1 | 683.9 | 712.8 | 741.7 | 770.6 | 799.5 | 844.0 | 876.0 | 897.2 |
| 10° | 591.3 | 612.2 | 633.1 | 654.0 | 688.2 | 722.7 | 757.0 | 791.2 | 838.4 | 880.6 | 900.8 |
| 12.5° | 599.8 | 633.1 | 666.1 | 699.4 | 729.0 | 758.9 | 788.6 | 818.2 | 850.8 | 866.8 | 903.5 |
| 15° | 657.1 | 680.2 | 703.3 | 726.4 | 771.1 | 815.5 | 860.2 | 904.7 | 923.2 | 959.8 | 992.9 |
| 17.5° | 665.9 | 708.2 | 750.7 | 792.9 | 847.6 | 902.3 | 956.9 | 1011.6 | 1045.8 | 1093.2 | 1133.0 |
| 20° | 638.7 | 698.4 | 758.4 | 818.2 | 888.7 | 959.3 | 1029.8 | 1100.3 | 1143.7 | 1183.6 | 1245.3 |
| 22.5° | 671.2 | 737.3 | 803.1 | 869.2 | 962.8 | 1056.0 | 1149.6 | 1242.9 | 1333.7 | 1422.6 | 1464.4 |
| 25° | 707.2 | 795.6 | 883.8 | 972.0 | 1088.8 | 1205.4 | 1322.3 | 1438.9 | 1555.8 | 1639.1 | 1687.2 |
| 27.5° | 681.9 | 770.6 | 859.5 | 948.2 | 1092.7 | 1237.5 | 1382.1 | 1526.6 | 1651.7 | 1752.0 | 1793.3 |
| 30° | 664.2 | 773.0 | 881.9 | 990.7 | 1160.3 | 1329.8 | 1499.4 | 1669.0 | 1784.6 | 1896.6 | 1957.3 |
| 32.5° | 661.0 | 800.7 | 940.2 | 1079.8 | 1277.4 | 1474.6 | 1672.1 | 1869.4 | 1946.1 | 2045.5 | 2127.4 |
| 35° | 669.8 | 823.3 | 976.6 | 1129.9 | 1356.3 | 1582.7 | 1808.9 | 2035.3 | 2144.4 | 2242.8 | 2314.4 |
| 37.5° | 696.5 | 867.8 | 1038.8 | 1210.1 | 1482.9 | 1755.9 | 2028.7 | 2301.6 | 2484.5 | 2664.5 | 2696.6 |
| 40° | 711.6 | 893.3 | 1074.7 | 1256.2 | 1573.5 | 1890.8 | 2208.0 | 2525.3 | 2735.7 | 2933.2 | 2946.6 |
| 42.5° | 729.3 | 926.3 | 1123.1 | 1320.1 | 1671.9 | 2023.9 | 2375.7 | 2727.4 | 2987.9 | 3200.2 | 3206.5 |
| 45° | 749.7 | 952.3 | 1155.2 | 1357.8 | 1725.1 | 2092.2 | 2459.5 | 2826.5 | 3141.4 | 3399.4 | 3336.5 |
| 47.5° | 757.7 | 975.6 | 1193.3 | 1411.0 | 1802.6 | 2193.9 | 2585.6 | 2976.9 | 3259.5 | 3494.1 | 3433.9 |
| 50° | 760.9 | 998.5 | 1235.8 | 1473.2 | 1878.9 | 2284.8 | 2690.5 | 3096.2 | 3383.6 | 3612.4 | 3520.1 |
| 52.5° | 780.5 | 1040.5 | 1300.4 | 1560.4 | 1983.1 | 2405.8 | 2828.5 | 3251.2 | 3534.0 | 3753.8 | 3639.2 |
| 55° | 807.0 | 1102.7 | 1398.1 | 1693.7 | 2131.3 | 2568.5 | 3006.1 | 3443.4 | 3727.1 | 3931.7 | 3789.5 |
| 57.5° | 831.6 | 1150.1 | 1468.3 | 1786.5 | 2239.9 | 2693.4 | 3146.7 | 3600.0 | 3887.4 | 4089.8 | 3952.1 |
| 60° | 819.7 | 1152.0 | 1484.3 | 1816.7 | 2262.2 | 2707.5 | 3153.0 | 3598.3 | 3924.6 | 4167.3 | 4096.9 |
| 62.5° | 783.7 | 1106.8 | 1429.7 | 1752.8 | 2175.7 | 2598.4 | 3021.4 | 3444.1 | 3826.0 | 4137.2 | 4134.0 |
| 65° | 714.5 | 1011.8 | 1308.9 | 1606.3 | 1997.7 | 2389.3 | 2780.6 | 3172.0 | 3622.2 | 4000.2 | 4024.7 |
| 67.5° | 630.2 | 877.0 | 1123.8 | 1370.6 | 1739.2 | 2107.7 | 2476.2 | 2844.8 | 3326.0 | 3743.1 | 3764.3 |
| 70° | 548.5 | 729.5 | 910.3 | 1091.0 | 1414.6 | 1738.2 | 2061.5 | 2385.1 | 2871.2 | 3293.2 | 3312.7 |
| 72.5° | 452.8 | 571.1 | 689.2 | 807.5 | 1069.6 | 1331.8 | 1593.7 | 1855.8 | 2282.6 | 2607.2 | 2716.7 |
| 75° | 346.9 | 417.1 | 487.3 | 557.5 | 769.6 | 981.7 | 1193.5 | 1405.6 | 1689.4 | 1928.9 | 2052.3 |
| 77.5° | 248.0 | 284.5 | 320.9 | 357.4 | 537.6 | 717.9 | 897.9 | 1078.1 | 1227.3 | 1363.1 | 1446.4 |
| 80° | 162.8 | 179.8 | 197.0 | 214.0 | 363.9 | 513.8 | 663.5 | 813.3 | 904.2 | 977.1 | 1019.1 |
| 82.5° | 98.6 | 107.1 | 115.4 | 123.9 | 245.4 | 366.8 | 488.1 | 609.5 | 661.5 | 696.3 | 733.7 |
| 85° | 53.2 | 57.8 | 62.4 | 67.0 | 145.0 | 222.8 | 300.8 | 378.5 | 383.6 | 387.7 | 443.4 |
| 87.5° | 15.5 | 17.0 | 18.2 | 19.4 | 32.1 | 44.9 | 57.6 | 70.2 | 43.7 | 27.2 | 55.9 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597280
 CATALOG NUMBER: PMM-SA2A-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 247.5° | 250° | 252.5° | 255° | 257.5° | 260° | 262.5° | 265° | 267.5° | 270° | 272.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597280
 CATALOG NUMBER: PMM-SA2A-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 275° | 277.5° | 280° | 282.5° | 285° | 287.5° | 290° | 292.5° | 295° | 297.5° | 300° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 |
| 2.5° | 643.3 | 640.1 | 637.0 | 633.6 | 630.4 | 617.1 | 603.9 | 590.6 | 577.2 | 590.1 | 602.7 |
| 5° | 801.2 | 810.9 | 820.4 | 830.1 | 839.8 | 840.6 | 841.0 | 841.8 | 842.3 | 844.7 | 847.1 |
| 7.5° | 914.9 | 932.1 | 949.1 | 966.4 | 983.6 | 997.0 | 1010.4 | 1024.0 | 1037.3 | 1025.2 | 1013.0 |
| 10° | 924.6 | 961.0 | 997.5 | 1033.9 | 1070.4 | 1076.9 | 1083.2 | 1089.8 | 1096.4 | 1105.1 | 1113.6 |
| 12.5° | 934.3 | 978.8 | 1023.0 | 1067.5 | 1111.9 | 1131.3 | 1150.5 | 1170.0 | 1189.2 | 1198.6 | 1207.9 |
| 15° | 1037.1 | 1063.3 | 1089.3 | 1115.6 | 1141.6 | 1154.9 | 1168.0 | 1181.4 | 1194.8 | 1202.8 | 1210.5 |
| 17.5° | 1169.2 | 1179.0 | 1188.4 | 1198.2 | 1207.9 | 1216.9 | 1225.8 | 1234.8 | 1243.8 | 1245.3 | 1246.7 |
| 20° | 1289.7 | 1291.7 | 1293.4 | 1295.3 | 1297.0 | 1278.1 | 1259.4 | 1240.4 | 1221.5 | 1224.9 | 1228.0 |
| 22.5° | 1470.5 | 1459.8 | 1449.3 | 1438.7 | 1428.2 | 1392.5 | 1357.0 | 1321.3 | 1285.9 | 1270.5 | 1255.5 |
| 25° | 1742.6 | 1715.4 | 1688.2 | 1660.9 | 1633.7 | 1576.9 | 1520.3 | 1463.4 | 1406.8 | 1373.6 | 1340.5 |
| 27.5° | 1830.3 | 1771.0 | 1712.0 | 1652.7 | 1593.4 | 1550.4 | 1507.7 | 1464.7 | 1421.9 | 1369.2 | 1316.5 |
| 30° | 2007.6 | 1914.1 | 1820.8 | 1727.3 | 1633.7 | 1592.2 | 1550.7 | 1508.9 | 1467.3 | 1413.4 | 1359.7 |
| 32.5° | 2164.8 | 2067.6 | 1970.4 | 1873.0 | 1775.9 | 1697.1 | 1618.4 | 1539.7 | 1461.0 | 1424.6 | 1388.1 |
| 35° | 2346.7 | 2224.6 | 2102.4 | 1980.2 | 1858.0 | 1790.4 | 1723.1 | 1655.6 | 1588.3 | 1533.2 | 1478.3 |
| 37.5° | 2611.8 | 2481.8 | 2351.9 | 2221.6 | 2091.7 | 2000.3 | 1909.2 | 1817.9 | 1726.8 | 1696.4 | 1666.3 |
| 40° | 2864.4 | 2710.9 | 2557.6 | 2404.1 | 2250.8 | 2180.8 | 2110.9 | 2040.7 | 1970.7 | 1919.4 | 1868.2 |
| 42.5° | 3076.0 | 2924.2 | 2772.6 | 2620.8 | 2469.2 | 2418.2 | 2367.4 | 2316.4 | 2265.6 | 2223.3 | 2181.1 |
| 45° | 3148.7 | 3024.8 | 2901.1 | 2777.2 | 2653.3 | 2635.4 | 2617.6 | 2599.6 | 2581.9 | 2550.6 | 2519.2 |
| 47.5° | 3265.5 | 3139.2 | 3013.1 | 2886.8 | 2760.5 | 2767.0 | 2773.6 | 2780.4 | 2786.9 | 2788.6 | 2790.1 |
| 50° | 3334.3 | 3214.3 | 3094.5 | 2974.5 | 2854.7 | 2886.5 | 2918.1 | 2950.0 | 2981.8 | 3053.9 | 3125.8 |
| 52.5° | 3434.6 | 3316.8 | 3199.2 | 3081.4 | 2963.6 | 3017.5 | 3071.2 | 3125.1 | 3178.8 | 3279.9 | 3380.9 |
| 55° | 3560.5 | 3447.7 | 3335.3 | 3222.5 | 3110.0 | 3162.5 | 3214.8 | 3267.2 | 3319.5 | 3431.9 | 3544.4 |
| 57.5° | 3727.3 | 3606.6 | 3486.1 | 3365.4 | 3244.9 | 3293.2 | 3341.3 | 3389.7 | 3437.8 | 3544.7 | 3651.6 |
| 60° | 3917.3 | 3786.1 | 3655.0 | 3523.5 | 3392.3 | 3405.7 | 3418.8 | 3432.2 | 3445.3 | 3561.2 | 3676.8 |
| 62.5° | 4010.6 | 3889.1 | 3767.9 | 3646.4 | 3525.0 | 3487.8 | 3450.6 | 3413.2 | 3376.1 | 3479.8 | 3583.3 |
| 65° | 3929.7 | 3846.1 | 3762.8 | 3679.2 | 3595.7 | 3530.1 | 3464.7 | 3399.1 | 3333.5 | 3398.4 | 3463.0 |
| 67.5° | 3672.2 | 3624.8 | 3577.7 | 3530.3 | 3483.0 | 3372.9 | 3262.9 | 3152.6 | 3042.5 | 3046.9 | 3051.0 |
| 70° | 3254.8 | 3242.2 | 3229.8 | 3217.2 | 3204.6 | 3039.1 | 2873.9 | 2708.5 | 2543.0 | 2517.8 | 2492.5 |
| 72.5° | 2726.0 | 2734.2 | 2742.2 | 2750.5 | 2758.8 | 2580.9 | 2403.1 | 2225.3 | 2047.5 | 2005.4 | 1963.4 |
| 75° | 2111.3 | 2157.0 | 2202.7 | 2248.6 | 2294.3 | 2124.2 | 1954.2 | 1783.9 | 1613.8 | 1562.1 | 1510.3 |
| 77.5° | 1491.9 | 1577.1 | 1662.2 | 1747.4 | 1832.7 | 1678.9 | 1525.4 | 1371.6 | 1217.8 | 1184.3 | 1150.8 |
| 80° | 1040.2 | 1082.0 | 1123.8 | 1165.6 | 1207.4 | 1130.1 | 1052.9 | 975.6 | 898.4 | 907.6 | 916.6 |
| 82.5° | 757.7 | 767.4 | 776.9 | 786.6 | 796.3 | 764.8 | 733.2 | 701.4 | 669.8 | 693.8 | 717.9 |
| 85° | 485.4 | 520.1 | 554.6 | 589.4 | 623.9 | 588.9 | 553.9 | 518.7 | 483.7 | 499.7 | 515.8 |
| 87.5° | 108.6 | 171.8 | 234.9 | 298.3 | 361.5 | 327.5 | 293.7 | 259.7 | 225.7 | 210.4 | 195.3 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597280
 CATALOG NUMBER: PMM-SA2A-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 275° | 277.5° | 280° | 282.5° | 285° | 287.5° | 290° | 292.5° | 295° | 297.5° | 300° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597280

CATALOG NUMBER: PMM-SA2A-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 302.5° | 305° | 307.5° | 310° | 312.5° | 315° | 317.5° | 320° | 322.5° | 325° | 327.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 |
| 2.5° | 615.6 | 628.5 | 624.6 | 620.9 | 617.1 | 613.2 | 620.2 | 627.3 | 634.5 | 641.6 | 639.2 |
| 5° | 849.8 | 852.2 | 829.1 | 806.3 | 783.2 | 760.1 | 774.5 | 788.8 | 803.1 | 817.5 | 812.4 |
| 7.5° | 1000.9 | 988.7 | 975.4 | 962.0 | 948.4 | 935.1 | 932.1 | 929.2 | 926.1 | 923.2 | 919.3 |
| 10° | 1122.4 | 1130.9 | 1122.1 | 1113.6 | 1104.9 | 1096.1 | 1075.7 | 1055.3 | 1034.7 | 1014.3 | 1005.7 |
| 12.5° | 1217.3 | 1226.8 | 1229.0 | 1230.9 | 1233.1 | 1235.3 | 1212.5 | 1189.9 | 1167.1 | 1144.2 | 1123.6 |
| 15° | 1218.6 | 1226.6 | 1233.6 | 1240.4 | 1247.5 | 1254.3 | 1240.2 | 1226.3 | 1212.2 | 1198.2 | 1191.6 |
| 17.5° | 1248.4 | 1249.9 | 1244.1 | 1238.5 | 1232.7 | 1227.1 | 1221.5 | 1216.1 | 1210.5 | 1205.2 | 1194.8 |
| 20° | 1231.4 | 1234.8 | 1234.1 | 1233.4 | 1232.4 | 1231.7 | 1232.2 | 1232.4 | 1232.9 | 1233.1 | 1227.3 |
| 22.5° | 1240.2 | 1224.9 | 1228.0 | 1230.9 | 1234.1 | 1237.0 | 1245.8 | 1254.5 | 1263.5 | 1272.2 | 1295.6 |
| 25° | 1307.2 | 1273.9 | 1268.8 | 1264.0 | 1258.9 | 1254.0 | 1276.9 | 1299.5 | 1322.3 | 1345.1 | 1383.0 |
| 27.5° | 1263.5 | 1210.8 | 1199.1 | 1187.5 | 1175.8 | 1164.1 | 1198.9 | 1233.4 | 1268.1 | 1302.9 | 1341.5 |
| 30° | 1305.8 | 1252.1 | 1226.3 | 1200.6 | 1174.6 | 1148.8 | 1182.1 | 1215.2 | 1248.4 | 1281.5 | 1324.2 |
| 32.5° | 1351.7 | 1315.2 | 1298.0 | 1281.0 | 1263.7 | 1246.7 | 1249.4 | 1252.1 | 1254.8 | 1257.4 | 1317.7 |
| 35° | 1423.1 | 1368.0 | 1351.0 | 1334.0 | 1316.9 | 1299.9 | 1328.4 | 1356.5 | 1385.0 | 1413.2 | 1464.2 |
| 37.5° | 1635.9 | 1605.6 | 1574.9 | 1544.3 | 1513.5 | 1482.9 | 1499.6 | 1516.4 | 1533.2 | 1549.9 | 1598.0 |
| 40° | 1816.9 | 1765.6 | 1760.5 | 1755.7 | 1750.6 | 1745.5 | 1746.9 | 1748.2 | 1749.6 | 1751.1 | 1792.1 |
| 42.5° | 2138.6 | 2096.3 | 2070.3 | 2044.3 | 2018.3 | 1992.3 | 1990.6 | 1988.9 | 1987.0 | 1985.3 | 2016.1 |
| 45° | 2487.7 | 2456.3 | 2436.9 | 2417.4 | 2397.8 | 2378.3 | 2347.5 | 2316.6 | 2285.5 | 2254.7 | 2281.6 |
| 47.5° | 2791.8 | 2793.5 | 2828.7 | 2863.7 | 2898.9 | 2934.2 | 2881.4 | 2828.7 | 2776.0 | 2723.3 | 2688.6 |
| 50° | 3198.0 | 3269.9 | 3278.4 | 3286.7 | 3295.2 | 3303.7 | 3214.3 | 3125.1 | 3035.7 | 2946.3 | 2909.9 |
| 52.5° | 3482.2 | 3583.3 | 3570.2 | 3557.3 | 3544.2 | 3531.1 | 3479.3 | 3427.8 | 3376.1 | 3324.3 | 3244.9 |
| 55° | 3657.1 | 3769.6 | 3759.7 | 3749.9 | 3740.0 | 3730.0 | 3692.4 | 3654.7 | 3617.1 | 3579.4 | 3492.2 |
| 57.5° | 3758.4 | 3865.3 | 3868.2 | 3871.2 | 3874.1 | 3877.0 | 3867.0 | 3857.1 | 3847.1 | 3837.2 | 3723.7 |
| 60° | 3792.7 | 3908.6 | 3909.8 | 3910.8 | 3912.0 | 3912.9 | 3897.2 | 3881.4 | 3865.3 | 3849.5 | 3775.4 |
| 62.5° | 3687.0 | 3790.5 | 3795.1 | 3799.5 | 3804.1 | 3808.7 | 3797.8 | 3786.9 | 3775.9 | 3765.0 | 3710.1 |
| 65° | 3527.9 | 3592.8 | 3594.0 | 3594.9 | 3596.2 | 3597.4 | 3569.7 | 3542.2 | 3514.5 | 3486.8 | 3473.7 |
| 67.5° | 3055.4 | 3059.8 | 3085.5 | 3111.3 | 3137.0 | 3162.8 | 3165.0 | 3167.1 | 3169.6 | 3171.8 | 3152.8 |
| 70° | 2467.2 | 2442.0 | 2469.9 | 2497.9 | 2525.8 | 2553.7 | 2565.6 | 2577.5 | 2589.7 | 2601.6 | 2610.3 |
| 72.5° | 1921.1 | 1879.1 | 1899.7 | 1920.4 | 1941.3 | 1961.9 | 1944.2 | 1926.5 | 1908.7 | 1891.0 | 1947.1 |
| 75° | 1458.6 | 1406.8 | 1404.2 | 1401.7 | 1399.1 | 1396.6 | 1387.6 | 1378.7 | 1369.4 | 1360.4 | 1412.9 |
| 77.5° | 1117.0 | 1083.5 | 1085.2 | 1086.6 | 1088.3 | 1089.8 | 1080.6 | 1071.6 | 1062.4 | 1053.1 | 1073.3 |
| 80° | 925.8 | 934.8 | 935.1 | 935.3 | 935.5 | 935.8 | 927.0 | 918.5 | 909.8 | 901.0 | 886.5 |
| 82.5° | 742.2 | 766.2 | 766.0 | 766.0 | 765.7 | 765.5 | 765.0 | 764.5 | 763.8 | 763.3 | 739.5 |
| 85° | 531.8 | 547.8 | 531.3 | 514.8 | 498.3 | 481.7 | 493.9 | 506.0 | 518.4 | 530.6 | 520.6 |
| 87.5° | 180.0 | 165.0 | 145.3 | 125.8 | 106.2 | 86.5 | 107.6 | 128.8 | 150.1 | 171.3 | 183.4 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597280
 CATALOG NUMBER: PMM-SA2A-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 302.5° | 305° | 307.5° | 310° | 312.5° | 315° | 317.5° | 320° | 322.5° | 325° | 327.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597280

CATALOG NUMBER: PMM-SA2A-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 330° | 332.5° | 335° | 337.5° | 340° | 342.5° | 345° | 347.5° | 350° | 352.5° | 355° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 | 527.9 |
| 2.5° | 637.0 | 634.5 | 632.4 | 617.1 | 601.5 | 586.2 | 570.7 | 598.8 | 627.3 | 655.4 | 683.6 |
| 5° | 807.5 | 802.4 | 797.6 | 796.3 | 795.1 | 793.7 | 792.5 | 806.8 | 821.1 | 835.2 | 849.5 |
| 7.5° | 915.4 | 911.5 | 907.6 | 897.4 | 887.4 | 877.2 | 867.0 | 875.8 | 884.3 | 893.0 | 901.5 |
| 10° | 997.5 | 989.0 | 980.5 | 958.4 | 936.5 | 914.4 | 892.3 | 885.7 | 879.2 | 872.6 | 866.1 |
| 12.5° | 1102.9 | 1082.0 | 1061.4 | 1036.4 | 1011.1 | 986.1 | 960.8 | 957.4 | 954.0 | 950.8 | 947.4 |
| 15° | 1185.3 | 1178.7 | 1172.2 | 1152.2 | 1132.3 | 1112.4 | 1092.5 | 1065.8 | 1038.8 | 1012.1 | 985.3 |
| 17.5° | 1184.5 | 1174.1 | 1163.9 | 1190.6 | 1217.1 | 1243.8 | 1270.3 | 1241.9 | 1213.2 | 1184.8 | 1156.4 |
| 20° | 1221.5 | 1215.4 | 1209.6 | 1258.9 | 1308.0 | 1357.3 | 1406.3 | 1390.8 | 1375.0 | 1359.5 | 1343.7 |
| 22.5° | 1318.6 | 1342.0 | 1365.0 | 1407.3 | 1449.3 | 1491.6 | 1533.6 | 1551.4 | 1569.1 | 1586.8 | 1604.6 |
| 25° | 1420.7 | 1458.6 | 1496.5 | 1559.4 | 1622.1 | 1685.0 | 1747.9 | 1760.5 | 1773.2 | 1785.8 | 1798.4 |
| 27.5° | 1379.9 | 1418.5 | 1457.1 | 1504.7 | 1552.1 | 1599.7 | 1647.1 | 1702.5 | 1758.1 | 1813.5 | 1868.9 |
| 30° | 1366.8 | 1409.5 | 1452.0 | 1517.4 | 1582.5 | 1647.8 | 1713.2 | 1789.5 | 1865.7 | 1941.8 | 2018.1 |
| 32.5° | 1377.7 | 1437.9 | 1498.2 | 1586.6 | 1674.8 | 1763.2 | 1851.6 | 1931.8 | 2012.2 | 2092.4 | 2172.6 |
| 35° | 1514.9 | 1566.0 | 1616.7 | 1715.6 | 1814.5 | 1913.4 | 2012.2 | 2106.2 | 2200.3 | 2294.0 | 2388.0 |
| 37.5° | 1645.9 | 1694.0 | 1742.1 | 1843.1 | 1944.0 | 2045.0 | 2146.1 | 2294.5 | 2443.2 | 2591.6 | 2740.1 |
| 40° | 1832.9 | 1874.0 | 1914.8 | 2001.3 | 2087.8 | 2174.3 | 2260.8 | 2439.8 | 2618.8 | 2797.9 | 2976.9 |
| 42.5° | 2046.7 | 2077.6 | 2108.2 | 2197.8 | 2287.5 | 2377.1 | 2466.8 | 2661.6 | 2856.7 | 3051.5 | 3246.3 |
| 45° | 2308.4 | 2335.3 | 2362.3 | 2424.0 | 2485.7 | 2547.7 | 2609.4 | 2810.3 | 3011.2 | 3212.1 | 3413.0 |
| 47.5° | 2653.8 | 2619.1 | 2584.3 | 2614.7 | 2645.1 | 2675.4 | 2705.8 | 2904.5 | 3103.2 | 3301.7 | 3500.4 |
| 50° | 2873.4 | 2837.0 | 2800.6 | 2803.2 | 2805.7 | 2808.3 | 2811.0 | 2996.4 | 3181.7 | 3366.8 | 3552.2 |
| 52.5° | 3165.4 | 3085.8 | 3006.3 | 3005.6 | 3004.9 | 3003.9 | 3003.2 | 3164.7 | 3326.5 | 3488.1 | 3649.6 |
| 55° | 3405.0 | 3317.8 | 3230.5 | 3213.5 | 3196.5 | 3179.3 | 3162.3 | 3322.1 | 3481.7 | 3641.6 | 3801.2 |
| 57.5° | 3610.3 | 3496.6 | 3383.1 | 3356.4 | 3329.7 | 3302.9 | 3276.2 | 3448.5 | 3620.9 | 3793.2 | 3965.4 |
| 60° | 3701.6 | 3627.5 | 3553.6 | 3520.9 | 3488.1 | 3455.3 | 3422.5 | 3569.2 | 3715.9 | 3862.4 | 4009.2 |
| 62.5° | 3655.4 | 3600.5 | 3545.9 | 3553.4 | 3560.9 | 3568.5 | 3576.0 | 3659.8 | 3743.9 | 3827.7 | 3911.5 |
| 65° | 3460.8 | 3447.7 | 3434.9 | 3495.6 | 3556.3 | 3617.1 | 3677.8 | 3679.0 | 3680.2 | 3681.4 | 3682.6 |
| 67.5° | 3133.9 | 3114.9 | 3096.0 | 3222.3 | 3348.4 | 3474.7 | 3601.0 | 3541.0 | 3481.0 | 3421.2 | 3361.2 |
| 70° | 2618.8 | 2627.6 | 2636.1 | 2808.1 | 2979.8 | 3151.8 | 3323.8 | 3236.9 | 3149.6 | 3062.7 | 2975.5 |
| 72.5° | 2003.2 | 2059.6 | 2115.7 | 2294.0 | 2472.3 | 2650.7 | 2829.0 | 2729.6 | 2630.0 | 2530.7 | 2431.0 |
| 75° | 1465.4 | 1517.9 | 1570.3 | 1746.5 | 1922.6 | 2099.0 | 2275.1 | 2157.0 | 2039.0 | 1921.1 | 1803.1 |
| 77.5° | 1093.4 | 1113.9 | 1134.0 | 1280.5 | 1426.8 | 1573.2 | 1719.5 | 1600.9 | 1482.4 | 1364.1 | 1245.5 |
| 80° | 872.1 | 857.6 | 843.2 | 924.4 | 1005.5 | 1086.6 | 1167.8 | 1083.7 | 999.4 | 915.4 | 831.3 |
| 82.5° | 715.9 | 692.1 | 668.6 | 698.7 | 728.8 | 759.2 | 789.3 | 722.0 | 654.7 | 587.4 | 520.1 |
| 85° | 510.6 | 500.7 | 490.7 | 499.5 | 508.0 | 516.7 | 525.5 | 459.9 | 394.3 | 328.9 | 263.3 |
| 87.5° | 195.3 | 207.5 | 219.6 | 233.5 | 247.1 | 260.9 | 274.5 | 215.0 | 155.5 | 96.2 | 36.7 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597280
 CATALOG NUMBER: PMM-SA2A-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 330° | 332.5° | 335° | 337.5° | 340° | 342.5° | 345° | 347.5° | 350° | 352.5° | 355° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597280
 CATALOG NUMBER: PMM-SA2A-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 357.5° | 360° |
|--------|--------|--------|
| 0° | 527.9 | 527.9 |
| 2.5° | 695.3 | 706.9 |
| 5° | 849.3 | 849.1 |
| 7.5° | 897.6 | 893.5 |
| 10° | 855.4 | 844.7 |
| 12.5° | 915.9 | 884.0 |
| 15° | 953.8 | 921.9 |
| 17.5° | 1108.5 | 1060.4 |
| 20° | 1286.6 | 1229.2 |
| 22.5° | 1517.4 | 1430.2 |
| 25° | 1694.2 | 1589.8 |
| 27.5° | 1806.9 | 1744.8 |
| 30° | 1946.9 | 1875.7 |
| 32.5° | 2120.1 | 2067.4 |
| 35° | 2339.9 | 2291.6 |
| 37.5° | 2725.0 | 2709.7 |
| 40° | 2958.7 | 2940.2 |
| 42.5° | 3247.1 | 3247.6 |
| 45° | 3423.9 | 3434.9 |
| 47.5° | 3528.1 | 3555.6 |
| 50° | 3611.2 | 3670.0 |
| 52.5° | 3730.0 | 3810.4 |
| 55° | 3908.1 | 4014.7 |
| 57.5° | 4056.3 | 4147.1 |
| 60° | 4056.3 | 4103.2 |
| 62.5° | 3910.3 | 3908.8 |
| 65° | 3660.1 | 3637.2 |
| 67.5° | 3332.6 | 3303.9 |
| 70° | 2930.8 | 2885.8 |
| 72.5° | 2375.4 | 2319.5 |
| 75° | 1726.5 | 1649.8 |
| 77.5° | 1209.1 | 1172.4 |
| 80° | 849.1 | 866.8 |
| 82.5° | 545.4 | 570.7 |
| 85° | 259.5 | 255.6 |
| 87.5° | 30.6 | 24.5 |
| 90° | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 |



REPORT NUMBER: P597280
CATALOG NUMBER: PMM-SA2A-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 357.5° | 360° |
|--------|--------|------|
| 112.5° | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 |

(END OF REPORT)