

Scaled data based on original data using
LM-79-08 Approved Method: Electrical and Photometric Measurements of Solid-
State Lighting Products

Test Report Prepared for
Cooper Lighting Solutions
(formerly Eaton)

Brand: STREETWORKS

Report Number: P597390

Luminaire Tested: **PMM-SA3B-722-U-SLR**

Issue Date: 5/27/2021

Test Information

Test Method: LM-79-08
Report Number: P597390
TEST IS SCALED FROM IESNA LM-79-08 TEST DATA (G2-1910-543-24)
Test Lab: INNOVATIONS CENTER
Issue Date: 5/27/2021
Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)
Product Line: STREETWORKS
Catalog Number: PMM-SA3B-722-U-SLR
Description: MESA POST TOP DECORATIVE LUMINAIRE. (3) LIGHTSQUARES WITH 16 LEDS EACH AND SPILL LIGHT ELIMINATOR RIGHT OPTICS.
Light Source: -
Ballast/Driver: ELECTRONIC DRIVER

Summary

Lumens per Lamp: N/A
Luminaire Lumens: 9257 lumens
Efficiency: N/A
Efficacy: 73.5 lumens/watt
Luminous Opening: Rectangular (W 1' x L: 1' x H: 0')
IES Classification: Type IV - Short
BUG Rating: B2 - U0 - G3


Input Watts (W): 126
Input Voltage (V): NR
Input Current (Ain): NR
Voltage Rise (V): NR
Power Factor: NR
Total Harmonic Distortion (THDi): NR
Frequency (hertz): 60
Stabilization Time: NR
Operation Time: NR
Ambient Temperature (°C): NR
Test Distance: 28.75 FT



REPORT NUMBER: P597390
 CATALOG NUMBER: PMM-SA3B-722-U-SLR

Iso-Footcandle Lines of Horizontal Illumination


× Max cd
 - - - 1/2 Max cd



Based on 10 foot mounting height. Maximum calculated value = 24.7 fc
 Type IV - Short - N/A

REPORT NUMBER: P597390
CATALOG NUMBER: PMM-SA3B-722-U-SLR

Luminous Intensity Polar Plot



— Vertical Plane Through 270-Deg Lateral - - - Horizontal Cone Through 60-Deg Vertical

REPORT NUMBER: P597390

CATALOG NUMBER: PMM-SA3B-722-U-SLR


FLUX DISTRIBUTION:

| | | Downward | Upward | Total |
|--------------------|-----------|----------|--------|--------|
| House Side | Lumens | 1792.9 | 0.0 | 1792.9 |
| | % Fixture | 19.4 | 0.0 | 19.4 |
| Street Side | Lumens | 7464.1 | 0.0 | 7464.1 |
| | % Fixture | 80.6 | 0.0 | 80.6 |
| Total | Lumens | 9257.0 | 0.0 | 9257.0 |
| | % Fixture | 100.0 | 0.0 | 100.0 |

ZONAL LUMENS:

| Zone | Lumens | % Fixture |
|-----------|--------|-----------|
| 0°-10° | 111.9 | 1.2 |
| 10°-20° | 325.3 | 3.5 |
| 20°-30° | 574.2 | 6.2 |
| 30°-40° | 894.3 | 9.7 |
| 40°-50° | 1472.3 | 15.9 |
| 50°-60° | 2101.5 | 22.7 |
| 60°-70° | 2228.3 | 24.1 |
| 70°-80° | 1230.8 | 13.3 |
| 80°-90° | 318.4 | 3.4 |
| 90°-100° | 0.0 | 0.0 |
| 100°-110° | 0.0 | 0.0 |
| 110°-120° | 0.0 | 0.0 |
| 120°-130° | 0.0 | 0.0 |
| 130°-140° | 0.0 | 0.0 |
| 140°-150° | 0.0 | 0.0 |
| 150°-160° | 0.0 | 0.0 |
| 160°-170° | 0.0 | 0.0 |
| 170°-180° | 0.0 | 0.0 |
| 0°-90° | 9257.0 | 100.0 |
| 0°-180° | 9257.0 | 100.0 |

Coefficient of Utilization




REPORT NUMBER: P597390
 CATALOG NUMBER: PMM-SA3B-722-U-SLR

LUMINAIRE CLASSIFICATION SYSTEM LUMEN TABLE AND BUG RATING:

| Zone | Lumens | % Fixture | Zone Rating/Lumen Limit | | |
|----------------|--------|-----------|-------------------------|------|---------|
| | | | B | U | G |
| FL (0°-30°) | 708.3 | 7.7 | | | |
| FM (30°-60°) | 3588.6 | 38.8 | | | |
| FH (60°-80°) | 2896.5 | 31.3 | | | G2/5000 |
| FVH (80°-90°) | 270.7 | 2.9 | | | G3/500 |
| BL (0°-30°) | 303.1 | 3.3 | B1/500 | | |
| BM (30°-60°) | 879.5 | 9.5 | B1/1000 | | |
| BH (60°-80°) | 562.6 | 6.1 | B2/1000 | | G2/1000 |
| BVH (80°-90°) | 47.8 | 0.5 | | | G1/100 |
| UL (90°-100°) | 0.0 | 0.0 | | U0/0 | |
| UH (100°-180°) | 0.0 | 0.0 | | U0/0 | |

BUG Rating: B2-U0-G3
 Type IV Short





REPORT NUMBER: P597390

CATALOG NUMBER: PMM-SA3B-722-U-SLR

CANDELA DISTRIBUTION (FULL):

| | 0° | 2.5° | 5° | 7.5° | 10° | 12.5° | 15° | 17.5° | 20° | 22.5° | 25° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 |
| 2.5° | 1307.5 | 1315.6 | 1323.2 | 1308.0 | 1292.7 | 1277.0 | 1261.7 | 1238.8 | 1215.4 | 1192.5 | 1169.1 |
| 5° | 1570.4 | 1540.7 | 1510.6 | 1498.5 | 1486.8 | 1474.7 | 1462.5 | 1451.3 | 1440.1 | 1428.4 | 1417.2 |
| 7.5° | 1652.6 | 1610.4 | 1567.7 | 1549.7 | 1531.7 | 1513.3 | 1495.3 | 1454.9 | 1414.5 | 1373.6 | 1333.1 |
| 10° | 1562.3 | 1518.3 | 1473.8 | 1456.2 | 1438.3 | 1420.7 | 1402.8 | 1353.4 | 1304.4 | 1255.0 | 1205.5 |
| 12.5° | 1635.1 | 1590.1 | 1544.8 | 1489.0 | 1433.3 | 1377.2 | 1321.4 | 1294.0 | 1266.6 | 1238.8 | 1211.4 |
| 15° | 1705.2 | 1644.5 | 1583.4 | 1527.7 | 1472.0 | 1415.8 | 1360.1 | 1305.3 | 1250.5 | 1195.6 | 1140.8 |
| 17.5° | 1961.3 | 1860.2 | 1759.1 | 1658.4 | 1557.3 | 1456.7 | 1355.6 | 1292.2 | 1228.4 | 1165.1 | 1101.3 |
| 20° | 2273.6 | 2132.9 | 1991.8 | 1839.1 | 1685.8 | 1533.1 | 1379.9 | 1299.9 | 1220.4 | 1140.4 | 1060.4 |
| 22.5° | 2645.1 | 2467.7 | 2290.2 | 2097.4 | 1904.7 | 1711.5 | 1518.7 | 1402.8 | 1286.9 | 1170.5 | 1054.6 |
| 25° | 2940.3 | 2769.6 | 2598.9 | 2354.4 | 2110.0 | 1865.6 | 1621.1 | 1489.5 | 1357.8 | 1225.7 | 1094.1 |
| 27.5° | 3227.0 | 2955.2 | 2682.9 | 2403.0 | 2123.5 | 1843.6 | 1563.6 | 1441.9 | 1320.1 | 1198.3 | 1076.6 |
| 30° | 3469.2 | 3253.5 | 3037.9 | 2672.6 | 2307.3 | 1941.5 | 1576.2 | 1426.6 | 1277.0 | 1127.3 | 977.7 |
| 32.5° | 3823.7 | 3515.9 | 3207.7 | 2826.7 | 2445.6 | 2064.6 | 1683.6 | 1492.2 | 1300.8 | 1109.4 | 918.0 |
| 35° | 4238.4 | 3918.5 | 3598.6 | 3127.3 | 2656.4 | 2185.0 | 1713.7 | 1511.1 | 1308.0 | 1105.3 | 902.2 |
| 37.5° | 5011.7 | 4447.8 | 3883.5 | 3369.0 | 2854.5 | 2339.6 | 1825.1 | 1589.7 | 1354.3 | 1118.4 | 882.9 |
| 40° | 5438.1 | 4916.9 | 4395.7 | 3754.5 | 3113.3 | 2471.7 | 1830.5 | 1589.7 | 1348.4 | 1107.6 | 866.3 |
| 42.5° | 6006.5 | 5347.4 | 4687.8 | 3994.5 | 3301.6 | 2608.3 | 1915.0 | 1648.1 | 1381.2 | 1113.9 | 847.0 |
| 45° | 6352.9 | 5618.3 | 4883.2 | 4142.3 | 3401.4 | 2660.4 | 1919.5 | 1648.6 | 1377.6 | 1106.7 | 835.7 |
| 47.5° | 6576.2 | 5870.8 | 5164.9 | 4367.4 | 3569.8 | 2771.9 | 1974.3 | 1686.7 | 1398.7 | 1111.2 | 823.2 |
| 50° | 6787.9 | 6089.2 | 5390.0 | 4561.9 | 3734.3 | 2906.2 | 2078.1 | 1764.0 | 1450.0 | 1135.4 | 821.4 |
| 52.5° | 7047.6 | 6404.2 | 5760.3 | 4872.0 | 3983.2 | 3094.9 | 2206.2 | 1864.2 | 1522.3 | 1180.4 | 838.4 |
| 55° | 7425.5 | 6791.5 | 6157.0 | 5203.6 | 4249.7 | 3296.2 | 2342.3 | 1962.6 | 1583.4 | 1203.7 | 824.1 |
| 57.5° | 7670.3 | 7027.4 | 6384.4 | 5412.1 | 4439.7 | 3467.0 | 2494.6 | 2074.1 | 1653.5 | 1232.5 | 811.9 |
| 60° | 7589.0 | 6925.8 | 6262.2 | 5335.2 | 4408.3 | 3481.3 | 2554.4 | 2100.1 | 1646.3 | 1192.0 | 737.8 |
| 62.5° | 7229.6 | 6524.6 | 5819.6 | 4989.2 | 4159.4 | 3329.0 | 2498.7 | 2036.8 | 1575.3 | 1113.4 | 651.5 |
| 65° | 6727.2 | 5998.4 | 5269.2 | 4520.2 | 3771.1 | 3022.1 | 2273.1 | 1853.9 | 1434.2 | 1015.0 | 595.3 |
| 67.5° | 6110.8 | 5351.0 | 4590.7 | 3927.5 | 3264.3 | 2600.7 | 1937.5 | 1587.0 | 1237.0 | 886.5 | 536.0 |
| 70° | 5337.5 | 4590.7 | 3843.9 | 3270.2 | 2696.4 | 2122.6 | 1548.8 | 1285.1 | 1021.8 | 758.0 | 494.3 |
| 72.5° | 4290.1 | 3645.8 | 3001.5 | 2549.9 | 2098.3 | 1646.8 | 1195.2 | 1011.9 | 829.0 | 645.7 | 462.4 |
| 75° | 3051.3 | 2672.6 | 2293.8 | 1942.4 | 1591.0 | 1239.2 | 887.9 | 769.2 | 650.6 | 532.0 | 413.4 |
| 77.5° | 2168.4 | 1945.1 | 1721.8 | 1446.4 | 1170.9 | 895.5 | 620.1 | 550.4 | 481.2 | 411.6 | 341.9 |
| 80° | 1603.2 | 1416.7 | 1230.2 | 1022.7 | 815.1 | 607.5 | 399.9 | 365.7 | 332.0 | 297.9 | 263.8 |
| 82.5° | 1055.5 | 971.4 | 887.0 | 722.5 | 558.1 | 393.6 | 229.2 | 216.6 | 204.0 | 191.4 | 178.8 |
| 85° | 472.7 | 499.2 | 525.3 | 424.6 | 323.5 | 222.9 | 121.8 | 115.9 | 110.1 | 104.2 | 98.4 |
| 87.5° | 45.4 | 66.9 | 88.5 | 75.9 | 62.9 | 50.3 | 37.3 | 36.8 | 36.8 | 36.4 | 35.9 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597390
 CATALOG NUMBER: PMM-SA3B-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 0° | 2.5° | 5° | 7.5° | 10° | 12.5° | 15° | 17.5° | 20° | 22.5° | 25° |
|--------|-----|------|-----|------|-----|-------|-----|-------|-----|-------|-----|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597390

CATALOG NUMBER: PMM-SA3B-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 27.5° | 30° | 32.5° | 35° | 37.5° | 40° | 42.5° | 45° | 47.5° | 50° | 52.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 |
| 2.5° | 1175.4 | 1181.7 | 1188.0 | 1194.3 | 1187.6 | 1180.8 | 1173.6 | 1166.9 | 1158.3 | 1149.8 | 1140.8 |
| 5° | 1398.3 | 1379.0 | 1360.1 | 1340.8 | 1312.0 | 1283.3 | 1254.1 | 1225.3 | 1221.7 | 1217.7 | 1214.1 |
| 7.5° | 1297.6 | 1262.6 | 1227.1 | 1191.6 | 1146.7 | 1102.2 | 1057.2 | 1012.3 | 998.8 | 985.4 | 971.9 |
| 10° | 1181.7 | 1157.4 | 1133.6 | 1109.4 | 1081.5 | 1053.7 | 1025.3 | 997.5 | 960.6 | 923.4 | 886.5 |
| 12.5° | 1171.8 | 1132.3 | 1092.3 | 1052.8 | 1035.7 | 1018.6 | 1001.5 | 984.5 | 952.1 | 919.8 | 887.0 |
| 15° | 1108.9 | 1076.6 | 1044.7 | 1012.3 | 987.6 | 962.9 | 938.2 | 913.5 | 887.4 | 860.9 | 834.8 |
| 17.5° | 1064.4 | 1027.6 | 990.8 | 953.9 | 925.6 | 897.3 | 868.5 | 840.2 | 808.8 | 776.9 | 745.4 |
| 20° | 1018.2 | 976.4 | 934.1 | 891.9 | 856.0 | 820.5 | 784.5 | 748.6 | 714.0 | 679.8 | 645.2 |
| 22.5° | 999.3 | 944.0 | 888.8 | 833.5 | 795.7 | 757.6 | 719.8 | 681.6 | 649.7 | 617.8 | 585.9 |
| 25° | 1028.0 | 962.4 | 896.4 | 830.3 | 779.6 | 728.3 | 677.6 | 626.4 | 599.8 | 573.3 | 546.4 |
| 27.5° | 994.3 | 911.7 | 829.4 | 746.8 | 692.4 | 637.6 | 583.2 | 528.4 | 524.4 | 520.3 | 515.8 |
| 30° | 891.0 | 804.3 | 717.6 | 630.8 | 581.0 | 530.6 | 480.8 | 430.4 | 421.0 | 411.1 | 401.7 |
| 32.5° | 829.4 | 740.9 | 652.4 | 563.9 | 519.4 | 474.5 | 430.0 | 385.1 | 374.3 | 363.5 | 352.7 |
| 35° | 806.1 | 709.9 | 613.8 | 517.6 | 479.4 | 441.2 | 403.0 | 364.8 | 357.2 | 350.0 | 342.4 |
| 37.5° | 787.2 | 692.0 | 596.2 | 500.5 | 463.7 | 426.9 | 389.6 | 352.7 | 346.9 | 341.0 | 335.2 |
| 40° | 769.2 | 672.6 | 575.6 | 478.5 | 445.7 | 413.4 | 380.6 | 347.8 | 344.2 | 340.6 | 336.5 |
| 42.5° | 753.1 | 659.2 | 564.8 | 470.9 | 441.7 | 412.9 | 383.7 | 354.5 | 350.9 | 347.3 | 343.7 |
| 45° | 744.1 | 652.4 | 560.8 | 469.1 | 448.0 | 426.9 | 405.3 | 384.2 | 375.6 | 367.1 | 358.1 |
| 47.5° | 737.3 | 651.5 | 565.7 | 479.9 | 457.9 | 435.8 | 413.8 | 391.8 | 384.2 | 376.5 | 368.4 |
| 50° | 738.7 | 656.5 | 573.8 | 491.1 | 464.6 | 437.6 | 411.1 | 384.2 | 383.3 | 382.4 | 381.5 |
| 52.5° | 750.8 | 663.6 | 576.0 | 488.4 | 459.7 | 430.9 | 401.7 | 372.9 | 378.8 | 384.2 | 390.0 |
| 55° | 733.3 | 642.5 | 551.3 | 460.6 | 433.1 | 406.2 | 378.8 | 351.4 | 359.0 | 366.2 | 373.8 |
| 57.5° | 713.5 | 615.1 | 516.7 | 418.3 | 397.6 | 377.0 | 355.9 | 335.2 | 343.3 | 351.8 | 359.9 |
| 60° | 647.9 | 558.1 | 468.2 | 378.3 | 364.4 | 350.5 | 336.5 | 322.6 | 326.2 | 329.8 | 333.4 |
| 62.5° | 576.0 | 500.1 | 424.6 | 348.7 | 337.9 | 326.7 | 315.9 | 304.6 | 304.6 | 305.1 | 305.1 |
| 65° | 530.2 | 465.0 | 399.9 | 334.7 | 322.6 | 310.5 | 297.9 | 285.8 | 284.0 | 282.2 | 280.4 |
| 67.5° | 484.4 | 433.1 | 381.5 | 329.8 | 312.3 | 295.2 | 277.7 | 260.2 | 257.9 | 256.1 | 253.9 |
| 70° | 448.4 | 402.6 | 356.8 | 310.9 | 291.2 | 271.8 | 252.1 | 232.3 | 230.5 | 229.2 | 227.4 |
| 72.5° | 419.2 | 376.5 | 333.4 | 290.3 | 269.6 | 248.5 | 227.8 | 206.7 | 205.3 | 204.0 | 202.2 |
| 75° | 375.2 | 337.4 | 299.2 | 261.1 | 240.8 | 221.1 | 200.8 | 180.6 | 178.8 | 177.5 | 175.7 |
| 77.5° | 310.5 | 278.6 | 247.1 | 215.2 | 199.5 | 184.2 | 168.5 | 152.8 | 151.9 | 151.0 | 149.6 |
| 80° | 239.0 | 214.3 | 189.2 | 164.5 | 154.1 | 143.3 | 133.0 | 122.2 | 121.8 | 121.3 | 120.4 |
| 82.5° | 164.0 | 149.2 | 134.3 | 119.5 | 111.9 | 103.8 | 96.2 | 88.1 | 88.5 | 89.0 | 89.4 |
| 85° | 93.5 | 88.1 | 83.1 | 77.7 | 71.4 | 65.6 | 59.3 | 53.0 | 54.4 | 55.7 | 56.6 |
| 87.5° | 34.1 | 32.4 | 30.6 | 28.8 | 25.6 | 22.9 | 19.8 | 16.6 | 17.5 | 18.9 | 19.8 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597390
 CATALOG NUMBER: PMM-SA3B-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 27.5° | 30° | 32.5° | 35° | 37.5° | 40° | 42.5° | 45° | 47.5° | 50° | 52.5° |
|--------|-------|-----|-------|-----|-------|-----|-------|-----|-------|-----|-------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597390

CATALOG NUMBER: PMM-SA3B-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 55° | 57.5° | 60° | 62.5° | 65° | 67.5° | 70° | 72.5° | 75° | 77.5° | 80° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 |
| 2.5° | 1132.3 | 1118.8 | 1105.3 | 1091.8 | 1078.4 | 1050.5 | 1023.1 | 995.2 | 967.4 | 984.5 | 1002.0 |
| 5° | 1210.0 | 1187.1 | 1163.7 | 1140.8 | 1117.5 | 1104.4 | 1091.4 | 1078.4 | 1065.3 | 1072.1 | 1079.3 |
| 7.5° | 958.4 | 944.9 | 931.0 | 917.5 | 903.6 | 897.7 | 892.3 | 886.5 | 880.7 | 897.3 | 913.9 |
| 10° | 849.2 | 830.3 | 811.5 | 792.2 | 773.3 | 762.0 | 750.8 | 739.6 | 728.3 | 732.8 | 737.3 |
| 12.5° | 854.6 | 826.7 | 798.9 | 771.0 | 743.2 | 726.6 | 709.9 | 693.3 | 676.7 | 680.7 | 684.8 |
| 15° | 808.3 | 779.6 | 750.8 | 722.1 | 693.3 | 674.0 | 654.2 | 634.9 | 615.1 | 608.4 | 601.2 |
| 17.5° | 713.5 | 682.1 | 650.6 | 619.2 | 587.7 | 574.7 | 561.6 | 548.6 | 535.6 | 528.4 | 521.2 |
| 20° | 610.6 | 581.4 | 552.2 | 523.0 | 493.8 | 484.8 | 475.8 | 466.4 | 457.4 | 452.9 | 448.0 |
| 22.5° | 554.0 | 536.0 | 517.6 | 499.6 | 481.2 | 470.9 | 461.0 | 450.7 | 440.3 | 435.4 | 430.0 |
| 25° | 519.9 | 523.5 | 527.5 | 531.1 | 534.7 | 530.2 | 525.3 | 520.8 | 515.8 | 517.6 | 519.0 |
| 27.5° | 511.8 | 519.4 | 527.5 | 535.1 | 542.8 | 546.8 | 550.9 | 554.9 | 559.0 | 560.3 | 561.6 |
| 30° | 391.8 | 395.9 | 399.4 | 403.5 | 407.1 | 418.3 | 429.5 | 440.3 | 451.6 | 469.1 | 487.1 |
| 32.5° | 341.9 | 340.6 | 339.2 | 337.4 | 336.1 | 338.8 | 341.5 | 343.7 | 346.4 | 352.7 | 359.5 |
| 35° | 334.7 | 331.6 | 328.0 | 324.9 | 321.3 | 322.6 | 324.0 | 325.3 | 326.7 | 331.6 | 336.5 |
| 37.5° | 329.4 | 328.0 | 327.1 | 325.8 | 324.4 | 327.6 | 330.3 | 333.4 | 336.1 | 340.1 | 344.2 |
| 40° | 332.9 | 332.5 | 332.0 | 331.1 | 330.7 | 332.5 | 334.3 | 336.1 | 337.9 | 343.3 | 348.7 |
| 42.5° | 340.1 | 340.1 | 339.7 | 339.7 | 339.2 | 341.0 | 342.4 | 344.2 | 345.5 | 348.7 | 351.8 |
| 45° | 349.6 | 348.7 | 348.2 | 347.3 | 346.4 | 346.0 | 346.0 | 345.5 | 345.1 | 346.9 | 349.1 |
| 47.5° | 360.8 | 357.7 | 354.1 | 350.9 | 347.3 | 346.4 | 345.1 | 344.2 | 342.8 | 343.7 | 344.6 |
| 50° | 380.6 | 372.0 | 363.9 | 355.4 | 346.9 | 344.6 | 342.4 | 340.1 | 337.9 | 337.4 | 337.4 |
| 52.5° | 395.4 | 382.8 | 370.2 | 357.7 | 345.1 | 341.0 | 337.0 | 332.9 | 328.9 | 328.0 | 327.6 |
| 55° | 381.0 | 371.6 | 362.6 | 353.2 | 343.7 | 337.9 | 331.6 | 325.8 | 319.5 | 318.1 | 316.8 |
| 57.5° | 368.0 | 362.2 | 356.3 | 350.5 | 344.6 | 338.8 | 332.5 | 326.7 | 320.4 | 317.2 | 314.1 |
| 60° | 337.0 | 337.0 | 337.4 | 337.4 | 337.4 | 331.1 | 324.9 | 318.6 | 312.3 | 309.1 | 306.4 |
| 62.5° | 305.1 | 310.0 | 314.5 | 319.5 | 324.0 | 315.4 | 306.4 | 297.9 | 288.9 | 286.7 | 284.9 |
| 65° | 278.6 | 279.9 | 281.7 | 283.1 | 284.4 | 277.7 | 270.9 | 264.2 | 257.5 | 256.1 | 254.3 |
| 67.5° | 251.6 | 251.2 | 250.7 | 249.8 | 249.4 | 245.3 | 240.8 | 236.8 | 232.3 | 230.5 | 228.7 |
| 70° | 225.6 | 225.1 | 224.7 | 223.8 | 223.3 | 219.7 | 216.1 | 212.5 | 208.9 | 207.6 | 206.2 |
| 72.5° | 200.8 | 200.4 | 199.5 | 199.0 | 198.2 | 195.0 | 192.3 | 189.2 | 186.0 | 184.2 | 182.4 |
| 75° | 173.9 | 173.0 | 172.1 | 171.2 | 170.3 | 167.6 | 164.9 | 161.8 | 159.1 | 157.3 | 155.5 |
| 77.5° | 148.7 | 147.4 | 146.0 | 144.2 | 142.9 | 140.6 | 137.9 | 135.7 | 133.0 | 130.8 | 129.0 |
| 80° | 120.0 | 119.1 | 118.2 | 116.8 | 115.9 | 113.7 | 111.4 | 108.7 | 106.5 | 103.8 | 101.5 |
| 82.5° | 89.9 | 89.4 | 88.5 | 88.1 | 87.2 | 84.9 | 82.7 | 80.4 | 78.2 | 75.5 | 72.8 |
| 85° | 58.0 | 57.5 | 57.1 | 56.6 | 56.2 | 54.4 | 53.0 | 51.2 | 49.4 | 46.7 | 44.5 |
| 87.5° | 20.7 | 19.8 | 19.3 | 18.4 | 17.5 | 17.1 | 16.2 | 15.7 | 14.8 | 13.5 | 12.1 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597390
 CATALOG NUMBER: PMM-SA3B-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 55° | 57.5° | 60° | 62.5° | 65° | 67.5° | 70° | 72.5° | 75° | 77.5° | 80° |
|--------|-----|-------|-----|-------|-----|-------|-----|-------|-----|-------|-----|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597390

CATALOG NUMBER: PMM-SA3B-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 82.5° | 85° | 87.5° | 90° | 92.5° | 95° | 97.5° | 100° | 102.5° | 105° | 107.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 |
| 2.5° | 1019.1 | 1036.1 | 1036.6 | 1036.6 | 1044.7 | 1052.3 | 1036.6 | 1020.9 | 1004.7 | 989.0 | 973.2 |
| 5° | 1086.0 | 1092.7 | 1090.9 | 1088.7 | 1078.8 | 1068.9 | 1058.6 | 1048.3 | 1037.9 | 1027.6 | 1028.0 |
| 7.5° | 930.5 | 947.2 | 960.6 | 973.7 | 961.1 | 948.5 | 941.8 | 935.0 | 928.3 | 921.6 | 920.7 |
| 10° | 741.4 | 745.9 | 751.3 | 756.2 | 748.6 | 740.5 | 754.0 | 767.4 | 780.5 | 793.9 | 779.1 |
| 12.5° | 688.8 | 692.9 | 683.4 | 673.5 | 670.4 | 667.2 | 664.1 | 660.5 | 657.4 | 653.8 | 652.0 |
| 15° | 594.5 | 587.3 | 580.1 | 572.4 | 570.6 | 568.4 | 566.1 | 563.4 | 561.2 | 558.5 | 550.4 |
| 17.5° | 514.0 | 506.8 | 494.7 | 482.1 | 477.2 | 471.8 | 470.4 | 469.1 | 467.3 | 465.9 | 458.3 |
| 20° | 443.5 | 438.5 | 435.4 | 431.8 | 426.9 | 421.9 | 417.0 | 412.0 | 406.6 | 401.7 | 394.5 |
| 22.5° | 425.1 | 419.7 | 415.6 | 411.1 | 410.2 | 409.3 | 400.3 | 390.9 | 381.9 | 372.5 | 368.4 |
| 25° | 520.8 | 522.1 | 497.4 | 472.2 | 470.0 | 467.7 | 451.6 | 434.9 | 418.8 | 402.1 | 388.2 |
| 27.5° | 562.5 | 563.9 | 563.0 | 562.1 | 554.9 | 547.3 | 519.9 | 492.0 | 464.6 | 436.7 | 417.0 |
| 30° | 504.6 | 522.1 | 528.8 | 535.6 | 530.6 | 525.3 | 496.5 | 468.2 | 439.4 | 410.7 | 397.6 |
| 32.5° | 365.7 | 372.0 | 383.3 | 394.1 | 399.9 | 405.3 | 396.3 | 387.3 | 378.3 | 369.3 | 367.1 |
| 35° | 341.0 | 346.0 | 348.2 | 350.5 | 346.9 | 343.3 | 336.5 | 329.8 | 322.6 | 315.9 | 314.5 |
| 37.5° | 347.8 | 351.8 | 356.3 | 360.8 | 350.9 | 340.6 | 332.9 | 325.8 | 318.1 | 310.5 | 304.2 |
| 40° | 354.1 | 359.5 | 362.2 | 364.8 | 355.0 | 345.1 | 335.6 | 326.7 | 317.2 | 307.8 | 301.5 |
| 42.5° | 355.0 | 358.1 | 363.1 | 368.0 | 354.1 | 339.7 | 331.1 | 322.2 | 313.6 | 304.6 | 298.3 |
| 45° | 350.9 | 352.7 | 357.2 | 361.7 | 345.5 | 328.9 | 321.3 | 313.2 | 305.5 | 297.4 | 292.1 |
| 47.5° | 345.1 | 346.0 | 349.6 | 352.7 | 335.6 | 318.1 | 310.9 | 303.7 | 296.1 | 288.9 | 283.5 |
| 50° | 337.0 | 336.5 | 339.2 | 341.5 | 324.0 | 306.4 | 299.2 | 292.5 | 285.3 | 278.1 | 273.6 |
| 52.5° | 326.7 | 325.8 | 328.5 | 330.7 | 312.3 | 293.9 | 287.6 | 281.7 | 275.4 | 269.1 | 265.5 |
| 55° | 315.0 | 313.6 | 315.9 | 318.1 | 300.1 | 281.7 | 276.3 | 270.5 | 265.1 | 259.3 | 256.1 |
| 57.5° | 310.5 | 307.3 | 308.7 | 310.0 | 289.8 | 269.6 | 264.2 | 258.8 | 253.4 | 248.0 | 245.8 |
| 60° | 303.3 | 300.1 | 301.5 | 302.4 | 280.8 | 258.8 | 253.9 | 248.5 | 243.5 | 238.1 | 235.9 |
| 62.5° | 282.6 | 280.4 | 282.2 | 284.0 | 264.6 | 244.9 | 240.4 | 236.3 | 231.8 | 227.4 | 224.2 |
| 65° | 253.0 | 251.2 | 254.8 | 258.4 | 241.7 | 225.1 | 222.4 | 219.7 | 216.6 | 213.9 | 210.7 |
| 67.5° | 226.9 | 225.1 | 228.7 | 232.3 | 220.2 | 208.0 | 205.3 | 202.6 | 199.9 | 197.3 | 195.5 |
| 70° | 204.9 | 203.5 | 206.7 | 209.8 | 199.5 | 189.2 | 186.5 | 184.2 | 181.5 | 178.8 | 177.5 |
| 72.5° | 180.2 | 178.4 | 182.4 | 186.0 | 177.5 | 168.5 | 166.2 | 163.6 | 161.3 | 158.6 | 157.7 |
| 75° | 153.7 | 151.9 | 155.5 | 158.6 | 152.8 | 146.5 | 144.2 | 142.0 | 139.7 | 137.5 | 137.0 |
| 77.5° | 126.7 | 124.5 | 128.1 | 131.2 | 127.6 | 123.6 | 121.8 | 119.5 | 117.7 | 115.5 | 115.5 |
| 80° | 98.9 | 96.2 | 98.9 | 101.1 | 99.7 | 98.4 | 97.1 | 95.3 | 93.9 | 92.1 | 92.6 |
| 82.5° | 70.1 | 67.4 | 68.7 | 70.1 | 71.0 | 71.9 | 71.9 | 71.9 | 71.9 | 71.9 | 71.9 |
| 85° | 41.8 | 39.1 | 39.5 | 40.0 | 41.3 | 42.7 | 43.1 | 43.6 | 44.0 | 44.5 | 44.9 |
| 87.5° | 10.8 | 9.4 | 8.5 | 7.2 | 8.5 | 9.4 | 10.3 | 10.8 | 11.7 | 12.1 | 12.1 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597390
 CATALOG NUMBER: PMM-SA3B-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 82.5° | 85° | 87.5° | 90° | 92.5° | 95° | 97.5° | 100° | 102.5° | 105° | 107.5° |
|--------|-------|-----|-------|-----|-------|-----|-------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597390
 CATALOG NUMBER: PMM-SA3B-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 110° | 112.5° | 115° | 117.5° | 120° | 122.5° | 125° | 127.5° | 130° | 132.5° | 135° |
|--------|--------|--------|--------|--------|--------|--------|-------|--------|-------|--------|-------|
| 0° | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 |
| 2.5° | 957.5 | 941.3 | 925.6 | 935.5 | 944.9 | 954.8 | 964.2 | 964.7 | 964.7 | 965.1 | 965.1 |
| 5° | 1028.9 | 1029.4 | 1029.8 | 1020.4 | 1011.4 | 1002.0 | 992.5 | 987.6 | 982.7 | 977.3 | 972.3 |
| 7.5° | 919.3 | 918.4 | 917.1 | 908.1 | 899.1 | 890.1 | 881.1 | 859.5 | 837.5 | 816.0 | 793.9 |
| 10° | 763.8 | 749.0 | 733.7 | 730.1 | 727.0 | 723.4 | 719.8 | 714.0 | 708.6 | 702.7 | 696.9 |
| 12.5° | 650.2 | 648.4 | 646.6 | 637.1 | 627.7 | 617.8 | 608.4 | 608.4 | 608.4 | 608.4 | 608.4 |
| 15° | 541.9 | 533.8 | 525.3 | 520.8 | 515.8 | 511.3 | 506.4 | 504.1 | 501.9 | 499.6 | 497.4 |
| 17.5° | 450.2 | 442.6 | 434.5 | 433.6 | 432.7 | 431.8 | 430.9 | 428.7 | 426.4 | 424.2 | 421.9 |
| 20° | 387.3 | 380.1 | 372.9 | 375.6 | 378.3 | 380.6 | 383.3 | 381.0 | 378.8 | 376.1 | 373.8 |
| 22.5° | 363.9 | 359.9 | 355.4 | 353.2 | 350.9 | 348.2 | 346.0 | 346.0 | 346.4 | 346.4 | 346.4 |
| 25° | 374.7 | 360.8 | 346.9 | 340.1 | 333.4 | 326.2 | 319.5 | 316.8 | 314.5 | 311.8 | 309.1 |
| 27.5° | 397.2 | 377.0 | 357.2 | 345.5 | 333.8 | 322.2 | 310.5 | 305.5 | 300.1 | 295.2 | 289.8 |
| 30° | 384.2 | 371.1 | 357.7 | 344.2 | 330.7 | 317.2 | 303.7 | 297.4 | 291.2 | 284.4 | 278.1 |
| 32.5° | 364.8 | 362.2 | 359.9 | 347.3 | 334.7 | 321.7 | 309.1 | 306.4 | 304.2 | 301.5 | 298.8 |
| 35° | 312.7 | 311.4 | 309.6 | 306.4 | 303.3 | 300.1 | 297.0 | 293.4 | 289.8 | 286.2 | 282.6 |
| 37.5° | 298.3 | 292.1 | 285.8 | 284.4 | 283.1 | 281.7 | 280.4 | 279.0 | 277.7 | 275.9 | 274.5 |
| 40° | 295.2 | 288.9 | 282.6 | 280.4 | 278.1 | 275.4 | 273.2 | 273.6 | 274.5 | 275.0 | 275.4 |
| 42.5° | 291.6 | 285.3 | 278.6 | 276.8 | 275.0 | 273.2 | 271.4 | 271.8 | 272.7 | 273.2 | 273.6 |
| 45° | 287.1 | 281.7 | 276.3 | 273.2 | 270.5 | 267.3 | 264.2 | 266.9 | 269.6 | 271.8 | 274.5 |
| 47.5° | 278.1 | 272.3 | 266.9 | 265.1 | 263.3 | 261.1 | 259.3 | 262.0 | 264.6 | 266.9 | 269.6 |
| 50° | 268.7 | 264.2 | 259.3 | 258.8 | 258.4 | 257.5 | 257.0 | 258.8 | 260.6 | 262.4 | 264.2 |
| 52.5° | 261.5 | 257.9 | 253.9 | 253.9 | 253.4 | 253.4 | 253.0 | 254.8 | 256.6 | 257.9 | 259.7 |
| 55° | 253.4 | 250.3 | 247.1 | 247.6 | 248.5 | 248.9 | 249.4 | 251.2 | 253.4 | 255.2 | 257.0 |
| 57.5° | 243.1 | 240.8 | 238.1 | 239.9 | 241.3 | 243.1 | 244.4 | 245.8 | 247.6 | 248.9 | 250.3 |
| 60° | 233.2 | 231.0 | 228.3 | 230.1 | 232.3 | 234.1 | 235.9 | 237.2 | 238.6 | 239.9 | 241.3 |
| 62.5° | 221.1 | 217.5 | 214.3 | 217.0 | 219.3 | 222.0 | 224.2 | 225.1 | 226.5 | 227.4 | 228.3 |
| 65° | 208.0 | 204.9 | 201.7 | 203.5 | 205.3 | 206.7 | 208.5 | 209.8 | 211.2 | 212.5 | 213.9 |
| 67.5° | 193.2 | 191.4 | 189.2 | 190.5 | 191.9 | 193.2 | 194.6 | 195.0 | 195.0 | 195.5 | 195.5 |
| 70° | 175.7 | 174.3 | 172.5 | 173.4 | 174.8 | 175.7 | 176.6 | 176.6 | 176.6 | 176.1 | 176.1 |
| 72.5° | 157.3 | 156.4 | 155.5 | 155.9 | 156.8 | 157.3 | 157.7 | 157.3 | 156.8 | 156.4 | 155.9 |
| 75° | 136.6 | 136.1 | 135.7 | 136.1 | 137.0 | 137.5 | 137.9 | 137.5 | 136.6 | 136.1 | 135.2 |
| 77.5° | 115.9 | 115.9 | 115.9 | 115.9 | 116.4 | 116.4 | 116.4 | 115.5 | 114.6 | 113.7 | 112.8 |
| 80° | 93.0 | 93.5 | 93.9 | 93.9 | 93.9 | 93.9 | 93.9 | 93.0 | 92.1 | 90.8 | 89.9 |
| 82.5° | 71.9 | 71.9 | 71.9 | 71.9 | 72.3 | 72.3 | 72.3 | 70.1 | 68.3 | 66.1 | 63.8 |
| 85° | 44.9 | 45.4 | 45.4 | 45.8 | 46.3 | 46.3 | 46.7 | 43.6 | 40.9 | 37.7 | 34.6 |
| 87.5° | 12.1 | 12.1 | 12.1 | 12.1 | 12.1 | 11.7 | 11.7 | 9.0 | 5.8 | 3.1 | 0.0 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597390
 CATALOG NUMBER: PMM-SA3B-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 110° | 112.5° | 115° | 117.5° | 120° | 122.5° | 125° | 127.5° | 130° | 132.5° | 135° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597390

CATALOG NUMBER: PMM-SA3B-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 137.5° | 140° | 142.5° | 145° | 147.5° | 150° | 152.5° | 155° | 157.5° | 160° | 162.5° |
|--------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|
| 0° | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 |
| 2.5° | 967.8 | 970.5 | 972.8 | 975.5 | 975.9 | 976.4 | 976.4 | 976.8 | 967.4 | 958.0 | 948.1 |
| 5° | 979.1 | 985.4 | 992.1 | 998.4 | 997.0 | 995.7 | 994.3 | 993.0 | 990.3 | 988.1 | 985.4 |
| 7.5° | 789.0 | 784.5 | 779.6 | 774.6 | 778.7 | 782.7 | 786.8 | 790.8 | 792.6 | 794.4 | 795.7 |
| 10° | 685.7 | 674.4 | 663.2 | 652.0 | 645.7 | 638.9 | 632.6 | 625.9 | 625.0 | 624.6 | 623.7 |
| 12.5° | 596.7 | 584.6 | 572.9 | 560.8 | 557.2 | 553.1 | 549.5 | 545.5 | 549.1 | 552.7 | 555.8 |
| 15° | 492.5 | 488.0 | 483.0 | 478.1 | 482.1 | 486.2 | 490.2 | 494.3 | 497.8 | 501.0 | 504.6 |
| 17.5° | 419.7 | 417.9 | 415.6 | 413.4 | 417.0 | 421.0 | 424.6 | 428.2 | 436.3 | 444.4 | 452.5 |
| 20° | 372.0 | 370.7 | 368.9 | 367.1 | 365.7 | 363.9 | 362.6 | 360.8 | 372.5 | 383.7 | 395.4 |
| 22.5° | 343.7 | 341.0 | 338.3 | 335.6 | 336.1 | 336.5 | 336.5 | 337.0 | 346.4 | 356.3 | 365.7 |
| 25° | 308.2 | 307.3 | 306.4 | 305.5 | 308.2 | 310.9 | 313.2 | 315.9 | 324.4 | 332.9 | 341.0 |
| 27.5° | 290.3 | 290.7 | 291.2 | 291.6 | 295.2 | 299.2 | 302.8 | 306.4 | 312.3 | 318.1 | 324.0 |
| 30° | 280.4 | 283.1 | 285.3 | 287.6 | 288.9 | 290.3 | 291.6 | 293.0 | 298.8 | 304.2 | 310.0 |
| 32.5° | 295.2 | 291.6 | 287.6 | 284.0 | 285.8 | 288.0 | 289.8 | 291.6 | 297.0 | 302.4 | 307.8 |
| 35° | 281.3 | 279.5 | 278.1 | 276.3 | 278.6 | 280.8 | 282.6 | 284.9 | 289.8 | 294.3 | 299.2 |
| 37.5° | 274.1 | 273.6 | 273.2 | 272.7 | 274.1 | 275.4 | 276.3 | 277.7 | 282.2 | 286.7 | 290.7 |
| 40° | 273.6 | 271.4 | 269.6 | 267.3 | 268.7 | 270.0 | 270.9 | 272.3 | 277.7 | 283.1 | 288.5 |
| 42.5° | 270.9 | 268.2 | 265.1 | 262.4 | 263.8 | 265.5 | 266.9 | 268.2 | 274.1 | 279.5 | 285.3 |
| 45° | 270.5 | 266.4 | 262.0 | 257.9 | 259.7 | 261.5 | 263.3 | 265.1 | 269.6 | 274.1 | 278.1 |
| 47.5° | 265.5 | 261.5 | 257.5 | 253.4 | 254.3 | 255.2 | 255.7 | 256.6 | 260.6 | 264.2 | 268.2 |
| 50° | 261.5 | 258.4 | 255.7 | 252.5 | 251.2 | 250.3 | 248.9 | 247.6 | 250.7 | 253.9 | 257.0 |
| 52.5° | 256.6 | 253.4 | 249.8 | 246.7 | 244.9 | 243.1 | 241.3 | 239.5 | 242.2 | 244.4 | 247.1 |
| 55° | 253.4 | 249.4 | 245.8 | 241.7 | 239.5 | 237.2 | 235.0 | 232.7 | 234.5 | 235.9 | 237.7 |
| 57.5° | 246.7 | 243.1 | 239.0 | 235.4 | 232.7 | 230.1 | 226.9 | 224.2 | 225.1 | 226.0 | 226.9 |
| 60° | 237.7 | 233.6 | 230.1 | 226.0 | 222.9 | 219.7 | 216.1 | 213.0 | 213.4 | 214.3 | 214.8 |
| 62.5° | 224.7 | 221.1 | 217.0 | 213.4 | 209.8 | 206.7 | 203.1 | 199.5 | 200.4 | 200.8 | 201.7 |
| 65° | 210.3 | 206.2 | 202.6 | 198.6 | 195.5 | 192.3 | 188.7 | 185.6 | 186.5 | 187.4 | 187.8 |
| 67.5° | 192.8 | 189.6 | 186.9 | 183.8 | 181.1 | 177.9 | 175.2 | 172.1 | 172.5 | 173.0 | 173.4 |
| 70° | 173.9 | 171.2 | 168.9 | 166.2 | 164.0 | 161.8 | 159.5 | 157.3 | 157.3 | 157.7 | 157.7 |
| 72.5° | 153.7 | 151.4 | 149.2 | 146.9 | 144.7 | 142.9 | 140.6 | 138.4 | 139.3 | 140.2 | 140.6 |
| 75° | 133.0 | 131.2 | 129.0 | 126.7 | 124.9 | 123.1 | 120.9 | 119.1 | 120.0 | 120.9 | 121.3 |
| 77.5° | 111.4 | 110.1 | 108.3 | 106.9 | 105.1 | 103.3 | 101.1 | 99.3 | 100.2 | 101.1 | 101.5 |
| 80° | 89.0 | 88.1 | 86.7 | 85.8 | 84.0 | 82.2 | 80.4 | 78.6 | 79.1 | 79.1 | 79.5 |
| 82.5° | 64.3 | 64.7 | 64.7 | 65.2 | 63.8 | 62.0 | 60.7 | 58.9 | 58.9 | 58.9 | 58.4 |
| 85° | 35.9 | 37.7 | 39.1 | 40.4 | 39.1 | 37.7 | 36.4 | 35.0 | 34.6 | 34.6 | 34.1 |
| 87.5° | 1.3 | 2.2 | 3.6 | 4.5 | 4.0 | 3.6 | 2.7 | 2.2 | 2.7 | 3.1 | 3.1 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597390
 CATALOG NUMBER: PMM-SA3B-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 137.5° | 140° | 142.5° | 145° | 147.5° | 150° | 152.5° | 155° | 157.5° | 160° | 162.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597390

CATALOG NUMBER: PMM-SA3B-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 165° | 167.5° | 170° | 172.5° | 175° | 177.5° | 180° | 182.5° | 185° | 187.5° | 190° |
|--------|-------|--------|-------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 |
| 2.5° | 938.6 | 946.3 | 953.9 | 961.5 | 969.2 | 980.9 | 992.5 | 1004.7 | 1016.8 | 1010.1 | 1002.9 |
| 5° | 982.7 | 987.2 | 992.1 | 996.6 | 1001.1 | 1014.1 | 1026.7 | 1042.4 | 1057.7 | 1055.9 | 1053.7 |
| 7.5° | 797.5 | 803.8 | 810.1 | 816.0 | 822.3 | 842.0 | 861.8 | 878.4 | 895.0 | 892.8 | 890.1 |
| 10° | 622.8 | 635.8 | 649.3 | 662.3 | 675.3 | 691.5 | 707.2 | 721.2 | 735.1 | 758.5 | 781.4 |
| 12.5° | 559.4 | 579.6 | 599.8 | 620.1 | 640.3 | 652.0 | 663.2 | 681.2 | 699.1 | 711.7 | 724.8 |
| 15° | 507.7 | 526.6 | 545.5 | 564.3 | 583.2 | 584.1 | 585.0 | 603.9 | 622.8 | 633.5 | 643.9 |
| 17.5° | 460.6 | 470.9 | 481.2 | 491.1 | 501.4 | 497.8 | 494.3 | 503.2 | 511.8 | 516.3 | 521.2 |
| 20° | 406.6 | 413.8 | 421.0 | 428.2 | 435.4 | 440.3 | 444.8 | 450.2 | 455.2 | 450.7 | 445.7 |
| 22.5° | 375.2 | 386.0 | 397.2 | 408.0 | 418.8 | 421.9 | 424.6 | 421.5 | 418.3 | 417.0 | 415.6 |
| 25° | 349.6 | 362.6 | 376.1 | 389.1 | 402.1 | 408.4 | 414.7 | 417.4 | 419.7 | 414.7 | 409.8 |
| 27.5° | 329.8 | 345.5 | 360.8 | 376.5 | 391.8 | 403.0 | 414.3 | 417.4 | 420.1 | 416.5 | 412.5 |
| 30° | 315.4 | 332.5 | 349.6 | 366.6 | 383.7 | 400.8 | 417.4 | 432.2 | 446.6 | 445.3 | 443.9 |
| 32.5° | 313.2 | 324.9 | 336.5 | 348.2 | 359.9 | 370.7 | 381.0 | 381.9 | 382.4 | 378.8 | 374.7 |
| 35° | 303.7 | 311.4 | 319.0 | 326.7 | 334.3 | 341.0 | 347.3 | 346.4 | 345.5 | 341.9 | 338.3 |
| 37.5° | 295.2 | 302.8 | 310.9 | 318.6 | 326.2 | 337.9 | 349.1 | 346.9 | 344.2 | 340.6 | 337.0 |
| 40° | 293.9 | 302.4 | 310.9 | 319.0 | 327.6 | 338.3 | 349.1 | 346.9 | 344.6 | 340.1 | 335.6 |
| 42.5° | 290.7 | 299.2 | 307.3 | 315.9 | 324.0 | 337.0 | 349.6 | 345.5 | 341.0 | 337.4 | 333.8 |
| 45° | 282.6 | 290.3 | 297.9 | 305.5 | 313.2 | 327.1 | 341.0 | 336.1 | 331.1 | 329.8 | 328.0 |
| 47.5° | 271.8 | 279.5 | 287.1 | 294.8 | 302.4 | 316.3 | 329.8 | 325.8 | 321.3 | 320.8 | 319.9 |
| 50° | 260.2 | 267.3 | 275.0 | 282.2 | 289.4 | 303.3 | 316.8 | 313.2 | 309.6 | 310.0 | 310.0 |
| 52.5° | 249.4 | 256.1 | 262.4 | 269.1 | 275.4 | 289.4 | 302.8 | 300.1 | 297.0 | 297.9 | 298.3 |
| 55° | 239.0 | 244.4 | 249.8 | 255.2 | 260.6 | 274.1 | 287.6 | 283.5 | 279.5 | 280.8 | 282.2 |
| 57.5° | 227.8 | 232.3 | 236.8 | 240.8 | 245.3 | 258.8 | 271.8 | 267.3 | 262.4 | 264.6 | 266.4 |
| 60° | 215.2 | 219.3 | 223.3 | 226.9 | 231.0 | 243.1 | 254.8 | 250.7 | 246.2 | 249.4 | 252.1 |
| 62.5° | 202.2 | 205.3 | 208.5 | 211.6 | 214.8 | 226.0 | 237.2 | 234.1 | 231.0 | 234.5 | 237.7 |
| 65° | 188.7 | 191.0 | 193.7 | 195.9 | 198.2 | 208.9 | 219.3 | 217.0 | 214.8 | 217.9 | 221.1 |
| 67.5° | 173.9 | 175.7 | 177.9 | 179.7 | 181.5 | 191.4 | 201.3 | 199.0 | 196.4 | 199.0 | 201.3 |
| 70° | 157.7 | 159.5 | 160.9 | 162.7 | 164.0 | 173.0 | 182.0 | 178.8 | 175.2 | 177.9 | 180.2 |
| 72.5° | 141.5 | 142.4 | 143.8 | 144.7 | 145.6 | 152.3 | 159.1 | 156.4 | 153.7 | 156.4 | 158.6 |
| 75° | 122.2 | 123.1 | 124.0 | 124.9 | 125.8 | 131.7 | 137.0 | 133.9 | 130.3 | 133.0 | 135.7 |
| 77.5° | 102.4 | 102.9 | 103.8 | 104.2 | 104.7 | 108.7 | 112.3 | 109.2 | 105.6 | 108.7 | 111.9 |
| 80° | 79.5 | 80.0 | 80.4 | 80.4 | 80.9 | 82.2 | 83.6 | 81.3 | 78.6 | 82.7 | 86.7 |
| 82.5° | 58.4 | 58.0 | 58.0 | 57.5 | 57.1 | 57.1 | 56.6 | 55.3 | 53.5 | 57.1 | 60.7 |
| 85° | 33.7 | 33.2 | 32.4 | 31.9 | 31.0 | 29.7 | 28.3 | 27.9 | 27.4 | 30.6 | 33.7 |
| 87.5° | 3.6 | 3.1 | 2.2 | 1.8 | 0.9 | 0.4 | 0.0 | 0.0 | 0.0 | 1.8 | 4.0 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597390
 CATALOG NUMBER: PMM-SA3B-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 165° | 167.5° | 170° | 172.5° | 175° | 177.5° | 180° | 182.5° | 185° | 187.5° | 190° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597390

CATALOG NUMBER: PMM-SA3B-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 192.5° | 195° | 197.5° | 200° | 202.5° | 205° | 207.5° | 210° | 212.5° | 215° | 217.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 |
| 2.5° | 996.1 | 989.0 | 982.2 | 975.5 | 968.7 | 962.0 | 974.6 | 987.2 | 999.7 | 1012.3 | 1023.6 |
| 5° | 1051.9 | 1049.6 | 1043.8 | 1038.4 | 1032.5 | 1026.7 | 1029.8 | 1033.4 | 1036.6 | 1039.7 | 1046.5 |
| 7.5° | 887.9 | 885.2 | 897.7 | 909.9 | 922.5 | 934.6 | 937.7 | 940.4 | 943.6 | 946.3 | 944.5 |
| 10° | 804.7 | 827.6 | 833.5 | 838.9 | 844.7 | 850.1 | 859.1 | 868.1 | 876.6 | 885.6 | 890.6 |
| 12.5° | 737.3 | 749.9 | 770.6 | 791.7 | 812.4 | 833.0 | 846.5 | 860.0 | 873.5 | 887.0 | 914.8 |
| 15° | 654.7 | 665.0 | 680.7 | 696.4 | 712.2 | 727.9 | 747.2 | 767.0 | 786.3 | 805.6 | 836.2 |
| 17.5° | 525.7 | 530.2 | 541.9 | 553.6 | 564.8 | 576.5 | 602.5 | 628.1 | 654.2 | 679.8 | 714.9 |
| 20° | 441.2 | 436.3 | 436.3 | 436.7 | 436.7 | 436.7 | 462.8 | 488.4 | 514.5 | 540.1 | 586.4 |
| 22.5° | 413.8 | 412.5 | 407.5 | 402.1 | 397.2 | 391.8 | 405.3 | 419.2 | 432.7 | 446.2 | 483.9 |
| 25° | 404.4 | 399.4 | 393.2 | 386.9 | 380.6 | 374.3 | 382.8 | 391.4 | 399.9 | 408.4 | 438.1 |
| 27.5° | 408.9 | 404.8 | 408.0 | 410.7 | 413.8 | 416.5 | 419.2 | 421.9 | 424.6 | 427.3 | 437.6 |
| 30° | 442.6 | 441.2 | 446.2 | 450.7 | 455.6 | 460.1 | 453.8 | 448.0 | 441.7 | 435.4 | 439.0 |
| 32.5° | 371.1 | 367.1 | 365.3 | 363.5 | 361.7 | 359.9 | 359.5 | 359.0 | 358.1 | 357.7 | 365.7 |
| 35° | 334.7 | 331.1 | 328.5 | 325.8 | 322.6 | 319.9 | 321.3 | 322.2 | 323.5 | 324.4 | 333.4 |
| 37.5° | 333.4 | 329.8 | 326.7 | 323.5 | 319.9 | 316.8 | 318.1 | 319.9 | 321.3 | 322.6 | 329.4 |
| 40° | 331.1 | 326.7 | 324.9 | 323.1 | 321.3 | 319.5 | 320.4 | 321.3 | 321.7 | 322.6 | 327.6 |
| 42.5° | 329.8 | 326.2 | 325.3 | 324.4 | 323.5 | 322.6 | 323.5 | 324.4 | 324.9 | 325.8 | 331.6 |
| 45° | 326.7 | 324.9 | 325.8 | 326.7 | 327.6 | 328.5 | 328.5 | 328.5 | 328.5 | 328.5 | 334.7 |
| 47.5° | 319.5 | 318.6 | 321.3 | 324.0 | 326.7 | 329.4 | 333.8 | 338.3 | 342.4 | 346.9 | 348.2 |
| 50° | 310.5 | 310.5 | 315.0 | 319.5 | 323.5 | 328.0 | 338.8 | 349.1 | 359.9 | 370.2 | 363.5 |
| 52.5° | 299.2 | 299.7 | 306.4 | 312.7 | 319.5 | 325.8 | 335.6 | 345.5 | 355.0 | 364.8 | 355.0 |
| 55° | 283.1 | 284.4 | 293.0 | 301.0 | 309.6 | 317.7 | 325.3 | 332.9 | 340.6 | 348.2 | 337.9 |
| 57.5° | 268.7 | 270.5 | 279.5 | 288.0 | 297.0 | 305.5 | 310.0 | 315.0 | 319.5 | 324.0 | 317.2 |
| 60° | 255.2 | 257.9 | 269.6 | 281.3 | 292.5 | 304.2 | 300.6 | 297.0 | 293.0 | 289.4 | 288.9 |
| 62.5° | 241.3 | 244.4 | 255.2 | 266.0 | 276.3 | 287.1 | 281.7 | 276.3 | 270.5 | 265.1 | 267.3 |
| 65° | 223.8 | 226.9 | 231.8 | 236.8 | 241.3 | 246.2 | 245.8 | 245.8 | 245.3 | 244.9 | 249.4 |
| 67.5° | 204.0 | 206.2 | 209.4 | 212.1 | 215.2 | 217.9 | 219.7 | 222.0 | 223.8 | 225.6 | 231.0 |
| 70° | 182.9 | 185.1 | 188.3 | 191.0 | 194.1 | 196.8 | 199.0 | 201.3 | 203.1 | 205.3 | 210.7 |
| 72.5° | 161.3 | 163.6 | 166.7 | 169.8 | 172.5 | 175.7 | 177.5 | 179.3 | 180.6 | 182.4 | 186.9 |
| 75° | 138.4 | 141.1 | 144.2 | 146.9 | 150.1 | 152.8 | 154.1 | 155.5 | 156.8 | 158.2 | 162.2 |
| 77.5° | 115.0 | 118.2 | 121.3 | 124.5 | 127.6 | 130.8 | 131.2 | 131.7 | 132.1 | 132.5 | 136.1 |
| 80° | 90.3 | 94.4 | 97.5 | 100.6 | 103.8 | 106.9 | 106.9 | 106.9 | 106.9 | 106.9 | 108.7 |
| 82.5° | 64.3 | 67.8 | 71.4 | 74.6 | 78.2 | 81.3 | 81.3 | 80.9 | 80.9 | 80.4 | 80.4 |
| 85° | 36.8 | 40.0 | 42.2 | 44.9 | 47.2 | 49.4 | 49.4 | 49.4 | 49.0 | 49.0 | 48.1 |
| 87.5° | 5.8 | 7.6 | 8.5 | 9.9 | 10.8 | 11.7 | 11.2 | 11.2 | 10.8 | 10.3 | 9.0 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597390
 CATALOG NUMBER: PMM-SA3B-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 192.5° | 195° | 197.5° | 200° | 202.5° | 205° | 207.5° | 210° | 212.5° | 215° | 217.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597390
 CATALOG NUMBER: PMM-SA3B-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 220° | 222.5° | 225° | 227.5° | 230° | 232.5° | 235° | 237.5° | 240° | 242.5° | 245° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 |
| 2.5° | 1034.8 | 1046.0 | 1057.2 | 1055.5 | 1053.7 | 1051.9 | 1050.1 | 1056.8 | 1063.1 | 1069.8 | 1076.1 |
| 5° | 1052.8 | 1059.5 | 1065.8 | 1070.7 | 1075.7 | 1080.6 | 1085.6 | 1108.5 | 1130.9 | 1153.9 | 1176.3 |
| 7.5° | 942.7 | 940.4 | 938.6 | 959.7 | 981.3 | 1002.4 | 1023.6 | 1052.8 | 1082.0 | 1111.2 | 1140.4 |
| 10° | 895.5 | 900.4 | 905.4 | 913.9 | 922.9 | 931.4 | 940.0 | 968.7 | 997.5 | 1026.2 | 1055.0 |
| 12.5° | 942.2 | 970.1 | 997.5 | 1004.2 | 1011.4 | 1018.2 | 1024.9 | 1030.7 | 1036.6 | 1042.0 | 1047.8 |
| 15° | 866.7 | 897.3 | 927.8 | 945.4 | 962.9 | 980.0 | 997.5 | 1041.5 | 1085.1 | 1129.1 | 1172.7 |
| 17.5° | 749.5 | 784.5 | 819.1 | 862.2 | 905.4 | 948.5 | 991.6 | 1032.1 | 1072.5 | 1112.5 | 1153.0 |
| 20° | 632.6 | 678.5 | 724.8 | 771.9 | 818.7 | 865.8 | 912.6 | 952.1 | 991.6 | 1030.7 | 1070.3 |
| 22.5° | 521.2 | 559.0 | 596.2 | 653.8 | 710.8 | 768.3 | 825.4 | 899.1 | 972.3 | 1046.0 | 1119.3 |
| 25° | 467.3 | 496.9 | 526.2 | 585.5 | 644.8 | 703.6 | 762.9 | 858.7 | 953.9 | 1049.6 | 1144.9 |
| 27.5° | 448.4 | 458.8 | 469.1 | 523.0 | 576.5 | 630.4 | 683.9 | 787.2 | 890.6 | 993.4 | 1096.8 |
| 30° | 442.6 | 446.2 | 449.8 | 492.0 | 534.2 | 576.5 | 618.7 | 720.7 | 823.2 | 925.1 | 1027.1 |
| 32.5° | 373.4 | 381.5 | 389.1 | 430.4 | 471.3 | 512.7 | 553.6 | 656.5 | 758.9 | 861.8 | 964.2 |
| 35° | 342.4 | 351.4 | 360.4 | 400.8 | 441.2 | 481.2 | 521.7 | 629.9 | 738.7 | 847.0 | 955.3 |
| 37.5° | 336.1 | 342.8 | 349.6 | 395.4 | 441.2 | 487.1 | 532.9 | 642.5 | 752.2 | 861.8 | 971.4 |
| 40° | 332.9 | 337.9 | 342.8 | 387.3 | 432.2 | 476.7 | 521.2 | 636.2 | 750.8 | 865.8 | 980.4 |
| 42.5° | 337.0 | 342.8 | 348.2 | 388.7 | 428.7 | 469.1 | 509.1 | 628.1 | 746.8 | 865.8 | 984.5 |
| 45° | 340.6 | 346.9 | 352.7 | 390.5 | 428.2 | 465.9 | 503.7 | 630.8 | 757.6 | 884.7 | 1011.4 |
| 47.5° | 349.1 | 350.5 | 351.4 | 384.2 | 416.5 | 449.3 | 481.7 | 611.1 | 740.5 | 869.4 | 998.8 |
| 50° | 356.3 | 349.6 | 342.4 | 376.5 | 410.2 | 444.4 | 478.1 | 600.7 | 723.4 | 845.6 | 968.3 |
| 52.5° | 345.1 | 334.7 | 324.9 | 361.7 | 398.5 | 434.9 | 471.8 | 594.5 | 717.6 | 840.2 | 962.9 |
| 55° | 328.0 | 317.7 | 307.3 | 344.6 | 381.9 | 419.2 | 456.5 | 578.7 | 701.4 | 823.6 | 945.8 |
| 57.5° | 310.9 | 304.2 | 297.4 | 328.0 | 359.0 | 389.6 | 420.1 | 552.7 | 684.8 | 817.3 | 949.4 |
| 60° | 288.5 | 287.6 | 287.1 | 310.9 | 335.2 | 359.0 | 382.8 | 512.7 | 642.1 | 771.9 | 901.3 |
| 62.5° | 269.1 | 271.4 | 273.2 | 292.5 | 311.8 | 330.7 | 350.0 | 475.4 | 601.2 | 726.6 | 851.9 |
| 65° | 254.3 | 258.8 | 263.3 | 285.3 | 307.3 | 328.9 | 350.9 | 456.1 | 561.2 | 666.3 | 771.5 |
| 67.5° | 236.3 | 241.7 | 247.1 | 275.9 | 304.6 | 333.4 | 362.2 | 448.9 | 535.6 | 622.3 | 709.0 |
| 70° | 215.7 | 221.1 | 226.0 | 262.9 | 299.2 | 336.1 | 372.5 | 449.3 | 526.6 | 603.4 | 680.3 |
| 72.5° | 191.4 | 195.9 | 200.4 | 239.9 | 279.5 | 319.0 | 358.6 | 423.7 | 488.9 | 553.6 | 618.7 |
| 75° | 166.7 | 170.7 | 174.8 | 208.9 | 243.1 | 277.2 | 311.4 | 361.7 | 411.6 | 461.9 | 511.8 |
| 77.5° | 139.3 | 142.9 | 146.0 | 168.9 | 191.9 | 214.8 | 237.7 | 276.3 | 314.5 | 353.2 | 391.4 |
| 80° | 110.5 | 112.3 | 114.1 | 127.6 | 140.6 | 154.1 | 167.1 | 192.8 | 218.4 | 243.5 | 269.1 |
| 82.5° | 80.9 | 80.9 | 80.9 | 89.4 | 98.4 | 106.9 | 115.5 | 128.5 | 141.1 | 154.1 | 166.7 |
| 85° | 47.2 | 45.8 | 44.9 | 50.8 | 56.6 | 62.5 | 68.3 | 73.7 | 79.1 | 84.5 | 89.9 |
| 87.5° | 7.6 | 5.8 | 4.5 | 8.1 | 11.7 | 15.3 | 18.9 | 20.7 | 22.9 | 24.7 | 26.5 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597390
 CATALOG NUMBER: PMM-SA3B-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 220° | 222.5° | 225° | 227.5° | 230° | 232.5° | 235° | 237.5° | 240° | 242.5° | 245° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597390

CATALOG NUMBER: PMM-SA3B-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 247.5° | 250° | 252.5° | 255° | 257.5° | 260° | 262.5° | 265° | 267.5° | 270° | 272.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 |
| 2.5° | 1060.8 | 1046.0 | 1030.7 | 1015.5 | 1037.9 | 1060.4 | 1082.9 | 1105.3 | 1165.1 | 1200.6 | 1202.8 |
| 5° | 1195.2 | 1214.1 | 1232.9 | 1251.8 | 1270.7 | 1289.5 | 1308.0 | 1326.8 | 1423.9 | 1483.7 | 1494.9 |
| 7.5° | 1171.4 | 1202.8 | 1233.8 | 1264.8 | 1318.3 | 1371.8 | 1425.2 | 1478.7 | 1560.9 | 1620.2 | 1659.3 |
| 10° | 1093.6 | 1132.3 | 1170.9 | 1209.6 | 1272.9 | 1336.7 | 1400.1 | 1463.4 | 1550.6 | 1628.8 | 1666.1 |
| 12.5° | 1109.4 | 1170.9 | 1232.0 | 1293.6 | 1348.4 | 1403.7 | 1458.5 | 1513.3 | 1573.5 | 1603.2 | 1671.0 |
| 15° | 1215.4 | 1258.1 | 1300.8 | 1343.5 | 1426.1 | 1508.4 | 1591.0 | 1673.3 | 1707.4 | 1775.3 | 1836.4 |
| 17.5° | 1231.6 | 1309.8 | 1388.4 | 1466.6 | 1567.7 | 1668.8 | 1769.9 | 1871.0 | 1934.3 | 2021.9 | 2095.6 |
| 20° | 1181.3 | 1291.8 | 1402.8 | 1513.3 | 1643.6 | 1774.4 | 1904.7 | 2035.0 | 2115.4 | 2189.1 | 2303.2 |
| 22.5° | 1241.5 | 1363.7 | 1485.5 | 1607.7 | 1780.7 | 1953.2 | 2126.2 | 2298.7 | 2466.8 | 2631.2 | 2708.5 |
| 25° | 1308.0 | 1471.5 | 1634.6 | 1797.7 | 2013.9 | 2229.5 | 2445.6 | 2661.3 | 2877.4 | 3031.6 | 3120.5 |
| 27.5° | 1261.2 | 1425.2 | 1589.7 | 1753.7 | 2021.0 | 2288.8 | 2556.2 | 2823.5 | 3054.9 | 3240.5 | 3316.9 |
| 30° | 1228.4 | 1429.7 | 1631.0 | 1832.3 | 2146.0 | 2459.6 | 2773.2 | 3086.8 | 3300.7 | 3507.8 | 3620.2 |
| 32.5° | 1222.6 | 1481.0 | 1738.9 | 1997.2 | 2362.5 | 2727.4 | 3092.7 | 3457.5 | 3599.5 | 3783.3 | 3934.7 |
| 35° | 1238.8 | 1522.7 | 1806.3 | 2089.8 | 2508.6 | 2927.3 | 3345.6 | 3764.4 | 3966.1 | 4148.1 | 4280.7 |
| 37.5° | 1288.2 | 1605.0 | 1921.3 | 2238.1 | 2742.6 | 3247.7 | 3752.3 | 4256.9 | 4595.2 | 4928.1 | 4987.5 |
| 40° | 1316.1 | 1652.1 | 1987.8 | 2323.4 | 2910.2 | 3497.1 | 4083.9 | 4670.7 | 5059.8 | 5425.1 | 5449.8 |
| 42.5° | 1348.9 | 1713.3 | 2077.2 | 2441.6 | 3092.2 | 3743.3 | 4393.9 | 5044.5 | 5526.2 | 5918.9 | 5930.6 |
| 45° | 1386.6 | 1761.3 | 2136.5 | 2511.2 | 3190.6 | 3869.5 | 4548.9 | 5227.8 | 5810.2 | 6287.3 | 6171.0 |
| 47.5° | 1401.4 | 1804.5 | 2207.1 | 2609.7 | 3334.0 | 4057.8 | 4782.1 | 5506.0 | 6028.5 | 6462.6 | 6351.1 |
| 50° | 1407.3 | 1846.7 | 2285.7 | 2724.7 | 3475.0 | 4225.9 | 4976.2 | 5726.6 | 6258.1 | 6681.4 | 6510.6 |
| 52.5° | 1443.7 | 1924.4 | 2405.2 | 2886.0 | 3667.8 | 4449.6 | 5231.4 | 6013.2 | 6536.3 | 6942.9 | 6730.8 |
| 55° | 1492.6 | 2039.5 | 2585.8 | 3132.7 | 3941.9 | 4750.7 | 5559.9 | 6368.7 | 6893.5 | 7271.8 | 7008.9 |
| 57.5° | 1538.0 | 2127.1 | 2715.7 | 3304.3 | 4142.7 | 4981.6 | 5820.0 | 6658.5 | 7190.0 | 7564.3 | 7309.5 |
| 60° | 1516.0 | 2130.7 | 2745.3 | 3360.0 | 4184.1 | 5007.7 | 5831.7 | 6655.3 | 7258.8 | 7707.6 | 7577.3 |
| 62.5° | 1449.5 | 2047.1 | 2644.2 | 3241.8 | 4024.1 | 4805.9 | 5588.2 | 6370.0 | 7076.3 | 7651.9 | 7646.1 |
| 65° | 1321.4 | 1871.4 | 2420.9 | 2970.9 | 3694.8 | 4419.1 | 5142.9 | 5866.8 | 6699.4 | 7398.5 | 7443.9 |
| 67.5° | 1165.5 | 1622.0 | 2078.6 | 2535.1 | 3216.7 | 3898.3 | 4579.9 | 5261.5 | 6151.6 | 6923.1 | 6962.2 |
| 70° | 1014.6 | 1349.3 | 1683.6 | 2017.9 | 2616.4 | 3214.9 | 3812.9 | 4411.4 | 5310.5 | 6091.0 | 6126.9 |
| 72.5° | 837.5 | 1056.4 | 1274.7 | 1493.5 | 1978.4 | 2463.2 | 2947.5 | 3432.4 | 4221.8 | 4822.1 | 5024.7 |
| 75° | 641.6 | 771.5 | 901.3 | 1031.2 | 1423.4 | 1815.7 | 2207.5 | 2599.8 | 3124.6 | 3567.6 | 3795.9 |
| 77.5° | 458.8 | 526.2 | 593.6 | 660.9 | 994.3 | 1327.7 | 1660.7 | 1994.1 | 2270.0 | 2521.1 | 2675.3 |
| 80° | 301.0 | 332.5 | 364.4 | 395.9 | 673.1 | 950.3 | 1227.1 | 1504.3 | 1672.4 | 1807.2 | 1884.9 |
| 82.5° | 182.4 | 198.2 | 213.4 | 229.2 | 453.8 | 678.5 | 902.7 | 1127.3 | 1223.5 | 1287.8 | 1356.9 |
| 85° | 98.4 | 106.9 | 115.5 | 124.0 | 268.2 | 412.0 | 556.3 | 700.0 | 709.5 | 717.1 | 820.0 |
| 87.5° | 28.8 | 31.5 | 33.7 | 35.9 | 59.3 | 83.1 | 106.5 | 129.9 | 80.9 | 50.3 | 103.3 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597390
 CATALOG NUMBER: PMM-SA3B-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 247.5° | 250° | 252.5° | 255° | 257.5° | 260° | 262.5° | 265° | 267.5° | 270° | 272.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597390

CATALOG NUMBER: PMM-SA3B-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 275° | 277.5° | 280° | 282.5° | 285° | 287.5° | 290° | 292.5° | 295° | 297.5° | 300° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 |
| 2.5° | 1189.8 | 1184.0 | 1178.1 | 1171.8 | 1166.0 | 1141.3 | 1117.0 | 1092.3 | 1067.6 | 1091.4 | 1114.8 |
| 5° | 1481.9 | 1499.8 | 1517.4 | 1535.3 | 1553.3 | 1554.6 | 1555.5 | 1556.9 | 1557.8 | 1562.3 | 1566.8 |
| 7.5° | 1692.1 | 1724.0 | 1755.5 | 1787.4 | 1819.3 | 1844.0 | 1868.7 | 1893.9 | 1918.6 | 1896.1 | 1873.7 |
| 10° | 1710.1 | 1777.5 | 1844.9 | 1912.3 | 1979.7 | 1991.8 | 2003.5 | 2015.6 | 2027.8 | 2044.0 | 2059.7 |
| 12.5° | 1728.1 | 1810.3 | 1892.1 | 1974.3 | 2056.5 | 2092.5 | 2128.0 | 2163.9 | 2199.4 | 2216.9 | 2234.0 |
| 15° | 1918.1 | 1966.7 | 2014.8 | 2063.3 | 2111.4 | 2136.1 | 2160.3 | 2185.0 | 2209.8 | 2224.6 | 2239.0 |
| 17.5° | 2162.6 | 2180.5 | 2198.1 | 2216.0 | 2234.0 | 2250.6 | 2267.3 | 2283.9 | 2300.5 | 2303.2 | 2305.9 |
| 20° | 2385.4 | 2389.0 | 2392.2 | 2395.8 | 2398.9 | 2363.9 | 2329.3 | 2294.2 | 2259.2 | 2265.5 | 2271.3 |
| 22.5° | 2719.7 | 2700.0 | 2680.6 | 2660.9 | 2641.6 | 2575.5 | 2509.9 | 2443.9 | 2378.3 | 2349.9 | 2322.1 |
| 25° | 3223.0 | 3172.6 | 3122.3 | 3072.0 | 3021.7 | 2916.5 | 2811.8 | 2706.7 | 2602.0 | 2540.5 | 2479.3 |
| 27.5° | 3385.2 | 3275.5 | 3166.4 | 3056.7 | 2947.1 | 2867.6 | 2788.5 | 2708.9 | 2629.9 | 2532.4 | 2434.9 |
| 30° | 3713.2 | 3540.2 | 3367.7 | 3194.7 | 3021.7 | 2944.8 | 2868.0 | 2790.7 | 2713.9 | 2614.1 | 2514.8 |
| 32.5° | 4003.9 | 3824.2 | 3644.4 | 3464.3 | 3284.5 | 3138.9 | 2993.4 | 2847.8 | 2702.2 | 2634.8 | 2567.4 |
| 35° | 4340.4 | 4114.4 | 3888.4 | 3662.4 | 3436.4 | 3311.5 | 3187.0 | 3062.1 | 2937.7 | 2835.7 | 2734.1 |
| 37.5° | 4830.6 | 4590.3 | 4349.9 | 4109.0 | 3868.6 | 3699.7 | 3531.2 | 3362.3 | 3193.8 | 3137.6 | 3081.9 |
| 40° | 5297.9 | 5014.0 | 4730.4 | 4446.5 | 4162.9 | 4033.5 | 3904.1 | 3774.3 | 3644.9 | 3550.1 | 3455.3 |
| 42.5° | 5689.3 | 5408.5 | 5128.1 | 4847.3 | 4566.9 | 4472.5 | 4378.6 | 4284.3 | 4190.4 | 4112.2 | 4034.0 |
| 45° | 5823.6 | 5594.5 | 5365.8 | 5136.6 | 4907.5 | 4874.2 | 4841.4 | 4808.2 | 4775.4 | 4717.4 | 4659.4 |
| 47.5° | 6039.8 | 5806.1 | 5572.9 | 5339.3 | 5105.6 | 5117.8 | 5129.9 | 5142.5 | 5154.6 | 5157.7 | 5160.4 |
| 50° | 6166.9 | 5945.0 | 5723.4 | 5501.5 | 5280.0 | 5338.8 | 5397.2 | 5456.1 | 5515.0 | 5648.4 | 5781.4 |
| 52.5° | 6352.5 | 6134.6 | 5917.1 | 5699.2 | 5481.3 | 5581.0 | 5680.3 | 5780.1 | 5879.4 | 6066.3 | 6253.2 |
| 55° | 6585.2 | 6376.7 | 6168.7 | 5960.2 | 5752.2 | 5849.2 | 5945.9 | 6042.9 | 6139.5 | 6347.5 | 6555.6 |
| 57.5° | 6893.9 | 6670.6 | 6447.7 | 6224.4 | 6001.6 | 6091.0 | 6179.9 | 6269.4 | 6358.3 | 6556.0 | 6753.7 |
| 60° | 7245.3 | 7002.7 | 6760.0 | 6516.9 | 6274.3 | 6299.0 | 6323.3 | 6348.0 | 6372.3 | 6586.6 | 6800.5 |
| 62.5° | 7417.8 | 7193.2 | 6969.0 | 6744.3 | 6519.6 | 6450.9 | 6382.1 | 6312.9 | 6244.2 | 6436.1 | 6627.5 |
| 65° | 7268.2 | 7113.6 | 6959.5 | 6805.0 | 6650.4 | 6529.1 | 6408.2 | 6286.9 | 6165.6 | 6285.5 | 6405.1 |
| 67.5° | 6791.9 | 6704.3 | 6617.1 | 6529.5 | 6441.9 | 6238.4 | 6034.8 | 5830.8 | 5627.3 | 5635.4 | 5643.0 |
| 70° | 6020.0 | 5996.6 | 5973.7 | 5950.3 | 5927.0 | 5621.0 | 5315.5 | 5009.5 | 4703.5 | 4656.8 | 4610.0 |
| 72.5° | 5041.8 | 5057.1 | 5071.9 | 5087.2 | 5102.5 | 4773.6 | 4444.7 | 4115.8 | 3786.9 | 3709.1 | 3631.4 |
| 75° | 3905.0 | 3989.5 | 4074.0 | 4158.9 | 4243.4 | 3928.9 | 3614.3 | 3299.4 | 2984.8 | 2889.1 | 2793.4 |
| 77.5° | 2759.3 | 2917.0 | 3074.2 | 3232.0 | 3389.7 | 3105.3 | 2821.3 | 2536.9 | 2252.4 | 2190.4 | 2128.4 |
| 80° | 1924.0 | 2001.3 | 2078.6 | 2155.8 | 2233.1 | 2090.2 | 1947.4 | 1804.5 | 1661.6 | 1678.7 | 1695.3 |
| 82.5° | 1401.4 | 1419.4 | 1436.9 | 1454.9 | 1472.9 | 1414.5 | 1356.0 | 1297.2 | 1238.8 | 1283.3 | 1327.7 |
| 85° | 897.7 | 962.0 | 1025.8 | 1090.1 | 1153.9 | 1089.2 | 1024.4 | 959.3 | 894.6 | 924.3 | 953.9 |
| 87.5° | 200.8 | 317.7 | 434.5 | 551.8 | 668.6 | 605.7 | 543.2 | 480.3 | 417.4 | 389.1 | 361.3 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597390
 CATALOG NUMBER: PMM-SA3B-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 275° | 277.5° | 280° | 282.5° | 285° | 287.5° | 290° | 292.5° | 295° | 297.5° | 300° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597390

CATALOG NUMBER: PMM-SA3B-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 302.5° | 305° | 307.5° | 310° | 312.5° | 315° | 317.5° | 320° | 322.5° | 325° | 327.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 |
| 2.5° | 1138.6 | 1162.4 | 1155.2 | 1148.5 | 1141.3 | 1134.1 | 1147.1 | 1160.1 | 1173.6 | 1186.7 | 1182.2 |
| 5° | 1571.7 | 1576.2 | 1533.5 | 1491.3 | 1448.6 | 1405.9 | 1432.4 | 1458.9 | 1485.5 | 1512.0 | 1502.5 |
| 7.5° | 1851.2 | 1828.7 | 1804.0 | 1779.3 | 1754.1 | 1729.4 | 1724.0 | 1718.6 | 1712.8 | 1707.4 | 1700.2 |
| 10° | 2075.9 | 2091.6 | 2075.4 | 2059.7 | 2043.5 | 2027.3 | 1989.6 | 1951.8 | 1913.7 | 1875.9 | 1860.2 |
| 12.5° | 2251.5 | 2269.1 | 2273.1 | 2276.7 | 2280.7 | 2284.8 | 2242.6 | 2200.8 | 2158.5 | 2116.3 | 2078.1 |
| 15° | 2253.8 | 2268.6 | 2281.6 | 2294.2 | 2307.3 | 2319.8 | 2293.8 | 2268.2 | 2242.1 | 2216.0 | 2203.9 |
| 17.5° | 2309.1 | 2311.8 | 2301.0 | 2290.6 | 2279.8 | 2269.5 | 2259.2 | 2249.3 | 2239.0 | 2229.1 | 2209.8 |
| 20° | 2277.6 | 2283.9 | 2282.5 | 2281.2 | 2279.4 | 2278.1 | 2279.0 | 2279.4 | 2280.3 | 2280.7 | 2270.0 |
| 22.5° | 2293.8 | 2265.5 | 2271.3 | 2276.7 | 2282.5 | 2287.9 | 2304.1 | 2320.3 | 2336.9 | 2353.1 | 2396.2 |
| 25° | 2417.8 | 2356.2 | 2346.8 | 2337.8 | 2328.4 | 2319.4 | 2361.6 | 2403.4 | 2445.6 | 2487.9 | 2558.0 |
| 27.5° | 2336.9 | 2239.4 | 2217.8 | 2196.3 | 2174.7 | 2153.1 | 2217.4 | 2281.2 | 2345.5 | 2409.7 | 2481.1 |
| 30° | 2415.1 | 2315.8 | 2268.2 | 2220.5 | 2172.5 | 2124.8 | 2186.4 | 2247.5 | 2309.1 | 2370.2 | 2449.2 |
| 32.5° | 2500.0 | 2432.6 | 2400.7 | 2369.3 | 2337.4 | 2305.9 | 2310.9 | 2315.8 | 2320.7 | 2325.7 | 2437.1 |
| 35° | 2632.1 | 2530.1 | 2498.7 | 2467.2 | 2435.8 | 2404.3 | 2456.9 | 2509.0 | 2561.6 | 2613.7 | 2708.1 |
| 37.5° | 3025.7 | 2969.6 | 2912.9 | 2856.3 | 2799.3 | 2742.6 | 2773.7 | 2804.7 | 2835.7 | 2866.7 | 2955.6 |
| 40° | 3360.5 | 3265.7 | 3256.2 | 3247.2 | 3237.8 | 3228.4 | 3231.1 | 3233.3 | 3236.0 | 3238.7 | 3314.6 |
| 42.5° | 3955.4 | 3877.2 | 3829.1 | 3781.0 | 3732.9 | 3684.9 | 3681.7 | 3678.6 | 3675.0 | 3671.8 | 3728.9 |
| 45° | 4601.0 | 4543.1 | 4507.1 | 4471.2 | 4434.8 | 4398.8 | 4341.8 | 4284.7 | 4227.2 | 4170.1 | 4220.0 |
| 47.5° | 5163.6 | 5166.7 | 5231.9 | 5296.6 | 5361.7 | 5426.9 | 5329.4 | 5231.9 | 5134.4 | 5036.9 | 4972.6 |
| 50° | 5914.8 | 6047.8 | 6063.6 | 6078.8 | 6094.6 | 6110.3 | 5945.0 | 5780.1 | 5614.7 | 5449.4 | 5382.0 |
| 52.5° | 6440.6 | 6627.5 | 6603.2 | 6579.4 | 6555.1 | 6530.9 | 6435.2 | 6339.9 | 6244.2 | 6148.5 | 6001.6 |
| 55° | 6764.1 | 6972.1 | 6953.7 | 6935.7 | 6917.3 | 6898.9 | 6829.2 | 6759.6 | 6689.9 | 6620.3 | 6459.0 |
| 57.5° | 6951.4 | 7149.1 | 7154.5 | 7159.9 | 7165.3 | 7170.7 | 7152.3 | 7133.9 | 7115.4 | 7097.0 | 6887.2 |
| 60° | 7014.8 | 7229.1 | 7231.4 | 7233.2 | 7235.4 | 7237.2 | 7208.0 | 7178.8 | 7149.1 | 7119.9 | 6982.9 |
| 62.5° | 6819.3 | 7010.7 | 7019.3 | 7027.4 | 7035.9 | 7044.4 | 7024.2 | 7004.0 | 6983.8 | 6963.6 | 6862.0 |
| 65° | 6525.0 | 6645.0 | 6647.2 | 6649.0 | 6651.3 | 6653.5 | 6602.3 | 6551.5 | 6500.3 | 6449.1 | 6424.8 |
| 67.5° | 5651.1 | 5659.2 | 5706.8 | 5754.4 | 5802.1 | 5849.7 | 5853.7 | 5857.8 | 5862.3 | 5866.3 | 5831.3 |
| 70° | 4563.3 | 4516.6 | 4568.2 | 4619.9 | 4671.6 | 4723.3 | 4745.3 | 4767.3 | 4789.8 | 4811.8 | 4827.9 |
| 72.5° | 3553.2 | 3475.5 | 3513.7 | 3551.9 | 3590.5 | 3628.7 | 3595.9 | 3563.1 | 3530.3 | 3497.5 | 3601.3 |
| 75° | 2697.7 | 2602.0 | 2597.1 | 2592.6 | 2587.6 | 2583.1 | 2566.5 | 2549.9 | 2532.8 | 2516.2 | 2613.2 |
| 77.5° | 2066.0 | 2004.0 | 2007.1 | 2009.8 | 2013.0 | 2015.6 | 1998.6 | 1982.0 | 1964.9 | 1947.8 | 1985.1 |
| 80° | 1712.4 | 1729.0 | 1729.4 | 1729.9 | 1730.3 | 1730.8 | 1714.6 | 1698.9 | 1682.7 | 1666.5 | 1639.6 |
| 82.5° | 1372.7 | 1417.2 | 1416.7 | 1416.7 | 1416.3 | 1415.8 | 1414.9 | 1414.0 | 1412.7 | 1411.8 | 1367.7 |
| 85° | 983.6 | 1013.2 | 982.7 | 952.1 | 921.6 | 891.0 | 913.5 | 935.9 | 958.8 | 981.3 | 962.9 |
| 87.5° | 332.9 | 305.1 | 268.7 | 232.7 | 196.4 | 160.0 | 199.0 | 238.1 | 277.7 | 316.8 | 339.2 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597390
 CATALOG NUMBER: PMM-SA3B-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 302.5° | 305° | 307.5° | 310° | 312.5° | 315° | 317.5° | 320° | 322.5° | 325° | 327.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597390

CATALOG NUMBER: PMM-SA3B-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 330° | 332.5° | 335° | 337.5° | 340° | 342.5° | 345° | 347.5° | 350° | 352.5° | 355° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 | 976.4 |
| 2.5° | 1178.1 | 1173.6 | 1169.6 | 1141.3 | 1112.5 | 1084.2 | 1055.5 | 1107.6 | 1160.1 | 1212.3 | 1264.4 |
| 5° | 1493.5 | 1484.1 | 1475.1 | 1472.9 | 1470.6 | 1467.9 | 1465.7 | 1492.2 | 1518.7 | 1544.8 | 1571.3 |
| 7.5° | 1693.0 | 1685.8 | 1678.7 | 1659.8 | 1641.4 | 1622.5 | 1603.6 | 1619.8 | 1635.5 | 1651.7 | 1667.4 |
| 10° | 1844.9 | 1829.2 | 1813.5 | 1772.6 | 1732.1 | 1691.2 | 1650.4 | 1638.2 | 1626.1 | 1614.0 | 1601.8 |
| 12.5° | 2039.9 | 2001.3 | 1963.1 | 1916.8 | 1870.1 | 1823.8 | 1777.1 | 1770.8 | 1764.5 | 1758.6 | 1752.3 |
| 15° | 2192.2 | 2180.1 | 2168.0 | 2131.1 | 2094.3 | 2057.4 | 2020.6 | 1971.2 | 1921.3 | 1871.9 | 1822.4 |
| 17.5° | 2190.9 | 2171.6 | 2152.7 | 2202.1 | 2251.1 | 2300.5 | 2349.5 | 2296.9 | 2243.9 | 2191.3 | 2138.8 |
| 20° | 2259.2 | 2247.9 | 2237.2 | 2328.4 | 2419.1 | 2510.4 | 2601.1 | 2572.4 | 2543.2 | 2514.4 | 2485.2 |
| 22.5° | 2438.9 | 2482.0 | 2524.7 | 2602.9 | 2680.6 | 2758.8 | 2836.6 | 2869.4 | 2902.2 | 2935.0 | 2967.8 |
| 25° | 2627.6 | 2697.7 | 2767.8 | 2884.2 | 3000.1 | 3116.5 | 3232.9 | 3256.2 | 3279.6 | 3303.0 | 3326.3 |
| 27.5° | 2552.1 | 2623.6 | 2695.0 | 2783.1 | 2870.7 | 2958.8 | 3046.4 | 3148.8 | 3251.7 | 3354.2 | 3456.6 |
| 30° | 2527.9 | 2607.0 | 2685.6 | 2806.5 | 2926.9 | 3047.7 | 3168.6 | 3309.7 | 3450.8 | 3591.4 | 3732.5 |
| 32.5° | 2548.1 | 2659.5 | 2771.0 | 2934.5 | 3097.6 | 3261.2 | 3424.7 | 3573.0 | 3721.7 | 3870.0 | 4018.3 |
| 35° | 2802.0 | 2896.3 | 2990.2 | 3173.1 | 3356.0 | 3538.8 | 3721.7 | 3895.6 | 4069.5 | 4242.9 | 4416.8 |
| 37.5° | 3044.1 | 3133.1 | 3222.1 | 3409.0 | 3595.5 | 3782.4 | 3969.3 | 4243.8 | 4518.8 | 4793.3 | 5067.9 |
| 40° | 3390.1 | 3466.1 | 3541.5 | 3701.5 | 3861.5 | 4021.4 | 4181.4 | 4512.5 | 4843.7 | 5174.8 | 5506.0 |
| 42.5° | 3785.5 | 3842.6 | 3899.2 | 4065.0 | 4230.8 | 4396.6 | 4562.4 | 4922.7 | 5283.6 | 5643.9 | 6004.3 |
| 45° | 4269.4 | 4319.3 | 4369.2 | 4483.3 | 4597.4 | 4712.0 | 4826.1 | 5197.7 | 5569.3 | 5940.9 | 6312.5 |
| 47.5° | 4908.4 | 4844.1 | 4779.9 | 4836.0 | 4892.2 | 4948.4 | 5004.5 | 5372.1 | 5739.6 | 6106.7 | 6474.3 |
| 50° | 5314.6 | 5247.2 | 5179.8 | 5184.7 | 5189.2 | 5194.1 | 5199.1 | 5541.9 | 5884.7 | 6227.1 | 6570.0 |
| 52.5° | 5854.6 | 5707.3 | 5560.3 | 5559.0 | 5557.6 | 5555.8 | 5554.5 | 5853.3 | 6152.5 | 6451.3 | 6750.1 |
| 55° | 6297.7 | 6136.4 | 5975.1 | 5943.6 | 5912.2 | 5880.2 | 5848.8 | 6144.5 | 6439.7 | 6735.3 | 7030.5 |
| 57.5° | 6677.3 | 6467.1 | 6257.2 | 6207.8 | 6158.4 | 6109.0 | 6059.5 | 6378.1 | 6697.1 | 7015.7 | 7334.2 |
| 60° | 6846.3 | 6709.2 | 6572.7 | 6512.0 | 6451.3 | 6390.7 | 6330.0 | 6601.4 | 6872.8 | 7143.7 | 7415.1 |
| 62.5° | 6760.9 | 6659.4 | 6558.3 | 6572.2 | 6586.1 | 6600.1 | 6614.0 | 6769.0 | 6924.5 | 7079.5 | 7234.5 |
| 65° | 6401.0 | 6376.7 | 6352.9 | 6465.3 | 6577.6 | 6689.9 | 6802.3 | 6804.5 | 6806.7 | 6809.0 | 6811.2 |
| 67.5° | 5796.2 | 5761.2 | 5726.1 | 5959.8 | 6193.0 | 6426.6 | 6660.3 | 6549.3 | 6438.3 | 6327.8 | 6216.8 |
| 70° | 4843.7 | 4859.8 | 4875.6 | 5193.7 | 5511.4 | 5829.5 | 6147.6 | 5986.7 | 5825.4 | 5664.6 | 5503.3 |
| 72.5° | 3705.1 | 3809.3 | 3913.1 | 4242.9 | 4572.7 | 4902.5 | 5232.3 | 5048.6 | 4864.3 | 4680.6 | 4496.3 |
| 75° | 2710.3 | 2807.4 | 2904.4 | 3230.2 | 3555.9 | 3882.1 | 4207.9 | 3989.5 | 3771.1 | 3553.2 | 3334.9 |
| 77.5° | 2022.4 | 2060.1 | 2097.4 | 2368.4 | 2638.9 | 2909.8 | 3180.3 | 2961.0 | 2741.8 | 2522.9 | 2303.7 |
| 80° | 1613.1 | 1586.1 | 1559.6 | 1709.7 | 1859.7 | 2009.8 | 2159.9 | 2004.4 | 1848.5 | 1693.0 | 1537.6 |
| 82.5° | 1324.1 | 1280.1 | 1236.5 | 1292.2 | 1348.0 | 1404.1 | 1459.8 | 1335.4 | 1210.9 | 1086.5 | 962.0 |
| 85° | 944.5 | 926.0 | 907.6 | 923.8 | 939.5 | 955.7 | 971.9 | 850.6 | 729.2 | 608.4 | 487.1 |
| 87.5° | 361.3 | 383.7 | 406.2 | 431.8 | 457.0 | 482.6 | 507.7 | 397.6 | 287.6 | 177.9 | 67.8 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597390
 CATALOG NUMBER: PMM-SA3B-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 330° | 332.5° | 335° | 337.5° | 340° | 342.5° | 345° | 347.5° | 350° | 352.5° | 355° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597390
 CATALOG NUMBER: PMM-SA3B-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 357.5° | 360° |
|--------|--------|--------|
| 0° | 976.4 | 976.4 |
| 2.5° | 1286.0 | 1307.5 |
| 5° | 1570.8 | 1570.4 |
| 7.5° | 1660.2 | 1652.6 |
| 10° | 1582.1 | 1562.3 |
| 12.5° | 1693.9 | 1635.1 |
| 15° | 1764.0 | 1705.2 |
| 17.5° | 2050.2 | 1961.3 |
| 20° | 2379.6 | 2273.6 |
| 22.5° | 2806.5 | 2645.1 |
| 25° | 3133.6 | 2940.3 |
| 27.5° | 3342.0 | 3227.0 |
| 30° | 3600.8 | 3469.2 |
| 32.5° | 3921.2 | 3823.7 |
| 35° | 4327.8 | 4238.4 |
| 37.5° | 5040.0 | 5011.7 |
| 40° | 5472.3 | 5438.1 |
| 42.5° | 6005.6 | 6006.5 |
| 45° | 6332.7 | 6352.9 |
| 47.5° | 6525.5 | 6576.2 |
| 50° | 6679.1 | 6787.9 |
| 52.5° | 6898.9 | 7047.6 |
| 55° | 7228.2 | 7425.5 |
| 57.5° | 7502.3 | 7670.3 |
| 60° | 7502.3 | 7589.0 |
| 62.5° | 7232.3 | 7229.6 |
| 65° | 6769.5 | 6727.2 |
| 67.5° | 6163.8 | 6110.8 |
| 70° | 5420.6 | 5337.5 |
| 72.5° | 4393.5 | 4290.1 |
| 75° | 3193.3 | 3051.3 |
| 77.5° | 2236.3 | 2168.4 |
| 80° | 1570.4 | 1603.2 |
| 82.5° | 1008.7 | 1055.5 |
| 85° | 479.9 | 472.7 |
| 87.5° | 56.6 | 45.4 |
| 90° | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 |



REPORT NUMBER: P597390
CATALOG NUMBER: PMM-SA3B-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 357.5° | 360° |
|--------|--------|------|
| 112.5° | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 |

(END OF REPORT)