

Scaled data based on original data using
LM-79-08 Approved Method: Electrical and Photometric Measurements of Solid-
State Lighting Products

Test Report Prepared for
Cooper Lighting Solutions
(formerly Eaton)

Brand: STREETWORKS

Report Number: P597434

Luminaire Tested: **PMM-SA3D-722-U-SLR**

Issue Date: 5/27/2021

Test Information

Test Method: LM-79-08
Report Number: P597434
TEST IS SCALED FROM IESNA LM-79-08 TEST DATA (G2-1910-543-24)
Test Lab: INNOVATIONS CENTER
Issue Date: 5/27/2021
Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)
Product Line: STREETWORKS
Catalog Number: PMM-SA3D-722-U-SLR
Description: MESA POST TOP DECORATIVE LUMINAIRE. (3) LIGHTSQUARES WITH 16 LEDS EACH AND SPILL LIGHT ELIMINATOR RIGHT OPTICS.
Light Source: -
Ballast/Driver: ELECTRONIC DRIVER

Summary

Lumens per Lamp: N/A
Luminaire Lumens: 12535 lumens
Efficiency: N/A
Efficacy: 65.3 lumens/watt
Luminous Opening: Rectangular (W 1' x L: 1' x H: 0')
IES Classification: Type IV - Short
BUG Rating: B2 - U0 - G3


Input Watts (W): 192
Input Voltage (V): NR
Input Current (Ain): NR
Voltage Rise (V): NR
Power Factor: NR
Total Harmonic Distortion (THDi): NR
Frequency (hertz): 60
Stabilization Time: NR
Operation Time: NR
Ambient Temperature (°C): NR
Test Distance: 28.75 FT



REPORT NUMBER: P597434
 CATALOG NUMBER: PMM-SA3D-722-U-SLR

Iso-Footcandle Lines of Horizontal Illumination


× Max cd
 - - - 1/2 Max cd



Based on 20 foot mounting height. Maximum calculated value = 8.3 fc
 Type IV - Short - N/A

REPORT NUMBER: P597434
CATALOG NUMBER: PMM-SA3D-722-U-SLR

Luminous Intensity Polar Plot



REPORT NUMBER: P597434

CATALOG NUMBER: PMM-SA3D-722-U-SLR


FLUX DISTRIBUTION:

| | | Downward | Upward | Total |
|--------------------|-----------|----------|--------|---------|
| House Side | Lumens | 2427.8 | 0.0 | 2427.8 |
| | % Fixture | 19.4 | 0.0 | 19.4 |
| Street Side | Lumens | 10107.2 | 0.0 | 10107.2 |
| | % Fixture | 80.6 | 0.0 | 80.6 |
| Total | Lumens | 12535.0 | 0.0 | 12535.0 |
| | % Fixture | 100.0 | 0.0 | 100.0 |

ZONAL LUMENS:

| Zone | Lumens | % Fixture |
|-----------|---------|-----------|
| 0°-10° | 151.6 | 1.2 |
| 10°-20° | 440.4 | 3.5 |
| 20°-30° | 777.5 | 6.2 |
| 30°-40° | 1211.0 | 9.7 |
| 40°-50° | 1993.7 | 15.9 |
| 50°-60° | 2845.6 | 22.7 |
| 60°-70° | 3017.4 | 24.1 |
| 70°-80° | 1666.6 | 13.3 |
| 80°-90° | 431.2 | 3.4 |
| 90°-100° | 0.0 | 0.0 |
| 100°-110° | 0.0 | 0.0 |
| 110°-120° | 0.0 | 0.0 |
| 120°-130° | 0.0 | 0.0 |
| 130°-140° | 0.0 | 0.0 |
| 140°-150° | 0.0 | 0.0 |
| 150°-160° | 0.0 | 0.0 |
| 160°-170° | 0.0 | 0.0 |
| 170°-180° | 0.0 | 0.0 |
| 0°-90° | 12535.0 | 100.0 |
| 0°-180° | 12535.0 | 100.0 |

Coefficient of Utilization




REPORT NUMBER: P597434
 CATALOG NUMBER: PMM-SA3D-722-U-SLR

LUMINAIRE CLASSIFICATION SYSTEM LUMEN TABLE AND BUG RATING:

| Zone | Lumens | % Fixture | Zone Rating/Lumen Limit | | |
|----------------|--------|-----------|-------------------------|------|---------|
| | | | B | U | G |
| FL (0°-30°) | 959.1 | 7.7 | | | |
| FM (30°-60°) | 4859.4 | 38.8 | | | |
| FH (60°-80°) | 3922.2 | 31.3 | | | G2/5000 |
| FVH (80°-90°) | 366.5 | 2.9 | | | G3/500 |
| BL (0°-30°) | 410.4 | 3.3 | B1/500 | | |
| BM (30°-60°) | 1190.9 | 9.5 | B2/2500 | | |
| BH (60°-80°) | 761.8 | 6.1 | B2/1000 | | G2/1000 |
| BVH (80°-90°) | 64.7 | 0.5 | | | G1/100 |
| UL (90°-100°) | 0.0 | 0.0 | | U0/0 | |
| UH (100°-180°) | 0.0 | 0.0 | | U0/0 | |

BUG Rating: B2-U0-G3

Type IV Short





REPORT NUMBER: P597434

CATALOG NUMBER: PMM-SA3D-722-U-SLR

CANDELA DISTRIBUTION (FULL):

| | 0° | 2.5° | 5° | 7.5° | 10° | 12.5° | 15° | 17.5° | 20° | 22.5° | 25° |
|--------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 |
| 2.5° | 1770.5 | 1781.5 | 1791.8 | 1771.1 | 1750.4 | 1729.2 | 1708.5 | 1677.4 | 1645.8 | 1614.8 | 1583.1 |
| 5° | 2126.5 | 2086.3 | 2045.5 | 2029.1 | 2013.3 | 1996.9 | 1980.4 | 1965.2 | 1950.0 | 1934.2 | 1919.0 |
| 7.5° | 2237.8 | 2180.6 | 2122.8 | 2098.5 | 2074.1 | 2049.2 | 2024.9 | 1970.1 | 1915.3 | 1860.0 | 1805.2 |
| 10° | 2115.5 | 2055.9 | 1995.6 | 1971.9 | 1947.6 | 1923.9 | 1899.5 | 1832.6 | 1766.3 | 1699.3 | 1632.4 |
| 12.5° | 2214.1 | 2153.2 | 2091.8 | 2016.3 | 1940.9 | 1864.8 | 1789.4 | 1752.3 | 1715.2 | 1677.4 | 1640.3 |
| 15° | 2309.0 | 2226.8 | 2144.1 | 2068.7 | 1993.2 | 1917.2 | 1841.7 | 1767.5 | 1693.3 | 1619.0 | 1544.8 |
| 17.5° | 2655.8 | 2518.9 | 2382.0 | 2245.7 | 2108.8 | 1972.5 | 1835.6 | 1749.8 | 1663.4 | 1577.7 | 1491.3 |
| 20° | 3078.6 | 2888.2 | 2697.2 | 2490.3 | 2282.8 | 2076.0 | 1868.5 | 1760.2 | 1652.5 | 1544.2 | 1435.9 |
| 22.5° | 3581.8 | 3341.5 | 3101.2 | 2840.1 | 2579.1 | 2317.5 | 2056.5 | 1899.5 | 1742.5 | 1585.0 | 1428.0 |
| 25° | 3981.6 | 3750.4 | 3519.2 | 3188.2 | 2857.2 | 2526.2 | 2195.2 | 2016.9 | 1838.7 | 1659.8 | 1481.5 |
| 27.5° | 4369.7 | 4001.6 | 3632.9 | 3253.9 | 2875.4 | 2496.4 | 2117.3 | 1952.4 | 1787.6 | 1622.7 | 1457.8 |
| 30° | 4697.7 | 4405.6 | 4113.6 | 3618.9 | 3124.3 | 2629.0 | 2134.4 | 1931.8 | 1729.2 | 1526.5 | 1323.9 |
| 32.5° | 5177.7 | 4761.0 | 4343.6 | 3827.6 | 3311.7 | 2795.7 | 2279.8 | 2020.6 | 1761.4 | 1502.2 | 1243.0 |
| 35° | 5739.3 | 5306.1 | 4872.9 | 4234.7 | 3597.0 | 2958.8 | 2320.5 | 2046.1 | 1771.1 | 1496.7 | 1221.7 |
| 37.5° | 6786.4 | 6022.8 | 5258.7 | 4562.0 | 3865.3 | 3168.1 | 2471.4 | 2152.6 | 1833.8 | 1514.4 | 1195.6 |
| 40° | 7363.8 | 6658.0 | 5952.3 | 5084.0 | 4215.8 | 3347.0 | 2478.7 | 2152.6 | 1825.9 | 1499.8 | 1173.1 |
| 42.5° | 8133.5 | 7240.9 | 6347.7 | 5408.9 | 4470.7 | 3531.9 | 2593.1 | 2231.7 | 1870.3 | 1508.3 | 1146.9 |
| 45° | 8602.6 | 7607.8 | 6612.4 | 5609.1 | 4605.8 | 3602.5 | 2599.2 | 2232.3 | 1865.4 | 1498.6 | 1131.7 |
| 47.5° | 8905.0 | 7949.7 | 6993.9 | 5913.9 | 4834.0 | 3753.4 | 2673.4 | 2284.0 | 1894.0 | 1504.6 | 1114.6 |
| 50° | 9191.5 | 8245.4 | 7298.7 | 6177.4 | 5056.7 | 3935.3 | 2814.0 | 2388.7 | 1963.4 | 1537.5 | 1112.2 |
| 52.5° | 9543.2 | 8671.9 | 7800.1 | 6597.2 | 5393.7 | 4190.9 | 2987.4 | 2524.4 | 2061.4 | 1598.3 | 1135.3 |
| 55° | 10054.9 | 9196.4 | 8337.3 | 7046.2 | 5754.5 | 4463.4 | 3171.7 | 2657.6 | 2144.1 | 1630.0 | 1115.9 |
| 57.5° | 10386.5 | 9515.8 | 8645.2 | 7328.5 | 6011.9 | 4694.6 | 3378.0 | 2808.5 | 2239.0 | 1668.9 | 1099.4 |
| 60° | 10276.4 | 9378.3 | 8479.7 | 7224.5 | 5969.3 | 4714.1 | 3458.9 | 2843.8 | 2229.3 | 1614.2 | 999.0 |
| 62.5° | 9789.6 | 8835.0 | 7880.4 | 6756.0 | 5632.2 | 4507.8 | 3383.5 | 2758.0 | 2133.2 | 1507.7 | 882.2 |
| 65° | 9109.4 | 8122.5 | 7135.0 | 6120.8 | 5106.5 | 4092.3 | 3078.0 | 2510.4 | 1942.1 | 1374.4 | 806.2 |
| 67.5° | 8274.6 | 7245.8 | 6216.3 | 5318.3 | 4420.2 | 3521.6 | 2623.5 | 2149.0 | 1675.0 | 1200.4 | 725.9 |
| 70° | 7227.5 | 6216.3 | 5205.1 | 4428.1 | 3651.2 | 2874.2 | 2097.3 | 1740.1 | 1383.6 | 1026.4 | 669.3 |
| 72.5° | 5809.3 | 4936.8 | 4064.3 | 3452.8 | 2841.4 | 2229.9 | 1618.4 | 1370.2 | 1122.6 | 874.3 | 626.1 |
| 75° | 4131.8 | 3618.9 | 3106.0 | 2630.2 | 2154.4 | 1678.0 | 1202.3 | 1041.6 | 881.0 | 720.4 | 559.8 |
| 77.5° | 2936.3 | 2633.9 | 2331.5 | 1958.5 | 1585.6 | 1212.6 | 839.6 | 745.3 | 651.6 | 557.3 | 463.0 |
| 80° | 2170.9 | 1918.4 | 1665.9 | 1384.8 | 1103.7 | 822.6 | 541.5 | 495.3 | 449.6 | 403.4 | 357.1 |
| 82.5° | 1429.2 | 1315.4 | 1201.0 | 978.4 | 755.7 | 533.0 | 310.3 | 293.3 | 276.2 | 259.2 | 242.2 |
| 85° | 640.1 | 676.0 | 711.3 | 575.0 | 438.1 | 301.8 | 164.9 | 157.0 | 149.1 | 141.2 | 133.2 |
| 87.5° | 61.5 | 90.7 | 119.9 | 102.8 | 85.2 | 68.1 | 50.5 | 49.9 | 49.9 | 49.3 | 48.7 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597434
 CATALOG NUMBER: PMM-SA3D-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 0° | 2.5° | 5° | 7.5° | 10° | 12.5° | 15° | 17.5° | 20° | 22.5° | 25° |
|--------|-----|------|-----|------|-----|-------|-----|-------|-----|-------|-----|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597434

CATALOG NUMBER: PMM-SA3D-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 27.5° | 30° | 32.5° | 35° | 37.5° | 40° | 42.5° | 45° | 47.5° | 50° | 52.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 |
| 2.5° | 1591.6 | 1600.2 | 1608.7 | 1617.2 | 1608.1 | 1599.0 | 1589.2 | 1580.1 | 1568.5 | 1557.0 | 1544.8 |
| 5° | 1893.4 | 1867.3 | 1841.7 | 1815.6 | 1776.6 | 1737.7 | 1698.1 | 1659.2 | 1654.3 | 1648.8 | 1644.0 |
| 7.5° | 1757.1 | 1709.7 | 1661.6 | 1613.6 | 1552.7 | 1492.5 | 1431.6 | 1370.8 | 1352.5 | 1334.3 | 1316.0 |
| 10° | 1600.2 | 1567.3 | 1535.1 | 1502.2 | 1464.5 | 1426.8 | 1388.4 | 1350.7 | 1300.8 | 1250.3 | 1200.4 |
| 12.5° | 1586.8 | 1533.2 | 1479.1 | 1425.5 | 1402.4 | 1379.3 | 1356.2 | 1333.1 | 1289.3 | 1245.5 | 1201.0 |
| 15° | 1501.6 | 1457.8 | 1414.6 | 1370.8 | 1337.3 | 1303.9 | 1270.4 | 1236.9 | 1201.6 | 1165.7 | 1130.5 |
| 17.5° | 1441.4 | 1391.5 | 1341.6 | 1291.7 | 1253.4 | 1215.0 | 1176.1 | 1137.8 | 1095.2 | 1052.0 | 1009.4 |
| 20° | 1378.7 | 1322.1 | 1264.9 | 1207.7 | 1159.1 | 1111.0 | 1062.3 | 1013.6 | 966.8 | 920.6 | 873.7 |
| 22.5° | 1353.1 | 1278.3 | 1203.5 | 1128.6 | 1077.5 | 1025.8 | 974.7 | 923.0 | 879.8 | 836.6 | 793.4 |
| 25° | 1392.1 | 1303.3 | 1213.8 | 1124.4 | 1055.6 | 986.3 | 917.5 | 848.1 | 812.3 | 776.4 | 739.8 |
| 27.5° | 1346.5 | 1234.5 | 1123.2 | 1011.2 | 937.6 | 863.4 | 789.7 | 715.5 | 710.0 | 704.6 | 698.5 |
| 30° | 1206.5 | 1089.1 | 971.7 | 854.2 | 786.7 | 718.6 | 651.0 | 582.9 | 570.1 | 556.7 | 543.9 |
| 32.5° | 1123.2 | 1003.3 | 883.4 | 763.6 | 703.3 | 642.5 | 582.3 | 521.4 | 506.8 | 492.2 | 477.6 |
| 35° | 1091.5 | 961.3 | 831.1 | 700.9 | 649.2 | 597.5 | 545.8 | 494.0 | 483.7 | 474.0 | 463.6 |
| 37.5° | 1066.0 | 937.0 | 807.4 | 677.8 | 627.9 | 578.0 | 527.5 | 477.6 | 469.7 | 461.8 | 453.9 |
| 40° | 1041.6 | 910.8 | 779.4 | 648.0 | 603.6 | 559.8 | 515.3 | 470.9 | 466.1 | 461.2 | 455.7 |
| 42.5° | 1019.7 | 892.6 | 764.8 | 637.6 | 598.1 | 559.1 | 519.6 | 480.1 | 475.2 | 470.3 | 465.4 |
| 45° | 1007.6 | 883.4 | 759.3 | 635.2 | 606.6 | 578.0 | 548.8 | 520.2 | 508.6 | 497.1 | 484.9 |
| 47.5° | 998.4 | 882.2 | 766.0 | 649.8 | 620.0 | 590.2 | 560.4 | 530.5 | 520.2 | 509.9 | 498.9 |
| 50° | 1000.3 | 888.9 | 777.0 | 665.0 | 629.1 | 592.6 | 556.7 | 520.2 | 519.0 | 517.8 | 516.6 |
| 52.5° | 1016.7 | 898.6 | 780.0 | 661.4 | 622.4 | 583.5 | 543.9 | 505.0 | 512.9 | 520.2 | 528.1 |
| 55° | 993.0 | 870.1 | 746.5 | 623.6 | 586.5 | 550.0 | 512.9 | 475.8 | 486.1 | 495.9 | 506.2 |
| 57.5° | 966.2 | 832.9 | 699.7 | 566.4 | 538.5 | 510.5 | 481.9 | 453.9 | 464.8 | 476.4 | 487.4 |
| 60° | 877.4 | 755.7 | 634.0 | 512.3 | 493.4 | 474.6 | 455.7 | 436.9 | 441.7 | 446.6 | 451.5 |
| 62.5° | 780.0 | 677.2 | 575.0 | 472.1 | 457.5 | 442.3 | 427.7 | 412.5 | 412.5 | 413.1 | 413.1 |
| 65° | 717.9 | 629.7 | 541.5 | 453.3 | 436.9 | 420.4 | 403.4 | 387.0 | 384.5 | 382.1 | 379.7 |
| 67.5° | 655.9 | 586.5 | 516.6 | 446.6 | 422.9 | 399.7 | 376.0 | 352.3 | 349.2 | 346.8 | 343.8 |
| 70° | 607.2 | 545.2 | 483.1 | 421.0 | 394.3 | 368.1 | 341.3 | 314.6 | 312.1 | 310.3 | 307.9 |
| 72.5° | 567.7 | 509.9 | 451.5 | 393.0 | 365.1 | 336.5 | 308.5 | 279.9 | 278.1 | 276.2 | 273.8 |
| 75° | 508.0 | 456.9 | 405.2 | 353.5 | 326.1 | 299.3 | 272.0 | 244.6 | 242.2 | 240.3 | 237.9 |
| 77.5° | 420.4 | 377.2 | 334.6 | 291.4 | 270.1 | 249.5 | 228.2 | 206.9 | 205.6 | 204.4 | 202.6 |
| 80° | 323.7 | 290.2 | 256.1 | 222.7 | 208.7 | 194.1 | 180.1 | 165.5 | 164.9 | 164.3 | 163.1 |
| 82.5° | 222.1 | 202.0 | 181.9 | 161.8 | 151.5 | 140.5 | 130.2 | 119.3 | 119.9 | 120.5 | 121.1 |
| 85° | 126.6 | 119.3 | 112.6 | 105.3 | 96.7 | 88.8 | 80.3 | 71.8 | 73.6 | 75.4 | 76.7 |
| 87.5° | 46.2 | 43.8 | 41.4 | 38.9 | 34.7 | 31.0 | 26.8 | 22.5 | 23.7 | 25.6 | 26.8 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597434
 CATALOG NUMBER: PMM-SA3D-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 27.5° | 30° | 32.5° | 35° | 37.5° | 40° | 42.5° | 45° | 47.5° | 50° | 52.5° |
|--------|-------|-----|-------|-----|-------|-----|-------|-----|-------|-----|-------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597434

CATALOG NUMBER: PMM-SA3D-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 55° | 57.5° | 60° | 62.5° | 65° | 67.5° | 70° | 72.5° | 75° | 77.5° | 80° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 |
| 2.5° | 1533.2 | 1515.0 | 1496.7 | 1478.5 | 1460.2 | 1422.5 | 1385.4 | 1347.7 | 1309.9 | 1333.1 | 1356.8 |
| 5° | 1638.5 | 1607.5 | 1575.8 | 1544.8 | 1513.2 | 1495.5 | 1477.9 | 1460.2 | 1442.6 | 1451.7 | 1461.4 |
| 7.5° | 1297.8 | 1279.5 | 1260.7 | 1242.4 | 1223.6 | 1215.6 | 1208.3 | 1200.4 | 1192.5 | 1215.0 | 1237.5 |
| 10° | 1149.9 | 1124.4 | 1098.8 | 1072.7 | 1047.1 | 1031.9 | 1016.7 | 1001.5 | 986.3 | 992.3 | 998.4 |
| 12.5° | 1157.2 | 1119.5 | 1081.8 | 1044.1 | 1006.3 | 983.8 | 961.3 | 938.8 | 916.3 | 921.8 | 927.2 |
| 15° | 1094.6 | 1055.6 | 1016.7 | 977.7 | 938.8 | 912.6 | 885.9 | 859.7 | 832.9 | 823.8 | 814.1 |
| 17.5° | 966.2 | 923.6 | 881.0 | 838.4 | 795.8 | 778.2 | 760.5 | 742.9 | 725.2 | 715.5 | 705.8 |
| 20° | 826.9 | 787.3 | 747.8 | 708.2 | 668.7 | 656.5 | 644.3 | 631.5 | 619.4 | 613.3 | 606.6 |
| 22.5° | 750.2 | 725.9 | 700.9 | 676.6 | 651.6 | 637.6 | 624.2 | 610.3 | 596.3 | 589.6 | 582.3 |
| 25° | 704.0 | 708.8 | 714.3 | 719.2 | 724.0 | 717.9 | 711.3 | 705.2 | 698.5 | 700.9 | 702.7 |
| 27.5° | 693.0 | 703.3 | 714.3 | 724.6 | 735.0 | 740.5 | 745.9 | 751.4 | 756.9 | 758.7 | 760.5 |
| 30° | 530.5 | 536.0 | 540.9 | 546.4 | 551.2 | 566.4 | 581.7 | 596.3 | 611.5 | 635.2 | 659.5 |
| 32.5° | 463.0 | 461.2 | 459.4 | 456.9 | 455.1 | 458.8 | 462.4 | 465.4 | 469.1 | 477.6 | 486.7 |
| 35° | 453.3 | 449.0 | 444.2 | 439.9 | 435.0 | 436.9 | 438.7 | 440.5 | 442.3 | 449.0 | 455.7 |
| 37.5° | 446.0 | 444.2 | 442.9 | 441.1 | 439.3 | 443.5 | 447.2 | 451.5 | 455.1 | 460.6 | 466.1 |
| 40° | 450.8 | 450.2 | 449.6 | 448.4 | 447.8 | 450.2 | 452.7 | 455.1 | 457.5 | 464.8 | 472.1 |
| 42.5° | 460.6 | 460.6 | 460.0 | 460.0 | 459.4 | 461.8 | 463.6 | 466.1 | 467.9 | 472.1 | 476.4 |
| 45° | 473.4 | 472.1 | 471.5 | 470.3 | 469.1 | 468.5 | 468.5 | 467.9 | 467.3 | 469.7 | 472.7 |
| 47.5° | 488.6 | 484.3 | 479.4 | 475.2 | 470.3 | 469.1 | 467.3 | 466.1 | 464.2 | 465.4 | 466.7 |
| 50° | 515.3 | 503.8 | 492.8 | 481.3 | 469.7 | 466.7 | 463.6 | 460.6 | 457.5 | 456.9 | 456.9 |
| 52.5° | 535.4 | 518.4 | 501.3 | 484.3 | 467.3 | 461.8 | 456.3 | 450.8 | 445.4 | 444.2 | 443.5 |
| 55° | 515.9 | 503.2 | 491.0 | 478.2 | 465.4 | 457.5 | 449.0 | 441.1 | 432.6 | 430.8 | 428.9 |
| 57.5° | 498.3 | 490.4 | 482.5 | 474.6 | 466.7 | 458.8 | 450.2 | 442.3 | 433.8 | 429.6 | 425.3 |
| 60° | 456.3 | 456.3 | 456.9 | 456.9 | 456.9 | 448.4 | 439.9 | 431.4 | 422.9 | 418.6 | 414.9 |
| 62.5° | 413.1 | 419.8 | 425.9 | 432.6 | 438.7 | 427.1 | 414.9 | 403.4 | 391.2 | 388.2 | 385.7 |
| 65° | 377.2 | 379.1 | 381.5 | 383.3 | 385.1 | 376.0 | 366.9 | 357.8 | 348.6 | 346.8 | 344.4 |
| 67.5° | 340.7 | 340.1 | 339.5 | 338.3 | 337.7 | 332.2 | 326.1 | 320.6 | 314.6 | 312.1 | 309.7 |
| 70° | 305.4 | 304.8 | 304.2 | 303.0 | 302.4 | 297.5 | 292.7 | 287.8 | 282.9 | 281.1 | 279.3 |
| 72.5° | 272.0 | 271.4 | 270.1 | 269.5 | 268.3 | 264.1 | 260.4 | 256.1 | 251.9 | 249.5 | 247.0 |
| 75° | 235.5 | 234.2 | 233.0 | 231.8 | 230.6 | 226.9 | 223.3 | 219.0 | 215.4 | 213.0 | 210.5 |
| 77.5° | 201.4 | 199.6 | 197.7 | 195.3 | 193.5 | 190.4 | 186.8 | 183.7 | 180.1 | 177.1 | 174.6 |
| 80° | 162.5 | 161.2 | 160.0 | 158.2 | 157.0 | 153.9 | 150.9 | 147.2 | 144.2 | 140.5 | 137.5 |
| 82.5° | 121.7 | 121.1 | 119.9 | 119.3 | 118.0 | 115.0 | 112.0 | 108.9 | 105.9 | 102.2 | 98.6 |
| 85° | 78.5 | 77.9 | 77.3 | 76.7 | 76.1 | 73.6 | 71.8 | 69.4 | 66.9 | 63.3 | 60.2 |
| 87.5° | 28.0 | 26.8 | 26.2 | 24.9 | 23.7 | 23.1 | 21.9 | 21.3 | 20.1 | 18.3 | 16.4 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597434
 CATALOG NUMBER: PMM-SA3D-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 55° | 57.5° | 60° | 62.5° | 65° | 67.5° | 70° | 72.5° | 75° | 77.5° | 80° |
|--------|-----|-------|-----|-------|-----|-------|-----|-------|-----|-------|-----|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597434

CATALOG NUMBER: PMM-SA3D-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 82.5° | 85° | 87.5° | 90° | 92.5° | 95° | 97.5° | 100° | 102.5° | 105° | 107.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 |
| 2.5° | 1379.9 | 1403.0 | 1403.6 | 1403.6 | 1414.6 | 1424.9 | 1403.6 | 1382.4 | 1360.4 | 1339.2 | 1317.9 |
| 5° | 1470.6 | 1479.7 | 1477.3 | 1474.2 | 1460.8 | 1447.5 | 1433.5 | 1419.5 | 1405.5 | 1391.5 | 1392.1 |
| 7.5° | 1260.1 | 1282.6 | 1300.8 | 1318.5 | 1301.4 | 1284.4 | 1275.3 | 1266.1 | 1257.0 | 1247.9 | 1246.7 |
| 10° | 1003.9 | 1010.0 | 1017.3 | 1024.0 | 1013.6 | 1002.7 | 1020.9 | 1039.2 | 1056.8 | 1075.1 | 1055.0 |
| 12.5° | 932.7 | 938.2 | 925.4 | 912.0 | 907.8 | 903.5 | 899.3 | 894.4 | 890.1 | 885.3 | 882.8 |
| 15° | 805.0 | 795.2 | 785.5 | 775.1 | 772.7 | 769.7 | 766.6 | 763.0 | 759.9 | 756.3 | 745.3 |
| 17.5° | 696.0 | 686.3 | 669.9 | 652.8 | 646.2 | 638.9 | 637.0 | 635.2 | 632.8 | 630.9 | 620.6 |
| 20° | 600.5 | 593.8 | 589.6 | 584.7 | 578.0 | 571.3 | 564.6 | 557.9 | 550.6 | 543.9 | 534.2 |
| 22.5° | 575.6 | 568.3 | 562.8 | 556.7 | 555.5 | 554.3 | 542.1 | 529.3 | 517.2 | 504.4 | 498.9 |
| 25° | 705.2 | 707.0 | 673.5 | 639.5 | 636.4 | 633.4 | 611.5 | 589.0 | 567.1 | 544.5 | 525.7 |
| 27.5° | 761.8 | 763.6 | 762.4 | 761.1 | 751.4 | 741.1 | 704.0 | 666.2 | 629.1 | 591.4 | 564.6 |
| 30° | 683.3 | 707.0 | 716.1 | 725.2 | 718.6 | 711.3 | 672.3 | 634.0 | 595.0 | 556.1 | 538.5 |
| 32.5° | 495.3 | 503.8 | 519.0 | 533.6 | 541.5 | 548.8 | 536.6 | 524.5 | 512.3 | 500.1 | 497.1 |
| 35° | 461.8 | 468.5 | 471.5 | 474.6 | 469.7 | 464.8 | 455.7 | 446.6 | 436.9 | 427.7 | 425.9 |
| 37.5° | 470.9 | 476.4 | 482.5 | 488.6 | 475.2 | 461.2 | 450.8 | 441.1 | 430.8 | 420.4 | 411.9 |
| 40° | 479.4 | 486.7 | 490.4 | 494.0 | 480.7 | 467.3 | 454.5 | 442.3 | 429.6 | 416.8 | 408.3 |
| 42.5° | 480.7 | 484.9 | 491.6 | 498.3 | 479.4 | 460.0 | 448.4 | 436.2 | 424.7 | 412.5 | 404.0 |
| 45° | 475.2 | 477.6 | 483.7 | 489.8 | 467.9 | 445.4 | 435.0 | 424.1 | 413.7 | 402.8 | 395.5 |
| 47.5° | 467.3 | 468.5 | 473.4 | 477.6 | 454.5 | 430.8 | 421.0 | 411.3 | 401.0 | 391.2 | 383.9 |
| 50° | 456.3 | 455.7 | 459.4 | 462.4 | 438.7 | 414.9 | 405.2 | 396.1 | 386.4 | 376.6 | 370.5 |
| 52.5° | 442.3 | 441.1 | 444.8 | 447.8 | 422.9 | 397.9 | 389.4 | 381.5 | 373.0 | 364.4 | 359.6 |
| 55° | 426.5 | 424.7 | 427.7 | 430.8 | 406.4 | 381.5 | 374.2 | 366.3 | 359.0 | 351.1 | 346.8 |
| 57.5° | 420.4 | 416.2 | 418.0 | 419.8 | 392.4 | 365.1 | 357.8 | 350.5 | 343.2 | 335.9 | 332.8 |
| 60° | 410.7 | 406.4 | 408.3 | 409.5 | 380.3 | 350.5 | 343.8 | 336.5 | 329.8 | 322.5 | 319.4 |
| 62.5° | 382.7 | 379.7 | 382.1 | 384.5 | 358.4 | 331.6 | 325.5 | 320.0 | 313.9 | 307.9 | 303.6 |
| 65° | 342.5 | 340.1 | 345.0 | 349.8 | 327.3 | 304.8 | 301.2 | 297.5 | 293.3 | 289.6 | 285.4 |
| 67.5° | 307.3 | 304.8 | 309.7 | 314.6 | 298.1 | 281.7 | 278.1 | 274.4 | 270.8 | 267.1 | 264.7 |
| 70° | 277.4 | 275.6 | 279.9 | 284.1 | 270.1 | 256.1 | 252.5 | 249.5 | 245.8 | 242.2 | 240.3 |
| 72.5° | 244.0 | 241.5 | 247.0 | 251.9 | 240.3 | 228.2 | 225.1 | 221.5 | 218.4 | 214.8 | 213.6 |
| 75° | 208.1 | 205.6 | 210.5 | 214.8 | 206.9 | 198.3 | 195.3 | 192.3 | 189.2 | 186.2 | 185.6 |
| 77.5° | 171.6 | 168.5 | 173.4 | 177.7 | 172.8 | 167.3 | 164.9 | 161.8 | 159.4 | 156.4 | 156.4 |
| 80° | 133.9 | 130.2 | 133.9 | 136.9 | 135.1 | 133.2 | 131.4 | 129.0 | 127.2 | 124.7 | 125.3 |
| 82.5° | 94.9 | 91.3 | 93.1 | 94.9 | 96.1 | 97.3 | 97.3 | 97.3 | 97.3 | 97.3 | 97.3 |
| 85° | 56.6 | 52.9 | 53.5 | 54.2 | 56.0 | 57.8 | 58.4 | 59.0 | 59.6 | 60.2 | 60.8 |
| 87.5° | 14.6 | 12.8 | 11.6 | 9.7 | 11.6 | 12.8 | 14.0 | 14.6 | 15.8 | 16.4 | 16.4 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597434
 CATALOG NUMBER: PMM-SA3D-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 82.5° | 85° | 87.5° | 90° | 92.5° | 95° | 97.5° | 100° | 102.5° | 105° | 107.5° |
|--------|-------|-----|-------|-----|-------|-----|-------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597434

CATALOG NUMBER: PMM-SA3D-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 110° | 112.5° | 115° | 117.5° | 120° | 122.5° | 125° | 127.5° | 130° | 132.5° | 135° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 |
| 2.5° | 1296.6 | 1274.7 | 1253.4 | 1266.7 | 1279.5 | 1292.9 | 1305.7 | 1306.3 | 1306.3 | 1306.9 | 1306.9 |
| 5° | 1393.3 | 1393.9 | 1394.5 | 1381.7 | 1369.6 | 1356.8 | 1344.0 | 1337.3 | 1330.6 | 1323.3 | 1316.6 |
| 7.5° | 1244.8 | 1243.6 | 1241.8 | 1229.6 | 1217.5 | 1205.3 | 1193.1 | 1163.9 | 1134.1 | 1104.9 | 1075.1 |
| 10° | 1034.3 | 1014.3 | 993.6 | 988.7 | 984.4 | 979.6 | 974.7 | 966.8 | 959.5 | 951.6 | 943.7 |
| 12.5° | 880.4 | 878.0 | 875.5 | 862.8 | 850.0 | 836.6 | 823.8 | 823.8 | 823.8 | 823.8 | 823.8 |
| 15° | 733.8 | 722.8 | 711.3 | 705.2 | 698.5 | 692.4 | 685.7 | 682.7 | 679.6 | 676.6 | 673.5 |
| 17.5° | 609.6 | 599.3 | 588.4 | 587.1 | 585.9 | 584.7 | 583.5 | 580.4 | 577.4 | 574.4 | 571.3 |
| 20° | 524.5 | 514.7 | 505.0 | 508.6 | 512.3 | 515.3 | 519.0 | 515.9 | 512.9 | 509.3 | 506.2 |
| 22.5° | 492.8 | 487.4 | 481.3 | 478.2 | 475.2 | 471.5 | 468.5 | 468.5 | 469.1 | 469.1 | 469.1 |
| 25° | 507.4 | 488.6 | 469.7 | 460.6 | 451.5 | 441.7 | 432.6 | 428.9 | 425.9 | 422.2 | 418.6 |
| 27.5° | 537.9 | 510.5 | 483.7 | 467.9 | 452.1 | 436.2 | 420.4 | 413.7 | 406.4 | 399.7 | 392.4 |
| 30° | 520.2 | 502.6 | 484.3 | 466.1 | 447.8 | 429.6 | 411.3 | 402.8 | 394.3 | 385.1 | 376.6 |
| 32.5° | 494.0 | 490.4 | 487.4 | 470.3 | 453.3 | 435.6 | 418.6 | 414.9 | 411.9 | 408.3 | 404.6 |
| 35° | 423.5 | 421.6 | 419.2 | 414.9 | 410.7 | 406.4 | 402.2 | 397.3 | 392.4 | 387.6 | 382.7 |
| 37.5° | 404.0 | 395.5 | 387.0 | 385.1 | 383.3 | 381.5 | 379.7 | 377.8 | 376.0 | 373.6 | 371.7 |
| 40° | 399.7 | 391.2 | 382.7 | 379.7 | 376.6 | 373.0 | 369.9 | 370.5 | 371.7 | 372.4 | 373.0 |
| 42.5° | 394.9 | 386.4 | 377.2 | 374.8 | 372.4 | 369.9 | 367.5 | 368.1 | 369.3 | 369.9 | 370.5 |
| 45° | 388.8 | 381.5 | 374.2 | 369.9 | 366.3 | 362.0 | 357.8 | 361.4 | 365.1 | 368.1 | 371.7 |
| 47.5° | 376.6 | 368.7 | 361.4 | 359.0 | 356.5 | 353.5 | 351.1 | 354.7 | 358.4 | 361.4 | 365.1 |
| 50° | 363.8 | 357.8 | 351.1 | 350.5 | 349.8 | 348.6 | 348.0 | 350.5 | 352.9 | 355.3 | 357.8 |
| 52.5° | 354.1 | 349.2 | 343.8 | 343.8 | 343.2 | 343.2 | 342.5 | 345.0 | 347.4 | 349.2 | 351.7 |
| 55° | 343.2 | 338.9 | 334.6 | 335.2 | 336.5 | 337.1 | 337.7 | 340.1 | 343.2 | 345.6 | 348.0 |
| 57.5° | 329.2 | 326.1 | 322.5 | 324.9 | 326.7 | 329.2 | 331.0 | 332.8 | 335.2 | 337.1 | 338.9 |
| 60° | 315.8 | 312.7 | 309.1 | 311.5 | 314.6 | 317.0 | 319.4 | 321.3 | 323.1 | 324.9 | 326.7 |
| 62.5° | 299.3 | 294.5 | 290.2 | 293.9 | 296.9 | 300.6 | 303.6 | 304.8 | 306.6 | 307.9 | 309.1 |
| 65° | 281.7 | 277.4 | 273.2 | 275.6 | 278.1 | 279.9 | 282.3 | 284.1 | 286.0 | 287.8 | 289.6 |
| 67.5° | 261.6 | 259.2 | 256.1 | 258.0 | 259.8 | 261.6 | 263.4 | 264.1 | 264.1 | 264.7 | 264.7 |
| 70° | 237.9 | 236.1 | 233.6 | 234.9 | 236.7 | 237.9 | 239.1 | 239.1 | 239.1 | 238.5 | 238.5 |
| 72.5° | 213.0 | 211.7 | 210.5 | 211.1 | 212.3 | 213.0 | 213.6 | 213.0 | 212.3 | 211.7 | 211.1 |
| 75° | 185.0 | 184.4 | 183.7 | 184.4 | 185.6 | 186.2 | 186.8 | 186.2 | 185.0 | 184.4 | 183.1 |
| 77.5° | 157.0 | 157.0 | 157.0 | 157.0 | 157.6 | 157.6 | 157.6 | 156.4 | 155.1 | 153.9 | 152.7 |
| 80° | 125.9 | 126.6 | 127.2 | 127.2 | 127.2 | 127.2 | 127.2 | 125.9 | 124.7 | 122.9 | 121.7 |
| 82.5° | 97.3 | 97.3 | 97.3 | 97.3 | 98.0 | 98.0 | 98.0 | 94.9 | 92.5 | 89.4 | 86.4 |
| 85° | 60.8 | 61.5 | 61.5 | 62.1 | 62.7 | 62.7 | 63.3 | 59.0 | 55.4 | 51.1 | 46.8 |
| 87.5° | 16.4 | 16.4 | 16.4 | 16.4 | 16.4 | 15.8 | 15.8 | 12.2 | 7.9 | 4.3 | 0.0 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597434
 CATALOG NUMBER: PMM-SA3D-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 110° | 112.5° | 115° | 117.5° | 120° | 122.5° | 125° | 127.5° | 130° | 132.5° | 135° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597434

CATALOG NUMBER: PMM-SA3D-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 137.5° | 140° | 142.5° | 145° | 147.5° | 150° | 152.5° | 155° | 157.5° | 160° | 162.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 |
| 2.5° | 1310.6 | 1314.2 | 1317.2 | 1320.9 | 1321.5 | 1322.1 | 1322.1 | 1322.7 | 1309.9 | 1297.2 | 1283.8 |
| 5° | 1325.8 | 1334.3 | 1343.4 | 1351.9 | 1350.1 | 1348.3 | 1346.5 | 1344.6 | 1341.0 | 1337.9 | 1334.3 |
| 7.5° | 1068.4 | 1062.3 | 1055.6 | 1048.9 | 1054.4 | 1059.9 | 1065.4 | 1070.8 | 1073.3 | 1075.7 | 1077.5 |
| 10° | 928.5 | 913.3 | 898.0 | 882.8 | 874.3 | 865.2 | 856.7 | 847.5 | 846.3 | 845.7 | 844.5 |
| 12.5° | 808.0 | 791.6 | 775.7 | 759.3 | 754.5 | 749.0 | 744.1 | 738.6 | 743.5 | 748.4 | 752.6 |
| 15° | 666.8 | 660.8 | 654.1 | 647.4 | 652.8 | 658.3 | 663.8 | 669.3 | 674.1 | 678.4 | 683.3 |
| 17.5° | 568.3 | 565.8 | 562.8 | 559.8 | 564.6 | 570.1 | 575.0 | 579.8 | 590.8 | 601.7 | 612.7 |
| 20° | 503.8 | 502.0 | 499.5 | 497.1 | 495.3 | 492.8 | 491.0 | 488.6 | 504.4 | 519.6 | 535.4 |
| 22.5° | 465.4 | 461.8 | 458.1 | 454.5 | 455.1 | 455.7 | 455.7 | 456.3 | 469.1 | 482.5 | 495.3 |
| 25° | 417.4 | 416.2 | 414.9 | 413.7 | 417.4 | 421.0 | 424.1 | 427.7 | 439.3 | 450.8 | 461.8 |
| 27.5° | 393.0 | 393.7 | 394.3 | 394.9 | 399.7 | 405.2 | 410.1 | 414.9 | 422.9 | 430.8 | 438.7 |
| 30° | 379.7 | 383.3 | 386.4 | 389.4 | 391.2 | 393.0 | 394.9 | 396.7 | 404.6 | 411.9 | 419.8 |
| 32.5° | 399.7 | 394.9 | 389.4 | 384.5 | 387.0 | 390.0 | 392.4 | 394.9 | 402.2 | 409.5 | 416.8 |
| 35° | 380.9 | 378.4 | 376.6 | 374.2 | 377.2 | 380.3 | 382.7 | 385.7 | 392.4 | 398.5 | 405.2 |
| 37.5° | 371.1 | 370.5 | 369.9 | 369.3 | 371.1 | 373.0 | 374.2 | 376.0 | 382.1 | 388.2 | 393.7 |
| 40° | 370.5 | 367.5 | 365.1 | 362.0 | 363.8 | 365.7 | 366.9 | 368.7 | 376.0 | 383.3 | 390.6 |
| 42.5° | 366.9 | 363.2 | 359.0 | 355.3 | 357.1 | 359.6 | 361.4 | 363.2 | 371.1 | 378.4 | 386.4 |
| 45° | 366.3 | 360.8 | 354.7 | 349.2 | 351.7 | 354.1 | 356.5 | 359.0 | 365.1 | 371.1 | 376.6 |
| 47.5° | 359.6 | 354.1 | 348.6 | 343.2 | 344.4 | 345.6 | 346.2 | 347.4 | 352.9 | 357.8 | 363.2 |
| 50° | 354.1 | 349.8 | 346.2 | 341.9 | 340.1 | 338.9 | 337.1 | 335.2 | 339.5 | 343.8 | 348.0 |
| 52.5° | 347.4 | 343.2 | 338.3 | 334.0 | 331.6 | 329.2 | 326.7 | 324.3 | 327.9 | 331.0 | 334.6 |
| 55° | 343.2 | 337.7 | 332.8 | 327.3 | 324.3 | 321.3 | 318.2 | 315.2 | 317.6 | 319.4 | 321.9 |
| 57.5° | 334.0 | 329.2 | 323.7 | 318.8 | 315.2 | 311.5 | 307.3 | 303.6 | 304.8 | 306.0 | 307.3 |
| 60° | 321.9 | 316.4 | 311.5 | 306.0 | 301.8 | 297.5 | 292.7 | 288.4 | 289.0 | 290.2 | 290.8 |
| 62.5° | 304.2 | 299.3 | 293.9 | 289.0 | 284.1 | 279.9 | 275.0 | 270.1 | 271.4 | 272.0 | 273.2 |
| 65° | 284.7 | 279.3 | 274.4 | 268.9 | 264.7 | 260.4 | 255.5 | 251.3 | 252.5 | 253.7 | 254.3 |
| 67.5° | 261.0 | 256.8 | 253.1 | 248.8 | 245.2 | 240.9 | 237.3 | 233.0 | 233.6 | 234.2 | 234.9 |
| 70° | 235.5 | 231.8 | 228.8 | 225.1 | 222.1 | 219.0 | 216.0 | 213.0 | 213.0 | 213.6 | 213.6 |
| 72.5° | 208.1 | 205.0 | 202.0 | 199.0 | 195.9 | 193.5 | 190.4 | 187.4 | 188.6 | 189.8 | 190.4 |
| 75° | 180.1 | 177.7 | 174.6 | 171.6 | 169.1 | 166.7 | 163.7 | 161.2 | 162.5 | 163.7 | 164.3 |
| 77.5° | 150.9 | 149.1 | 146.6 | 144.8 | 142.4 | 139.9 | 136.9 | 134.5 | 135.7 | 136.9 | 137.5 |
| 80° | 120.5 | 119.3 | 117.4 | 116.2 | 113.8 | 111.3 | 108.9 | 106.5 | 107.1 | 107.1 | 107.7 |
| 82.5° | 87.0 | 87.6 | 87.6 | 88.2 | 86.4 | 84.0 | 82.1 | 79.7 | 79.7 | 79.7 | 79.1 |
| 85° | 48.7 | 51.1 | 52.9 | 54.8 | 52.9 | 51.1 | 49.3 | 47.5 | 46.8 | 46.8 | 46.2 |
| 87.5° | 1.8 | 3.0 | 4.9 | 6.1 | 5.5 | 4.9 | 3.7 | 3.0 | 3.7 | 4.3 | 4.3 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597434
 CATALOG NUMBER: PMM-SA3D-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 137.5° | 140° | 142.5° | 145° | 147.5° | 150° | 152.5° | 155° | 157.5° | 160° | 162.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597434

CATALOG NUMBER: PMM-SA3D-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 165° | 167.5° | 170° | 172.5° | 175° | 177.5° | 180° | 182.5° | 185° | 187.5° | 190° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 |
| 2.5° | 1271.0 | 1281.4 | 1291.7 | 1302.0 | 1312.4 | 1328.2 | 1344.0 | 1360.4 | 1376.9 | 1367.7 | 1358.0 |
| 5° | 1330.6 | 1336.7 | 1343.4 | 1349.5 | 1355.6 | 1373.2 | 1390.3 | 1411.6 | 1432.2 | 1429.8 | 1426.8 |
| 7.5° | 1080.0 | 1088.5 | 1097.0 | 1104.9 | 1113.4 | 1140.2 | 1167.0 | 1189.5 | 1212.0 | 1208.9 | 1205.3 |
| 10° | 843.3 | 860.9 | 879.2 | 896.8 | 914.5 | 936.4 | 957.7 | 976.5 | 995.4 | 1027.0 | 1058.1 |
| 12.5° | 757.5 | 784.9 | 812.3 | 839.6 | 867.0 | 882.8 | 898.0 | 922.4 | 946.7 | 963.8 | 981.4 |
| 15° | 687.5 | 713.1 | 738.6 | 764.2 | 789.7 | 791.0 | 792.2 | 817.7 | 843.3 | 857.9 | 871.9 |
| 17.5° | 623.6 | 637.6 | 651.6 | 665.0 | 679.0 | 674.1 | 669.3 | 681.4 | 693.0 | 699.1 | 705.8 |
| 20° | 550.6 | 560.4 | 570.1 | 579.8 | 589.6 | 596.3 | 602.3 | 609.6 | 616.3 | 610.3 | 603.6 |
| 22.5° | 508.0 | 522.6 | 537.9 | 552.5 | 567.1 | 571.3 | 575.0 | 570.7 | 566.4 | 564.6 | 562.8 |
| 25° | 473.4 | 491.0 | 509.3 | 526.9 | 544.5 | 553.1 | 561.6 | 565.2 | 568.3 | 561.6 | 554.9 |
| 27.5° | 446.6 | 467.9 | 488.6 | 509.9 | 530.5 | 545.8 | 561.0 | 565.2 | 568.9 | 564.0 | 558.5 |
| 30° | 427.1 | 450.2 | 473.4 | 496.5 | 519.6 | 542.7 | 565.2 | 585.3 | 604.8 | 603.0 | 601.1 |
| 32.5° | 424.1 | 439.9 | 455.7 | 471.5 | 487.4 | 502.0 | 515.9 | 517.2 | 517.8 | 512.9 | 507.4 |
| 35° | 411.3 | 421.6 | 432.0 | 442.3 | 452.7 | 461.8 | 470.3 | 469.1 | 467.9 | 463.0 | 458.1 |
| 37.5° | 399.7 | 410.1 | 421.0 | 431.4 | 441.7 | 457.5 | 472.7 | 469.7 | 466.1 | 461.2 | 456.3 |
| 40° | 397.9 | 409.5 | 421.0 | 432.0 | 443.5 | 458.1 | 472.7 | 469.7 | 466.7 | 460.6 | 454.5 |
| 42.5° | 393.7 | 405.2 | 416.2 | 427.7 | 438.7 | 456.3 | 473.4 | 467.9 | 461.8 | 456.9 | 452.1 |
| 45° | 382.7 | 393.0 | 403.4 | 413.7 | 424.1 | 442.9 | 461.8 | 455.1 | 448.4 | 446.6 | 444.2 |
| 47.5° | 368.1 | 378.4 | 388.8 | 399.1 | 409.5 | 428.3 | 446.6 | 441.1 | 435.0 | 434.4 | 433.2 |
| 50° | 352.3 | 362.0 | 372.4 | 382.1 | 391.8 | 410.7 | 428.9 | 424.1 | 419.2 | 419.8 | 419.8 |
| 52.5° | 337.7 | 346.8 | 355.3 | 364.4 | 373.0 | 391.8 | 410.1 | 406.4 | 402.2 | 403.4 | 404.0 |
| 55° | 323.7 | 331.0 | 338.3 | 345.6 | 352.9 | 371.1 | 389.4 | 383.9 | 378.4 | 380.3 | 382.1 |
| 57.5° | 308.5 | 314.6 | 320.6 | 326.1 | 332.2 | 350.5 | 368.1 | 362.0 | 355.3 | 358.4 | 360.8 |
| 60° | 291.4 | 296.9 | 302.4 | 307.3 | 312.7 | 329.2 | 345.0 | 339.5 | 333.4 | 337.7 | 341.3 |
| 62.5° | 273.8 | 278.1 | 282.3 | 286.6 | 290.8 | 306.0 | 321.3 | 317.0 | 312.7 | 317.6 | 321.9 |
| 65° | 255.5 | 258.6 | 262.2 | 265.3 | 268.3 | 282.9 | 296.9 | 293.9 | 290.8 | 295.1 | 299.3 |
| 67.5° | 235.5 | 237.9 | 240.9 | 243.4 | 245.8 | 259.2 | 272.6 | 269.5 | 265.9 | 269.5 | 272.6 |
| 70° | 213.6 | 216.0 | 217.8 | 220.3 | 222.1 | 234.2 | 246.4 | 242.2 | 237.3 | 240.9 | 244.0 |
| 72.5° | 191.7 | 192.9 | 194.7 | 195.9 | 197.1 | 206.3 | 215.4 | 211.7 | 208.1 | 211.7 | 214.8 |
| 75° | 165.5 | 166.7 | 167.9 | 169.1 | 170.4 | 178.3 | 185.6 | 181.3 | 176.4 | 180.1 | 183.7 |
| 77.5° | 138.7 | 139.3 | 140.5 | 141.2 | 141.8 | 147.2 | 152.1 | 147.8 | 143.0 | 147.2 | 151.5 |
| 80° | 107.7 | 108.3 | 108.9 | 108.9 | 109.5 | 111.3 | 113.2 | 110.1 | 106.5 | 112.0 | 117.4 |
| 82.5° | 79.1 | 78.5 | 78.5 | 77.9 | 77.3 | 77.3 | 76.7 | 74.8 | 72.4 | 77.3 | 82.1 |
| 85° | 45.6 | 45.0 | 43.8 | 43.2 | 42.0 | 40.2 | 38.3 | 37.7 | 37.1 | 41.4 | 45.6 |
| 87.5° | 4.9 | 4.3 | 3.0 | 2.4 | 1.2 | 0.6 | 0.0 | 0.0 | 0.0 | 2.4 | 5.5 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597434
 CATALOG NUMBER: PMM-SA3D-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 165° | 167.5° | 170° | 172.5° | 175° | 177.5° | 180° | 182.5° | 185° | 187.5° | 190° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597434

CATALOG NUMBER: PMM-SA3D-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 192.5° | 195° | 197.5° | 200° | 202.5° | 205° | 207.5° | 210° | 212.5° | 215° | 217.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 |
| 2.5° | 1348.9 | 1339.2 | 1330.0 | 1320.9 | 1311.8 | 1302.6 | 1319.7 | 1336.7 | 1353.8 | 1370.8 | 1386.0 |
| 5° | 1424.3 | 1421.3 | 1413.4 | 1406.1 | 1398.2 | 1390.3 | 1394.5 | 1399.4 | 1403.6 | 1407.9 | 1417.0 |
| 7.5° | 1202.3 | 1198.6 | 1215.6 | 1232.1 | 1249.1 | 1265.5 | 1269.8 | 1273.4 | 1277.7 | 1281.4 | 1278.9 |
| 10° | 1089.7 | 1120.7 | 1128.6 | 1135.9 | 1143.8 | 1151.1 | 1163.3 | 1175.5 | 1187.0 | 1199.2 | 1205.9 |
| 12.5° | 998.4 | 1015.5 | 1043.5 | 1072.1 | 1100.0 | 1128.0 | 1146.3 | 1164.5 | 1182.8 | 1201.0 | 1238.8 |
| 15° | 886.5 | 900.5 | 921.8 | 943.1 | 964.4 | 985.7 | 1011.8 | 1038.6 | 1064.8 | 1090.9 | 1132.3 |
| 17.5° | 711.9 | 717.9 | 733.8 | 749.6 | 764.8 | 780.6 | 815.9 | 850.6 | 885.9 | 920.6 | 968.0 |
| 20° | 597.5 | 590.8 | 590.8 | 591.4 | 591.4 | 591.4 | 626.7 | 661.4 | 696.7 | 731.3 | 794.0 |
| 22.5° | 560.4 | 558.5 | 551.8 | 544.5 | 537.9 | 530.5 | 548.8 | 567.7 | 585.9 | 604.2 | 655.3 |
| 25° | 547.6 | 540.9 | 532.4 | 523.9 | 515.3 | 506.8 | 518.4 | 529.9 | 541.5 | 553.1 | 593.2 |
| 27.5° | 553.7 | 548.2 | 552.5 | 556.1 | 560.4 | 564.0 | 567.7 | 571.3 | 575.0 | 578.6 | 592.6 |
| 30° | 599.3 | 597.5 | 604.2 | 610.3 | 616.9 | 623.0 | 614.5 | 606.6 | 598.1 | 589.6 | 594.4 |
| 32.5° | 502.6 | 497.1 | 494.7 | 492.2 | 489.8 | 487.4 | 486.7 | 486.1 | 484.9 | 484.3 | 495.3 |
| 35° | 453.3 | 448.4 | 444.8 | 441.1 | 436.9 | 433.2 | 435.0 | 436.2 | 438.1 | 439.3 | 451.5 |
| 37.5° | 451.5 | 446.6 | 442.3 | 438.1 | 433.2 | 428.9 | 430.8 | 433.2 | 435.0 | 436.9 | 446.0 |
| 40° | 448.4 | 442.3 | 439.9 | 437.5 | 435.0 | 432.6 | 433.8 | 435.0 | 435.6 | 436.9 | 443.5 |
| 42.5° | 446.6 | 441.7 | 440.5 | 439.3 | 438.1 | 436.9 | 438.1 | 439.3 | 439.9 | 441.1 | 449.0 |
| 45° | 442.3 | 439.9 | 441.1 | 442.3 | 443.5 | 444.8 | 444.8 | 444.8 | 444.8 | 444.8 | 453.3 |
| 47.5° | 432.6 | 431.4 | 435.0 | 438.7 | 442.3 | 446.0 | 452.1 | 458.1 | 463.6 | 469.7 | 471.5 |
| 50° | 420.4 | 420.4 | 426.5 | 432.6 | 438.1 | 444.2 | 458.8 | 472.7 | 487.4 | 501.3 | 492.2 |
| 52.5° | 405.2 | 405.8 | 414.9 | 423.5 | 432.6 | 441.1 | 454.5 | 467.9 | 480.7 | 494.0 | 480.7 |
| 55° | 383.3 | 385.1 | 396.7 | 407.6 | 419.2 | 430.2 | 440.5 | 450.8 | 461.2 | 471.5 | 457.5 |
| 57.5° | 363.8 | 366.3 | 378.4 | 390.0 | 402.2 | 413.7 | 419.8 | 426.5 | 432.6 | 438.7 | 429.6 |
| 60° | 345.6 | 349.2 | 365.1 | 380.9 | 396.1 | 411.9 | 407.0 | 402.2 | 396.7 | 391.8 | 391.2 |
| 62.5° | 326.7 | 331.0 | 345.6 | 360.2 | 374.2 | 388.8 | 381.5 | 374.2 | 366.3 | 359.0 | 362.0 |
| 65° | 303.0 | 307.3 | 313.9 | 320.6 | 326.7 | 333.4 | 332.8 | 332.8 | 332.2 | 331.6 | 337.7 |
| 67.5° | 276.2 | 279.3 | 283.5 | 287.2 | 291.4 | 295.1 | 297.5 | 300.6 | 303.0 | 305.4 | 312.7 |
| 70° | 247.6 | 250.7 | 254.9 | 258.6 | 262.8 | 266.5 | 269.5 | 272.6 | 275.0 | 278.1 | 285.4 |
| 72.5° | 218.4 | 221.5 | 225.7 | 230.0 | 233.6 | 237.9 | 240.3 | 242.8 | 244.6 | 247.0 | 253.1 |
| 75° | 187.4 | 191.0 | 195.3 | 199.0 | 203.2 | 206.9 | 208.7 | 210.5 | 212.3 | 214.2 | 219.6 |
| 77.5° | 155.8 | 160.0 | 164.3 | 168.5 | 172.8 | 177.1 | 177.7 | 178.3 | 178.9 | 179.5 | 184.4 |
| 80° | 122.3 | 127.8 | 132.0 | 136.3 | 140.5 | 144.8 | 144.8 | 144.8 | 144.8 | 144.8 | 147.2 |
| 82.5° | 87.0 | 91.9 | 96.7 | 101.0 | 105.9 | 110.1 | 110.1 | 109.5 | 109.5 | 108.9 | 108.9 |
| 85° | 49.9 | 54.2 | 57.2 | 60.8 | 63.9 | 66.9 | 66.9 | 66.9 | 66.3 | 66.3 | 65.1 |
| 87.5° | 7.9 | 10.3 | 11.6 | 13.4 | 14.6 | 15.8 | 15.2 | 15.2 | 14.6 | 14.0 | 12.2 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597434
 CATALOG NUMBER: PMM-SA3D-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 192.5° | 195° | 197.5° | 200° | 202.5° | 205° | 207.5° | 210° | 212.5° | 215° | 217.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597434

CATALOG NUMBER: PMM-SA3D-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 220° | 222.5° | 225° | 227.5° | 230° | 232.5° | 235° | 237.5° | 240° | 242.5° | 245° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 |
| 2.5° | 1401.2 | 1416.4 | 1431.6 | 1429.2 | 1426.8 | 1424.3 | 1421.9 | 1431.0 | 1439.5 | 1448.7 | 1457.2 |
| 5° | 1425.5 | 1434.7 | 1443.2 | 1449.9 | 1456.6 | 1463.3 | 1470.0 | 1501.0 | 1531.4 | 1562.4 | 1592.9 |
| 7.5° | 1276.5 | 1273.4 | 1271.0 | 1299.6 | 1328.8 | 1357.4 | 1386.0 | 1425.5 | 1465.1 | 1504.6 | 1544.2 |
| 10° | 1212.6 | 1219.3 | 1226.0 | 1237.5 | 1249.7 | 1261.3 | 1272.8 | 1311.8 | 1350.7 | 1389.7 | 1428.6 |
| 12.5° | 1275.9 | 1313.6 | 1350.7 | 1359.8 | 1369.6 | 1378.7 | 1387.8 | 1395.7 | 1403.6 | 1410.9 | 1418.9 |
| 15° | 1173.7 | 1215.0 | 1256.4 | 1280.1 | 1303.9 | 1327.0 | 1350.7 | 1410.3 | 1469.4 | 1529.0 | 1588.0 |
| 17.5° | 1014.9 | 1062.3 | 1109.2 | 1167.6 | 1226.0 | 1284.4 | 1342.8 | 1397.6 | 1452.3 | 1506.5 | 1561.2 |
| 20° | 856.7 | 918.7 | 981.4 | 1045.3 | 1108.6 | 1172.4 | 1235.7 | 1289.3 | 1342.8 | 1395.7 | 1449.3 |
| 22.5° | 705.8 | 756.9 | 807.4 | 885.3 | 962.5 | 1040.4 | 1117.7 | 1217.5 | 1316.6 | 1416.4 | 1515.6 |
| 25° | 632.8 | 672.9 | 712.5 | 792.8 | 873.1 | 952.8 | 1033.1 | 1162.7 | 1291.7 | 1421.3 | 1550.3 |
| 27.5° | 607.2 | 621.2 | 635.2 | 708.2 | 780.6 | 853.6 | 926.0 | 1066.0 | 1205.9 | 1345.2 | 1485.2 |
| 30° | 599.3 | 604.2 | 609.0 | 666.2 | 723.4 | 780.6 | 837.8 | 975.9 | 1114.6 | 1252.8 | 1390.9 |
| 32.5° | 505.6 | 516.6 | 526.9 | 582.9 | 638.2 | 694.2 | 749.6 | 888.9 | 1027.6 | 1167.0 | 1305.7 |
| 35° | 463.6 | 475.8 | 488.0 | 542.7 | 597.5 | 651.6 | 706.4 | 853.0 | 1000.3 | 1146.9 | 1293.5 |
| 37.5° | 455.1 | 464.2 | 473.4 | 535.4 | 597.5 | 659.5 | 721.6 | 870.1 | 1018.5 | 1167.0 | 1315.4 |
| 40° | 450.8 | 457.5 | 464.2 | 524.5 | 585.3 | 645.5 | 705.8 | 861.5 | 1016.7 | 1172.4 | 1327.6 |
| 42.5° | 456.3 | 464.2 | 471.5 | 526.3 | 580.4 | 635.2 | 689.3 | 850.6 | 1011.2 | 1172.4 | 1333.1 |
| 45° | 461.2 | 469.7 | 477.6 | 528.7 | 579.8 | 630.9 | 682.0 | 854.2 | 1025.8 | 1198.0 | 1369.6 |
| 47.5° | 472.7 | 474.6 | 475.8 | 520.2 | 564.0 | 608.4 | 652.2 | 827.5 | 1002.7 | 1177.3 | 1352.5 |
| 50° | 482.5 | 473.4 | 463.6 | 509.9 | 555.5 | 601.7 | 647.4 | 813.5 | 979.6 | 1145.1 | 1311.2 |
| 52.5° | 467.3 | 453.3 | 439.9 | 489.8 | 539.7 | 589.0 | 638.9 | 805.0 | 971.7 | 1137.8 | 1303.9 |
| 55° | 444.2 | 430.2 | 416.2 | 466.7 | 517.2 | 567.7 | 618.2 | 783.7 | 949.8 | 1115.2 | 1280.7 |
| 57.5° | 421.0 | 411.9 | 402.8 | 444.2 | 486.1 | 527.5 | 568.9 | 748.4 | 927.2 | 1106.7 | 1285.6 |
| 60° | 390.6 | 389.4 | 388.8 | 421.0 | 453.9 | 486.1 | 518.4 | 694.2 | 869.4 | 1045.3 | 1220.5 |
| 62.5° | 364.4 | 367.5 | 369.9 | 396.1 | 422.2 | 447.8 | 474.0 | 643.7 | 814.1 | 983.8 | 1153.6 |
| 65° | 344.4 | 350.5 | 356.5 | 386.4 | 416.2 | 445.4 | 475.2 | 617.6 | 759.9 | 902.3 | 1044.7 |
| 67.5° | 320.0 | 327.3 | 334.6 | 373.6 | 412.5 | 451.5 | 490.4 | 607.8 | 725.2 | 842.7 | 960.1 |
| 70° | 292.0 | 299.3 | 306.0 | 355.9 | 405.2 | 455.1 | 504.4 | 608.4 | 713.1 | 817.1 | 921.2 |
| 72.5° | 259.2 | 265.3 | 271.4 | 324.9 | 378.4 | 432.0 | 485.5 | 573.7 | 662.0 | 749.6 | 837.8 |
| 75° | 225.7 | 231.2 | 236.7 | 282.9 | 329.2 | 375.4 | 421.6 | 489.8 | 557.3 | 625.5 | 693.0 |
| 77.5° | 188.6 | 193.5 | 197.7 | 228.8 | 259.8 | 290.8 | 321.9 | 374.2 | 425.9 | 478.2 | 529.9 |
| 80° | 149.7 | 152.1 | 154.5 | 172.8 | 190.4 | 208.7 | 226.3 | 261.0 | 295.7 | 329.8 | 364.4 |
| 82.5° | 109.5 | 109.5 | 109.5 | 121.1 | 133.2 | 144.8 | 156.4 | 174.0 | 191.0 | 208.7 | 225.7 |
| 85° | 63.9 | 62.1 | 60.8 | 68.8 | 76.7 | 84.6 | 92.5 | 99.8 | 107.1 | 114.4 | 121.7 |
| 87.5° | 10.3 | 7.9 | 6.1 | 11.0 | 15.8 | 20.7 | 25.6 | 28.0 | 31.0 | 33.5 | 35.9 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597434
 CATALOG NUMBER: PMM-SA3D-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 220° | 222.5° | 225° | 227.5° | 230° | 232.5° | 235° | 237.5° | 240° | 242.5° | 245° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597434

CATALOG NUMBER: PMM-SA3D-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 247.5° | 250° | 252.5° | 255° | 257.5° | 260° | 262.5° | 265° | 267.5° | 270° | 272.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|
| 0° | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 |
| 2.5° | 1436.5 | 1416.4 | 1395.7 | 1375.0 | 1405.5 | 1435.9 | 1466.3 | 1496.7 | 1577.7 | 1625.7 | 1628.8 |
| 5° | 1618.4 | 1644.0 | 1669.5 | 1695.1 | 1720.6 | 1746.2 | 1771.1 | 1796.7 | 1928.1 | 2009.0 | 2024.2 |
| 7.5° | 1586.2 | 1628.8 | 1670.7 | 1712.7 | 1785.1 | 1857.5 | 1929.9 | 2002.3 | 2113.7 | 2194.0 | 2246.9 |
| 10° | 1480.9 | 1533.2 | 1585.6 | 1637.9 | 1723.7 | 1810.1 | 1895.9 | 1981.7 | 2099.7 | 2205.6 | 2256.1 |
| 12.5° | 1502.2 | 1585.6 | 1668.3 | 1751.7 | 1825.9 | 1900.7 | 1975.0 | 2049.2 | 2130.7 | 2170.9 | 2262.7 |
| 15° | 1645.8 | 1703.6 | 1761.4 | 1819.2 | 1931.2 | 2042.5 | 2154.4 | 2265.8 | 2312.0 | 2403.9 | 2486.6 |
| 17.5° | 1667.7 | 1773.6 | 1880.0 | 1985.9 | 2122.8 | 2259.7 | 2396.6 | 2533.5 | 2619.3 | 2737.9 | 2837.7 |
| 20° | 1599.6 | 1749.2 | 1899.5 | 2049.2 | 2225.6 | 2402.7 | 2579.1 | 2755.6 | 2864.5 | 2964.3 | 3118.8 |
| 22.5° | 1681.1 | 1846.6 | 2011.5 | 2177.0 | 2411.2 | 2644.8 | 2879.1 | 3112.7 | 3340.3 | 3563.0 | 3667.6 |
| 25° | 1771.1 | 1992.6 | 2213.5 | 2434.3 | 2727.0 | 3019.0 | 3311.7 | 3603.7 | 3896.4 | 4105.1 | 4225.5 |
| 27.5° | 1707.9 | 1929.9 | 2152.6 | 2374.7 | 2736.7 | 3099.3 | 3461.4 | 3823.4 | 4136.7 | 4388.0 | 4491.4 |
| 30° | 1663.4 | 1936.0 | 2208.6 | 2481.2 | 2905.9 | 3330.5 | 3755.2 | 4179.9 | 4469.5 | 4750.0 | 4902.1 |
| 32.5° | 1655.5 | 2005.4 | 2354.6 | 2704.5 | 3199.1 | 3693.2 | 4187.8 | 4681.9 | 4874.1 | 5123.0 | 5328.0 |
| 35° | 1677.4 | 2062.0 | 2445.9 | 2829.8 | 3396.9 | 3963.9 | 4530.4 | 5097.4 | 5370.6 | 5617.0 | 5796.5 |
| 37.5° | 1744.4 | 2173.3 | 2601.6 | 3030.6 | 3713.8 | 4397.7 | 5081.0 | 5764.3 | 6222.4 | 6673.2 | 6753.6 |
| 40° | 1782.1 | 2237.2 | 2691.7 | 3146.2 | 3940.8 | 4735.4 | 5530.0 | 6324.6 | 6851.5 | 7346.2 | 7379.6 |
| 42.5° | 1826.5 | 2319.9 | 2812.8 | 3306.2 | 4187.2 | 5068.8 | 5949.8 | 6830.8 | 7483.1 | 8014.8 | 8030.7 |
| 45° | 1877.6 | 2385.0 | 2893.1 | 3400.5 | 4320.5 | 5239.8 | 6159.7 | 7079.1 | 7867.6 | 8513.7 | 8356.2 |
| 47.5° | 1897.7 | 2443.5 | 2988.6 | 3533.8 | 4514.5 | 5494.7 | 6475.5 | 7455.7 | 8163.3 | 8751.0 | 8600.1 |
| 50° | 1905.6 | 2500.6 | 3095.1 | 3689.5 | 4705.6 | 5722.3 | 6738.3 | 7754.4 | 8474.2 | 9047.3 | 8816.1 |
| 52.5° | 1954.9 | 2605.9 | 3256.9 | 3907.9 | 4966.6 | 6025.3 | 7083.9 | 8142.6 | 8850.8 | 9401.4 | 9114.3 |
| 55° | 2021.2 | 2761.7 | 3501.5 | 4242.0 | 5337.7 | 6432.9 | 7528.7 | 8623.9 | 9334.5 | 9846.8 | 9490.9 |
| 57.5° | 2082.7 | 2880.3 | 3677.3 | 4474.4 | 5609.7 | 6745.6 | 7881.0 | 9016.3 | 9736.1 | 10242.9 | 9897.9 |
| 60° | 2052.8 | 2885.2 | 3717.5 | 4549.8 | 5665.7 | 6780.9 | 7896.8 | 9012.0 | 9829.2 | 10437.0 | 10260.5 |
| 62.5° | 1962.8 | 2772.0 | 3580.6 | 4389.8 | 5449.1 | 6507.8 | 7567.0 | 8625.7 | 9582.1 | 10361.5 | 10353.6 |
| 65° | 1789.4 | 2534.1 | 3278.2 | 4022.9 | 5003.1 | 5983.9 | 6964.1 | 7944.3 | 9071.7 | 10018.4 | 10079.8 |
| 67.5° | 1578.3 | 2196.4 | 2814.6 | 3432.8 | 4355.7 | 5278.7 | 6201.7 | 7124.7 | 8330.0 | 9374.7 | 9427.6 |
| 70° | 1373.8 | 1827.1 | 2279.8 | 2732.5 | 3542.9 | 4353.3 | 5163.1 | 5973.6 | 7191.0 | 8247.9 | 8296.5 |
| 72.5° | 1134.1 | 1430.4 | 1726.1 | 2022.4 | 2678.9 | 3335.4 | 3991.3 | 4647.8 | 5716.8 | 6529.7 | 6804.1 |
| 75° | 868.8 | 1044.7 | 1220.5 | 1396.3 | 1927.5 | 2458.7 | 2989.2 | 3520.4 | 4231.0 | 4830.9 | 5140.0 |
| 77.5° | 621.2 | 712.5 | 803.7 | 895.0 | 1346.5 | 1797.9 | 2248.8 | 2700.2 | 3073.8 | 3413.9 | 3622.6 |
| 80° | 407.6 | 450.2 | 493.4 | 536.0 | 911.4 | 1286.8 | 1661.6 | 2037.0 | 2264.6 | 2447.1 | 2552.4 |
| 82.5° | 247.0 | 268.3 | 289.0 | 310.3 | 614.5 | 918.7 | 1222.3 | 1526.5 | 1656.8 | 1743.8 | 1837.5 |
| 85° | 133.2 | 144.8 | 156.4 | 167.9 | 363.2 | 557.9 | 753.2 | 947.9 | 960.7 | 971.1 | 1110.4 |
| 87.5° | 38.9 | 42.6 | 45.6 | 48.7 | 80.3 | 112.6 | 144.2 | 175.8 | 109.5 | 68.1 | 139.9 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597434
 CATALOG NUMBER: PMM-SA3D-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 247.5° | 250° | 252.5° | 255° | 257.5° | 260° | 262.5° | 265° | 267.5° | 270° | 272.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597434

CATALOG NUMBER: PMM-SA3D-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 275° | 277.5° | 280° | 282.5° | 285° | 287.5° | 290° | 292.5° | 295° | 297.5° | 300° |
|--------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 |
| 2.5° | 1611.1 | 1603.2 | 1595.3 | 1586.8 | 1578.9 | 1545.4 | 1512.6 | 1479.1 | 1445.6 | 1477.9 | 1509.5 |
| 5° | 2006.6 | 2030.9 | 2054.7 | 2079.0 | 2103.3 | 2105.2 | 2106.4 | 2108.2 | 2109.4 | 2115.5 | 2121.6 |
| 7.5° | 2291.3 | 2334.5 | 2377.1 | 2420.3 | 2463.5 | 2497.0 | 2530.5 | 2564.5 | 2598.0 | 2567.6 | 2537.1 |
| 10° | 2315.7 | 2406.9 | 2498.2 | 2589.5 | 2680.7 | 2697.2 | 2713.0 | 2729.4 | 2745.8 | 2767.7 | 2789.0 |
| 12.5° | 2340.0 | 2451.4 | 2562.1 | 2673.4 | 2784.8 | 2833.5 | 2881.5 | 2930.2 | 2978.3 | 3002.0 | 3025.1 |
| 15° | 2597.4 | 2663.1 | 2728.2 | 2793.9 | 2859.0 | 2892.5 | 2925.3 | 2958.8 | 2992.3 | 3012.3 | 3031.8 |
| 17.5° | 2928.4 | 2952.7 | 2976.4 | 3000.8 | 3025.1 | 3047.6 | 3070.1 | 3092.6 | 3115.2 | 3118.8 | 3122.5 |
| 20° | 3230.1 | 3235.0 | 3239.3 | 3244.1 | 3248.4 | 3200.9 | 3154.1 | 3106.6 | 3059.2 | 3067.7 | 3075.6 |
| 22.5° | 3682.8 | 3656.0 | 3629.9 | 3603.1 | 3577.0 | 3487.5 | 3398.7 | 3309.2 | 3220.4 | 3182.1 | 3144.4 |
| 25° | 4364.3 | 4296.1 | 4228.0 | 4159.8 | 4091.7 | 3949.3 | 3807.5 | 3665.2 | 3523.4 | 3440.1 | 3357.3 |
| 27.5° | 4583.9 | 4435.4 | 4287.6 | 4139.1 | 3990.7 | 3883.0 | 3775.9 | 3668.2 | 3561.1 | 3429.1 | 3297.1 |
| 30° | 5028.1 | 4793.8 | 4560.2 | 4325.9 | 4091.7 | 3987.6 | 3883.6 | 3779.0 | 3674.9 | 3539.8 | 3405.4 |
| 32.5° | 5421.7 | 5178.3 | 4935.0 | 4691.0 | 4447.6 | 4250.5 | 4053.4 | 3856.2 | 3659.1 | 3567.8 | 3476.6 |
| 35° | 5877.4 | 5571.4 | 5265.3 | 4959.3 | 4653.3 | 4484.1 | 4315.6 | 4146.4 | 3977.9 | 3839.8 | 3702.3 |
| 37.5° | 6541.2 | 6215.7 | 5890.2 | 5564.1 | 5238.6 | 5009.8 | 4781.6 | 4552.9 | 4324.7 | 4248.7 | 4173.2 |
| 40° | 7174.0 | 6789.5 | 6405.5 | 6021.0 | 5637.1 | 5461.9 | 5286.6 | 5110.8 | 4935.6 | 4807.2 | 4678.8 |
| 42.5° | 7703.9 | 7323.7 | 6944.0 | 6563.7 | 6184.1 | 6056.3 | 5929.1 | 5801.4 | 5674.2 | 5568.3 | 5462.5 |
| 45° | 7885.8 | 7575.5 | 7265.9 | 6955.6 | 6645.3 | 6600.2 | 6555.8 | 6510.8 | 6466.4 | 6387.9 | 6309.4 |
| 47.5° | 8178.5 | 7862.1 | 7546.3 | 7230.0 | 6913.6 | 6930.0 | 6946.4 | 6963.5 | 6979.9 | 6984.2 | 6987.8 |
| 50° | 8350.7 | 8050.1 | 7750.2 | 7449.6 | 7149.6 | 7229.4 | 7308.4 | 7388.2 | 7467.9 | 7648.6 | 7828.7 |
| 52.5° | 8602.0 | 8306.9 | 8012.4 | 7717.3 | 7422.2 | 7557.3 | 7691.8 | 7826.8 | 7961.3 | 8214.4 | 8467.5 |
| 55° | 8917.1 | 8634.8 | 8353.1 | 8070.8 | 7789.1 | 7920.5 | 8051.3 | 8182.8 | 8313.6 | 8595.3 | 8877.0 |
| 57.5° | 9335.1 | 9032.7 | 8731.0 | 8428.6 | 8126.8 | 8247.9 | 8368.3 | 8489.4 | 8609.9 | 8877.6 | 9145.3 |
| 60° | 9810.9 | 9482.4 | 9153.8 | 8824.7 | 8496.1 | 8529.6 | 8562.4 | 8595.9 | 8628.7 | 8919.0 | 9208.6 |
| 62.5° | 10044.6 | 9740.3 | 9436.7 | 9132.5 | 8828.3 | 8735.2 | 8642.1 | 8548.4 | 8455.3 | 8715.1 | 8974.3 |
| 65° | 9841.9 | 9632.6 | 9424.0 | 9214.7 | 9005.4 | 8841.1 | 8677.4 | 8513.1 | 8348.9 | 8511.3 | 8673.2 |
| 67.5° | 9197.0 | 9078.4 | 8960.3 | 8841.7 | 8723.0 | 8447.4 | 8171.8 | 7895.6 | 7620.0 | 7630.9 | 7641.3 |
| 70° | 8151.7 | 8120.1 | 8089.1 | 8057.4 | 8025.8 | 7611.4 | 7197.7 | 6783.4 | 6369.0 | 6305.8 | 6242.5 |
| 72.5° | 6827.2 | 6847.9 | 6867.9 | 6888.6 | 6909.3 | 6463.9 | 6018.6 | 5573.2 | 5127.8 | 5022.6 | 4917.3 |
| 75° | 5287.9 | 5402.2 | 5516.6 | 5631.6 | 5746.0 | 5320.1 | 4894.2 | 4467.7 | 4041.8 | 3912.2 | 3782.6 |
| 77.5° | 3736.4 | 3949.9 | 4162.9 | 4376.4 | 4590.0 | 4204.9 | 3820.3 | 3435.2 | 3050.1 | 2966.1 | 2882.1 |
| 80° | 2605.3 | 2709.9 | 2814.6 | 2919.2 | 3023.9 | 2830.4 | 2636.9 | 2443.5 | 2250.0 | 2273.1 | 2295.6 |
| 82.5° | 1897.7 | 1922.0 | 1945.8 | 1970.1 | 1994.4 | 1915.3 | 1836.2 | 1756.5 | 1677.4 | 1737.7 | 1797.9 |
| 85° | 1215.6 | 1302.6 | 1389.0 | 1476.0 | 1562.4 | 1474.8 | 1387.2 | 1299.0 | 1211.4 | 1251.5 | 1291.7 |
| 87.5° | 272.0 | 430.2 | 588.4 | 747.2 | 905.3 | 820.2 | 735.6 | 650.4 | 565.2 | 526.9 | 489.2 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597434
 CATALOG NUMBER: PMM-SA3D-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 275° | 277.5° | 280° | 282.5° | 285° | 287.5° | 290° | 292.5° | 295° | 297.5° | 300° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597434

CATALOG NUMBER: PMM-SA3D-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 302.5° | 305° | 307.5° | 310° | 312.5° | 315° | 317.5° | 320° | 322.5° | 325° | 327.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 |
| 2.5° | 1541.8 | 1574.0 | 1564.3 | 1555.1 | 1545.4 | 1535.7 | 1553.3 | 1571.0 | 1589.2 | 1606.9 | 1600.8 |
| 5° | 2128.3 | 2134.4 | 2076.6 | 2019.4 | 1961.6 | 1903.8 | 1939.7 | 1975.6 | 2011.5 | 2047.4 | 2034.6 |
| 7.5° | 2506.7 | 2476.3 | 2442.8 | 2409.4 | 2375.3 | 2341.8 | 2334.5 | 2327.2 | 2319.3 | 2312.0 | 2302.3 |
| 10° | 2810.9 | 2832.2 | 2810.3 | 2789.0 | 2767.1 | 2745.2 | 2694.1 | 2643.0 | 2591.3 | 2540.2 | 2518.9 |
| 12.5° | 3048.8 | 3072.6 | 3078.0 | 3082.9 | 3088.4 | 3093.9 | 3036.7 | 2980.1 | 2922.9 | 2865.7 | 2814.0 |
| 15° | 3051.9 | 3072.0 | 3089.6 | 3106.6 | 3124.3 | 3141.3 | 3106.0 | 3071.3 | 3036.1 | 3000.8 | 2984.3 |
| 17.5° | 3126.7 | 3130.4 | 3115.8 | 3101.8 | 3087.2 | 3073.2 | 3059.2 | 3045.8 | 3031.8 | 3018.4 | 2992.3 |
| 20° | 3084.1 | 3092.6 | 3090.8 | 3089.0 | 3086.6 | 3084.7 | 3086.0 | 3086.6 | 3087.8 | 3088.4 | 3073.8 |
| 22.5° | 3106.0 | 3067.7 | 3075.6 | 3082.9 | 3090.8 | 3098.1 | 3120.0 | 3141.9 | 3164.4 | 3186.3 | 3244.8 |
| 25° | 3274.0 | 3190.6 | 3177.8 | 3165.7 | 3152.9 | 3140.7 | 3197.9 | 3254.5 | 3311.7 | 3368.9 | 3463.8 |
| 27.5° | 3164.4 | 3032.4 | 3003.2 | 2974.0 | 2944.8 | 2915.6 | 3002.6 | 3089.0 | 3176.0 | 3263.0 | 3359.7 |
| 30° | 3270.3 | 3135.8 | 3071.3 | 3006.9 | 2941.8 | 2877.3 | 2960.6 | 3043.4 | 3126.7 | 3209.5 | 3316.5 |
| 32.5° | 3385.3 | 3294.0 | 3250.8 | 3208.2 | 3165.0 | 3122.5 | 3129.1 | 3135.8 | 3142.5 | 3149.2 | 3300.1 |
| 35° | 3564.2 | 3426.1 | 3383.5 | 3340.9 | 3298.3 | 3255.7 | 3326.9 | 3397.5 | 3468.7 | 3539.2 | 3667.0 |
| 37.5° | 4097.2 | 4021.1 | 3944.4 | 3867.8 | 3790.5 | 3713.8 | 3755.8 | 3797.8 | 3839.8 | 3881.8 | 4002.2 |
| 40° | 4550.4 | 4422.1 | 4409.3 | 4397.1 | 4384.3 | 4371.6 | 4375.2 | 4378.3 | 4381.9 | 4385.6 | 4488.4 |
| 42.5° | 5356.0 | 5250.1 | 5185.0 | 5119.9 | 5054.8 | 4989.7 | 4985.5 | 4981.2 | 4976.3 | 4972.1 | 5049.4 |
| 45° | 6230.3 | 6151.8 | 6103.1 | 6054.5 | 6005.2 | 5956.5 | 5879.2 | 5802.0 | 5724.1 | 5646.8 | 5714.4 |
| 47.5° | 6992.1 | 6996.3 | 7084.5 | 7172.2 | 7260.4 | 7348.6 | 7216.6 | 7084.5 | 6952.5 | 6820.5 | 6733.5 |
| 50° | 8009.4 | 8189.5 | 8210.7 | 8231.4 | 8252.7 | 8274.0 | 8050.1 | 7826.8 | 7602.9 | 7379.0 | 7287.8 |
| 52.5° | 8721.2 | 8974.3 | 8941.5 | 8909.2 | 8876.4 | 8843.5 | 8713.9 | 8584.9 | 8455.3 | 8325.7 | 8126.8 |
| 55° | 9159.3 | 9441.0 | 9416.0 | 9391.7 | 9366.8 | 9341.8 | 9247.5 | 9153.2 | 9058.9 | 8964.6 | 8746.2 |
| 57.5° | 9413.0 | 9680.7 | 9688.0 | 9695.3 | 9702.6 | 9709.9 | 9685.0 | 9660.0 | 9635.1 | 9610.1 | 9326.0 |
| 60° | 9498.8 | 9789.0 | 9792.1 | 9794.5 | 9797.5 | 9800.0 | 9760.4 | 9720.9 | 9680.7 | 9641.2 | 9455.6 |
| 62.5° | 9234.1 | 9493.3 | 9504.9 | 9515.8 | 9527.4 | 9538.9 | 9511.6 | 9484.2 | 9456.8 | 9429.4 | 9291.9 |
| 65° | 8835.6 | 8998.1 | 9001.1 | 9003.5 | 9006.6 | 9009.6 | 8940.3 | 8871.5 | 8802.1 | 8732.8 | 8699.9 |
| 67.5° | 7652.2 | 7663.2 | 7727.7 | 7792.1 | 7856.6 | 7921.1 | 7926.6 | 7932.1 | 7938.2 | 7943.6 | 7896.2 |
| 70° | 6179.2 | 6115.9 | 6185.9 | 6255.9 | 6325.8 | 6395.8 | 6425.6 | 6455.4 | 6485.9 | 6515.7 | 6537.6 |
| 72.5° | 4811.5 | 4706.2 | 4757.9 | 4809.6 | 4862.0 | 4913.7 | 4869.3 | 4824.8 | 4780.4 | 4736.0 | 4876.6 |
| 75° | 3653.0 | 3523.4 | 3516.7 | 3510.6 | 3503.9 | 3497.9 | 3475.3 | 3452.8 | 3429.7 | 3407.2 | 3538.6 |
| 77.5° | 2797.6 | 2713.6 | 2717.9 | 2721.5 | 2725.8 | 2729.4 | 2706.3 | 2683.8 | 2660.7 | 2637.5 | 2688.0 |
| 80° | 2318.7 | 2341.2 | 2341.8 | 2342.5 | 2343.1 | 2343.7 | 2321.8 | 2300.5 | 2278.6 | 2256.7 | 2220.2 |
| 82.5° | 1858.7 | 1919.0 | 1918.4 | 1918.4 | 1917.8 | 1917.2 | 1915.9 | 1914.7 | 1912.9 | 1911.7 | 1852.1 |
| 85° | 1331.9 | 1372.0 | 1330.6 | 1289.3 | 1247.9 | 1206.5 | 1236.9 | 1267.4 | 1298.4 | 1328.8 | 1303.9 |
| 87.5° | 450.8 | 413.1 | 363.8 | 315.2 | 265.9 | 216.6 | 269.5 | 322.5 | 376.0 | 428.9 | 459.4 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597434
 CATALOG NUMBER: PMM-SA3D-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 302.5° | 305° | 307.5° | 310° | 312.5° | 315° | 317.5° | 320° | 322.5° | 325° | 327.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597434

CATALOG NUMBER: PMM-SA3D-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 330° | 332.5° | 335° | 337.5° | 340° | 342.5° | 345° | 347.5° | 350° | 352.5° | 355° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|
| 0° | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 | 1322.1 |
| 2.5° | 1595.3 | 1589.2 | 1583.7 | 1545.4 | 1506.5 | 1468.1 | 1429.2 | 1499.8 | 1571.0 | 1641.5 | 1712.1 |
| 5° | 2022.4 | 2009.6 | 1997.5 | 1994.4 | 1991.4 | 1987.7 | 1984.7 | 2020.6 | 2056.5 | 2091.8 | 2127.7 |
| 7.5° | 2292.6 | 2282.8 | 2273.1 | 2247.5 | 2222.6 | 2197.0 | 2171.5 | 2193.4 | 2214.7 | 2236.6 | 2257.9 |
| 10° | 2498.2 | 2476.9 | 2455.6 | 2400.3 | 2345.5 | 2290.1 | 2234.8 | 2218.3 | 2201.9 | 2185.5 | 2169.0 |
| 12.5° | 2762.3 | 2709.9 | 2658.2 | 2595.6 | 2532.3 | 2469.6 | 2406.3 | 2397.8 | 2389.3 | 2381.4 | 2372.9 |
| 15° | 2968.5 | 2952.1 | 2935.7 | 2885.8 | 2835.9 | 2786.0 | 2736.1 | 2669.2 | 2601.6 | 2534.7 | 2467.8 |
| 17.5° | 2966.7 | 2940.5 | 2915.0 | 2981.9 | 3048.2 | 3115.2 | 3181.5 | 3110.3 | 3038.5 | 2967.3 | 2896.1 |
| 20° | 3059.2 | 3044.0 | 3029.4 | 3152.9 | 3275.8 | 3399.3 | 3522.2 | 3483.3 | 3443.7 | 3404.8 | 3365.2 |
| 22.5° | 3302.6 | 3361.0 | 3418.8 | 3524.6 | 3629.9 | 3735.8 | 3841.0 | 3885.4 | 3929.8 | 3974.3 | 4018.7 |
| 25° | 3558.1 | 3653.0 | 3747.9 | 3905.5 | 4062.5 | 4220.1 | 4377.6 | 4409.3 | 4440.9 | 4472.6 | 4504.2 |
| 27.5° | 3455.9 | 3552.6 | 3649.4 | 3768.6 | 3887.3 | 4006.5 | 4125.1 | 4263.9 | 4403.2 | 4541.9 | 4680.6 |
| 30° | 3423.0 | 3530.1 | 3636.6 | 3800.2 | 3963.3 | 4127.0 | 4290.6 | 4481.7 | 4672.7 | 4863.2 | 5054.2 |
| 32.5° | 3450.4 | 3601.3 | 3752.2 | 3973.6 | 4194.5 | 4416.0 | 4637.4 | 4838.2 | 5039.6 | 5240.4 | 5441.2 |
| 35° | 3794.2 | 3921.9 | 4049.1 | 4296.7 | 4544.4 | 4792.0 | 5039.6 | 5275.1 | 5510.5 | 5745.4 | 5980.9 |
| 37.5° | 4122.1 | 4242.6 | 4363.0 | 4616.1 | 4868.6 | 5121.8 | 5374.9 | 5746.6 | 6119.0 | 6490.7 | 6862.5 |
| 40° | 4590.6 | 4693.4 | 4795.6 | 5012.2 | 5228.8 | 5445.4 | 5662.0 | 6110.5 | 6558.9 | 7007.3 | 7455.7 |
| 42.5° | 5126.0 | 5203.3 | 5279.9 | 5504.5 | 5729.0 | 5953.5 | 6178.0 | 6665.9 | 7154.5 | 7642.5 | 8130.4 |
| 45° | 5781.3 | 5848.8 | 5916.4 | 6070.9 | 6225.4 | 6380.6 | 6535.1 | 7038.3 | 7541.5 | 8044.6 | 8547.8 |
| 47.5° | 6646.5 | 6559.5 | 6472.5 | 6548.5 | 6624.6 | 6700.6 | 6776.7 | 7274.4 | 7772.1 | 8269.2 | 8766.9 |
| 50° | 7196.5 | 7105.2 | 7014.0 | 7020.7 | 7026.7 | 7033.4 | 7040.1 | 7504.4 | 7968.6 | 8432.2 | 8896.4 |
| 52.5° | 7927.8 | 7728.3 | 7529.3 | 7527.5 | 7525.7 | 7523.2 | 7521.4 | 7926.0 | 8331.2 | 8735.8 | 9140.4 |
| 55° | 8527.7 | 8309.3 | 8090.9 | 8048.3 | 8005.7 | 7962.5 | 7919.9 | 8320.3 | 8720.0 | 9120.3 | 9520.1 |
| 57.5° | 9041.9 | 8757.1 | 8473.0 | 8406.1 | 8339.1 | 8272.2 | 8205.3 | 8636.6 | 9068.6 | 9500.0 | 9931.4 |
| 60° | 9270.6 | 9085.1 | 8900.1 | 8818.0 | 8735.8 | 8653.7 | 8571.5 | 8939.0 | 9306.5 | 9673.4 | 10040.9 |
| 62.5° | 9155.0 | 9017.5 | 8880.6 | 8899.5 | 8918.3 | 8937.2 | 8956.1 | 9166.0 | 9376.5 | 9586.4 | 9796.3 |
| 65° | 8667.7 | 8634.8 | 8602.6 | 8754.7 | 8906.8 | 9058.9 | 9211.0 | 9214.0 | 9217.1 | 9220.1 | 9223.2 |
| 67.5° | 7848.7 | 7801.3 | 7753.8 | 8070.2 | 8386.0 | 8702.4 | 9018.7 | 8868.5 | 8718.2 | 8568.5 | 8418.2 |
| 70° | 6558.9 | 6580.8 | 6602.1 | 7032.8 | 7463.0 | 7893.8 | 8324.5 | 8106.7 | 7888.3 | 7670.5 | 7452.0 |
| 72.5° | 5017.1 | 5158.3 | 5298.8 | 5745.4 | 6192.0 | 6638.6 | 7085.2 | 6836.3 | 6586.9 | 6338.0 | 6088.5 |
| 75° | 3670.0 | 3801.5 | 3932.9 | 4374.0 | 4815.1 | 5256.8 | 5697.9 | 5402.2 | 5106.5 | 4811.5 | 4515.8 |
| 77.5° | 2738.5 | 2789.6 | 2840.1 | 3207.0 | 3573.3 | 3940.2 | 4306.5 | 4009.5 | 3712.6 | 3416.3 | 3119.4 |
| 80° | 2184.3 | 2147.8 | 2111.9 | 2315.1 | 2518.3 | 2721.5 | 2924.7 | 2714.2 | 2503.1 | 2292.6 | 2082.0 |
| 82.5° | 1793.0 | 1733.4 | 1674.4 | 1749.8 | 1825.3 | 1901.3 | 1976.8 | 1808.3 | 1639.7 | 1471.2 | 1302.6 |
| 85° | 1278.9 | 1254.0 | 1229.0 | 1250.9 | 1272.2 | 1294.1 | 1316.0 | 1151.8 | 987.5 | 823.8 | 659.5 |
| 87.5° | 489.2 | 519.6 | 550.0 | 584.7 | 618.8 | 653.5 | 687.5 | 538.5 | 389.4 | 240.9 | 91.9 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597434
 CATALOG NUMBER: PMM-SA3D-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 330° | 332.5° | 335° | 337.5° | 340° | 342.5° | 345° | 347.5° | 350° | 352.5° | 355° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P597434
 CATALOG NUMBER: PMM-SA3D-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 357.5° | 360° |
|--------|---------|---------|
| 0° | 1322.1 | 1322.1 |
| 2.5° | 1741.3 | 1770.5 |
| 5° | 2127.1 | 2126.5 |
| 7.5° | 2248.1 | 2237.8 |
| 10° | 2142.3 | 2115.5 |
| 12.5° | 2293.8 | 2214.1 |
| 15° | 2388.7 | 2309.0 |
| 17.5° | 2776.3 | 2655.8 |
| 20° | 3222.2 | 3078.6 |
| 22.5° | 3800.2 | 3581.8 |
| 25° | 4243.2 | 3981.6 |
| 27.5° | 4525.5 | 4369.7 |
| 30° | 4875.9 | 4697.7 |
| 32.5° | 5309.8 | 5177.7 |
| 35° | 5860.4 | 5739.3 |
| 37.5° | 6824.7 | 6786.4 |
| 40° | 7410.1 | 7363.8 |
| 42.5° | 8132.3 | 8133.5 |
| 45° | 8575.2 | 8602.6 |
| 47.5° | 8836.2 | 8905.0 |
| 50° | 9044.3 | 9191.5 |
| 52.5° | 9341.8 | 9543.2 |
| 55° | 9787.8 | 10054.9 |
| 57.5° | 10158.9 | 10386.5 |
| 60° | 10158.9 | 10276.4 |
| 62.5° | 9793.3 | 9789.6 |
| 65° | 9166.6 | 9109.4 |
| 67.5° | 8346.4 | 8274.6 |
| 70° | 7340.1 | 7227.5 |
| 72.5° | 5949.2 | 5809.3 |
| 75° | 4324.1 | 4131.8 |
| 77.5° | 3028.2 | 2936.3 |
| 80° | 2126.5 | 2170.9 |
| 82.5° | 1365.9 | 1429.2 |
| 85° | 649.8 | 640.1 |
| 87.5° | 76.7 | 61.5 |
| 90° | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 |



REPORT NUMBER: P597434
CATALOG NUMBER: PMM-SA3D-722-U-SLR

CANDELA DISTRIBUTION (continued):

| | 357.5° | 360° |
|--------|--------|------|
| 112.5° | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 |

(END OF REPORT)