

Scaled data based on original data using
LM-79-08 Approved Method: Electrical and Photometric Measurements of Solid-
State Lighting Products

Test Report Prepared for
Cooper Lighting Solutions
(formerly Eaton)

Brand: STREETWORKS

Report Number: P368063

Luminaire Tested: **PMM-SA3D-727-U-SLR-HSS**

Issue Date: 12/2/2019

Test Information

Test Method: LM-79-08
Report Number: P368063
TEST IS SCALED FROM IESNA LM-79-08 TEST DATA (G2-1910-543-25)
Test Lab: INNOVATION CENTER
Issue Date: 12/2/2019
Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)
Product Line: STREETWORKS
Catalog Number: PMM-SA3D-727-U-SLR-HSS
Description: MESA POST TOP DECORATIVE LUMINAIRE. (3) LIGHTSQUARES WITH 16 LEDS EACH AND SPILL LIGHT ELIMINATOR RIGHT OPTICS WITH HOUSE SIDE SHIELD
Light Source: -
Ballast/Driver: ELECTRONIC DRIVER

Summary

Lumens per Lamp: N/A
Luminaire Lumens: 12143 lumens
Efficiency: N/A
Efficacy: 63.2 lumens/watt
Luminous Opening: Rectangular (W 1' x L: 1' x H: 0')
IES Classification: Type IV - Short
BUG Rating: B2 - U0 - G2


Input Watts (W): 192
Input Voltage (V): NR
Input Current (Ain): NR
Voltage Rise (V): NR
Power Factor: NR
Total Harmonic Distortion (THDi): NR
Frequency (hertz): 60
Stabilization Time: NR
Operation Time: NR
Ambient Temperature (°C): NR
Test Distance: 28.75 FT



REPORT NUMBER: P368063
 CATALOG NUMBER: PMM-SA3D-727-U-SLR-HSS

Iso-Footcandle Lines of Horizontal Illumination


× Max cd
 - - - 1/2 Max cd



Based on 25 foot mounting height. Maximum calculated value = 6.2 fc
 Type IV - Short - N/A

REPORT NUMBER: P368063
CATALOG NUMBER: PMM-SA3D-727-U-SLR-HSS

Luminous Intensity Polar Plot



REPORT NUMBER: P368063
 CATALOG NUMBER: PMM-SA3D-727-U-SLR-HSS

FLUX DISTRIBUTION:

| | | Downward | Upward | Total |
|--------------------|-----------|----------|--------|---------|
| House Side | Lumens | 2027.7 | 0.0 | 2027.7 |
| | % Fixture | 16.7 | 0.0 | 16.7 |
| Street Side | Lumens | 10115.3 | 0.0 | 10115.3 |
| | % Fixture | 83.3 | 0.0 | 83.3 |
| Total | Lumens | 12143.0 | 0.0 | 12143.0 |
| | % Fixture | 100.0 | 0.0 | 100.0 |

ZONAL LUMENS:

| Zone | Lumens | % Fixture |
|-----------|---------|-----------|
| 0°-10° | 163.5 | 1.3 |
| 10°-20° | 427.1 | 3.5 |
| 20°-30° | 690.3 | 5.7 |
| 30°-40° | 1156.1 | 9.5 |
| 40°-50° | 1890.0 | 15.6 |
| 50°-60° | 2797.8 | 23.0 |
| 60°-70° | 3212.0 | 26.5 |
| 70°-80° | 1588.1 | 13.1 |
| 80°-90° | 218.1 | 1.8 |
| 90°-100° | 0.0 | 0.0 |
| 100°-110° | 0.0 | 0.0 |
| 110°-120° | 0.0 | 0.0 |
| 120°-130° | 0.0 | 0.0 |
| 130°-140° | 0.0 | 0.0 |
| 140°-150° | 0.0 | 0.0 |
| 150°-160° | 0.0 | 0.0 |
| 160°-170° | 0.0 | 0.0 |
| 170°-180° | 0.0 | 0.0 |
| 0°-90° | 12143.0 | 100.0 |
| 0°-180° | 12143.0 | 100.0 |

Coefficient of Utilization




REPORT NUMBER: P368063
 CATALOG NUMBER: PMM-SA3D-727-U-SLR-HSS

LUMINAIRE CLASSIFICATION SYSTEM LUMEN TABLE AND BUG RATING:

| Zone | Lumens | % Fixture | Zone Rating/Lumen Limit | | |
|----------------|--------|-----------|-------------------------|------|---------|
| | | | B | U | G |
| FL (0°-30°) | 946.0 | 7.8 | | | |
| FM (30°-60°) | 4833.5 | 39.8 | | | |
| FH (60°-80°) | 4129.2 | 34.0 | | | G2/5000 |
| FVH (80°-90°) | 206.5 | 1.7 | | | G2/225 |
| BL (0°-30°) | 334.8 | 2.8 | B1/500 | | |
| BM (30°-60°) | 1010.4 | 8.3 | B2/2500 | | |
| BH (60°-80°) | 670.9 | 5.5 | B2/1000 | | G2/1000 |
| BVH (80°-90°) | 11.6 | 0.1 | | | G1/100 |
| UL (90°-100°) | 0.0 | 0.0 | | U0/0 | |
| UH (100°-180°) | 0.0 | 0.0 | | U0/0 | |

BUG Rating: B2-U0-G2
 Type IV Short





REPORT NUMBER: P368063

CATALOG NUMBER: PMM-SA3D-727-U-SLR-HSS

CANDELA DISTRIBUTION (FULL):

| | 0° | 2.5° | 5° | 7.5° | 10° | 12.5° | 15° | 17.5° | 20° | 22.5° | 25° |
|--------|---------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 |
| 2.5° | 1940.2 | 1964.4 | 1988.0 | 1943.0 | 1898.0 | 1853.0 | 1808.0 | 1767.9 | 1727.7 | 1686.9 | 1646.7 |
| 5° | 2496.7 | 2452.4 | 2408.1 | 2347.2 | 2286.3 | 2225.4 | 2164.5 | 2136.1 | 2107.7 | 2079.3 | 2051.0 |
| 7.5° | 2690.5 | 2611.6 | 2532.0 | 2478.0 | 2424.7 | 2370.7 | 2316.8 | 2231.6 | 2145.8 | 2060.6 | 1974.8 |
| 10° | 2538.3 | 2454.5 | 2370.1 | 2323.0 | 2275.9 | 2228.8 | 2181.8 | 2075.9 | 1969.3 | 1863.4 | 1756.8 |
| 12.5° | 2608.2 | 2517.5 | 2426.8 | 2329.9 | 2233.0 | 2136.1 | 2039.2 | 1958.2 | 1876.5 | 1795.5 | 1713.9 |
| 15° | 2656.6 | 2552.8 | 2448.3 | 2337.5 | 2226.8 | 2116.0 | 2005.3 | 1909.8 | 1814.9 | 1719.4 | 1623.9 |
| 17.5° | 2941.1 | 2792.3 | 2643.5 | 2473.2 | 2302.9 | 2132.6 | 1962.4 | 1851.6 | 1741.5 | 1630.8 | 1520.0 |
| 20° | 3306.6 | 3095.5 | 2883.7 | 2653.2 | 2422.7 | 2192.2 | 1961.7 | 1823.9 | 1686.2 | 1548.4 | 1410.7 |
| 22.5° | 3731.6 | 3467.9 | 3203.5 | 2919.0 | 2635.2 | 2350.7 | 2066.2 | 1868.2 | 1670.3 | 1472.3 | 1274.3 |
| 25° | 4159.4 | 3921.3 | 3683.1 | 3300.4 | 2917.6 | 2534.1 | 2151.3 | 1900.1 | 1648.1 | 1396.8 | 1144.9 |
| 27.5° | 4931.8 | 4506.2 | 4080.5 | 3593.2 | 3106.5 | 2619.2 | 2131.9 | 1844.0 | 1556.0 | 1267.4 | 979.4 |
| 30° | 5437.1 | 5109.7 | 4781.6 | 4137.9 | 3494.9 | 2851.1 | 2207.4 | 1842.6 | 1477.8 | 1112.3 | 747.6 |
| 32.5° | 6041.4 | 5562.4 | 5082.7 | 4384.3 | 3685.9 | 2987.5 | 2289.1 | 1860.6 | 1431.4 | 1003.0 | 573.8 |
| 35° | 6720.5 | 6199.2 | 5678.0 | 4793.4 | 3908.8 | 3023.5 | 2138.9 | 1723.6 | 1308.2 | 892.9 | 477.6 |
| 37.5° | 7920.0 | 7047.9 | 6175.7 | 5144.4 | 4112.3 | 3080.9 | 2048.9 | 1634.3 | 1218.9 | 804.3 | 389.0 |
| 40° | 8601.1 | 7768.4 | 6935.7 | 5646.9 | 4358.0 | 3069.2 | 1780.3 | 1412.1 | 1044.5 | 676.3 | 308.0 |
| 42.5° | 9487.1 | 8430.9 | 7373.9 | 5933.4 | 4493.0 | 3052.6 | 1612.1 | 1271.6 | 931.0 | 589.7 | 249.2 |
| 45° | 10012.5 | 8815.7 | 7618.9 | 6058.0 | 4497.2 | 2936.3 | 1375.4 | 1080.5 | 785.6 | 490.8 | 195.9 |
| 47.5° | 10344.1 | 9143.8 | 7943.6 | 6267.8 | 4592.7 | 2916.9 | 1241.1 | 969.8 | 698.4 | 427.1 | 155.7 |
| 50° | 10512.3 | 9308.6 | 8104.2 | 6382.0 | 4659.8 | 2937.0 | 1214.8 | 944.8 | 674.2 | 404.2 | 133.6 |
| 52.5° | 10687.4 | 9526.6 | 8365.1 | 6580.0 | 4794.8 | 3009.6 | 1224.5 | 949.0 | 674.2 | 398.7 | 123.2 |
| 55° | 11041.1 | 9896.2 | 8750.7 | 6863.8 | 4976.8 | 3089.9 | 1203.0 | 931.7 | 660.3 | 388.3 | 117.0 |
| 57.5° | 11475.8 | 10252.0 | 9027.5 | 7071.4 | 5115.3 | 3159.2 | 1203.0 | 930.3 | 657.6 | 384.2 | 111.4 |
| 60° | 11393.4 | 10065.1 | 8736.1 | 6838.1 | 4940.2 | 3041.5 | 1143.5 | 883.9 | 625.0 | 365.5 | 105.9 |
| 62.5° | 10827.9 | 9386.1 | 7943.6 | 6189.6 | 4434.9 | 2680.8 | 926.1 | 719.2 | 512.2 | 304.6 | 97.6 |
| 65° | 10163.4 | 8633.0 | 7101.9 | 5487.7 | 3872.8 | 2258.6 | 643.7 | 505.3 | 366.2 | 227.7 | 88.6 |
| 67.5° | 9363.2 | 7731.1 | 6098.9 | 4663.3 | 3228.4 | 1792.8 | 357.2 | 288.0 | 218.7 | 148.8 | 79.6 |
| 70° | 7974.7 | 6289.9 | 4604.4 | 3501.1 | 2398.4 | 1295.1 | 191.7 | 162.0 | 132.2 | 102.4 | 72.7 |
| 72.5° | 5986.7 | 4443.2 | 2899.6 | 2202.5 | 1506.2 | 809.2 | 112.1 | 101.1 | 89.3 | 78.2 | 66.5 |
| 75° | 4073.5 | 2916.9 | 1760.2 | 1340.1 | 920.6 | 500.5 | 80.3 | 74.8 | 68.5 | 63.0 | 56.8 |
| 77.5° | 2769.4 | 2003.2 | 1236.9 | 944.1 | 651.4 | 358.6 | 65.8 | 62.3 | 58.8 | 54.7 | 51.2 |
| 80° | 1729.1 | 1183.6 | 638.2 | 491.5 | 344.0 | 197.3 | 49.8 | 47.8 | 45.7 | 42.9 | 40.8 |
| 82.5° | 1209.3 | 723.3 | 237.4 | 185.5 | 133.6 | 81.0 | 29.1 | 29.8 | 30.5 | 30.5 | 31.1 |
| 85° | 507.4 | 274.1 | 40.8 | 34.6 | 28.4 | 22.2 | 15.9 | 17.3 | 19.4 | 20.8 | 22.2 |
| 87.5° | 9.0 | 4.8 | 0.0 | 1.4 | 3.5 | 4.8 | 6.2 | 8.3 | 9.7 | 11.8 | 13.2 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368063
 CATALOG NUMBER: PMM-SA3D-727-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 0° | 2.5° | 5° | 7.5° | 10° | 12.5° | 15° | 17.5° | 20° | 22.5° | 25° |
|--------|-----|------|-----|------|-----|-------|-----|-------|-----|-------|-----|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368063

CATALOG NUMBER: PMM-SA3D-727-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 27.5° | 30° | 32.5° | 35° | 37.5° | 40° | 42.5° | 45° | 47.5° | 50° | 52.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 |
| 2.5° | 1657.1 | 1667.5 | 1677.2 | 1687.6 | 1679.3 | 1671.6 | 1663.3 | 1655.0 | 1642.6 | 1630.8 | 1618.3 |
| 5° | 2016.3 | 1981.7 | 1947.1 | 1912.5 | 1859.9 | 1807.3 | 1754.0 | 1701.4 | 1695.2 | 1688.9 | 1682.0 |
| 7.5° | 1893.8 | 1812.8 | 1731.2 | 1650.2 | 1574.0 | 1497.9 | 1421.8 | 1345.6 | 1322.1 | 1299.2 | 1275.7 |
| 10° | 1694.5 | 1632.2 | 1569.2 | 1506.9 | 1452.2 | 1396.8 | 1342.2 | 1286.8 | 1229.3 | 1171.9 | 1113.7 |
| 12.5° | 1648.8 | 1583.7 | 1518.0 | 1452.9 | 1403.1 | 1353.2 | 1303.4 | 1253.6 | 1189.2 | 1124.8 | 1060.4 |
| 15° | 1553.3 | 1482.7 | 1412.1 | 1341.5 | 1275.0 | 1208.6 | 1141.4 | 1075.0 | 997.4 | 919.9 | 842.4 |
| 17.5° | 1436.3 | 1353.2 | 1269.5 | 1185.7 | 1098.5 | 1011.3 | 924.1 | 836.9 | 747.6 | 659.0 | 569.7 |
| 20° | 1297.2 | 1183.6 | 1069.4 | 955.9 | 847.9 | 740.0 | 631.3 | 523.3 | 467.2 | 411.9 | 355.8 |
| 22.5° | 1127.6 | 980.1 | 833.4 | 686.0 | 597.4 | 508.1 | 419.5 | 330.2 | 305.9 | 281.7 | 257.5 |
| 25° | 978.1 | 811.2 | 644.4 | 477.6 | 421.5 | 365.5 | 309.4 | 253.3 | 242.3 | 230.5 | 219.4 |
| 27.5° | 822.3 | 665.9 | 508.8 | 351.6 | 319.8 | 287.3 | 255.4 | 222.9 | 215.3 | 208.3 | 200.7 |
| 30° | 630.6 | 513.6 | 395.9 | 279.0 | 258.2 | 237.4 | 216.0 | 195.2 | 191.7 | 187.6 | 184.1 |
| 32.5° | 488.7 | 402.9 | 317.7 | 231.9 | 220.1 | 208.3 | 196.6 | 184.8 | 179.3 | 173.7 | 167.5 |
| 35° | 408.4 | 339.9 | 270.6 | 201.4 | 193.1 | 184.1 | 175.8 | 166.8 | 161.3 | 155.1 | 149.5 |
| 37.5° | 338.5 | 288.6 | 238.1 | 187.6 | 178.6 | 169.6 | 159.9 | 150.9 | 146.7 | 142.6 | 138.4 |
| 40° | 279.0 | 249.9 | 220.8 | 191.7 | 178.6 | 165.4 | 152.3 | 139.1 | 135.7 | 132.2 | 128.7 |
| 42.5° | 230.5 | 211.8 | 192.4 | 173.7 | 164.0 | 155.1 | 145.4 | 135.7 | 130.8 | 125.3 | 120.4 |
| 45° | 186.2 | 175.8 | 166.1 | 155.7 | 156.4 | 157.1 | 157.1 | 157.8 | 145.4 | 132.2 | 119.7 |
| 47.5° | 150.9 | 146.1 | 140.5 | 135.7 | 141.2 | 146.7 | 151.6 | 157.1 | 144.0 | 130.8 | 117.0 |
| 50° | 129.4 | 126.0 | 121.8 | 117.7 | 123.2 | 129.4 | 135.0 | 140.5 | 135.0 | 130.1 | 124.6 |
| 52.5° | 118.4 | 113.5 | 108.7 | 103.8 | 105.9 | 108.7 | 110.8 | 112.8 | 112.8 | 112.8 | 112.8 |
| 55° | 111.4 | 106.6 | 101.1 | 95.5 | 93.4 | 90.7 | 88.6 | 85.8 | 82.4 | 79.6 | 76.1 |
| 57.5° | 105.9 | 100.4 | 94.1 | 88.6 | 85.1 | 81.0 | 77.5 | 73.4 | 69.9 | 65.8 | 62.3 |
| 60° | 100.4 | 94.8 | 88.6 | 83.1 | 79.6 | 76.1 | 72.0 | 68.5 | 64.4 | 60.9 | 56.8 |
| 62.5° | 92.8 | 87.9 | 83.1 | 78.2 | 74.8 | 72.0 | 68.5 | 65.1 | 60.9 | 56.8 | 51.9 |
| 65° | 84.4 | 81.0 | 76.8 | 72.7 | 69.2 | 65.8 | 62.3 | 58.8 | 54.7 | 51.2 | 47.1 |
| 67.5° | 76.8 | 73.4 | 70.6 | 67.1 | 63.0 | 59.5 | 55.4 | 51.2 | 48.5 | 45.7 | 42.2 |
| 70° | 70.6 | 67.8 | 65.8 | 63.0 | 58.8 | 55.4 | 51.2 | 47.1 | 45.0 | 42.2 | 40.1 |
| 72.5° | 64.4 | 62.3 | 59.5 | 57.5 | 54.0 | 50.5 | 47.1 | 43.6 | 41.5 | 39.5 | 37.4 |
| 75° | 55.4 | 54.0 | 52.6 | 51.2 | 47.8 | 44.3 | 40.1 | 36.7 | 36.0 | 35.3 | 34.6 |
| 77.5° | 49.8 | 49.1 | 47.8 | 46.4 | 42.9 | 39.5 | 36.0 | 32.5 | 33.2 | 33.9 | 33.9 |
| 80° | 40.8 | 40.8 | 40.1 | 40.1 | 37.4 | 34.6 | 31.1 | 28.4 | 29.8 | 31.8 | 33.2 |
| 82.5° | 31.1 | 31.1 | 31.1 | 31.1 | 28.4 | 25.6 | 22.8 | 20.1 | 22.2 | 23.5 | 25.6 |
| 85° | 21.5 | 20.8 | 20.1 | 19.4 | 17.3 | 15.9 | 13.8 | 11.8 | 14.5 | 16.6 | 19.4 |
| 87.5° | 13.2 | 13.8 | 13.8 | 13.8 | 12.5 | 10.4 | 9.0 | 6.9 | 8.3 | 9.0 | 10.4 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368063
 CATALOG NUMBER: PMM-SA3D-727-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 27.5° | 30° | 32.5° | 35° | 37.5° | 40° | 42.5° | 45° | 47.5° | 50° | 52.5° |
|--------|-------|-----|-------|-----|-------|-----|-------|-----|-------|-----|-------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368063

CATALOG NUMBER: PMM-SA3D-727-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 55° | 57.5° | 60° | 62.5° | 65° | 67.5° | 70° | 72.5° | 75° | 77.5° | 80° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 |
| 2.5° | 1605.9 | 1585.1 | 1564.3 | 1542.9 | 1522.1 | 1473.7 | 1425.2 | 1376.8 | 1328.3 | 1364.3 | 1399.6 |
| 5° | 1675.8 | 1635.6 | 1594.8 | 1554.7 | 1513.8 | 1495.8 | 1478.5 | 1460.5 | 1442.5 | 1445.3 | 1448.8 |
| 7.5° | 1252.2 | 1225.9 | 1199.6 | 1172.6 | 1146.3 | 1140.7 | 1135.9 | 1130.3 | 1124.8 | 1136.6 | 1147.7 |
| 10° | 1056.3 | 1019.6 | 982.2 | 945.5 | 908.2 | 888.1 | 868.0 | 847.9 | 827.9 | 825.8 | 823.0 |
| 12.5° | 996.1 | 940.0 | 884.6 | 828.6 | 772.5 | 728.9 | 685.3 | 641.7 | 598.1 | 601.5 | 605.0 |
| 15° | 764.9 | 708.8 | 653.4 | 597.4 | 541.3 | 506.0 | 470.0 | 434.7 | 398.7 | 388.3 | 377.9 |
| 17.5° | 480.4 | 438.8 | 397.3 | 355.1 | 313.6 | 301.8 | 290.7 | 279.0 | 267.2 | 263.7 | 260.3 |
| 20° | 299.7 | 281.7 | 263.7 | 245.0 | 227.0 | 224.3 | 221.5 | 218.7 | 216.0 | 218.0 | 220.1 |
| 22.5° | 233.3 | 225.7 | 217.3 | 209.7 | 201.4 | 198.7 | 195.9 | 193.1 | 190.4 | 192.4 | 193.8 |
| 25° | 207.7 | 202.1 | 196.6 | 191.0 | 185.5 | 182.7 | 179.3 | 176.5 | 173.0 | 174.4 | 176.5 |
| 27.5° | 193.1 | 188.3 | 183.4 | 178.6 | 173.7 | 168.9 | 164.7 | 159.9 | 155.1 | 157.8 | 159.9 |
| 30° | 180.0 | 174.4 | 169.6 | 164.0 | 158.5 | 153.7 | 148.8 | 143.3 | 138.4 | 141.2 | 144.0 |
| 32.5° | 162.0 | 157.1 | 151.6 | 146.7 | 141.2 | 138.4 | 135.7 | 132.2 | 129.4 | 131.5 | 132.9 |
| 35° | 143.3 | 139.1 | 135.7 | 131.5 | 127.4 | 124.6 | 122.5 | 119.7 | 117.0 | 117.7 | 119.1 |
| 37.5° | 134.3 | 129.4 | 124.6 | 119.7 | 114.9 | 113.5 | 112.1 | 110.1 | 108.7 | 108.7 | 108.7 |
| 40° | 125.3 | 120.4 | 115.6 | 110.1 | 105.2 | 103.1 | 101.1 | 99.0 | 96.9 | 96.9 | 96.9 |
| 42.5° | 114.9 | 110.1 | 105.2 | 100.4 | 95.5 | 93.4 | 90.7 | 88.6 | 85.8 | 85.8 | 85.8 |
| 45° | 106.6 | 101.8 | 97.6 | 92.8 | 87.9 | 84.4 | 81.0 | 76.8 | 73.4 | 72.7 | 72.0 |
| 47.5° | 103.8 | 96.9 | 90.0 | 83.1 | 76.1 | 72.7 | 69.2 | 65.1 | 61.6 | 60.9 | 60.2 |
| 50° | 119.1 | 105.2 | 91.4 | 77.5 | 63.7 | 60.9 | 58.1 | 55.4 | 52.6 | 51.2 | 50.5 |
| 52.5° | 112.8 | 98.3 | 83.8 | 69.2 | 54.7 | 52.6 | 50.5 | 48.5 | 46.4 | 45.0 | 43.6 |
| 55° | 72.7 | 66.5 | 60.9 | 54.7 | 48.5 | 47.1 | 45.7 | 43.6 | 42.2 | 40.8 | 39.5 |
| 57.5° | 58.1 | 54.7 | 51.9 | 48.5 | 45.0 | 43.6 | 42.2 | 40.1 | 38.8 | 36.7 | 35.3 |
| 60° | 52.6 | 49.8 | 47.1 | 44.3 | 41.5 | 40.1 | 38.8 | 37.4 | 36.0 | 33.9 | 32.5 |
| 62.5° | 47.8 | 45.7 | 43.6 | 41.5 | 39.5 | 38.1 | 36.7 | 35.3 | 33.9 | 31.8 | 29.8 |
| 65° | 42.9 | 41.5 | 40.1 | 38.8 | 37.4 | 36.0 | 34.6 | 32.5 | 31.1 | 29.1 | 27.0 |
| 67.5° | 39.5 | 38.8 | 38.1 | 37.4 | 36.7 | 35.3 | 33.2 | 31.8 | 29.8 | 27.7 | 24.9 |
| 70° | 37.4 | 37.4 | 37.4 | 36.7 | 36.7 | 35.3 | 33.2 | 31.8 | 29.8 | 27.0 | 24.9 |
| 72.5° | 35.3 | 36.0 | 36.7 | 36.7 | 37.4 | 35.3 | 33.2 | 31.1 | 29.1 | 26.3 | 24.2 |
| 75° | 33.9 | 34.6 | 35.3 | 35.3 | 36.0 | 34.6 | 33.2 | 31.1 | 29.8 | 27.0 | 24.2 |
| 77.5° | 34.6 | 35.3 | 35.3 | 36.0 | 36.0 | 34.6 | 33.2 | 31.1 | 29.8 | 26.3 | 22.8 |
| 80° | 34.6 | 33.9 | 33.2 | 31.8 | 31.1 | 28.4 | 25.6 | 22.2 | 19.4 | 15.2 | 11.8 |
| 82.5° | 27.0 | 25.6 | 24.9 | 23.5 | 22.2 | 19.4 | 16.6 | 13.8 | 11.1 | 8.3 | 5.5 |
| 85° | 21.5 | 20.1 | 19.4 | 18.0 | 16.6 | 14.5 | 11.8 | 9.7 | 6.9 | 5.5 | 3.5 |
| 87.5° | 11.1 | 10.4 | 9.0 | 8.3 | 6.9 | 5.5 | 3.5 | 2.1 | 0.0 | 0.0 | 0.0 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368063
 CATALOG NUMBER: PMM-SA3D-727-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 55° | 57.5° | 60° | 62.5° | 65° | 67.5° | 70° | 72.5° | 75° | 77.5° | 80° |
|--------|-----|-------|-----|-------|-----|-------|-----|-------|-----|-------|-----|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368063

CATALOG NUMBER: PMM-SA3D-727-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 82.5° | 85° | 87.5° | 90° | 92.5° | 95° | 97.5° | 100° | 102.5° | 105° | 107.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 |
| 2.5° | 1435.6 | 1470.9 | 1466.1 | 1461.2 | 1484.1 | 1506.9 | 1490.3 | 1474.4 | 1457.8 | 1441.1 | 1406.5 |
| 5° | 1451.5 | 1454.3 | 1449.4 | 1443.9 | 1444.6 | 1445.3 | 1434.2 | 1423.1 | 1412.1 | 1401.0 | 1398.9 |
| 7.5° | 1159.4 | 1170.5 | 1185.7 | 1200.3 | 1200.9 | 1200.9 | 1192.6 | 1184.3 | 1175.3 | 1167.0 | 1171.2 |
| 10° | 820.9 | 818.2 | 822.3 | 826.5 | 825.8 | 824.4 | 846.5 | 868.7 | 890.2 | 912.3 | 896.4 |
| 12.5° | 607.7 | 611.2 | 593.9 | 576.6 | 582.8 | 588.4 | 591.8 | 595.3 | 598.7 | 602.2 | 611.9 |
| 15° | 367.6 | 357.2 | 344.7 | 332.3 | 338.5 | 344.0 | 350.2 | 355.8 | 362.0 | 367.6 | 373.8 |
| 17.5° | 256.1 | 252.6 | 247.1 | 240.9 | 241.6 | 242.3 | 243.0 | 243.7 | 243.7 | 244.3 | 245.7 |
| 20° | 222.2 | 224.3 | 220.1 | 215.3 | 213.9 | 211.8 | 210.4 | 209.0 | 207.0 | 205.6 | 203.5 |
| 22.5° | 195.9 | 197.3 | 198.0 | 198.0 | 195.2 | 191.7 | 189.0 | 186.9 | 184.1 | 181.4 | 180.0 |
| 25° | 177.9 | 179.3 | 177.9 | 175.8 | 174.4 | 173.0 | 171.7 | 169.6 | 168.2 | 166.1 | 165.4 |
| 27.5° | 162.7 | 164.7 | 164.7 | 164.0 | 162.7 | 160.6 | 157.1 | 154.4 | 150.9 | 147.4 | 148.1 |
| 30° | 146.7 | 149.5 | 149.5 | 148.8 | 148.1 | 147.4 | 144.0 | 140.5 | 137.1 | 133.6 | 135.0 |
| 32.5° | 135.0 | 136.4 | 135.7 | 135.0 | 135.0 | 134.3 | 131.5 | 129.4 | 126.7 | 123.9 | 123.9 |
| 35° | 119.7 | 120.4 | 120.4 | 120.4 | 120.4 | 119.7 | 117.7 | 115.6 | 113.5 | 111.4 | 112.1 |
| 37.5° | 108.7 | 108.7 | 110.8 | 112.1 | 110.8 | 109.4 | 108.0 | 105.9 | 104.5 | 102.4 | 102.4 |
| 40° | 96.2 | 96.2 | 98.3 | 99.7 | 98.3 | 96.9 | 96.2 | 94.8 | 94.1 | 92.8 | 92.8 |
| 42.5° | 85.1 | 85.1 | 87.2 | 88.6 | 88.6 | 87.9 | 86.5 | 85.1 | 83.8 | 82.4 | 83.1 |
| 45° | 71.3 | 70.6 | 74.1 | 76.8 | 75.4 | 74.1 | 74.1 | 73.4 | 73.4 | 72.7 | 73.4 |
| 47.5° | 58.8 | 58.1 | 60.9 | 63.7 | 63.0 | 61.6 | 61.6 | 61.6 | 61.6 | 61.6 | 62.3 |
| 50° | 49.1 | 47.8 | 50.5 | 52.6 | 51.9 | 50.5 | 50.5 | 51.2 | 51.2 | 51.2 | 51.9 |
| 52.5° | 42.2 | 40.8 | 42.9 | 44.3 | 43.6 | 42.9 | 42.9 | 43.6 | 43.6 | 43.6 | 44.3 |
| 55° | 37.4 | 36.0 | 38.1 | 39.5 | 38.8 | 37.4 | 38.1 | 38.1 | 38.8 | 38.8 | 38.8 |
| 57.5° | 33.2 | 31.1 | 32.5 | 33.9 | 33.9 | 33.2 | 33.9 | 33.9 | 34.6 | 34.6 | 34.6 |
| 60° | 30.5 | 28.4 | 29.8 | 30.5 | 30.5 | 29.8 | 30.5 | 30.5 | 31.1 | 31.1 | 31.1 |
| 62.5° | 27.0 | 24.9 | 26.3 | 27.0 | 27.0 | 26.3 | 27.0 | 27.0 | 27.7 | 27.7 | 27.7 |
| 65° | 24.2 | 22.2 | 22.8 | 23.5 | 23.5 | 23.5 | 24.2 | 24.2 | 24.9 | 24.9 | 24.9 |
| 67.5° | 22.8 | 20.1 | 20.8 | 21.5 | 21.5 | 21.5 | 22.2 | 22.2 | 22.8 | 22.8 | 23.5 |
| 70° | 22.2 | 19.4 | 20.1 | 20.1 | 20.8 | 20.8 | 20.8 | 21.5 | 21.5 | 21.5 | 21.5 |
| 72.5° | 21.5 | 18.7 | 18.7 | 18.7 | 19.4 | 19.4 | 19.4 | 20.1 | 20.1 | 20.1 | 20.1 |
| 75° | 21.5 | 18.7 | 18.0 | 17.3 | 18.0 | 18.0 | 18.0 | 18.7 | 18.7 | 18.7 | 18.7 |
| 77.5° | 18.7 | 15.2 | 13.8 | 11.8 | 13.8 | 15.2 | 15.9 | 15.9 | 16.6 | 16.6 | 16.6 |
| 80° | 7.6 | 3.5 | 2.1 | 0.0 | 0.7 | 1.4 | 2.1 | 2.8 | 3.5 | 4.2 | 4.8 |
| 82.5° | 2.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 85° | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 87.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368063
 CATALOG NUMBER: PMM-SA3D-727-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 82.5° | 85° | 87.5° | 90° | 92.5° | 95° | 97.5° | 100° | 102.5° | 105° | 107.5° |
|--------|-------|-----|-------|-----|-------|-----|-------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368063
 CATALOG NUMBER: PMM-SA3D-727-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 110° | 112.5° | 115° | 117.5° | 120° | 122.5° | 125° | 127.5° | 130° | 132.5° | 135° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 |
| 2.5° | 1371.9 | 1337.3 | 1302.7 | 1319.3 | 1335.9 | 1352.5 | 1369.2 | 1367.8 | 1365.7 | 1364.3 | 1362.2 |
| 5° | 1397.5 | 1395.5 | 1393.4 | 1383.7 | 1374.7 | 1365.0 | 1355.3 | 1353.2 | 1350.5 | 1348.4 | 1345.6 |
| 7.5° | 1175.3 | 1178.8 | 1183.0 | 1171.9 | 1160.8 | 1149.7 | 1138.7 | 1110.3 | 1081.9 | 1052.8 | 1024.4 |
| 10° | 880.5 | 863.9 | 847.9 | 846.5 | 845.2 | 843.8 | 842.4 | 839.6 | 836.9 | 833.4 | 830.6 |
| 12.5° | 622.3 | 632.0 | 641.7 | 638.2 | 634.7 | 630.6 | 627.1 | 632.0 | 637.5 | 642.4 | 647.2 |
| 15° | 379.3 | 385.5 | 391.1 | 403.5 | 416.0 | 428.5 | 440.9 | 445.8 | 451.3 | 456.2 | 461.0 |
| 17.5° | 247.1 | 247.8 | 249.2 | 263.0 | 276.2 | 290.0 | 303.2 | 312.2 | 321.2 | 329.5 | 338.5 |
| 20° | 201.4 | 199.4 | 197.3 | 204.9 | 212.5 | 220.1 | 227.7 | 236.0 | 244.3 | 252.6 | 261.0 |
| 22.5° | 179.3 | 177.9 | 176.5 | 179.3 | 182.0 | 184.1 | 186.9 | 193.1 | 200.0 | 206.3 | 212.5 |
| 25° | 164.7 | 163.4 | 162.7 | 164.0 | 165.4 | 166.8 | 168.2 | 171.7 | 175.1 | 178.6 | 182.0 |
| 27.5° | 148.1 | 148.8 | 148.8 | 150.2 | 150.9 | 152.3 | 153.0 | 154.4 | 156.4 | 157.8 | 159.2 |
| 30° | 135.7 | 137.1 | 137.7 | 139.1 | 139.8 | 141.2 | 141.9 | 141.2 | 140.5 | 139.8 | 139.1 |
| 32.5° | 123.9 | 123.2 | 123.2 | 124.6 | 125.3 | 126.7 | 127.4 | 128.7 | 130.1 | 130.8 | 132.2 |
| 35° | 112.1 | 112.8 | 112.8 | 112.8 | 113.5 | 113.5 | 113.5 | 114.9 | 117.0 | 118.4 | 119.7 |
| 37.5° | 101.8 | 101.8 | 101.1 | 103.1 | 104.5 | 106.6 | 108.0 | 109.4 | 111.4 | 112.8 | 114.2 |
| 40° | 92.8 | 92.8 | 92.8 | 94.1 | 95.5 | 96.2 | 97.6 | 101.1 | 104.5 | 108.0 | 111.4 |
| 42.5° | 83.1 | 83.8 | 83.8 | 85.1 | 86.5 | 87.2 | 88.6 | 91.4 | 93.4 | 96.2 | 98.3 |
| 45° | 74.1 | 74.8 | 75.4 | 76.8 | 77.5 | 78.9 | 79.6 | 81.0 | 81.7 | 83.1 | 83.8 |
| 47.5° | 63.7 | 64.4 | 65.1 | 66.5 | 67.1 | 68.5 | 69.2 | 68.5 | 68.5 | 67.8 | 67.1 |
| 50° | 53.3 | 54.0 | 54.7 | 56.8 | 58.1 | 60.2 | 61.6 | 60.2 | 58.8 | 56.8 | 55.4 |
| 52.5° | 45.0 | 45.0 | 45.7 | 47.1 | 48.5 | 49.1 | 50.5 | 49.8 | 49.1 | 48.5 | 47.8 |
| 55° | 38.8 | 38.8 | 38.8 | 39.5 | 40.1 | 40.8 | 41.5 | 42.2 | 42.2 | 42.9 | 42.9 |
| 57.5° | 34.6 | 33.9 | 33.9 | 34.6 | 35.3 | 35.3 | 36.0 | 36.7 | 36.7 | 37.4 | 37.4 |
| 60° | 31.1 | 30.5 | 30.5 | 31.1 | 31.8 | 32.5 | 33.2 | 33.2 | 33.2 | 32.5 | 32.5 |
| 62.5° | 27.7 | 27.7 | 27.7 | 28.4 | 28.4 | 29.1 | 29.1 | 29.1 | 29.8 | 29.8 | 29.8 |
| 65° | 25.6 | 25.6 | 25.6 | 25.6 | 25.6 | 24.9 | 24.9 | 25.6 | 25.6 | 26.3 | 26.3 |
| 67.5° | 23.5 | 24.2 | 24.2 | 23.5 | 22.8 | 22.2 | 21.5 | 22.2 | 22.2 | 22.8 | 22.8 |
| 70° | 21.5 | 21.5 | 21.5 | 20.8 | 20.1 | 19.4 | 18.7 | 18.7 | 18.7 | 18.0 | 18.0 |
| 72.5° | 20.1 | 19.4 | 19.4 | 18.7 | 17.3 | 16.6 | 15.2 | 14.5 | 14.5 | 13.8 | 13.2 |
| 75° | 18.7 | 18.0 | 18.0 | 16.6 | 15.2 | 13.8 | 12.5 | 11.8 | 10.4 | 9.7 | 8.3 |
| 77.5° | 16.6 | 16.6 | 16.6 | 14.5 | 13.2 | 11.1 | 9.0 | 7.6 | 6.2 | 4.2 | 2.8 |
| 80° | 5.5 | 6.2 | 6.9 | 6.2 | 6.2 | 5.5 | 4.8 | 3.5 | 2.8 | 1.4 | 0.0 |
| 82.5° | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 85° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 87.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368063
 CATALOG NUMBER: PMM-SA3D-727-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 110° | 112.5° | 115° | 117.5° | 120° | 122.5° | 125° | 127.5° | 130° | 132.5° | 135° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368063

CATALOG NUMBER: PMM-SA3D-727-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 137.5° | 140° | 142.5° | 145° | 147.5° | 150° | 152.5° | 155° | 157.5° | 160° | 162.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 |
| 2.5° | 1369.8 | 1377.5 | 1385.1 | 1392.7 | 1393.4 | 1394.1 | 1394.8 | 1395.5 | 1378.1 | 1360.2 | 1342.8 |
| 5° | 1359.5 | 1374.0 | 1387.8 | 1401.7 | 1394.1 | 1386.5 | 1378.8 | 1371.2 | 1370.5 | 1370.5 | 1369.8 |
| 7.5° | 1026.5 | 1027.9 | 1030.0 | 1031.4 | 1034.1 | 1036.9 | 1039.0 | 1041.7 | 1052.8 | 1063.9 | 1074.3 |
| 10° | 821.6 | 812.6 | 802.9 | 793.9 | 787.0 | 779.4 | 772.5 | 764.9 | 770.4 | 776.6 | 782.2 |
| 12.5° | 639.6 | 632.0 | 623.7 | 616.0 | 613.3 | 610.5 | 607.1 | 604.3 | 622.3 | 640.3 | 657.6 |
| 15° | 459.6 | 458.2 | 456.2 | 454.8 | 463.8 | 472.8 | 481.8 | 490.8 | 506.0 | 520.5 | 535.8 |
| 17.5° | 341.9 | 345.4 | 348.9 | 352.3 | 357.9 | 363.4 | 368.2 | 373.8 | 384.9 | 396.6 | 407.7 |
| 20° | 265.1 | 270.0 | 274.1 | 278.3 | 276.9 | 275.5 | 273.4 | 272.0 | 281.0 | 290.0 | 298.3 |
| 22.5° | 216.7 | 220.1 | 224.3 | 227.7 | 228.4 | 229.1 | 229.8 | 230.5 | 236.0 | 240.9 | 246.4 |
| 25° | 185.5 | 189.7 | 193.1 | 196.6 | 197.3 | 198.0 | 198.7 | 199.4 | 206.3 | 213.2 | 219.4 |
| 27.5° | 164.0 | 168.2 | 173.0 | 177.2 | 178.6 | 180.0 | 181.4 | 182.7 | 186.9 | 190.4 | 194.5 |
| 30° | 144.7 | 150.2 | 155.7 | 161.3 | 163.4 | 165.4 | 167.5 | 169.6 | 173.7 | 178.6 | 182.7 |
| 32.5° | 135.0 | 138.4 | 141.2 | 144.0 | 148.8 | 153.0 | 157.8 | 162.0 | 166.8 | 172.4 | 177.2 |
| 35° | 123.9 | 127.4 | 131.5 | 135.0 | 138.4 | 141.9 | 144.7 | 148.1 | 150.9 | 153.7 | 155.7 |
| 37.5° | 117.0 | 120.4 | 123.2 | 126.0 | 127.4 | 128.7 | 129.4 | 130.8 | 132.2 | 133.6 | 134.3 |
| 40° | 111.4 | 110.8 | 110.8 | 110.1 | 111.4 | 113.5 | 114.9 | 116.3 | 120.4 | 123.9 | 128.1 |
| 42.5° | 96.9 | 94.8 | 93.4 | 91.4 | 94.8 | 97.6 | 101.1 | 103.8 | 109.4 | 114.9 | 120.4 |
| 45° | 82.4 | 81.0 | 78.9 | 77.5 | 82.4 | 87.2 | 92.1 | 96.9 | 103.1 | 108.7 | 114.9 |
| 47.5° | 67.8 | 68.5 | 68.5 | 69.2 | 74.1 | 78.9 | 83.1 | 87.9 | 94.1 | 100.4 | 106.6 |
| 50° | 56.8 | 58.1 | 59.5 | 60.9 | 65.8 | 69.9 | 74.8 | 78.9 | 85.8 | 92.1 | 99.0 |
| 52.5° | 49.8 | 51.9 | 53.3 | 55.4 | 59.5 | 64.4 | 68.5 | 72.7 | 78.9 | 85.1 | 91.4 |
| 55° | 45.0 | 47.8 | 49.8 | 51.9 | 55.4 | 58.8 | 62.3 | 65.8 | 72.0 | 78.2 | 83.8 |
| 57.5° | 39.5 | 41.5 | 43.6 | 45.7 | 49.1 | 52.6 | 55.4 | 58.8 | 64.4 | 70.6 | 76.1 |
| 60° | 34.6 | 36.0 | 38.1 | 39.5 | 42.2 | 45.7 | 48.5 | 51.2 | 56.8 | 62.3 | 67.1 |
| 62.5° | 30.5 | 31.8 | 32.5 | 33.2 | 36.0 | 38.8 | 41.5 | 44.3 | 49.1 | 54.7 | 59.5 |
| 65° | 27.0 | 27.7 | 27.7 | 28.4 | 30.5 | 33.2 | 35.3 | 37.4 | 42.9 | 47.8 | 53.3 |
| 67.5° | 22.8 | 23.5 | 23.5 | 23.5 | 25.6 | 27.7 | 29.8 | 31.8 | 36.7 | 42.2 | 47.1 |
| 70° | 18.0 | 18.7 | 18.7 | 18.7 | 20.8 | 23.5 | 25.6 | 27.7 | 31.8 | 36.0 | 40.1 |
| 72.5° | 13.8 | 13.8 | 14.5 | 14.5 | 16.6 | 19.4 | 21.5 | 23.5 | 27.0 | 30.5 | 33.9 |
| 75° | 9.0 | 9.7 | 9.7 | 10.4 | 12.5 | 15.2 | 17.3 | 19.4 | 22.8 | 26.3 | 29.1 |
| 77.5° | 3.5 | 4.8 | 5.5 | 6.2 | 8.3 | 10.4 | 12.5 | 14.5 | 17.3 | 20.8 | 23.5 |
| 80° | 0.0 | 0.7 | 0.7 | 0.7 | 2.1 | 2.8 | 4.2 | 4.8 | 6.9 | 9.7 | 11.8 |
| 82.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 85° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 87.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368063
 CATALOG NUMBER: PMM-SA3D-727-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 137.5° | 140° | 142.5° | 145° | 147.5° | 150° | 152.5° | 155° | 157.5° | 160° | 162.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368063
 CATALOG NUMBER: PMM-SA3D-727-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 165° | 167.5° | 170° | 172.5° | 175° | 177.5° | 180° | 182.5° | 185° | 187.5° | 190° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 |
| 2.5° | 1324.9 | 1362.9 | 1401.0 | 1439.1 | 1477.1 | 1524.2 | 1571.3 | 1578.2 | 1585.1 | 1576.8 | 1569.2 |
| 5° | 1369.2 | 1387.8 | 1405.8 | 1424.5 | 1442.5 | 1496.5 | 1549.8 | 1550.5 | 1550.5 | 1551.2 | 1551.2 |
| 7.5° | 1085.4 | 1101.3 | 1117.2 | 1132.4 | 1148.3 | 1183.6 | 1218.9 | 1232.1 | 1244.6 | 1241.8 | 1239.0 |
| 10° | 787.7 | 808.5 | 828.6 | 849.3 | 869.4 | 901.9 | 934.5 | 946.9 | 958.7 | 996.8 | 1035.5 |
| 12.5° | 675.6 | 695.7 | 715.7 | 735.1 | 755.2 | 788.4 | 821.6 | 845.9 | 869.4 | 892.9 | 916.5 |
| 15° | 550.3 | 566.2 | 582.8 | 598.7 | 614.7 | 629.9 | 645.1 | 674.9 | 704.0 | 727.5 | 751.0 |
| 17.5° | 418.8 | 425.7 | 431.9 | 438.8 | 445.1 | 452.0 | 458.9 | 471.4 | 483.1 | 503.9 | 524.0 |
| 20° | 307.3 | 312.9 | 318.4 | 323.3 | 328.8 | 335.7 | 342.6 | 351.6 | 359.9 | 364.8 | 368.9 |
| 22.5° | 251.3 | 259.6 | 267.9 | 275.5 | 283.8 | 288.6 | 293.5 | 296.3 | 299.0 | 301.1 | 303.2 |
| 25° | 226.3 | 234.0 | 240.9 | 248.5 | 255.4 | 257.5 | 259.6 | 265.1 | 270.6 | 270.6 | 270.6 |
| 27.5° | 198.0 | 208.3 | 219.4 | 229.8 | 240.2 | 243.0 | 245.0 | 247.1 | 248.5 | 245.7 | 242.3 |
| 30° | 186.9 | 197.3 | 207.7 | 217.3 | 227.7 | 231.9 | 235.3 | 237.4 | 239.5 | 236.0 | 232.6 |
| 32.5° | 182.0 | 191.7 | 200.7 | 210.4 | 219.4 | 225.0 | 229.8 | 235.3 | 240.2 | 240.9 | 242.3 |
| 35° | 158.5 | 164.7 | 171.7 | 177.9 | 184.1 | 186.9 | 189.7 | 191.7 | 193.1 | 193.1 | 193.1 |
| 37.5° | 135.7 | 144.0 | 153.0 | 161.3 | 169.6 | 175.8 | 182.0 | 182.7 | 182.7 | 184.1 | 186.2 |
| 40° | 131.5 | 139.8 | 148.1 | 155.7 | 164.0 | 171.0 | 177.2 | 177.9 | 178.6 | 180.0 | 181.4 |
| 42.5° | 126.0 | 135.0 | 144.0 | 153.0 | 162.0 | 168.9 | 175.1 | 175.1 | 174.4 | 176.5 | 177.9 |
| 45° | 120.4 | 129.4 | 137.7 | 146.7 | 155.1 | 164.0 | 172.4 | 170.3 | 167.5 | 171.0 | 173.7 |
| 47.5° | 112.8 | 122.5 | 132.2 | 141.2 | 150.9 | 159.2 | 166.8 | 165.4 | 163.4 | 166.8 | 170.3 |
| 50° | 105.2 | 114.9 | 124.6 | 134.3 | 144.0 | 153.0 | 161.3 | 159.9 | 158.5 | 162.7 | 166.1 |
| 52.5° | 97.6 | 107.3 | 117.7 | 127.4 | 137.1 | 144.7 | 151.6 | 150.9 | 150.2 | 154.4 | 159.2 |
| 55° | 90.0 | 99.0 | 108.7 | 117.7 | 126.7 | 135.0 | 142.6 | 141.2 | 139.8 | 143.3 | 146.7 |
| 57.5° | 81.7 | 90.7 | 99.0 | 108.0 | 116.3 | 123.2 | 129.4 | 127.4 | 125.3 | 129.4 | 133.6 |
| 60° | 72.7 | 81.0 | 89.3 | 96.9 | 105.2 | 110.8 | 115.6 | 114.2 | 112.1 | 116.3 | 120.4 |
| 62.5° | 64.4 | 72.0 | 79.6 | 86.5 | 94.1 | 98.3 | 102.4 | 101.1 | 99.7 | 103.8 | 108.7 |
| 65° | 58.1 | 64.4 | 69.9 | 76.1 | 81.7 | 85.8 | 90.0 | 87.9 | 85.8 | 90.7 | 94.8 |
| 67.5° | 51.9 | 56.8 | 62.3 | 67.1 | 72.0 | 75.4 | 78.9 | 77.5 | 75.4 | 78.9 | 82.4 |
| 70° | 44.3 | 49.1 | 54.0 | 58.1 | 63.0 | 66.5 | 69.9 | 67.8 | 65.1 | 68.5 | 72.0 |
| 72.5° | 37.4 | 41.5 | 45.7 | 49.1 | 53.3 | 56.1 | 58.8 | 56.8 | 54.7 | 57.5 | 60.2 |
| 75° | 32.5 | 36.0 | 39.5 | 42.2 | 45.7 | 47.1 | 48.5 | 47.8 | 46.4 | 49.1 | 51.2 |
| 77.5° | 26.3 | 29.1 | 32.5 | 35.3 | 38.1 | 38.1 | 38.1 | 38.8 | 38.8 | 41.5 | 45.0 |
| 80° | 13.8 | 16.6 | 19.4 | 21.5 | 24.2 | 24.2 | 23.5 | 24.9 | 25.6 | 29.1 | 32.5 |
| 82.5° | 0.0 | 2.1 | 4.2 | 6.2 | 8.3 | 7.6 | 6.2 | 6.9 | 6.9 | 8.3 | 9.7 |
| 85° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 1.4 |
| 87.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368063
 CATALOG NUMBER: PMM-SA3D-727-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 165° | 167.5° | 170° | 172.5° | 175° | 177.5° | 180° | 182.5° | 185° | 187.5° | 190° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368063

CATALOG NUMBER: PMM-SA3D-727-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 192.5° | 195° | 197.5° | 200° | 202.5° | 205° | 207.5° | 210° | 212.5° | 215° | 217.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 |
| 2.5° | 1560.9 | 1552.6 | 1547.0 | 1542.2 | 1536.7 | 1531.1 | 1538.0 | 1545.0 | 1551.2 | 1558.1 | 1578.9 |
| 5° | 1551.9 | 1551.9 | 1547.0 | 1542.2 | 1537.4 | 1532.5 | 1542.9 | 1552.6 | 1563.0 | 1572.7 | 1572.0 |
| 7.5° | 1235.6 | 1232.8 | 1261.9 | 1290.2 | 1319.3 | 1347.7 | 1355.3 | 1362.9 | 1369.8 | 1377.5 | 1375.4 |
| 10° | 1073.6 | 1111.7 | 1124.1 | 1136.6 | 1149.0 | 1161.5 | 1176.7 | 1192.0 | 1207.2 | 1222.4 | 1227.9 |
| 12.5° | 940.0 | 963.5 | 1003.7 | 1043.1 | 1083.3 | 1122.7 | 1142.8 | 1163.6 | 1183.6 | 1203.7 | 1243.2 |
| 15° | 774.6 | 798.1 | 832.7 | 867.3 | 901.9 | 936.5 | 968.4 | 1000.9 | 1032.7 | 1064.6 | 1112.3 |
| 17.5° | 544.8 | 564.8 | 591.1 | 617.4 | 643.0 | 669.3 | 718.5 | 767.6 | 816.8 | 865.9 | 916.5 |
| 20° | 373.8 | 377.9 | 390.4 | 403.5 | 416.0 | 428.5 | 472.8 | 517.8 | 562.1 | 606.4 | 672.8 |
| 22.5° | 304.6 | 306.6 | 312.9 | 319.1 | 324.6 | 330.9 | 353.7 | 377.2 | 400.1 | 422.9 | 476.9 |
| 25° | 270.0 | 270.0 | 274.1 | 278.3 | 282.4 | 286.6 | 299.0 | 311.5 | 323.3 | 335.7 | 370.3 |
| 27.5° | 239.5 | 236.0 | 242.3 | 248.5 | 254.7 | 261.0 | 270.0 | 279.6 | 288.6 | 297.6 | 321.2 |
| 30° | 229.1 | 225.7 | 233.3 | 240.9 | 248.5 | 256.1 | 265.1 | 274.1 | 282.4 | 291.4 | 307.3 |
| 32.5° | 243.0 | 243.7 | 246.4 | 249.2 | 251.3 | 254.0 | 258.2 | 263.0 | 267.2 | 271.3 | 285.2 |
| 35° | 193.1 | 193.1 | 198.0 | 202.8 | 207.0 | 211.8 | 219.4 | 227.0 | 234.7 | 242.3 | 256.8 |
| 37.5° | 187.6 | 189.0 | 193.1 | 198.0 | 202.1 | 206.3 | 216.0 | 226.3 | 236.0 | 245.7 | 257.5 |
| 40° | 182.0 | 183.4 | 189.0 | 194.5 | 200.0 | 205.6 | 215.3 | 224.3 | 234.0 | 243.0 | 254.0 |
| 42.5° | 180.0 | 181.4 | 188.3 | 195.9 | 202.8 | 209.7 | 218.0 | 226.3 | 234.0 | 242.3 | 257.5 |
| 45° | 177.2 | 180.0 | 188.3 | 197.3 | 205.6 | 213.9 | 221.5 | 229.1 | 236.7 | 244.3 | 263.0 |
| 47.5° | 173.0 | 176.5 | 186.2 | 195.2 | 204.9 | 213.9 | 228.4 | 243.7 | 258.2 | 272.7 | 281.7 |
| 50° | 170.3 | 173.7 | 184.1 | 194.5 | 204.9 | 215.3 | 238.8 | 262.3 | 285.2 | 308.7 | 303.9 |
| 52.5° | 163.4 | 167.5 | 180.7 | 193.8 | 207.0 | 220.1 | 240.9 | 261.6 | 282.4 | 303.2 | 293.5 |
| 55° | 150.2 | 153.7 | 168.9 | 184.1 | 198.7 | 213.9 | 229.1 | 244.3 | 258.9 | 274.1 | 263.0 |
| 57.5° | 137.1 | 141.2 | 155.7 | 170.3 | 184.1 | 198.7 | 206.3 | 213.9 | 221.5 | 229.1 | 225.0 |
| 60° | 124.6 | 128.7 | 148.1 | 167.5 | 186.9 | 206.3 | 199.4 | 192.4 | 184.8 | 177.9 | 182.7 |
| 62.5° | 112.8 | 117.0 | 135.7 | 153.7 | 172.4 | 190.4 | 180.7 | 171.0 | 161.3 | 151.6 | 159.2 |
| 65° | 99.7 | 103.8 | 110.8 | 118.4 | 125.3 | 132.2 | 131.5 | 130.1 | 129.4 | 128.1 | 136.4 |
| 67.5° | 85.8 | 89.3 | 92.8 | 96.9 | 100.4 | 103.8 | 105.9 | 108.7 | 110.8 | 112.8 | 119.7 |
| 70° | 74.8 | 78.2 | 82.4 | 85.8 | 90.0 | 93.4 | 94.8 | 96.2 | 96.9 | 98.3 | 104.5 |
| 72.5° | 62.3 | 65.1 | 70.6 | 76.1 | 81.0 | 86.5 | 87.2 | 87.2 | 87.9 | 87.9 | 92.8 |
| 75° | 54.0 | 56.1 | 60.2 | 64.4 | 67.8 | 72.0 | 74.1 | 76.1 | 77.5 | 79.6 | 82.4 |
| 77.5° | 47.8 | 50.5 | 51.9 | 52.6 | 54.0 | 54.7 | 56.1 | 57.5 | 58.8 | 60.2 | 60.9 |
| 80° | 35.3 | 38.8 | 40.1 | 40.8 | 42.2 | 42.9 | 42.9 | 42.2 | 42.2 | 41.5 | 42.2 |
| 82.5° | 11.1 | 12.5 | 14.5 | 16.6 | 18.7 | 20.8 | 21.5 | 22.2 | 22.2 | 22.8 | 22.2 |
| 85° | 2.1 | 2.8 | 4.2 | 5.5 | 6.2 | 7.6 | 6.9 | 5.5 | 4.8 | 3.5 | 2.8 |
| 87.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368063
 CATALOG NUMBER: PMM-SA3D-727-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 192.5° | 195° | 197.5° | 200° | 202.5° | 205° | 207.5° | 210° | 212.5° | 215° | 217.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368063

CATALOG NUMBER: PMM-SA3D-727-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 220° | 222.5° | 225° | 227.5° | 230° | 232.5° | 235° | 237.5° | 240° | 242.5° | 245° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 |
| 2.5° | 1599.6 | 1619.7 | 1640.5 | 1632.2 | 1623.9 | 1615.6 | 1607.3 | 1608.6 | 1610.7 | 1612.1 | 1613.5 |
| 5° | 1571.3 | 1569.9 | 1569.2 | 1592.7 | 1617.0 | 1640.5 | 1664.0 | 1689.6 | 1715.9 | 1741.5 | 1767.2 |
| 7.5° | 1373.3 | 1370.5 | 1368.5 | 1398.9 | 1429.4 | 1459.8 | 1490.3 | 1525.6 | 1561.6 | 1596.9 | 1632.2 |
| 10° | 1233.5 | 1239.0 | 1244.6 | 1257.0 | 1270.2 | 1282.6 | 1295.1 | 1329.0 | 1362.9 | 1396.1 | 1430.1 |
| 12.5° | 1282.6 | 1321.4 | 1360.8 | 1368.5 | 1375.4 | 1383.0 | 1389.9 | 1394.8 | 1399.6 | 1404.5 | 1409.3 |
| 15° | 1160.8 | 1208.6 | 1256.3 | 1276.4 | 1295.8 | 1315.9 | 1335.2 | 1386.5 | 1437.0 | 1488.2 | 1538.7 |
| 17.5° | 967.0 | 1016.8 | 1067.4 | 1127.6 | 1187.8 | 1248.0 | 1308.2 | 1363.6 | 1419.0 | 1474.4 | 1529.7 |
| 20° | 740.0 | 806.4 | 872.9 | 949.0 | 1025.8 | 1102.0 | 1178.1 | 1233.5 | 1288.2 | 1343.5 | 1398.2 |
| 22.5° | 531.6 | 585.6 | 639.6 | 731.6 | 823.0 | 915.1 | 1006.4 | 1102.7 | 1199.6 | 1295.8 | 1392.0 |
| 25° | 404.9 | 438.8 | 473.5 | 564.1 | 654.8 | 744.8 | 835.5 | 967.7 | 1099.9 | 1232.1 | 1364.3 |
| 27.5° | 344.0 | 367.6 | 390.4 | 472.1 | 553.8 | 634.7 | 716.4 | 873.5 | 1030.7 | 1187.8 | 1344.9 |
| 30° | 323.9 | 339.9 | 355.8 | 425.0 | 494.9 | 564.1 | 633.4 | 792.6 | 951.8 | 1111.0 | 1270.2 |
| 32.5° | 299.0 | 312.2 | 326.0 | 386.9 | 447.8 | 508.1 | 569.0 | 724.7 | 880.5 | 1035.5 | 1191.3 |
| 35° | 270.6 | 285.2 | 299.0 | 359.9 | 420.9 | 481.1 | 542.0 | 703.3 | 864.5 | 1025.8 | 1187.1 |
| 37.5° | 268.6 | 280.3 | 291.4 | 362.0 | 433.3 | 503.9 | 574.5 | 735.8 | 897.1 | 1057.7 | 1218.9 |
| 40° | 265.8 | 276.9 | 288.0 | 359.9 | 431.2 | 503.2 | 574.5 | 743.4 | 912.3 | 1081.2 | 1250.1 |
| 42.5° | 272.7 | 287.3 | 302.5 | 366.2 | 429.8 | 492.8 | 556.5 | 734.4 | 912.3 | 1089.5 | 1267.4 |
| 45° | 282.4 | 301.1 | 319.8 | 377.9 | 436.1 | 494.2 | 552.4 | 745.5 | 938.6 | 1131.0 | 1324.2 |
| 47.5° | 291.4 | 300.4 | 309.4 | 364.8 | 419.5 | 474.8 | 529.5 | 726.8 | 924.1 | 1121.3 | 1318.6 |
| 50° | 299.7 | 294.9 | 290.0 | 350.9 | 411.9 | 472.1 | 533.0 | 721.3 | 908.8 | 1097.1 | 1284.7 |
| 52.5° | 283.1 | 273.4 | 263.0 | 328.1 | 393.2 | 457.5 | 522.6 | 712.3 | 901.9 | 1091.6 | 1281.2 |
| 55° | 252.0 | 240.9 | 229.8 | 294.2 | 357.9 | 422.2 | 485.9 | 674.9 | 863.9 | 1052.8 | 1241.8 |
| 57.5° | 220.1 | 216.0 | 211.1 | 260.3 | 309.4 | 357.9 | 407.0 | 616.7 | 827.2 | 1036.9 | 1246.6 |
| 60° | 187.6 | 191.7 | 196.6 | 231.9 | 267.2 | 301.8 | 337.1 | 542.7 | 747.6 | 953.1 | 1158.0 |
| 62.5° | 166.1 | 173.7 | 180.7 | 210.4 | 240.9 | 270.6 | 300.4 | 494.2 | 688.0 | 881.8 | 1075.7 |
| 65° | 145.4 | 153.7 | 162.0 | 197.3 | 233.3 | 268.6 | 303.9 | 467.9 | 632.0 | 796.0 | 960.1 |
| 67.5° | 126.7 | 132.9 | 139.8 | 186.2 | 232.6 | 279.0 | 325.3 | 459.6 | 593.2 | 727.5 | 861.1 |
| 70° | 110.8 | 116.3 | 122.5 | 176.5 | 230.5 | 284.5 | 338.5 | 452.7 | 567.6 | 681.8 | 796.0 |
| 72.5° | 97.6 | 102.4 | 107.3 | 162.0 | 216.7 | 271.3 | 326.0 | 427.8 | 528.8 | 630.6 | 731.6 |
| 75° | 85.1 | 87.2 | 90.0 | 136.4 | 182.0 | 228.4 | 274.1 | 341.9 | 410.5 | 478.3 | 546.1 |
| 77.5° | 61.6 | 61.6 | 62.3 | 76.1 | 89.3 | 103.1 | 116.3 | 158.5 | 200.7 | 242.3 | 284.5 |
| 80° | 42.2 | 42.9 | 42.9 | 48.5 | 53.3 | 58.8 | 63.7 | 72.7 | 81.0 | 90.0 | 98.3 |
| 82.5° | 21.5 | 20.1 | 19.4 | 24.9 | 30.5 | 36.0 | 41.5 | 43.6 | 45.0 | 47.1 | 48.5 |
| 85° | 2.1 | 0.7 | 0.0 | 3.5 | 6.9 | 10.4 | 13.8 | 16.6 | 19.4 | 22.2 | 24.9 |
| 87.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368063
 CATALOG NUMBER: PMM-SA3D-727-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 220° | 222.5° | 225° | 227.5° | 230° | 232.5° | 235° | 237.5° | 240° | 242.5° | 245° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368063

CATALOG NUMBER: PMM-SA3D-727-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 247.5° | 250° | 252.5° | 255° | 257.5° | 260° | 262.5° | 265° | 267.5° | 270° | 272.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|---------|---------|
| 0° | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 |
| 2.5° | 1608.0 | 1602.4 | 1596.9 | 1591.3 | 1625.3 | 1659.9 | 1693.8 | 1727.7 | 1823.9 | 1886.9 | 1880.0 |
| 5° | 1792.1 | 1817.0 | 1841.9 | 1866.8 | 1907.0 | 1947.8 | 1988.0 | 2028.1 | 2170.7 | 2257.9 | 2270.4 |
| 7.5° | 1670.9 | 1709.0 | 1747.8 | 1785.8 | 1863.4 | 1940.2 | 2017.7 | 2094.6 | 2211.5 | 2302.2 | 2353.4 |
| 10° | 1473.7 | 1517.3 | 1560.2 | 1603.8 | 1691.0 | 1778.9 | 1866.1 | 1953.4 | 2084.9 | 2210.2 | 2274.5 |
| 12.5° | 1477.8 | 1546.4 | 1614.9 | 1683.4 | 1759.5 | 1835.7 | 1911.1 | 1987.3 | 2067.6 | 2109.8 | 2200.5 |
| 15° | 1592.7 | 1646.7 | 1700.7 | 1754.7 | 1854.4 | 1954.1 | 2053.0 | 2152.7 | 2200.5 | 2302.2 | 2408.1 |
| 17.5° | 1635.0 | 1740.9 | 1846.1 | 1951.3 | 2075.9 | 2199.8 | 2324.4 | 2448.3 | 2538.3 | 2679.5 | 2788.8 |
| 20° | 1556.7 | 1715.2 | 1873.1 | 2031.6 | 2202.5 | 2373.5 | 2544.5 | 2715.5 | 2813.7 | 2948.0 | 3116.9 |
| 22.5° | 1560.2 | 1728.4 | 1895.9 | 2064.1 | 2300.1 | 2535.5 | 2771.5 | 3006.9 | 3270.6 | 3529.5 | 3611.8 |
| 25° | 1584.4 | 1804.5 | 2024.0 | 2244.1 | 2516.8 | 2789.5 | 3062.2 | 3335.0 | 3653.4 | 3925.4 | 4034.8 |
| 27.5° | 1592.7 | 1840.5 | 2087.6 | 2335.4 | 2723.1 | 3110.7 | 3498.3 | 3886.0 | 4266.0 | 4573.3 | 4690.3 |
| 30° | 1572.7 | 1875.8 | 2178.3 | 2480.8 | 2956.3 | 3431.9 | 3907.4 | 4382.9 | 4743.6 | 5101.4 | 5246.8 |
| 32.5° | 1577.5 | 1963.7 | 2350.0 | 2736.2 | 3296.2 | 3856.9 | 4416.9 | 4976.8 | 5207.3 | 5529.9 | 5786.0 |
| 35° | 1610.7 | 2034.3 | 2457.3 | 2880.9 | 3500.4 | 4119.9 | 4739.4 | 5358.9 | 5736.9 | 6077.4 | 6294.8 |
| 37.5° | 1688.2 | 2157.6 | 2626.2 | 3095.5 | 3856.9 | 4619.0 | 5380.4 | 6141.8 | 6726.7 | 7311.6 | 7411.3 |
| 40° | 1745.7 | 2241.3 | 2736.9 | 3232.5 | 4116.5 | 5000.4 | 5884.3 | 6768.2 | 7430.0 | 8064.7 | 8132.5 |
| 42.5° | 1810.8 | 2353.4 | 2896.8 | 3439.5 | 4427.9 | 5416.4 | 6404.8 | 7393.3 | 8159.5 | 8806.7 | 8851.7 |
| 45° | 1882.1 | 2440.7 | 2998.6 | 3556.5 | 4592.0 | 5626.8 | 6662.3 | 7697.1 | 8592.1 | 9343.9 | 9174.3 |
| 47.5° | 1916.0 | 2513.3 | 3110.7 | 3708.1 | 4818.3 | 5927.9 | 7038.2 | 8147.8 | 8950.7 | 9613.8 | 9415.9 |
| 50° | 1942.3 | 2599.2 | 3256.8 | 3913.6 | 5077.9 | 6242.2 | 7406.4 | 8570.7 | 9375.7 | 9987.6 | 9677.5 |
| 52.5° | 2016.3 | 2750.8 | 3485.9 | 4220.3 | 5458.6 | 6696.2 | 7934.6 | 9172.2 | 9950.9 | 10513.0 | 10078.3 |
| 55° | 2088.3 | 2934.2 | 3780.7 | 4626.6 | 5958.4 | 7290.8 | 8622.6 | 9954.4 | 10729.6 | 11211.4 | 10621.0 |
| 57.5° | 2179.0 | 3112.1 | 4044.5 | 4976.8 | 6401.4 | 7825.9 | 9249.7 | 10674.3 | 11432.2 | 11964.5 | 11351.2 |
| 60° | 2155.5 | 3152.2 | 4149.7 | 5146.4 | 6597.3 | 8048.1 | 9498.9 | 10949.7 | 11850.3 | 12504.4 | 12088.4 |
| 62.5° | 2064.1 | 3052.6 | 4040.3 | 5028.8 | 6454.0 | 7878.5 | 9303.7 | 10728.2 | 11807.4 | 12693.4 | 12553.5 |
| 65° | 1879.3 | 2797.8 | 3717.1 | 4635.6 | 5996.4 | 7358.0 | 8718.8 | 10079.7 | 11411.4 | 12539.0 | 12588.8 |
| 67.5° | 1636.3 | 2411.6 | 3186.1 | 3961.4 | 5230.9 | 6500.4 | 7769.1 | 9038.6 | 10610.6 | 11925.7 | 12073.9 |
| 70° | 1378.8 | 1961.0 | 2543.8 | 3125.9 | 4243.1 | 5360.3 | 6476.8 | 7594.0 | 9228.3 | 10551.7 | 10831.4 |
| 72.5° | 1105.4 | 1479.9 | 1853.7 | 2227.5 | 3033.9 | 3839.6 | 4646.0 | 5451.7 | 6889.4 | 7916.6 | 8404.6 |
| 75° | 716.4 | 886.7 | 1057.0 | 1227.3 | 1764.4 | 2300.8 | 2838.0 | 3374.4 | 4329.0 | 5085.5 | 5637.2 |
| 77.5° | 319.1 | 353.7 | 387.6 | 422.2 | 836.9 | 1251.5 | 1666.1 | 2080.7 | 2495.3 | 2952.2 | 3081.6 |
| 80° | 114.2 | 129.4 | 145.4 | 160.6 | 364.1 | 568.3 | 771.8 | 975.3 | 1176.0 | 1412.1 | 1469.5 |
| 82.5° | 47.8 | 47.8 | 47.1 | 46.4 | 119.1 | 191.7 | 264.4 | 337.1 | 389.7 | 447.8 | 458.9 |
| 85° | 19.4 | 14.5 | 9.0 | 3.5 | 15.2 | 27.7 | 39.5 | 51.2 | 82.4 | 74.8 | 138.4 |
| 87.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368063
 CATALOG NUMBER: PMM-SA3D-727-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 247.5° | 250° | 252.5° | 255° | 257.5° | 260° | 262.5° | 265° | 267.5° | 270° | 272.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368063

CATALOG NUMBER: PMM-SA3D-727-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 275° | 277.5° | 280° | 282.5° | 285° | 287.5° | 290° | 292.5° | 295° | 297.5° | 300° |
|--------|---------|---------|---------|---------|---------|---------|---------|---------|--------|---------|---------|
| 0° | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 |
| 2.5° | 1853.7 | 1852.3 | 1850.9 | 1849.5 | 1848.1 | 1823.2 | 1799.0 | 1774.1 | 1749.9 | 1780.3 | 1810.8 |
| 5° | 2250.3 | 2286.3 | 2322.3 | 2359.0 | 2395.0 | 2405.4 | 2415.7 | 2426.1 | 2436.5 | 2458.7 | 2480.8 |
| 7.5° | 2396.4 | 2457.3 | 2517.5 | 2578.4 | 2638.6 | 2694.7 | 2750.1 | 2806.1 | 2862.2 | 2848.4 | 2834.5 |
| 10° | 2345.8 | 2455.9 | 2565.9 | 2676.7 | 2786.8 | 2811.0 | 2835.2 | 2860.1 | 2884.4 | 2947.3 | 3010.3 |
| 12.5° | 2291.1 | 2423.4 | 2555.6 | 2687.8 | 2820.0 | 2893.4 | 2966.0 | 3039.4 | 3112.8 | 3176.5 | 3240.1 |
| 15° | 2550.7 | 2635.2 | 2719.6 | 2804.8 | 2889.2 | 2953.6 | 3017.3 | 3081.6 | 3145.3 | 3189.6 | 3233.2 |
| 17.5° | 2892.0 | 2933.5 | 2975.0 | 3017.3 | 3058.8 | 3109.3 | 3159.8 | 3210.4 | 3260.9 | 3287.2 | 3313.5 |
| 20° | 3252.6 | 3270.6 | 3288.6 | 3306.6 | 3324.6 | 3284.4 | 3244.3 | 3204.1 | 3164.0 | 3188.9 | 3213.1 |
| 22.5° | 3614.6 | 3620.8 | 3627.8 | 3634.0 | 3640.2 | 3546.8 | 3453.3 | 3359.9 | 3266.4 | 3227.0 | 3187.5 |
| 25° | 4171.8 | 4126.1 | 4080.5 | 4034.8 | 3989.1 | 3878.3 | 3767.6 | 3656.8 | 3546.1 | 3448.5 | 3350.9 |
| 27.5° | 4775.4 | 4620.4 | 4466.0 | 4311.0 | 4156.6 | 4045.8 | 3935.1 | 3824.3 | 3713.6 | 3566.9 | 3420.1 |
| 30° | 5383.8 | 5134.0 | 4884.8 | 4634.9 | 4385.7 | 4254.2 | 4122.7 | 3990.5 | 3859.0 | 3712.2 | 3566.2 |
| 32.5° | 5941.8 | 5641.3 | 5340.9 | 5039.8 | 4739.4 | 4517.9 | 4296.4 | 4074.9 | 3853.4 | 3751.0 | 3648.5 |
| 35° | 6404.1 | 6049.0 | 5694.0 | 5338.2 | 4983.1 | 4763.6 | 4544.2 | 4324.8 | 4105.4 | 3953.1 | 3801.5 |
| 37.5° | 7194.6 | 6795.2 | 6395.8 | 5996.4 | 5597.0 | 5297.3 | 4998.3 | 4698.6 | 4398.9 | 4297.1 | 4195.4 |
| 40° | 7923.5 | 7420.3 | 6917.0 | 6413.8 | 5910.6 | 5659.3 | 5408.8 | 5157.5 | 4906.9 | 4740.1 | 4574.0 |
| 42.5° | 8502.9 | 7972.6 | 7443.1 | 6912.9 | 6382.7 | 6134.2 | 5886.4 | 5637.9 | 5389.4 | 5277.9 | 5167.2 |
| 45° | 8628.1 | 8128.4 | 7629.3 | 7129.6 | 6629.8 | 6485.1 | 6341.1 | 6196.5 | 6052.5 | 5975.7 | 5899.5 |
| 47.5° | 8875.3 | 8333.3 | 7792.0 | 7250.0 | 6708.0 | 6642.9 | 6577.9 | 6512.1 | 6447.1 | 6483.7 | 6520.4 |
| 50° | 9013.7 | 8460.6 | 7907.6 | 7354.5 | 6801.5 | 6820.1 | 6838.1 | 6856.8 | 6875.5 | 7135.8 | 7395.4 |
| 52.5° | 9282.3 | 8723.7 | 8165.1 | 7606.5 | 7047.9 | 7165.5 | 7282.5 | 7400.2 | 7517.2 | 7875.7 | 8233.6 |
| 55° | 9761.9 | 9213.0 | 8664.1 | 8114.5 | 7565.6 | 7720.7 | 7875.7 | 8031.5 | 8186.5 | 8567.2 | 8947.2 |
| 57.5° | 10472.8 | 9928.1 | 9384.0 | 8839.3 | 8295.2 | 8449.6 | 8603.9 | 8758.3 | 8912.6 | 9256.6 | 9600.0 |
| 60° | 11367.8 | 10808.5 | 10249.9 | 9690.7 | 9132.1 | 9190.2 | 9247.7 | 9305.8 | 9363.9 | 9733.6 | 10102.5 |
| 62.5° | 12064.9 | 11550.6 | 11037.0 | 10522.7 | 10009.1 | 9944.7 | 9881.0 | 9816.6 | 9752.9 | 10034.0 | 10314.3 |
| 65° | 12226.8 | 11864.8 | 11503.5 | 11141.5 | 10779.5 | 10581.5 | 10384.2 | 10186.3 | 9988.3 | 10101.8 | 10215.3 |
| 67.5° | 11763.1 | 11518.7 | 11275.1 | 11030.7 | 10786.4 | 10373.2 | 9959.9 | 9546.0 | 9132.7 | 9072.5 | 9012.3 |
| 70° | 10686.7 | 10553.1 | 10420.2 | 10286.6 | 10153.7 | 9516.9 | 8880.8 | 8244.0 | 7607.9 | 7454.9 | 7301.9 |
| 72.5° | 8432.9 | 8516.0 | 8599.1 | 8682.8 | 8765.9 | 8084.1 | 7403.0 | 6721.2 | 6039.4 | 5845.5 | 5652.4 |
| 75° | 5946.6 | 6228.3 | 6510.0 | 6791.8 | 7073.5 | 6451.9 | 5831.0 | 5209.4 | 4587.8 | 4401.6 | 4216.1 |
| 77.5° | 3224.2 | 3752.4 | 4280.5 | 4808.6 | 5336.8 | 4823.9 | 4311.6 | 3798.7 | 3285.8 | 3156.4 | 3027.6 |
| 80° | 1528.4 | 1832.9 | 2136.8 | 2441.4 | 2745.9 | 2630.3 | 2514.7 | 2398.4 | 2282.8 | 2311.2 | 2339.6 |
| 82.5° | 468.6 | 688.7 | 908.8 | 1129.0 | 1349.1 | 1366.4 | 1383.0 | 1400.3 | 1417.6 | 1460.5 | 1502.7 |
| 85° | 157.1 | 215.3 | 273.4 | 331.6 | 389.7 | 492.1 | 594.6 | 697.7 | 800.2 | 733.7 | 668.0 |
| 87.5° | 0.0 | 2.1 | 3.5 | 5.5 | 6.9 | 21.5 | 36.0 | 50.5 | 65.1 | 56.1 | 47.8 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368063
 CATALOG NUMBER: PMM-SA3D-727-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 275° | 277.5° | 280° | 282.5° | 285° | 287.5° | 290° | 292.5° | 295° | 297.5° | 300° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368063

CATALOG NUMBER: PMM-SA3D-727-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 302.5° | 305° | 307.5° | 310° | 312.5° | 315° | 317.5° | 320° | 322.5° | 325° | 327.5° |
|--------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 0° | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 |
| 2.5° | 1841.9 | 1872.4 | 1873.1 | 1874.4 | 1875.1 | 1875.8 | 1879.3 | 1882.8 | 1886.9 | 1890.4 | 1867.5 |
| 5° | 2503.6 | 2525.8 | 2485.0 | 2444.1 | 2402.6 | 2361.8 | 2398.4 | 2435.1 | 2471.8 | 2508.5 | 2492.6 |
| 7.5° | 2820.0 | 2806.1 | 2801.3 | 2797.1 | 2792.3 | 2788.1 | 2802.0 | 2815.8 | 2829.7 | 2843.5 | 2842.1 |
| 10° | 3073.3 | 3136.3 | 3151.5 | 3166.8 | 3182.7 | 3197.9 | 3166.1 | 3134.2 | 3102.4 | 3070.6 | 3057.4 |
| 12.5° | 3303.8 | 3367.5 | 3418.0 | 3468.6 | 3519.8 | 3570.3 | 3524.6 | 3479.6 | 3434.0 | 3389.0 | 3346.0 |
| 15° | 3277.5 | 3321.1 | 3362.7 | 3404.2 | 3445.7 | 3487.3 | 3472.0 | 3457.5 | 3442.3 | 3427.0 | 3420.1 |
| 17.5° | 3340.5 | 3366.8 | 3357.1 | 3347.4 | 3337.0 | 3327.4 | 3322.5 | 3318.4 | 3313.5 | 3308.7 | 3292.1 |
| 20° | 3238.1 | 3263.0 | 3256.8 | 3251.2 | 3245.0 | 3238.8 | 3234.6 | 3230.4 | 3226.3 | 3222.1 | 3209.0 |
| 22.5° | 3148.1 | 3108.6 | 3098.2 | 3088.5 | 3078.2 | 3068.5 | 3069.9 | 3071.2 | 3071.9 | 3073.3 | 3132.8 |
| 25° | 3253.3 | 3155.7 | 3117.6 | 3079.6 | 3040.8 | 3002.7 | 3020.0 | 3036.6 | 3053.9 | 3071.2 | 3157.1 |
| 27.5° | 3272.7 | 3125.9 | 3065.0 | 3004.1 | 2943.2 | 2882.3 | 2944.6 | 3006.9 | 3069.2 | 3131.5 | 3270.6 |
| 30° | 3419.4 | 3273.4 | 3188.2 | 3103.8 | 3018.6 | 2934.2 | 3013.8 | 3093.4 | 3173.0 | 3252.6 | 3403.5 |
| 32.5° | 3545.4 | 3443.0 | 3382.0 | 3321.1 | 3260.2 | 3199.3 | 3202.8 | 3205.5 | 3209.0 | 3212.5 | 3425.0 |
| 35° | 3649.2 | 3497.6 | 3442.3 | 3387.6 | 3332.2 | 3277.5 | 3359.9 | 3442.3 | 3524.6 | 3607.0 | 3798.0 |
| 37.5° | 4093.6 | 3991.9 | 3890.1 | 3789.0 | 3687.3 | 3586.2 | 3652.0 | 3717.7 | 3784.2 | 3850.0 | 4061.1 |
| 40° | 4407.2 | 4241.0 | 4214.7 | 4189.1 | 4162.8 | 4137.2 | 4171.1 | 4204.4 | 4238.3 | 4272.2 | 4457.0 |
| 42.5° | 5055.8 | 4944.3 | 4873.0 | 4802.4 | 4731.1 | 4660.5 | 4687.5 | 4714.5 | 4742.2 | 4769.2 | 4944.3 |
| 45° | 5822.7 | 5745.9 | 5698.8 | 5651.7 | 5604.0 | 5556.9 | 5516.1 | 5475.9 | 5435.1 | 5394.9 | 5572.8 |
| 47.5° | 6557.1 | 6593.8 | 6697.6 | 6800.8 | 6904.6 | 7007.7 | 6923.3 | 6838.8 | 6753.7 | 6669.2 | 6669.9 |
| 50° | 7655.6 | 7915.2 | 7967.8 | 8019.7 | 8072.3 | 8124.2 | 7944.3 | 7764.3 | 7583.6 | 7403.7 | 7382.2 |
| 52.5° | 8592.1 | 8950.0 | 8968.7 | 8987.4 | 9006.8 | 9025.5 | 8952.8 | 8880.1 | 8806.7 | 8734.0 | 8540.9 |
| 55° | 9327.9 | 9708.0 | 9733.6 | 9758.5 | 9784.1 | 9809.0 | 9745.3 | 9682.3 | 9618.7 | 9555.0 | 9359.8 |
| 57.5° | 9944.0 | 10287.3 | 10302.5 | 10317.1 | 10332.3 | 10347.5 | 10352.4 | 10357.2 | 10362.8 | 10367.6 | 10103.9 |
| 60° | 10472.1 | 10841.8 | 10811.3 | 10781.5 | 10751.1 | 10721.3 | 10675.6 | 10630.0 | 10584.3 | 10538.6 | 10368.3 |
| 62.5° | 10595.3 | 10876.4 | 10829.3 | 10782.9 | 10735.9 | 10689.5 | 10650.7 | 10612.6 | 10573.9 | 10535.1 | 10426.4 |
| 65° | 10328.9 | 10442.4 | 10393.9 | 10345.5 | 10296.3 | 10247.9 | 10222.9 | 10198.7 | 10173.8 | 10148.9 | 10135.0 |
| 67.5° | 8951.4 | 8891.2 | 8948.6 | 9006.1 | 9063.5 | 9121.0 | 9199.2 | 9277.4 | 9356.3 | 9434.5 | 9388.9 |
| 70° | 7148.2 | 6995.3 | 7058.9 | 7121.9 | 7185.6 | 7248.6 | 7367.0 | 7485.3 | 7604.4 | 7722.8 | 7690.9 |
| 72.5° | 5458.6 | 5264.8 | 5273.8 | 5282.8 | 5292.5 | 5301.5 | 5298.0 | 5295.2 | 5291.8 | 5288.3 | 5343.7 |
| 75° | 4029.9 | 3843.7 | 3755.8 | 3667.9 | 3580.0 | 3492.1 | 3470.6 | 3449.2 | 3427.7 | 3406.3 | 3509.4 |
| 77.5° | 2898.2 | 2769.4 | 2709.2 | 2649.7 | 2589.5 | 2530.0 | 2560.4 | 2590.9 | 2622.0 | 2652.5 | 2688.5 |
| 80° | 2368.7 | 2397.1 | 2350.7 | 2305.0 | 2258.6 | 2212.2 | 2246.8 | 2280.8 | 2315.4 | 2350.0 | 2242.7 |
| 82.5° | 1545.7 | 1587.9 | 1445.3 | 1302.7 | 1160.1 | 1017.5 | 1104.0 | 1190.6 | 1277.8 | 1364.3 | 1320.0 |
| 85° | 601.5 | 535.8 | 456.8 | 378.6 | 299.7 | 220.8 | 287.3 | 353.7 | 420.2 | 486.6 | 530.9 |
| 87.5° | 38.8 | 30.5 | 24.2 | 18.0 | 11.1 | 4.8 | 10.4 | 15.9 | 22.2 | 27.7 | 46.4 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368063
 CATALOG NUMBER: PMM-SA3D-727-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 302.5° | 305° | 307.5° | 310° | 312.5° | 315° | 317.5° | 320° | 322.5° | 325° | 327.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368063

CATALOG NUMBER: PMM-SA3D-727-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 330° | 332.5° | 335° | 337.5° | 340° | 342.5° | 345° | 347.5° | 350° | 352.5° | 355° |
|--------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 0° | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 | 1463.3 |
| 2.5° | 1845.4 | 1822.5 | 1800.4 | 1756.8 | 1713.2 | 1669.6 | 1626.0 | 1686.9 | 1747.8 | 1808.7 | 1869.6 |
| 5° | 2477.3 | 2461.4 | 2446.2 | 2450.4 | 2454.5 | 2459.3 | 2463.5 | 2472.5 | 2481.5 | 2489.8 | 2498.8 |
| 7.5° | 2841.4 | 2840.1 | 2838.7 | 2806.8 | 2775.0 | 2742.5 | 2710.6 | 2726.5 | 2742.5 | 2758.4 | 2774.3 |
| 10° | 3044.9 | 3031.8 | 3018.6 | 2948.7 | 2878.8 | 2808.2 | 2738.3 | 2707.8 | 2676.7 | 2646.2 | 2615.8 |
| 12.5° | 3303.1 | 3259.5 | 3216.6 | 3141.8 | 3067.8 | 2993.0 | 2918.3 | 2890.6 | 2862.2 | 2834.5 | 2806.1 |
| 15° | 3413.9 | 3407.0 | 3400.7 | 3347.4 | 3293.4 | 3240.1 | 3186.1 | 3091.3 | 2995.8 | 2901.0 | 2806.1 |
| 17.5° | 3275.4 | 3258.1 | 3241.5 | 3326.0 | 3409.7 | 3494.2 | 3578.6 | 3480.3 | 3382.0 | 3283.7 | 3185.5 |
| 20° | 3195.8 | 3182.7 | 3169.5 | 3326.7 | 3483.1 | 3640.2 | 3796.7 | 3753.1 | 3708.8 | 3665.1 | 3621.5 |
| 22.5° | 3192.4 | 3252.6 | 3312.1 | 3449.9 | 3586.9 | 3724.7 | 3861.7 | 3937.2 | 4013.3 | 4088.8 | 4164.2 |
| 25° | 3242.9 | 3329.4 | 3415.3 | 3643.7 | 3872.1 | 4101.2 | 4329.6 | 4416.2 | 4502.0 | 4588.5 | 4674.4 |
| 27.5° | 3409.0 | 3548.2 | 3686.6 | 3886.0 | 4085.3 | 4285.3 | 4484.7 | 4673.7 | 4863.3 | 5052.3 | 5241.3 |
| 30° | 3553.7 | 3704.6 | 3855.5 | 4092.9 | 4329.6 | 4567.1 | 4803.8 | 5040.5 | 5277.3 | 5514.0 | 5750.7 |
| 32.5° | 3637.5 | 3850.6 | 4063.2 | 4351.8 | 4639.7 | 4928.4 | 5217.0 | 5476.6 | 5736.2 | 5995.1 | 6254.6 |
| 35° | 3989.1 | 4180.8 | 4371.9 | 4691.0 | 5010.1 | 5329.9 | 5649.0 | 5970.1 | 6291.3 | 6611.8 | 6933.0 |
| 37.5° | 4272.2 | 4484.0 | 4695.1 | 5044.0 | 5392.2 | 5741.0 | 6089.9 | 6533.6 | 6978.0 | 7421.7 | 7865.3 |
| 40° | 4641.8 | 4826.6 | 5011.5 | 5338.2 | 5664.2 | 5990.9 | 6317.6 | 6880.4 | 7443.1 | 8005.2 | 8567.9 |
| 42.5° | 5118.7 | 5293.9 | 5469.0 | 5818.5 | 6168.1 | 6517.7 | 6867.2 | 7490.2 | 8113.2 | 8735.4 | 9358.4 |
| 45° | 5750.7 | 5929.3 | 6107.2 | 6385.4 | 6663.7 | 6942.0 | 7220.2 | 7882.7 | 8544.4 | 9206.8 | 9868.5 |
| 47.5° | 6670.6 | 6671.3 | 6672.0 | 6872.7 | 7073.5 | 7274.9 | 7475.6 | 8142.9 | 8809.5 | 9476.8 | 10143.3 |
| 50° | 7360.7 | 7338.6 | 7317.1 | 7421.0 | 7524.1 | 7627.9 | 7731.8 | 8345.7 | 8960.4 | 9574.4 | 10188.3 |
| 52.5° | 8348.5 | 8155.4 | 7962.9 | 8024.6 | 8085.5 | 8147.1 | 8208.0 | 8727.8 | 9248.3 | 9768.2 | 10288.0 |
| 55° | 9165.3 | 8970.1 | 8774.9 | 8752.0 | 8729.2 | 8706.4 | 8683.5 | 9161.8 | 9640.1 | 10118.4 | 10596.7 |
| 57.5° | 9840.9 | 9577.1 | 9314.1 | 9261.5 | 9209.6 | 9157.0 | 9104.4 | 9609.0 | 10112.9 | 10617.5 | 11121.4 |
| 60° | 10198.7 | 10028.4 | 9858.2 | 9824.2 | 9789.6 | 9755.7 | 9721.1 | 10135.0 | 10549.0 | 10962.9 | 11376.8 |
| 62.5° | 10318.5 | 10209.8 | 10101.8 | 10165.5 | 10229.2 | 10293.5 | 10357.2 | 10539.3 | 10720.6 | 10902.7 | 11084.0 |
| 65° | 10121.9 | 10108.0 | 10094.2 | 10225.0 | 10355.2 | 10486.0 | 10616.8 | 10571.8 | 10526.1 | 10481.1 | 10436.1 |
| 67.5° | 9343.9 | 9298.2 | 9253.2 | 9540.4 | 9827.0 | 10114.3 | 10401.5 | 10183.5 | 9964.8 | 9746.7 | 9528.7 |
| 70° | 7659.1 | 7626.5 | 7594.7 | 8008.6 | 8422.6 | 8837.2 | 9251.1 | 8986.7 | 8722.3 | 8457.9 | 8193.4 |
| 72.5° | 5398.4 | 5453.8 | 5509.1 | 5997.1 | 6484.4 | 6972.4 | 7459.7 | 7193.2 | 6926.7 | 6660.2 | 6393.8 |
| 75° | 3611.8 | 3715.0 | 3818.1 | 4320.6 | 4823.2 | 5326.4 | 5828.9 | 5516.1 | 5203.2 | 4890.3 | 4577.4 |
| 77.5° | 2724.5 | 2760.5 | 2796.4 | 3114.2 | 3431.9 | 3750.3 | 4068.0 | 3809.8 | 3550.9 | 3292.7 | 3033.9 |
| 80° | 2135.4 | 2027.4 | 1920.1 | 2024.7 | 2129.2 | 2233.7 | 2338.2 | 2183.9 | 2029.5 | 1875.8 | 1721.5 |
| 82.5° | 1275.7 | 1231.4 | 1187.1 | 1243.9 | 1299.9 | 1356.7 | 1413.5 | 1347.0 | 1279.9 | 1213.4 | 1146.3 |
| 85° | 574.5 | 618.8 | 662.4 | 719.9 | 776.6 | 834.1 | 891.5 | 798.8 | 706.0 | 613.3 | 520.5 |
| 87.5° | 64.4 | 83.1 | 101.8 | 126.0 | 150.2 | 174.4 | 198.7 | 155.1 | 110.8 | 67.1 | 23.5 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368063
 CATALOG NUMBER: PMM-SA3D-727-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 330° | 332.5° | 335° | 337.5° | 340° | 342.5° | 345° | 347.5° | 350° | 352.5° | 355° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368063
 CATALOG NUMBER: PMM-SA3D-727-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 357.5° | 360° |
|--------|---------|---------|
| 0° | 1463.3 | 1463.3 |
| 2.5° | 1904.9 | 1940.2 |
| 5° | 2498.1 | 2496.7 |
| 7.5° | 2732.8 | 2690.5 |
| 10° | 2577.0 | 2538.3 |
| 12.5° | 2707.2 | 2608.2 |
| 15° | 2731.4 | 2656.6 |
| 17.5° | 3063.6 | 2941.1 |
| 20° | 3464.4 | 3306.6 |
| 22.5° | 3948.2 | 3731.6 |
| 25° | 4416.9 | 4159.4 |
| 27.5° | 5086.9 | 4931.8 |
| 30° | 5594.3 | 5437.1 |
| 32.5° | 6148.0 | 6041.4 |
| 35° | 6827.1 | 6720.5 |
| 37.5° | 7893.0 | 7920.0 |
| 40° | 8584.5 | 8601.1 |
| 42.5° | 9422.8 | 9487.1 |
| 45° | 9940.5 | 10012.5 |
| 47.5° | 10243.7 | 10344.1 |
| 50° | 10350.3 | 10512.3 |
| 52.5° | 10488.1 | 10687.4 |
| 55° | 10818.9 | 11041.1 |
| 57.5° | 11298.6 | 11475.8 |
| 60° | 11385.1 | 11393.4 |
| 62.5° | 10956.0 | 10827.9 |
| 65° | 10299.8 | 10163.4 |
| 67.5° | 9446.3 | 9363.2 |
| 70° | 8084.1 | 7974.7 |
| 72.5° | 6190.2 | 5986.7 |
| 75° | 4325.5 | 4073.5 |
| 77.5° | 2901.7 | 2769.4 |
| 80° | 1725.6 | 1729.1 |
| 82.5° | 1178.1 | 1209.3 |
| 85° | 514.3 | 507.4 |
| 87.5° | 16.6 | 9.0 |
| 90° | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 |



REPORT NUMBER: P368063
CATALOG NUMBER: PMM-SA3D-727-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 357.5° | 360° |
|--------|--------|------|
| 112.5° | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 |

(END OF REPORT)