

Scaled data based on original data using
LM-79-08 Approved Method: Electrical and Photometric Measurements of Solid-
State Lighting Products

Test Report Prepared for
Cooper Lighting Solutions
(formerly Eaton)

Brand: STREETWORKS

Report Number: P366634

Luminaire Tested: **PMM-SA1A-730-U-SLR**

Issue Date: 12/2/2019

Test Information

Test Method: LM-79-08
Report Number: P366634
TEST IS SCALED FROM IESNA LM-79-08 TEST DATA (G2-1910-543-24)
Test Lab: INNOVATION CENTER
Issue Date: 12/2/2019
Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)
Product Line: STREETWORKS
Catalog Number: PMM-SA1A-730-U-SLR
Description: MESA POST TOP DECORATIVE LUMINAIRE. (1) LIGHTSQUARES WITH 16 LEDS EACH AND SPILL LIGHT ELIMINATOR RIGHT OPTICS.
Light Source: -
Ballast/Driver: ELECTRONIC DRIVER

Summary

Lumens per Lamp: N/A
Luminaire Lumens: 3153 lumens
Efficiency: N/A
Efficacy: 92.7 lumens/watt
Luminous Opening: Rectangular (W 0.5' x L: 0.5' x H: 0')
IES Classification: Type IV - Short
BUG Rating: B1 - U0 - G1


Input Watts (W): 34
Input Voltage (V): NR
Input Current (Ain): NR
Voltage Rise (V): NR
Power Factor: NR
Total Harmonic Distortion (THDi): NR
Frequency (hertz): 60
Stabilization Time: NR
Operation Time: NR
Ambient Temperature (°C): NR
Test Distance: 28.75 FT



REPORT NUMBER: P366634
 CATALOG NUMBER: PMM-SA1A-730-U-SLR

Iso-Footcandle Lines of Horizontal Illumination


× Max cd
 - - - 1/2 Max cd



Based on 25 foot mounting height. Maximum calculated value = 1.3 fc
 Type IV - Short - N/A

REPORT NUMBER: P366634
CATALOG NUMBER: PMM-SA1A-730-U-SLR

Luminous Intensity Polar Plot



— Vertical Plane Through 270-Deg Lateral - - - Horizontal Cone Through 60-Deg Vertical

REPORT NUMBER: P366634
 CATALOG NUMBER: PMM-SA1A-730-U-SLR


FLUX DISTRIBUTION:

| | | Downward | Upward | Total |
|--------------------|-----------|----------|--------|--------|
| House Side | Lumens | 610.7 | 0.0 | 610.7 |
| | % Fixture | 19.4 | 0.0 | 19.4 |
| Street Side | Lumens | 2542.3 | 0.0 | 2542.3 |
| | % Fixture | 80.6 | 0.0 | 80.6 |
| Total | Lumens | 3153.0 | 0.0 | 3153.0 |
| | % Fixture | 100.0 | 0.0 | 100.0 |

ZONAL LUMENS:

| Zone | Lumens | % Fixture |
|-----------|--------|-----------|
| 0°-10° | 38.1 | 1.2 |
| 10°-20° | 110.8 | 3.5 |
| 20°-30° | 195.6 | 6.2 |
| 30°-40° | 304.6 | 9.7 |
| 40°-50° | 501.5 | 15.9 |
| 50°-60° | 715.8 | 22.7 |
| 60°-70° | 759.0 | 24.1 |
| 70°-80° | 419.2 | 13.3 |
| 80°-90° | 108.5 | 3.4 |
| 90°-100° | 0.0 | 0.0 |
| 100°-110° | 0.0 | 0.0 |
| 110°-120° | 0.0 | 0.0 |
| 120°-130° | 0.0 | 0.0 |
| 130°-140° | 0.0 | 0.0 |
| 140°-150° | 0.0 | 0.0 |
| 150°-160° | 0.0 | 0.0 |
| 160°-170° | 0.0 | 0.0 |
| 170°-180° | 0.0 | 0.0 |
| 0°-90° | 3153.0 | 100.0 |
| 0°-180° | 3153.0 | 100.0 |

Coefficient of Utilization




REPORT NUMBER: P366634
 CATALOG NUMBER: PMM-SA1A-730-U-SLR

LUMINAIRE CLASSIFICATION SYSTEM LUMEN TABLE AND BUG RATING:

| Zone | Lumens | % Fixture | Zone Rating/Lumen Limit | | |
|----------------|--------|-----------|-------------------------|------|---------|
| | | | B | U | G |
| FL (0°-30°) | 241.3 | 7.7 | | | |
| FM (30°-60°) | 1222.3 | 38.8 | | | |
| FH (60°-80°) | 986.6 | 31.3 | | | G1/1800 |
| FVH (80°-90°) | 92.2 | 2.9 | | | G1/100 |
| BL (0°-30°) | 103.2 | 3.3 | B0/110 | | |
| BM (30°-60°) | 299.6 | 9.5 | B1/1000 | | |
| BH (60°-80°) | 191.6 | 6.1 | B1/500 | | G1/500 |
| BVH (80°-90°) | 16.3 | 0.5 | | | G1/100 |
| UL (90°-100°) | 0.0 | 0.0 | | U0/0 | |
| UH (100°-180°) | 0.0 | 0.0 | | U0/0 | |

BUG Rating: B1-U0-G1
 Type IV Short





REPORT NUMBER: P366634

CATALOG NUMBER: PMM-SA1A-730-U-SLR

CANDELA DISTRIBUTION (FULL):

| | 0° | 2.5° | 5° | 7.5° | 10° | 12.5° | 15° | 17.5° | 20° | 22.5° | 25° |
|--------|--------|--------|--------|--------|--------|--------|-------|-------|-------|-------|-------|
| 0° | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 |
| 2.5° | 445.4 | 448.1 | 450.7 | 445.5 | 440.3 | 434.9 | 429.7 | 421.9 | 414.0 | 406.2 | 398.2 |
| 5° | 534.9 | 524.8 | 514.5 | 510.4 | 506.4 | 502.3 | 498.2 | 494.3 | 490.5 | 486.5 | 482.7 |
| 7.5° | 562.9 | 548.5 | 534.0 | 527.8 | 521.7 | 515.4 | 509.3 | 495.5 | 481.8 | 467.8 | 454.1 |
| 10° | 532.1 | 517.1 | 502.0 | 496.0 | 489.9 | 483.9 | 477.8 | 461.0 | 444.3 | 427.4 | 410.6 |
| 12.5° | 556.9 | 541.6 | 526.2 | 507.2 | 488.2 | 469.1 | 450.1 | 440.8 | 431.4 | 421.9 | 412.6 |
| 15° | 580.8 | 560.1 | 539.3 | 520.3 | 501.4 | 482.2 | 463.3 | 444.6 | 425.9 | 407.2 | 388.6 |
| 17.5° | 668.0 | 633.6 | 599.2 | 564.9 | 530.4 | 496.2 | 461.7 | 440.1 | 418.4 | 396.8 | 375.1 |
| 20° | 774.4 | 726.5 | 678.4 | 626.4 | 574.2 | 522.2 | 470.0 | 442.7 | 415.7 | 388.4 | 361.2 |
| 22.5° | 901.0 | 840.5 | 780.1 | 714.4 | 648.7 | 582.9 | 517.3 | 477.8 | 438.3 | 398.7 | 359.2 |
| 25° | 1001.5 | 943.3 | 885.2 | 801.9 | 718.7 | 635.4 | 552.2 | 507.3 | 462.5 | 417.5 | 372.7 |
| 27.5° | 1099.1 | 1006.6 | 913.8 | 818.5 | 723.3 | 627.9 | 532.6 | 491.1 | 449.6 | 408.2 | 366.7 |
| 30° | 1181.6 | 1108.2 | 1034.7 | 910.3 | 785.9 | 661.3 | 536.9 | 485.9 | 434.9 | 384.0 | 333.0 |
| 32.5° | 1302.4 | 1197.6 | 1092.6 | 962.8 | 833.0 | 703.2 | 573.4 | 508.3 | 443.1 | 377.9 | 312.7 |
| 35° | 1443.6 | 1334.7 | 1225.7 | 1065.2 | 904.8 | 744.2 | 583.7 | 514.7 | 445.5 | 376.5 | 307.3 |
| 37.5° | 1707.0 | 1515.0 | 1322.7 | 1147.5 | 972.3 | 796.9 | 621.7 | 541.5 | 461.3 | 380.9 | 300.7 |
| 40° | 1852.3 | 1674.7 | 1497.2 | 1278.8 | 1060.4 | 841.9 | 623.5 | 541.5 | 459.3 | 377.2 | 295.1 |
| 42.5° | 2045.9 | 1821.3 | 1596.7 | 1360.5 | 1124.5 | 888.4 | 652.3 | 561.4 | 470.4 | 379.4 | 288.5 |
| 45° | 2163.9 | 1913.6 | 1663.3 | 1410.9 | 1158.5 | 906.2 | 653.8 | 561.5 | 469.2 | 376.9 | 284.7 |
| 47.5° | 2239.9 | 1999.6 | 1759.2 | 1487.6 | 1215.9 | 944.1 | 672.5 | 574.5 | 476.4 | 378.5 | 280.4 |
| 50° | 2312.0 | 2074.0 | 1835.9 | 1553.8 | 1271.9 | 989.9 | 707.8 | 600.8 | 493.9 | 386.7 | 279.8 |
| 52.5° | 2400.5 | 2181.3 | 1962.0 | 1659.4 | 1356.7 | 1054.2 | 751.4 | 635.0 | 518.5 | 402.0 | 285.6 |
| 55° | 2529.2 | 2313.2 | 2097.1 | 1772.4 | 1447.5 | 1122.7 | 797.8 | 668.5 | 539.3 | 410.0 | 280.7 |
| 57.5° | 2612.6 | 2393.6 | 2174.6 | 1843.4 | 1512.2 | 1180.9 | 849.7 | 706.4 | 563.2 | 419.8 | 276.5 |
| 60° | 2584.9 | 2359.0 | 2132.9 | 1817.2 | 1501.5 | 1185.8 | 870.0 | 715.3 | 560.7 | 406.0 | 251.3 |
| 62.5° | 2462.4 | 2222.3 | 1982.2 | 1699.4 | 1416.7 | 1133.9 | 851.1 | 693.7 | 536.6 | 379.2 | 221.9 |
| 65° | 2291.3 | 2043.1 | 1794.7 | 1539.6 | 1284.5 | 1029.4 | 774.2 | 631.4 | 488.5 | 345.7 | 202.8 |
| 67.5° | 2081.4 | 1822.6 | 1563.6 | 1337.7 | 1111.8 | 885.8 | 659.9 | 540.5 | 421.3 | 302.0 | 182.6 |
| 70° | 1818.0 | 1563.6 | 1309.3 | 1113.8 | 918.4 | 723.0 | 527.5 | 437.7 | 348.0 | 258.2 | 168.3 |
| 72.5° | 1461.2 | 1241.8 | 1022.3 | 868.5 | 714.7 | 560.9 | 407.1 | 344.6 | 282.4 | 219.9 | 157.5 |
| 75° | 1039.3 | 910.3 | 781.3 | 661.6 | 541.9 | 422.1 | 302.4 | 262.0 | 221.6 | 181.2 | 140.8 |
| 77.5° | 738.6 | 662.5 | 586.5 | 492.6 | 398.8 | 305.0 | 211.2 | 187.5 | 163.9 | 140.2 | 116.5 |
| 80° | 546.1 | 482.5 | 419.0 | 348.3 | 277.6 | 206.9 | 136.2 | 124.6 | 113.1 | 101.5 | 89.8 |
| 82.5° | 359.5 | 330.9 | 302.1 | 246.1 | 190.1 | 134.1 | 78.1 | 73.8 | 69.5 | 65.2 | 60.9 |
| 85° | 161.0 | 170.0 | 178.9 | 144.6 | 110.2 | 75.9 | 41.5 | 39.5 | 37.5 | 35.5 | 33.5 |
| 87.5° | 15.5 | 22.8 | 30.1 | 25.9 | 21.4 | 17.1 | 12.7 | 12.5 | 12.5 | 12.4 | 12.2 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366634
 CATALOG NUMBER: PMM-SA1A-730-U-SLR

CANDELA DISTRIBUTION (continued):

| | 0° | 2.5° | 5° | 7.5° | 10° | 12.5° | 15° | 17.5° | 20° | 22.5° | 25° |
|--------|-----|------|-----|------|-----|-------|-----|-------|-----|-------|-----|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366634

CATALOG NUMBER: PMM-SA1A-730-U-SLR

CANDELA DISTRIBUTION (continued):

| | 27.5° | 30° | 32.5° | 35° | 37.5° | 40° | 42.5° | 45° | 47.5° | 50° | 52.5° |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 0° | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 |
| 2.5° | 400.4 | 402.5 | 404.6 | 406.8 | 404.5 | 402.2 | 399.7 | 397.4 | 394.5 | 391.6 | 388.6 |
| 5° | 476.3 | 469.7 | 463.3 | 456.7 | 446.9 | 437.1 | 427.1 | 417.3 | 416.1 | 414.7 | 413.5 |
| 7.5° | 442.0 | 430.0 | 418.0 | 405.9 | 390.6 | 375.4 | 360.1 | 344.8 | 340.2 | 335.6 | 331.0 |
| 10° | 402.5 | 394.2 | 386.1 | 377.9 | 368.4 | 358.9 | 349.2 | 339.8 | 327.2 | 314.5 | 302.0 |
| 12.5° | 399.1 | 385.7 | 372.0 | 358.6 | 352.8 | 346.9 | 341.1 | 335.3 | 324.3 | 313.3 | 302.1 |
| 15° | 377.7 | 366.7 | 355.8 | 344.8 | 336.4 | 328.0 | 319.6 | 311.1 | 302.3 | 293.2 | 284.4 |
| 17.5° | 362.6 | 350.0 | 337.5 | 324.9 | 315.3 | 305.6 | 295.8 | 286.2 | 275.5 | 264.6 | 253.9 |
| 20° | 346.8 | 332.6 | 318.2 | 303.8 | 291.5 | 279.5 | 267.2 | 255.0 | 243.2 | 231.6 | 219.8 |
| 22.5° | 340.4 | 321.5 | 302.7 | 283.9 | 271.0 | 258.0 | 245.2 | 232.2 | 221.3 | 210.4 | 199.6 |
| 25° | 350.2 | 327.8 | 305.3 | 282.8 | 265.5 | 248.1 | 230.8 | 213.3 | 204.3 | 195.3 | 186.1 |
| 27.5° | 338.7 | 310.5 | 282.5 | 254.4 | 235.8 | 217.2 | 198.6 | 180.0 | 178.6 | 177.2 | 175.7 |
| 30° | 303.5 | 273.9 | 244.4 | 214.9 | 197.9 | 180.7 | 163.8 | 146.6 | 143.4 | 140.0 | 136.8 |
| 32.5° | 282.5 | 252.4 | 222.2 | 192.1 | 176.9 | 161.6 | 146.5 | 131.2 | 127.5 | 123.8 | 120.1 |
| 35° | 274.6 | 241.8 | 209.1 | 176.3 | 163.3 | 150.3 | 137.3 | 124.3 | 121.7 | 119.2 | 116.6 |
| 37.5° | 268.1 | 235.7 | 203.1 | 170.5 | 157.9 | 145.4 | 132.7 | 120.1 | 118.1 | 116.2 | 114.2 |
| 40° | 262.0 | 229.1 | 196.0 | 163.0 | 151.8 | 140.8 | 129.6 | 118.5 | 117.2 | 116.0 | 114.6 |
| 42.5° | 256.5 | 224.5 | 192.4 | 160.4 | 150.4 | 140.6 | 130.7 | 120.7 | 119.5 | 118.3 | 117.1 |
| 45° | 253.4 | 222.2 | 191.0 | 159.8 | 152.6 | 145.4 | 138.0 | 130.9 | 127.9 | 125.0 | 122.0 |
| 47.5° | 251.1 | 221.9 | 192.7 | 163.4 | 155.9 | 148.5 | 141.0 | 133.5 | 130.9 | 128.2 | 125.5 |
| 50° | 251.6 | 223.6 | 195.4 | 167.3 | 158.2 | 149.1 | 140.0 | 130.9 | 130.5 | 130.2 | 129.9 |
| 52.5° | 255.7 | 226.0 | 196.2 | 166.4 | 156.6 | 146.8 | 136.8 | 127.0 | 129.0 | 130.9 | 132.8 |
| 55° | 249.8 | 218.8 | 187.8 | 156.9 | 147.5 | 138.3 | 129.0 | 119.7 | 122.3 | 124.7 | 127.3 |
| 57.5° | 243.0 | 209.5 | 176.0 | 142.5 | 135.4 | 128.4 | 121.2 | 114.2 | 116.9 | 119.8 | 122.6 |
| 60° | 220.7 | 190.1 | 159.5 | 128.9 | 124.1 | 119.4 | 114.6 | 109.9 | 111.1 | 112.3 | 113.6 |
| 62.5° | 196.2 | 170.3 | 144.6 | 118.8 | 115.1 | 111.3 | 107.6 | 103.8 | 103.8 | 103.9 | 103.9 |
| 65° | 180.6 | 158.4 | 136.2 | 114.0 | 109.9 | 105.8 | 101.5 | 97.3 | 96.7 | 96.1 | 95.5 |
| 67.5° | 165.0 | 147.5 | 129.9 | 112.3 | 106.4 | 100.5 | 94.6 | 88.6 | 87.8 | 87.2 | 86.5 |
| 70° | 152.7 | 137.1 | 121.5 | 105.9 | 99.2 | 92.6 | 85.9 | 79.1 | 78.5 | 78.1 | 77.4 |
| 72.5° | 142.8 | 128.2 | 113.6 | 98.9 | 91.8 | 84.6 | 77.6 | 70.4 | 69.9 | 69.5 | 68.9 |
| 75° | 127.8 | 114.9 | 101.9 | 88.9 | 82.0 | 75.3 | 68.4 | 61.5 | 60.9 | 60.5 | 59.8 |
| 77.5° | 105.8 | 94.9 | 84.2 | 73.3 | 68.0 | 62.7 | 57.4 | 52.0 | 51.7 | 51.4 | 51.0 |
| 80° | 81.4 | 73.0 | 64.4 | 56.0 | 52.5 | 48.8 | 45.3 | 41.6 | 41.5 | 41.3 | 41.0 |
| 82.5° | 55.9 | 50.8 | 45.8 | 40.7 | 38.1 | 35.4 | 32.8 | 30.0 | 30.1 | 30.3 | 30.5 |
| 85° | 31.8 | 30.0 | 28.3 | 26.5 | 24.3 | 22.3 | 20.2 | 18.1 | 18.5 | 19.0 | 19.3 |
| 87.5° | 11.6 | 11.0 | 10.4 | 9.8 | 8.7 | 7.8 | 6.7 | 5.7 | 6.0 | 6.4 | 6.7 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366634
 CATALOG NUMBER: PMM-SA1A-730-U-SLR

CANDELA DISTRIBUTION (continued):

| | 27.5° | 30° | 32.5° | 35° | 37.5° | 40° | 42.5° | 45° | 47.5° | 50° | 52.5° |
|--------|-------|-----|-------|-----|-------|-----|-------|-----|-------|-----|-------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366634

CATALOG NUMBER: PMM-SA1A-730-U-SLR

CANDELA DISTRIBUTION (continued):

| | 55° | 57.5° | 60° | 62.5° | 65° | 67.5° | 70° | 72.5° | 75° | 77.5° | 80° |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 0° | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 |
| 2.5° | 385.7 | 381.1 | 376.5 | 371.9 | 367.3 | 357.8 | 348.5 | 339.0 | 329.5 | 335.3 | 341.3 |
| 5° | 412.1 | 404.3 | 396.4 | 388.6 | 380.6 | 376.2 | 371.7 | 367.3 | 362.9 | 365.2 | 367.6 |
| 7.5° | 326.4 | 321.8 | 317.1 | 312.5 | 307.8 | 305.8 | 303.9 | 302.0 | 300.0 | 305.6 | 311.3 |
| 10° | 289.2 | 282.8 | 276.4 | 269.8 | 263.4 | 259.6 | 255.7 | 251.9 | 248.1 | 249.6 | 251.1 |
| 12.5° | 291.1 | 281.6 | 272.1 | 262.6 | 253.1 | 247.5 | 241.8 | 236.1 | 230.5 | 231.9 | 233.2 |
| 15° | 275.3 | 265.5 | 255.7 | 245.9 | 236.1 | 229.6 | 222.8 | 216.2 | 209.5 | 207.2 | 204.8 |
| 17.5° | 243.0 | 232.3 | 221.6 | 210.9 | 200.2 | 195.7 | 191.3 | 186.9 | 182.4 | 180.0 | 177.5 |
| 20° | 208.0 | 198.0 | 188.1 | 178.1 | 168.2 | 165.1 | 162.1 | 158.9 | 155.8 | 154.3 | 152.6 |
| 22.5° | 188.7 | 182.6 | 176.3 | 170.2 | 163.9 | 160.4 | 157.0 | 153.5 | 150.0 | 148.3 | 146.5 |
| 25° | 177.1 | 178.3 | 179.7 | 180.9 | 182.1 | 180.6 | 178.9 | 177.4 | 175.7 | 176.3 | 176.8 |
| 27.5° | 174.3 | 176.9 | 179.7 | 182.3 | 184.9 | 186.3 | 187.6 | 189.0 | 190.4 | 190.8 | 191.3 |
| 30° | 133.5 | 134.8 | 136.1 | 137.4 | 138.7 | 142.5 | 146.3 | 150.0 | 153.8 | 159.8 | 165.9 |
| 32.5° | 116.5 | 116.0 | 115.5 | 114.9 | 114.5 | 115.4 | 116.3 | 117.1 | 118.0 | 120.1 | 122.4 |
| 35° | 114.0 | 112.9 | 111.7 | 110.6 | 109.4 | 109.9 | 110.3 | 110.8 | 111.3 | 112.9 | 114.6 |
| 37.5° | 112.2 | 111.7 | 111.4 | 111.0 | 110.5 | 111.6 | 112.5 | 113.6 | 114.5 | 115.9 | 117.2 |
| 40° | 113.4 | 113.3 | 113.1 | 112.8 | 112.6 | 113.3 | 113.9 | 114.5 | 115.1 | 116.9 | 118.8 |
| 42.5° | 115.9 | 115.9 | 115.7 | 115.7 | 115.5 | 116.2 | 116.6 | 117.2 | 117.7 | 118.8 | 119.8 |
| 45° | 119.1 | 118.8 | 118.6 | 118.3 | 118.0 | 117.8 | 117.8 | 117.7 | 117.5 | 118.1 | 118.9 |
| 47.5° | 122.9 | 121.8 | 120.6 | 119.5 | 118.3 | 118.0 | 117.5 | 117.2 | 116.8 | 117.1 | 117.4 |
| 50° | 129.6 | 126.7 | 124.0 | 121.1 | 118.1 | 117.4 | 116.6 | 115.9 | 115.1 | 114.9 | 114.9 |
| 52.5° | 134.7 | 130.4 | 126.1 | 121.8 | 117.5 | 116.2 | 114.8 | 113.4 | 112.0 | 111.7 | 111.6 |
| 55° | 129.8 | 126.6 | 123.5 | 120.3 | 117.1 | 115.1 | 112.9 | 111.0 | 108.8 | 108.4 | 107.9 |
| 57.5° | 125.3 | 123.4 | 121.4 | 119.4 | 117.4 | 115.4 | 113.3 | 111.3 | 109.1 | 108.0 | 107.0 |
| 60° | 114.8 | 114.8 | 114.9 | 114.9 | 114.9 | 112.8 | 110.6 | 108.5 | 106.4 | 105.3 | 104.4 |
| 62.5° | 103.9 | 105.6 | 107.1 | 108.8 | 110.3 | 107.4 | 104.4 | 101.5 | 98.4 | 97.6 | 97.0 |
| 65° | 94.9 | 95.3 | 96.0 | 96.4 | 96.9 | 94.6 | 92.3 | 90.0 | 87.7 | 87.2 | 86.6 |
| 67.5° | 85.7 | 85.6 | 85.4 | 85.1 | 84.9 | 83.6 | 82.0 | 80.7 | 79.1 | 78.5 | 77.9 |
| 70° | 76.8 | 76.7 | 76.5 | 76.2 | 76.1 | 74.8 | 73.6 | 72.4 | 71.2 | 70.7 | 70.2 |
| 72.5° | 68.4 | 68.3 | 68.0 | 67.8 | 67.5 | 66.4 | 65.5 | 64.4 | 63.4 | 62.7 | 62.1 |
| 75° | 59.2 | 58.9 | 58.6 | 58.3 | 58.0 | 57.1 | 56.2 | 55.1 | 54.2 | 53.6 | 53.0 |
| 77.5° | 50.7 | 50.2 | 49.7 | 49.1 | 48.7 | 47.9 | 47.0 | 46.2 | 45.3 | 44.5 | 43.9 |
| 80° | 40.9 | 40.6 | 40.2 | 39.8 | 39.5 | 38.7 | 38.0 | 37.0 | 36.3 | 35.4 | 34.6 |
| 82.5° | 30.6 | 30.5 | 30.1 | 30.0 | 29.7 | 28.9 | 28.2 | 27.4 | 26.6 | 25.7 | 24.8 |
| 85° | 19.7 | 19.6 | 19.4 | 19.3 | 19.1 | 18.5 | 18.1 | 17.4 | 16.8 | 15.9 | 15.2 |
| 87.5° | 7.0 | 6.7 | 6.6 | 6.3 | 6.0 | 5.8 | 5.5 | 5.4 | 5.1 | 4.6 | 4.1 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366634
 CATALOG NUMBER: PMM-SA1A-730-U-SLR

CANDELA DISTRIBUTION (continued):

| | 55° | 57.5° | 60° | 62.5° | 65° | 67.5° | 70° | 72.5° | 75° | 77.5° | 80° |
|--------|-----|-------|-----|-------|-----|-------|-----|-------|-----|-------|-----|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366634

CATALOG NUMBER: PMM-SA1A-730-U-SLR

CANDELA DISTRIBUTION (continued):

| | 82.5° | 85° | 87.5° | 90° | 92.5° | 95° | 97.5° | 100° | 102.5° | 105° | 107.5° |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|--------|
| 0° | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 |
| 2.5° | 347.1 | 352.9 | 353.1 | 353.1 | 355.8 | 358.4 | 353.1 | 347.7 | 342.2 | 336.8 | 331.5 |
| 5° | 369.9 | 372.2 | 371.6 | 370.8 | 367.5 | 364.1 | 360.6 | 357.0 | 353.5 | 350.0 | 350.2 |
| 7.5° | 316.9 | 322.6 | 327.2 | 331.6 | 327.4 | 323.1 | 320.8 | 318.5 | 316.2 | 313.9 | 313.6 |
| 10° | 252.5 | 254.0 | 255.9 | 257.6 | 255.0 | 252.2 | 256.8 | 261.4 | 265.8 | 270.4 | 265.4 |
| 12.5° | 234.6 | 236.0 | 232.8 | 229.4 | 228.3 | 227.3 | 226.2 | 225.0 | 223.9 | 222.7 | 222.1 |
| 15° | 202.5 | 200.0 | 197.6 | 195.0 | 194.4 | 193.6 | 192.8 | 191.9 | 191.1 | 190.2 | 187.5 |
| 17.5° | 175.1 | 172.6 | 168.5 | 164.2 | 162.5 | 160.7 | 160.2 | 159.8 | 159.2 | 158.7 | 156.1 |
| 20° | 151.1 | 149.4 | 148.3 | 147.1 | 145.4 | 143.7 | 142.0 | 140.3 | 138.5 | 136.8 | 134.4 |
| 22.5° | 144.8 | 142.9 | 141.6 | 140.0 | 139.7 | 139.4 | 136.4 | 133.1 | 130.1 | 126.9 | 125.5 |
| 25° | 177.4 | 177.8 | 169.4 | 160.8 | 160.1 | 159.3 | 153.8 | 148.1 | 142.6 | 137.0 | 132.2 |
| 27.5° | 191.6 | 192.1 | 191.8 | 191.5 | 189.0 | 186.4 | 177.1 | 167.6 | 158.2 | 148.8 | 142.0 |
| 30° | 171.9 | 177.8 | 180.1 | 182.4 | 180.7 | 178.9 | 169.1 | 159.5 | 149.7 | 139.9 | 135.4 |
| 32.5° | 124.6 | 126.7 | 130.5 | 134.2 | 136.2 | 138.0 | 135.0 | 131.9 | 128.9 | 125.8 | 125.0 |
| 35° | 116.2 | 117.8 | 118.6 | 119.4 | 118.1 | 116.9 | 114.6 | 112.3 | 109.9 | 107.6 | 107.1 |
| 37.5° | 118.5 | 119.8 | 121.4 | 122.9 | 119.5 | 116.0 | 113.4 | 111.0 | 108.4 | 105.8 | 103.6 |
| 40° | 120.6 | 122.4 | 123.4 | 124.3 | 120.9 | 117.5 | 114.3 | 111.3 | 108.0 | 104.8 | 102.7 |
| 42.5° | 120.9 | 122.0 | 123.7 | 125.3 | 120.6 | 115.7 | 112.8 | 109.7 | 106.8 | 103.8 | 101.6 |
| 45° | 119.5 | 120.1 | 121.7 | 123.2 | 117.7 | 112.0 | 109.4 | 106.7 | 104.1 | 101.3 | 99.5 |
| 47.5° | 117.5 | 117.8 | 119.1 | 120.1 | 114.3 | 108.4 | 105.9 | 103.5 | 100.9 | 98.4 | 96.6 |
| 50° | 114.8 | 114.6 | 115.5 | 116.3 | 110.3 | 104.4 | 101.9 | 99.6 | 97.2 | 94.7 | 93.2 |
| 52.5° | 111.3 | 111.0 | 111.9 | 112.6 | 106.4 | 100.1 | 97.9 | 96.0 | 93.8 | 91.7 | 90.4 |
| 55° | 107.3 | 106.8 | 107.6 | 108.4 | 102.2 | 96.0 | 94.1 | 92.1 | 90.3 | 88.3 | 87.2 |
| 57.5° | 105.8 | 104.7 | 105.1 | 105.6 | 98.7 | 91.8 | 90.0 | 88.2 | 86.3 | 84.5 | 83.7 |
| 60° | 103.3 | 102.2 | 102.7 | 103.0 | 95.7 | 88.2 | 86.5 | 84.6 | 82.9 | 81.1 | 80.3 |
| 62.5° | 96.3 | 95.5 | 96.1 | 96.7 | 90.1 | 83.4 | 81.9 | 80.5 | 79.0 | 77.4 | 76.4 |
| 65° | 86.2 | 85.6 | 86.8 | 88.0 | 82.3 | 76.7 | 75.8 | 74.8 | 73.8 | 72.8 | 71.8 |
| 67.5° | 77.3 | 76.7 | 77.9 | 79.1 | 75.0 | 70.9 | 69.9 | 69.0 | 68.1 | 67.2 | 66.6 |
| 70° | 69.8 | 69.3 | 70.4 | 71.5 | 68.0 | 64.4 | 63.5 | 62.7 | 61.8 | 60.9 | 60.5 |
| 72.5° | 61.4 | 60.8 | 62.1 | 63.4 | 60.5 | 57.4 | 56.6 | 55.7 | 54.9 | 54.0 | 53.7 |
| 75° | 52.3 | 51.7 | 53.0 | 54.0 | 52.0 | 49.9 | 49.1 | 48.4 | 47.6 | 46.8 | 46.7 |
| 77.5° | 43.2 | 42.4 | 43.6 | 44.7 | 43.5 | 42.1 | 41.5 | 40.7 | 40.1 | 39.3 | 39.3 |
| 80° | 33.7 | 32.8 | 33.7 | 34.4 | 34.0 | 33.5 | 33.1 | 32.4 | 32.0 | 31.4 | 31.5 |
| 82.5° | 23.9 | 23.0 | 23.4 | 23.9 | 24.2 | 24.5 | 24.5 | 24.5 | 24.5 | 24.5 | 24.5 |
| 85° | 14.2 | 13.3 | 13.5 | 13.6 | 14.1 | 14.5 | 14.7 | 14.8 | 15.0 | 15.2 | 15.3 |
| 87.5° | 3.7 | 3.2 | 2.9 | 2.4 | 2.9 | 3.2 | 3.5 | 3.7 | 4.0 | 4.1 | 4.1 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366634
 CATALOG NUMBER: PMM-SA1A-730-U-SLR

CANDELA DISTRIBUTION (continued):

| | 82.5° | 85° | 87.5° | 90° | 92.5° | 95° | 97.5° | 100° | 102.5° | 105° | 107.5° |
|--------|-------|-----|-------|-----|-------|-----|-------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366634

CATALOG NUMBER: PMM-SA1A-730-U-SLR

CANDELA DISTRIBUTION (continued):

| | 110° | 112.5° | 115° | 117.5° | 120° | 122.5° | 125° | 127.5° | 130° | 132.5° | 135° |
|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|
| 0° | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 |
| 2.5° | 326.1 | 320.6 | 315.3 | 318.6 | 321.8 | 325.2 | 328.4 | 328.6 | 328.6 | 328.7 | 328.7 |
| 5° | 350.5 | 350.6 | 350.8 | 347.6 | 344.5 | 341.3 | 338.1 | 336.4 | 334.7 | 332.9 | 331.2 |
| 7.5° | 313.1 | 312.8 | 312.4 | 309.3 | 306.2 | 303.2 | 300.1 | 292.8 | 285.3 | 277.9 | 270.4 |
| 10° | 260.2 | 255.1 | 249.9 | 248.7 | 247.6 | 246.4 | 245.2 | 243.2 | 241.3 | 239.4 | 237.4 |
| 12.5° | 221.5 | 220.8 | 220.2 | 217.0 | 213.8 | 210.4 | 207.2 | 207.2 | 207.2 | 207.2 | 207.2 |
| 15° | 184.6 | 181.8 | 178.9 | 177.4 | 175.7 | 174.2 | 172.5 | 171.7 | 170.9 | 170.2 | 169.4 |
| 17.5° | 153.3 | 150.7 | 148.0 | 147.7 | 147.4 | 147.1 | 146.8 | 146.0 | 145.2 | 144.5 | 143.7 |
| 20° | 131.9 | 129.5 | 127.0 | 127.9 | 128.9 | 129.6 | 130.5 | 129.8 | 129.0 | 128.1 | 127.3 |
| 22.5° | 124.0 | 122.6 | 121.1 | 120.3 | 119.5 | 118.6 | 117.8 | 117.8 | 118.0 | 118.0 | 118.0 |
| 25° | 127.6 | 122.9 | 118.1 | 115.9 | 113.6 | 111.1 | 108.8 | 107.9 | 107.1 | 106.2 | 105.3 |
| 27.5° | 135.3 | 128.4 | 121.7 | 117.7 | 113.7 | 109.7 | 105.8 | 104.1 | 102.2 | 100.5 | 98.7 |
| 30° | 130.9 | 126.4 | 121.8 | 117.2 | 112.6 | 108.0 | 103.5 | 101.3 | 99.2 | 96.9 | 94.7 |
| 32.5° | 124.3 | 123.4 | 122.6 | 118.3 | 114.0 | 109.6 | 105.3 | 104.4 | 103.6 | 102.7 | 101.8 |
| 35° | 106.5 | 106.1 | 105.4 | 104.4 | 103.3 | 102.2 | 101.2 | 99.9 | 98.7 | 97.5 | 96.3 |
| 37.5° | 101.6 | 99.5 | 97.3 | 96.9 | 96.4 | 96.0 | 95.5 | 95.0 | 94.6 | 94.0 | 93.5 |
| 40° | 100.5 | 98.4 | 96.3 | 95.5 | 94.7 | 93.8 | 93.0 | 93.2 | 93.5 | 93.7 | 93.8 |
| 42.5° | 99.3 | 97.2 | 94.9 | 94.3 | 93.7 | 93.0 | 92.4 | 92.6 | 92.9 | 93.0 | 93.2 |
| 45° | 97.8 | 96.0 | 94.1 | 93.0 | 92.1 | 91.1 | 90.0 | 90.9 | 91.8 | 92.6 | 93.5 |
| 47.5° | 94.7 | 92.7 | 90.9 | 90.3 | 89.7 | 88.9 | 88.3 | 89.2 | 90.1 | 90.9 | 91.8 |
| 50° | 91.5 | 90.0 | 88.3 | 88.2 | 88.0 | 87.7 | 87.5 | 88.2 | 88.8 | 89.4 | 90.0 |
| 52.5° | 89.1 | 87.8 | 86.5 | 86.5 | 86.3 | 86.3 | 86.2 | 86.8 | 87.4 | 87.8 | 88.5 |
| 55° | 86.3 | 85.2 | 84.2 | 84.3 | 84.6 | 84.8 | 84.9 | 85.6 | 86.3 | 86.9 | 87.5 |
| 57.5° | 82.8 | 82.0 | 81.1 | 81.7 | 82.2 | 82.8 | 83.3 | 83.7 | 84.3 | 84.8 | 85.2 |
| 60° | 79.4 | 78.7 | 77.7 | 78.4 | 79.1 | 79.7 | 80.3 | 80.8 | 81.3 | 81.7 | 82.2 |
| 62.5° | 75.3 | 74.1 | 73.0 | 73.9 | 74.7 | 75.6 | 76.4 | 76.7 | 77.1 | 77.4 | 77.7 |
| 65° | 70.9 | 69.8 | 68.7 | 69.3 | 69.9 | 70.4 | 71.0 | 71.5 | 71.9 | 72.4 | 72.8 |
| 67.5° | 65.8 | 65.2 | 64.4 | 64.9 | 65.3 | 65.8 | 66.3 | 66.4 | 66.4 | 66.6 | 66.6 |
| 70° | 59.8 | 59.4 | 58.8 | 59.1 | 59.5 | 59.8 | 60.1 | 60.1 | 60.1 | 60.0 | 60.0 |
| 72.5° | 53.6 | 53.3 | 53.0 | 53.1 | 53.4 | 53.6 | 53.7 | 53.6 | 53.4 | 53.3 | 53.1 |
| 75° | 46.5 | 46.4 | 46.2 | 46.4 | 46.7 | 46.8 | 47.0 | 46.8 | 46.5 | 46.4 | 46.1 |
| 77.5° | 39.5 | 39.5 | 39.5 | 39.5 | 39.6 | 39.6 | 39.6 | 39.3 | 39.0 | 38.7 | 38.4 |
| 80° | 31.7 | 31.8 | 32.0 | 32.0 | 32.0 | 32.0 | 32.0 | 31.7 | 31.4 | 30.9 | 30.6 |
| 82.5° | 24.5 | 24.5 | 24.5 | 24.5 | 24.6 | 24.6 | 24.6 | 23.9 | 23.3 | 22.5 | 21.7 |
| 85° | 15.3 | 15.5 | 15.5 | 15.6 | 15.8 | 15.8 | 15.9 | 14.8 | 13.9 | 12.9 | 11.8 |
| 87.5° | 4.1 | 4.1 | 4.1 | 4.1 | 4.1 | 4.0 | 4.0 | 3.1 | 2.0 | 1.1 | 0.0 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366634
 CATALOG NUMBER: PMM-SA1A-730-U-SLR

CANDELA DISTRIBUTION (continued):

| | 110° | 112.5° | 115° | 117.5° | 120° | 122.5° | 125° | 127.5° | 130° | 132.5° | 135° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366634

CATALOG NUMBER: PMM-SA1A-730-U-SLR

CANDELA DISTRIBUTION (continued):

| | 137.5° | 140° | 142.5° | 145° | 147.5° | 150° | 152.5° | 155° | 157.5° | 160° | 162.5° |
|--------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|
| 0° | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 |
| 2.5° | 329.7 | 330.6 | 331.3 | 332.3 | 332.4 | 332.6 | 332.6 | 332.7 | 329.5 | 326.3 | 322.9 |
| 5° | 333.5 | 335.6 | 337.9 | 340.1 | 339.6 | 339.1 | 338.7 | 338.2 | 337.3 | 336.5 | 335.6 |
| 7.5° | 268.7 | 267.2 | 265.5 | 263.8 | 265.2 | 266.6 | 268.0 | 269.4 | 270.0 | 270.6 | 271.0 |
| 10° | 233.5 | 229.7 | 225.9 | 222.1 | 219.9 | 217.6 | 215.5 | 213.2 | 212.9 | 212.7 | 212.4 |
| 12.5° | 203.2 | 199.1 | 195.1 | 191.0 | 189.8 | 188.4 | 187.2 | 185.8 | 187.0 | 188.2 | 189.3 |
| 15° | 167.7 | 166.2 | 164.5 | 162.8 | 164.2 | 165.6 | 167.0 | 168.3 | 169.6 | 170.6 | 171.9 |
| 17.5° | 142.9 | 142.3 | 141.6 | 140.8 | 142.0 | 143.4 | 144.6 | 145.8 | 148.6 | 151.4 | 154.1 |
| 20° | 126.7 | 126.3 | 125.6 | 125.0 | 124.6 | 124.0 | 123.5 | 122.9 | 126.9 | 130.7 | 134.7 |
| 22.5° | 117.1 | 116.2 | 115.2 | 114.3 | 114.5 | 114.6 | 114.6 | 114.8 | 118.0 | 121.4 | 124.6 |
| 25° | 105.0 | 104.7 | 104.4 | 104.1 | 105.0 | 105.9 | 106.7 | 107.6 | 110.5 | 113.4 | 116.2 |
| 27.5° | 98.9 | 99.0 | 99.2 | 99.3 | 100.5 | 101.9 | 103.2 | 104.4 | 106.4 | 108.4 | 110.3 |
| 30° | 95.5 | 96.4 | 97.2 | 97.9 | 98.4 | 98.9 | 99.3 | 99.8 | 101.8 | 103.6 | 105.6 |
| 32.5° | 100.5 | 99.3 | 97.9 | 96.7 | 97.3 | 98.1 | 98.7 | 99.3 | 101.2 | 103.0 | 104.8 |
| 35° | 95.8 | 95.2 | 94.7 | 94.1 | 94.9 | 95.7 | 96.3 | 97.0 | 98.7 | 100.2 | 101.9 |
| 37.5° | 93.4 | 93.2 | 93.0 | 92.9 | 93.4 | 93.8 | 94.1 | 94.6 | 96.1 | 97.6 | 99.0 |
| 40° | 93.2 | 92.4 | 91.8 | 91.1 | 91.5 | 92.0 | 92.3 | 92.7 | 94.6 | 96.4 | 98.3 |
| 42.5° | 92.3 | 91.4 | 90.3 | 89.4 | 89.8 | 90.4 | 90.9 | 91.4 | 93.4 | 95.2 | 97.2 |
| 45° | 92.1 | 90.8 | 89.2 | 87.8 | 88.5 | 89.1 | 89.7 | 90.3 | 91.8 | 93.4 | 94.7 |
| 47.5° | 90.4 | 89.1 | 87.7 | 86.3 | 86.6 | 86.9 | 87.1 | 87.4 | 88.8 | 90.0 | 91.4 |
| 50° | 89.1 | 88.0 | 87.1 | 86.0 | 85.6 | 85.2 | 84.8 | 84.3 | 85.4 | 86.5 | 87.5 |
| 52.5° | 87.4 | 86.3 | 85.1 | 84.0 | 83.4 | 82.8 | 82.2 | 81.6 | 82.5 | 83.3 | 84.2 |
| 55° | 86.3 | 84.9 | 83.7 | 82.3 | 81.6 | 80.8 | 80.0 | 79.3 | 79.9 | 80.3 | 81.0 |
| 57.5° | 84.0 | 82.8 | 81.4 | 80.2 | 79.3 | 78.4 | 77.3 | 76.4 | 76.7 | 77.0 | 77.3 |
| 60° | 81.0 | 79.6 | 78.4 | 77.0 | 75.9 | 74.8 | 73.6 | 72.5 | 72.7 | 73.0 | 73.2 |
| 62.5° | 76.5 | 75.3 | 73.9 | 72.7 | 71.5 | 70.4 | 69.2 | 68.0 | 68.3 | 68.4 | 68.7 |
| 65° | 71.6 | 70.2 | 69.0 | 67.6 | 66.6 | 65.5 | 64.3 | 63.2 | 63.5 | 63.8 | 64.0 |
| 67.5° | 65.7 | 64.6 | 63.7 | 62.6 | 61.7 | 60.6 | 59.7 | 58.6 | 58.8 | 58.9 | 59.1 |
| 70° | 59.2 | 58.3 | 57.5 | 56.6 | 55.9 | 55.1 | 54.3 | 53.6 | 53.6 | 53.7 | 53.7 |
| 72.5° | 52.3 | 51.6 | 50.8 | 50.0 | 49.3 | 48.7 | 47.9 | 47.1 | 47.4 | 47.7 | 47.9 |
| 75° | 45.3 | 44.7 | 43.9 | 43.2 | 42.5 | 41.9 | 41.2 | 40.6 | 40.9 | 41.2 | 41.3 |
| 77.5° | 38.0 | 37.5 | 36.9 | 36.4 | 35.8 | 35.2 | 34.4 | 33.8 | 34.1 | 34.4 | 34.6 |
| 80° | 30.3 | 30.0 | 29.5 | 29.2 | 28.6 | 28.0 | 27.4 | 26.8 | 26.9 | 26.9 | 27.1 |
| 82.5° | 21.9 | 22.0 | 22.0 | 22.2 | 21.7 | 21.1 | 20.7 | 20.0 | 20.0 | 20.0 | 19.9 |
| 85° | 12.2 | 12.9 | 13.3 | 13.8 | 13.3 | 12.9 | 12.4 | 11.9 | 11.8 | 11.8 | 11.6 |
| 87.5° | 0.5 | 0.8 | 1.2 | 1.5 | 1.4 | 1.2 | 0.9 | 0.8 | 0.9 | 1.1 | 1.1 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366634
 CATALOG NUMBER: PMM-SA1A-730-U-SLR

CANDELA DISTRIBUTION (continued):

| | 137.5° | 140° | 142.5° | 145° | 147.5° | 150° | 152.5° | 155° | 157.5° | 160° | 162.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366634

CATALOG NUMBER: PMM-SA1A-730-U-SLR

CANDELA DISTRIBUTION (continued):

| | 165° | 167.5° | 170° | 172.5° | 175° | 177.5° | 180° | 182.5° | 185° | 187.5° | 190° |
|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|
| 0° | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 |
| 2.5° | 319.7 | 322.3 | 324.9 | 327.5 | 330.1 | 334.1 | 338.1 | 342.2 | 346.3 | 344.0 | 341.6 |
| 5° | 334.7 | 336.2 | 337.9 | 339.4 | 341.0 | 345.4 | 349.7 | 355.1 | 360.3 | 359.6 | 358.9 |
| 7.5° | 271.6 | 273.8 | 275.9 | 277.9 | 280.1 | 286.8 | 293.5 | 299.2 | 304.9 | 304.1 | 303.2 |
| 10° | 212.1 | 216.6 | 221.1 | 225.6 | 230.0 | 235.5 | 240.9 | 245.6 | 250.4 | 258.3 | 266.1 |
| 12.5° | 190.5 | 197.4 | 204.3 | 211.2 | 218.1 | 222.1 | 225.9 | 232.0 | 238.1 | 242.4 | 246.9 |
| 15° | 172.9 | 179.4 | 185.8 | 192.2 | 198.6 | 199.0 | 199.3 | 205.7 | 212.1 | 215.8 | 219.3 |
| 17.5° | 156.9 | 160.4 | 163.9 | 167.3 | 170.8 | 169.6 | 168.3 | 171.4 | 174.3 | 175.8 | 177.5 |
| 20° | 138.5 | 141.0 | 143.4 | 145.8 | 148.3 | 150.0 | 151.5 | 153.3 | 155.0 | 153.5 | 151.8 |
| 22.5° | 127.8 | 131.5 | 135.3 | 139.0 | 142.6 | 143.7 | 144.6 | 143.6 | 142.5 | 142.0 | 141.6 |
| 25° | 119.1 | 123.5 | 128.1 | 132.5 | 137.0 | 139.1 | 141.3 | 142.2 | 142.9 | 141.3 | 139.6 |
| 27.5° | 112.3 | 117.7 | 122.9 | 128.2 | 133.5 | 137.3 | 141.1 | 142.2 | 143.1 | 141.9 | 140.5 |
| 30° | 107.4 | 113.3 | 119.1 | 124.9 | 130.7 | 136.5 | 142.2 | 147.2 | 152.1 | 151.7 | 151.2 |
| 32.5° | 106.7 | 110.6 | 114.6 | 118.6 | 122.6 | 126.3 | 129.8 | 130.1 | 130.2 | 129.0 | 127.6 |
| 35° | 103.5 | 106.1 | 108.7 | 111.3 | 113.9 | 116.2 | 118.3 | 118.0 | 117.7 | 116.5 | 115.2 |
| 37.5° | 100.5 | 103.2 | 105.9 | 108.5 | 111.1 | 115.1 | 118.9 | 118.1 | 117.2 | 116.0 | 114.8 |
| 40° | 100.1 | 103.0 | 105.9 | 108.7 | 111.6 | 115.2 | 118.9 | 118.1 | 117.4 | 115.9 | 114.3 |
| 42.5° | 99.0 | 101.9 | 104.7 | 107.6 | 110.3 | 114.8 | 119.1 | 117.7 | 116.2 | 114.9 | 113.7 |
| 45° | 96.3 | 98.9 | 101.5 | 104.1 | 106.7 | 111.4 | 116.2 | 114.5 | 112.8 | 112.3 | 111.7 |
| 47.5° | 92.6 | 95.2 | 97.8 | 100.4 | 103.0 | 107.7 | 112.3 | 111.0 | 109.4 | 109.3 | 109.0 |
| 50° | 88.6 | 91.1 | 93.7 | 96.1 | 98.6 | 103.3 | 107.9 | 106.7 | 105.4 | 105.6 | 105.6 |
| 52.5° | 84.9 | 87.2 | 89.4 | 91.7 | 93.8 | 98.6 | 103.2 | 102.2 | 101.2 | 101.5 | 101.6 |
| 55° | 81.4 | 83.3 | 85.1 | 86.9 | 88.8 | 93.4 | 97.9 | 96.6 | 95.2 | 95.7 | 96.1 |
| 57.5° | 77.6 | 79.1 | 80.7 | 82.0 | 83.6 | 88.2 | 92.6 | 91.1 | 89.4 | 90.1 | 90.8 |
| 60° | 73.3 | 74.7 | 76.1 | 77.3 | 78.7 | 82.8 | 86.8 | 85.4 | 83.9 | 84.9 | 85.9 |
| 62.5° | 68.9 | 69.9 | 71.0 | 72.1 | 73.2 | 77.0 | 80.8 | 79.7 | 78.7 | 79.9 | 81.0 |
| 65° | 64.3 | 65.0 | 66.0 | 66.7 | 67.5 | 71.2 | 74.7 | 73.9 | 73.2 | 74.2 | 75.3 |
| 67.5° | 59.2 | 59.8 | 60.6 | 61.2 | 61.8 | 65.2 | 68.6 | 67.8 | 66.9 | 67.8 | 68.6 |
| 70° | 53.7 | 54.3 | 54.8 | 55.4 | 55.9 | 58.9 | 62.0 | 60.9 | 59.7 | 60.6 | 61.4 |
| 72.5° | 48.2 | 48.5 | 49.0 | 49.3 | 49.6 | 51.9 | 54.2 | 53.3 | 52.3 | 53.3 | 54.0 |
| 75° | 41.6 | 41.9 | 42.2 | 42.5 | 42.9 | 44.8 | 46.7 | 45.6 | 44.4 | 45.3 | 46.2 |
| 77.5° | 34.9 | 35.0 | 35.4 | 35.5 | 35.7 | 37.0 | 38.3 | 37.2 | 36.0 | 37.0 | 38.1 |
| 80° | 27.1 | 27.2 | 27.4 | 27.4 | 27.5 | 28.0 | 28.5 | 27.7 | 26.8 | 28.2 | 29.5 |
| 82.5° | 19.9 | 19.7 | 19.7 | 19.6 | 19.4 | 19.4 | 19.3 | 18.8 | 18.2 | 19.4 | 20.7 |
| 85° | 11.5 | 11.3 | 11.0 | 10.9 | 10.6 | 10.1 | 9.6 | 9.5 | 9.3 | 10.4 | 11.5 |
| 87.5° | 1.2 | 1.1 | 0.8 | 0.6 | 0.3 | 0.2 | 0.0 | 0.0 | 0.0 | 0.6 | 1.4 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366634
 CATALOG NUMBER: PMM-SA1A-730-U-SLR

CANDELA DISTRIBUTION (continued):

| | 165° | 167.5° | 170° | 172.5° | 175° | 177.5° | 180° | 182.5° | 185° | 187.5° | 190° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366634
 CATALOG NUMBER: PMM-SA1A-730-U-SLR

CANDELA DISTRIBUTION (continued):

| | 192.5° | 195° | 197.5° | 200° | 202.5° | 205° | 207.5° | 210° | 212.5° | 215° | 217.5° |
|--------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|
| 0° | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 |
| 2.5° | 339.3 | 336.8 | 334.5 | 332.3 | 330.0 | 327.7 | 331.9 | 336.2 | 340.5 | 344.8 | 348.6 |
| 5° | 358.3 | 357.5 | 355.5 | 353.7 | 351.7 | 349.7 | 350.8 | 352.0 | 353.1 | 354.1 | 356.4 |
| 7.5° | 302.4 | 301.5 | 305.8 | 309.9 | 314.2 | 318.3 | 319.4 | 320.3 | 321.4 | 322.3 | 321.7 |
| 10° | 274.1 | 281.9 | 283.9 | 285.7 | 287.7 | 289.6 | 292.6 | 295.7 | 298.6 | 301.6 | 303.3 |
| 12.5° | 251.1 | 255.4 | 262.5 | 269.7 | 276.7 | 283.7 | 288.3 | 292.9 | 297.5 | 302.1 | 311.6 |
| 15° | 223.0 | 226.5 | 231.9 | 237.2 | 242.6 | 247.9 | 254.5 | 261.2 | 267.8 | 274.4 | 284.8 |
| 17.5° | 179.1 | 180.6 | 184.6 | 188.5 | 192.4 | 196.4 | 205.2 | 214.0 | 222.8 | 231.6 | 243.5 |
| 20° | 150.3 | 148.6 | 148.6 | 148.8 | 148.8 | 148.8 | 157.6 | 166.4 | 175.2 | 184.0 | 199.7 |
| 22.5° | 141.0 | 140.5 | 138.8 | 137.0 | 135.3 | 133.5 | 138.0 | 142.8 | 147.4 | 152.0 | 164.8 |
| 25° | 137.7 | 136.1 | 133.9 | 131.8 | 129.6 | 127.5 | 130.4 | 133.3 | 136.2 | 139.1 | 149.2 |
| 27.5° | 139.3 | 137.9 | 139.0 | 139.9 | 141.0 | 141.9 | 142.8 | 143.7 | 144.6 | 145.5 | 149.1 |
| 30° | 150.7 | 150.3 | 152.0 | 153.5 | 155.2 | 156.7 | 154.6 | 152.6 | 150.4 | 148.3 | 149.5 |
| 32.5° | 126.4 | 125.0 | 124.4 | 123.8 | 123.2 | 122.6 | 122.4 | 122.3 | 122.0 | 121.8 | 124.6 |
| 35° | 114.0 | 112.8 | 111.9 | 111.0 | 109.9 | 109.0 | 109.4 | 109.7 | 110.2 | 110.5 | 113.6 |
| 37.5° | 113.6 | 112.3 | 111.3 | 110.2 | 109.0 | 107.9 | 108.4 | 109.0 | 109.4 | 109.9 | 112.2 |
| 40° | 112.8 | 111.3 | 110.6 | 110.0 | 109.4 | 108.8 | 109.1 | 109.4 | 109.6 | 109.9 | 111.6 |
| 42.5° | 112.3 | 111.1 | 110.8 | 110.5 | 110.2 | 109.9 | 110.2 | 110.5 | 110.6 | 111.0 | 112.9 |
| 45° | 111.3 | 110.6 | 111.0 | 111.3 | 111.6 | 111.9 | 111.9 | 111.9 | 111.9 | 111.9 | 114.0 |
| 47.5° | 108.8 | 108.5 | 109.4 | 110.3 | 111.3 | 112.2 | 113.7 | 115.2 | 116.6 | 118.1 | 118.6 |
| 50° | 105.8 | 105.8 | 107.3 | 108.8 | 110.2 | 111.7 | 115.4 | 118.9 | 122.6 | 126.1 | 123.8 |
| 52.5° | 101.9 | 102.1 | 104.4 | 106.5 | 108.8 | 111.0 | 114.3 | 117.7 | 120.9 | 124.3 | 120.9 |
| 55° | 96.4 | 96.9 | 99.8 | 102.5 | 105.4 | 108.2 | 110.8 | 113.4 | 116.0 | 118.6 | 115.1 |
| 57.5° | 91.5 | 92.1 | 95.2 | 98.1 | 101.2 | 104.1 | 105.6 | 107.3 | 108.8 | 110.3 | 108.0 |
| 60° | 86.9 | 87.8 | 91.8 | 95.8 | 99.6 | 103.6 | 102.4 | 101.2 | 99.8 | 98.6 | 98.4 |
| 62.5° | 82.2 | 83.3 | 86.9 | 90.6 | 94.1 | 97.8 | 96.0 | 94.1 | 92.1 | 90.3 | 91.1 |
| 65° | 76.2 | 77.3 | 79.0 | 80.7 | 82.2 | 83.9 | 83.7 | 83.7 | 83.6 | 83.4 | 84.9 |
| 67.5° | 69.5 | 70.2 | 71.3 | 72.2 | 73.3 | 74.2 | 74.8 | 75.6 | 76.2 | 76.8 | 78.7 |
| 70° | 62.3 | 63.1 | 64.1 | 65.0 | 66.1 | 67.0 | 67.8 | 68.6 | 69.2 | 69.9 | 71.8 |
| 72.5° | 54.9 | 55.7 | 56.8 | 57.8 | 58.8 | 59.8 | 60.5 | 61.1 | 61.5 | 62.1 | 63.7 |
| 75° | 47.1 | 48.1 | 49.1 | 50.0 | 51.1 | 52.0 | 52.5 | 53.0 | 53.4 | 53.9 | 55.2 |
| 77.5° | 39.2 | 40.2 | 41.3 | 42.4 | 43.5 | 44.5 | 44.7 | 44.8 | 45.0 | 45.1 | 46.4 |
| 80° | 30.8 | 32.1 | 33.2 | 34.3 | 35.4 | 36.4 | 36.4 | 36.4 | 36.4 | 36.4 | 37.0 |
| 82.5° | 21.9 | 23.1 | 24.3 | 25.4 | 26.6 | 27.7 | 27.7 | 27.5 | 27.5 | 27.4 | 27.4 |
| 85° | 12.5 | 13.6 | 14.4 | 15.3 | 16.1 | 16.8 | 16.8 | 16.8 | 16.7 | 16.7 | 16.4 |
| 87.5° | 2.0 | 2.6 | 2.9 | 3.4 | 3.7 | 4.0 | 3.8 | 3.8 | 3.7 | 3.5 | 3.1 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366634
 CATALOG NUMBER: PMM-SA1A-730-U-SLR

CANDELA DISTRIBUTION (continued):

| | 192.5° | 195° | 197.5° | 200° | 202.5° | 205° | 207.5° | 210° | 212.5° | 215° | 217.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366634

CATALOG NUMBER: PMM-SA1A-730-U-SLR

CANDELA DISTRIBUTION (continued):

| | 220° | 222.5° | 225° | 227.5° | 230° | 232.5° | 235° | 237.5° | 240° | 242.5° | 245° |
|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|
| 0° | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 |
| 2.5° | 352.5 | 356.3 | 360.1 | 359.5 | 358.9 | 358.3 | 357.7 | 360.0 | 362.1 | 364.4 | 366.5 |
| 5° | 358.6 | 360.9 | 363.0 | 364.7 | 366.4 | 368.1 | 369.7 | 377.6 | 385.2 | 393.0 | 400.7 |
| 7.5° | 321.1 | 320.3 | 319.7 | 326.9 | 334.2 | 341.4 | 348.6 | 358.6 | 368.5 | 378.5 | 388.4 |
| 10° | 305.0 | 306.7 | 308.4 | 311.3 | 314.3 | 317.3 | 320.2 | 330.0 | 339.8 | 349.5 | 359.3 |
| 12.5° | 320.9 | 330.4 | 339.8 | 342.0 | 344.5 | 346.8 | 349.1 | 351.1 | 353.1 | 354.9 | 356.9 |
| 15° | 295.2 | 305.6 | 316.0 | 322.0 | 328.0 | 333.8 | 339.8 | 354.8 | 369.6 | 384.6 | 399.4 |
| 17.5° | 255.3 | 267.2 | 279.0 | 293.7 | 308.4 | 323.1 | 337.8 | 351.5 | 365.3 | 378.9 | 392.7 |
| 20° | 215.5 | 231.1 | 246.9 | 262.9 | 278.8 | 294.9 | 310.8 | 324.3 | 337.8 | 351.1 | 364.5 |
| 22.5° | 177.5 | 190.4 | 203.1 | 222.7 | 242.1 | 261.7 | 281.1 | 306.2 | 331.2 | 356.3 | 381.2 |
| 25° | 159.2 | 169.3 | 179.2 | 199.4 | 219.6 | 239.7 | 259.9 | 292.5 | 324.9 | 357.5 | 389.9 |
| 27.5° | 152.7 | 156.3 | 159.8 | 178.1 | 196.4 | 214.7 | 232.9 | 268.1 | 303.3 | 338.4 | 373.6 |
| 30° | 150.7 | 152.0 | 153.2 | 167.6 | 182.0 | 196.4 | 210.7 | 245.5 | 280.4 | 315.1 | 349.9 |
| 32.5° | 127.2 | 129.9 | 132.5 | 146.6 | 160.5 | 174.6 | 188.5 | 223.6 | 258.5 | 293.5 | 328.4 |
| 35° | 116.6 | 119.7 | 122.7 | 136.5 | 150.3 | 163.9 | 177.7 | 214.6 | 251.6 | 288.5 | 325.4 |
| 37.5° | 114.5 | 116.8 | 119.1 | 134.7 | 150.3 | 165.9 | 181.5 | 218.8 | 256.2 | 293.5 | 330.9 |
| 40° | 113.4 | 115.1 | 116.8 | 131.9 | 147.2 | 162.4 | 177.5 | 216.7 | 255.7 | 294.9 | 333.9 |
| 42.5° | 114.8 | 116.8 | 118.6 | 132.4 | 146.0 | 159.8 | 173.4 | 214.0 | 254.4 | 294.9 | 335.3 |
| 45° | 116.0 | 118.1 | 120.1 | 133.0 | 145.8 | 158.7 | 171.6 | 214.9 | 258.0 | 301.3 | 344.5 |
| 47.5° | 118.9 | 119.4 | 119.7 | 130.9 | 141.9 | 153.0 | 164.1 | 208.1 | 252.2 | 296.1 | 340.2 |
| 50° | 121.4 | 119.1 | 116.6 | 128.2 | 139.7 | 151.4 | 162.8 | 204.6 | 246.4 | 288.0 | 329.8 |
| 52.5° | 117.5 | 114.0 | 110.6 | 123.2 | 135.7 | 148.1 | 160.7 | 202.5 | 244.4 | 286.2 | 328.0 |
| 55° | 111.7 | 108.2 | 104.7 | 117.4 | 130.1 | 142.8 | 155.5 | 197.1 | 238.9 | 280.5 | 322.2 |
| 57.5° | 105.9 | 103.6 | 101.3 | 111.7 | 122.3 | 132.7 | 143.1 | 188.2 | 233.2 | 278.4 | 323.4 |
| 60° | 98.3 | 97.9 | 97.8 | 105.9 | 114.2 | 122.3 | 130.4 | 174.6 | 218.7 | 262.9 | 307.0 |
| 62.5° | 91.7 | 92.4 | 93.0 | 99.6 | 106.2 | 112.6 | 119.2 | 161.9 | 204.8 | 247.5 | 290.2 |
| 65° | 86.6 | 88.2 | 89.7 | 97.2 | 104.7 | 112.0 | 119.5 | 155.3 | 191.1 | 227.0 | 262.8 |
| 67.5° | 80.5 | 82.3 | 84.2 | 94.0 | 103.8 | 113.6 | 123.4 | 152.9 | 182.4 | 212.0 | 241.5 |
| 70° | 73.5 | 75.3 | 77.0 | 89.5 | 101.9 | 114.5 | 126.9 | 153.0 | 179.4 | 205.5 | 231.7 |
| 72.5° | 65.2 | 66.7 | 68.3 | 81.7 | 95.2 | 108.7 | 122.1 | 144.3 | 166.5 | 188.5 | 210.7 |
| 75° | 56.8 | 58.2 | 59.5 | 71.2 | 82.8 | 94.4 | 106.1 | 123.2 | 140.2 | 157.3 | 174.3 |
| 77.5° | 47.4 | 48.7 | 49.7 | 57.5 | 65.3 | 73.2 | 81.0 | 94.1 | 107.1 | 120.3 | 133.3 |
| 80° | 37.6 | 38.3 | 38.9 | 43.5 | 47.9 | 52.5 | 56.9 | 65.7 | 74.4 | 82.9 | 91.7 |
| 82.5° | 27.5 | 27.5 | 27.5 | 30.5 | 33.5 | 36.4 | 39.3 | 43.8 | 48.1 | 52.5 | 56.8 |
| 85° | 16.1 | 15.6 | 15.3 | 17.3 | 19.3 | 21.3 | 23.3 | 25.1 | 26.9 | 28.8 | 30.6 |
| 87.5° | 2.6 | 2.0 | 1.5 | 2.8 | 4.0 | 5.2 | 6.4 | 7.0 | 7.8 | 8.4 | 9.0 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366634
 CATALOG NUMBER: PMM-SA1A-730-U-SLR

CANDELA DISTRIBUTION (continued):

| | 220° | 222.5° | 225° | 227.5° | 230° | 232.5° | 235° | 237.5° | 240° | 242.5° | 245° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366634

CATALOG NUMBER: PMM-SA1A-730-U-SLR

CANDELA DISTRIBUTION (continued):

| | 247.5° | 250° | 252.5° | 255° | 257.5° | 260° | 262.5° | 265° | 267.5° | 270° | 272.5° |
|--------|--------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 |
| 2.5° | 361.3 | 356.3 | 351.1 | 345.9 | 353.5 | 361.2 | 368.8 | 376.5 | 396.8 | 408.9 | 409.7 |
| 5° | 407.1 | 413.5 | 419.9 | 426.4 | 432.8 | 439.2 | 445.5 | 451.9 | 485.0 | 505.3 | 509.2 |
| 7.5° | 399.0 | 409.7 | 420.3 | 430.8 | 449.0 | 467.2 | 485.4 | 503.7 | 531.7 | 551.9 | 565.2 |
| 10° | 372.5 | 385.7 | 398.8 | 412.0 | 433.6 | 455.3 | 476.9 | 498.5 | 528.1 | 554.8 | 567.5 |
| 12.5° | 377.9 | 398.8 | 419.6 | 440.6 | 459.3 | 478.1 | 496.8 | 515.4 | 536.0 | 546.1 | 569.2 |
| 15° | 414.0 | 428.5 | 443.1 | 457.6 | 485.8 | 513.8 | 541.9 | 569.9 | 581.6 | 604.7 | 625.5 |
| 17.5° | 419.5 | 446.1 | 472.9 | 499.5 | 534.0 | 568.4 | 602.8 | 637.3 | 658.8 | 688.7 | 713.8 |
| 20° | 402.3 | 440.0 | 477.8 | 515.4 | 559.8 | 604.4 | 648.7 | 693.1 | 720.5 | 745.6 | 784.5 |
| 22.5° | 422.9 | 464.5 | 506.0 | 547.6 | 606.5 | 665.3 | 724.2 | 783.0 | 840.2 | 896.2 | 922.5 |
| 25° | 445.5 | 501.2 | 556.8 | 612.3 | 685.9 | 759.4 | 833.0 | 906.5 | 980.1 | 1032.6 | 1062.9 |
| 27.5° | 429.6 | 485.4 | 541.5 | 597.3 | 688.4 | 779.6 | 870.7 | 961.7 | 1040.5 | 1103.7 | 1129.8 |
| 30° | 418.4 | 487.0 | 555.5 | 624.1 | 730.9 | 837.7 | 944.6 | 1051.4 | 1124.2 | 1194.8 | 1233.1 |
| 32.5° | 416.4 | 504.4 | 592.3 | 680.3 | 804.7 | 929.0 | 1053.4 | 1177.7 | 1226.0 | 1288.6 | 1340.2 |
| 35° | 421.9 | 518.7 | 615.2 | 711.8 | 854.4 | 997.1 | 1139.5 | 1282.2 | 1350.9 | 1412.9 | 1458.0 |
| 37.5° | 438.8 | 546.7 | 654.4 | 762.3 | 934.2 | 1106.2 | 1278.1 | 1449.9 | 1565.2 | 1678.6 | 1698.8 |
| 40° | 448.3 | 562.7 | 677.1 | 791.4 | 991.3 | 1191.1 | 1391.0 | 1590.9 | 1723.4 | 1847.8 | 1856.2 |
| 42.5° | 459.4 | 583.5 | 707.5 | 831.6 | 1053.2 | 1275.0 | 1496.6 | 1718.2 | 1882.3 | 2016.0 | 2020.0 |
| 45° | 472.3 | 599.9 | 727.7 | 855.3 | 1086.7 | 1318.0 | 1549.4 | 1780.6 | 1979.0 | 2141.5 | 2101.9 |
| 47.5° | 477.3 | 614.6 | 751.7 | 888.9 | 1135.6 | 1382.1 | 1628.8 | 1875.4 | 2053.4 | 2201.2 | 2163.2 |
| 50° | 479.3 | 629.0 | 778.5 | 928.0 | 1183.6 | 1439.4 | 1694.9 | 1950.5 | 2131.6 | 2275.7 | 2217.6 |
| 52.5° | 491.7 | 655.5 | 819.2 | 983.0 | 1249.3 | 1515.6 | 1781.9 | 2048.2 | 2226.3 | 2364.8 | 2292.6 |
| 55° | 508.4 | 694.7 | 880.8 | 1067.0 | 1342.6 | 1618.1 | 1893.7 | 2169.2 | 2348.0 | 2476.8 | 2387.3 |
| 57.5° | 523.9 | 724.5 | 925.0 | 1125.5 | 1411.0 | 1696.8 | 1982.3 | 2267.9 | 2449.0 | 2576.5 | 2489.7 |
| 60° | 516.4 | 725.7 | 935.1 | 1144.4 | 1425.1 | 1705.6 | 1986.3 | 2266.9 | 2472.4 | 2625.3 | 2580.9 |
| 62.5° | 493.7 | 697.3 | 900.6 | 1104.2 | 1370.6 | 1636.9 | 1903.4 | 2169.7 | 2410.3 | 2606.3 | 2604.3 |
| 65° | 450.1 | 637.4 | 824.6 | 1011.9 | 1258.5 | 1505.2 | 1751.7 | 1998.3 | 2281.8 | 2520.0 | 2535.4 |
| 67.5° | 397.0 | 552.5 | 708.0 | 863.5 | 1095.6 | 1327.8 | 1560.0 | 1792.1 | 2095.3 | 2358.1 | 2371.4 |
| 70° | 345.6 | 459.6 | 573.4 | 687.3 | 891.2 | 1095.0 | 1298.7 | 1502.6 | 1808.8 | 2074.6 | 2086.9 |
| 72.5° | 285.3 | 359.8 | 434.2 | 508.7 | 673.8 | 839.0 | 1004.0 | 1169.1 | 1438.0 | 1642.4 | 1711.5 |
| 75° | 218.5 | 262.8 | 307.0 | 351.2 | 484.8 | 618.4 | 751.9 | 885.5 | 1064.3 | 1215.1 | 1292.9 |
| 77.5° | 156.3 | 179.2 | 202.2 | 225.1 | 338.7 | 452.2 | 565.6 | 679.2 | 773.2 | 858.7 | 911.2 |
| 80° | 102.5 | 113.3 | 124.1 | 134.8 | 229.3 | 323.7 | 418.0 | 512.4 | 569.6 | 615.5 | 642.0 |
| 82.5° | 62.1 | 67.5 | 72.7 | 78.1 | 154.6 | 231.1 | 307.5 | 384.0 | 416.7 | 438.6 | 462.2 |
| 85° | 33.5 | 36.4 | 39.3 | 42.2 | 91.4 | 140.3 | 189.5 | 238.4 | 241.7 | 244.3 | 279.3 |
| 87.5° | 9.8 | 10.7 | 11.5 | 12.2 | 20.2 | 28.3 | 36.3 | 44.2 | 27.5 | 17.1 | 35.2 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366634
 CATALOG NUMBER: PMM-SA1A-730-U-SLR

CANDELA DISTRIBUTION (continued):

| | 247.5° | 250° | 252.5° | 255° | 257.5° | 260° | 262.5° | 265° | 267.5° | 270° | 272.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366634

CATALOG NUMBER: PMM-SA1A-730-U-SLR

CANDELA DISTRIBUTION (continued):

| | 275° | 277.5° | 280° | 282.5° | 285° | 287.5° | 290° | 292.5° | 295° | 297.5° | 300° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 |
| 2.5° | 405.3 | 403.3 | 401.3 | 399.1 | 397.1 | 388.7 | 380.5 | 372.0 | 363.6 | 371.7 | 379.7 |
| 5° | 504.7 | 510.9 | 516.8 | 522.9 | 529.1 | 529.5 | 529.8 | 530.3 | 530.6 | 532.1 | 533.7 |
| 7.5° | 576.4 | 587.2 | 597.9 | 608.8 | 619.7 | 628.1 | 636.5 | 645.1 | 653.5 | 645.8 | 638.2 |
| 10° | 582.5 | 605.4 | 628.4 | 651.3 | 674.3 | 678.4 | 682.4 | 686.5 | 690.7 | 696.2 | 701.5 |
| 12.5° | 588.6 | 616.6 | 644.5 | 672.5 | 700.5 | 712.7 | 724.8 | 737.0 | 749.1 | 755.1 | 760.9 |
| 15° | 653.3 | 669.9 | 686.2 | 702.8 | 719.1 | 727.6 | 735.8 | 744.2 | 752.7 | 757.7 | 762.6 |
| 17.5° | 736.6 | 742.7 | 748.7 | 754.8 | 760.9 | 766.6 | 772.2 | 777.9 | 783.6 | 784.5 | 785.4 |
| 20° | 812.5 | 813.7 | 814.8 | 816.0 | 817.1 | 805.2 | 793.4 | 781.4 | 769.5 | 771.6 | 773.6 |
| 22.5° | 926.4 | 919.6 | 913.0 | 906.3 | 899.7 | 877.2 | 854.9 | 832.4 | 810.0 | 800.4 | 790.9 |
| 25° | 1097.8 | 1080.6 | 1063.5 | 1046.3 | 1029.2 | 993.4 | 957.7 | 921.9 | 886.3 | 865.3 | 844.5 |
| 27.5° | 1153.0 | 1115.7 | 1078.5 | 1041.1 | 1003.8 | 976.7 | 949.8 | 922.7 | 895.8 | 862.5 | 829.3 |
| 30° | 1264.7 | 1205.8 | 1147.0 | 1088.1 | 1029.2 | 1003.0 | 976.9 | 950.5 | 924.4 | 890.4 | 856.6 |
| 32.5° | 1363.8 | 1302.5 | 1241.3 | 1180.0 | 1118.7 | 1069.1 | 1019.6 | 970.0 | 920.4 | 897.4 | 874.5 |
| 35° | 1478.4 | 1401.4 | 1324.4 | 1247.4 | 1170.5 | 1127.9 | 1085.5 | 1043.0 | 1000.6 | 965.8 | 931.3 |
| 37.5° | 1645.3 | 1563.5 | 1481.6 | 1399.6 | 1317.7 | 1260.1 | 1202.8 | 1145.2 | 1087.8 | 1068.7 | 1049.7 |
| 40° | 1804.5 | 1707.8 | 1611.2 | 1514.5 | 1417.9 | 1373.9 | 1329.8 | 1285.5 | 1241.5 | 1209.2 | 1176.9 |
| 42.5° | 1937.8 | 1842.2 | 1746.7 | 1651.0 | 1555.5 | 1523.4 | 1491.4 | 1459.3 | 1427.3 | 1400.6 | 1374.0 |
| 45° | 1983.6 | 1905.5 | 1827.6 | 1749.6 | 1671.5 | 1660.2 | 1649.0 | 1637.7 | 1626.5 | 1606.8 | 1587.0 |
| 47.5° | 2057.2 | 1977.6 | 1898.2 | 1818.6 | 1739.0 | 1743.1 | 1747.3 | 1751.6 | 1755.7 | 1756.8 | 1757.7 |
| 50° | 2100.5 | 2024.9 | 1949.4 | 1873.8 | 1798.4 | 1818.4 | 1838.3 | 1858.4 | 1878.4 | 1923.9 | 1969.2 |
| 52.5° | 2163.7 | 2089.5 | 2015.4 | 1941.2 | 1867.0 | 1900.9 | 1934.8 | 1968.7 | 2002.5 | 2066.2 | 2129.9 |
| 55° | 2243.0 | 2172.0 | 2101.1 | 2030.1 | 1959.2 | 1992.3 | 2025.2 | 2058.3 | 2091.2 | 2162.0 | 2232.9 |
| 57.5° | 2348.1 | 2272.1 | 2196.1 | 2120.1 | 2044.2 | 2074.6 | 2104.9 | 2135.4 | 2165.7 | 2233.0 | 2300.4 |
| 60° | 2467.8 | 2385.2 | 2302.5 | 2219.7 | 2137.1 | 2145.5 | 2153.8 | 2162.2 | 2170.4 | 2243.4 | 2316.3 |
| 62.5° | 2526.6 | 2450.0 | 2373.7 | 2297.2 | 2220.6 | 2197.2 | 2173.8 | 2150.2 | 2126.8 | 2192.2 | 2257.4 |
| 65° | 2475.6 | 2423.0 | 2370.5 | 2317.8 | 2265.2 | 2223.8 | 2182.7 | 2141.4 | 2100.0 | 2140.9 | 2181.6 |
| 67.5° | 2313.4 | 2283.5 | 2253.8 | 2224.0 | 2194.2 | 2124.8 | 2055.5 | 1986.0 | 1916.7 | 1919.4 | 1922.0 |
| 70° | 2050.5 | 2042.5 | 2034.7 | 2026.7 | 2018.8 | 1914.5 | 1810.5 | 1706.3 | 1602.0 | 1586.1 | 1570.2 |
| 72.5° | 1717.3 | 1722.5 | 1727.5 | 1732.7 | 1737.9 | 1625.9 | 1513.9 | 1401.9 | 1289.8 | 1263.4 | 1236.9 |
| 75° | 1330.1 | 1358.9 | 1387.6 | 1416.6 | 1445.3 | 1338.2 | 1231.1 | 1123.8 | 1016.7 | 984.1 | 951.5 |
| 77.5° | 939.8 | 993.5 | 1047.1 | 1100.8 | 1154.5 | 1057.7 | 960.9 | 864.1 | 767.2 | 746.1 | 725.0 |
| 80° | 655.3 | 681.6 | 708.0 | 734.3 | 760.6 | 711.9 | 663.3 | 614.6 | 565.9 | 571.8 | 577.4 |
| 82.5° | 477.3 | 483.5 | 489.4 | 495.5 | 501.7 | 481.8 | 461.9 | 441.8 | 421.9 | 437.1 | 452.2 |
| 85° | 305.8 | 327.7 | 349.4 | 371.3 | 393.0 | 371.0 | 348.9 | 326.7 | 304.7 | 314.8 | 324.9 |
| 87.5° | 68.4 | 108.2 | 148.0 | 187.9 | 227.7 | 206.3 | 185.0 | 163.6 | 142.2 | 132.5 | 123.0 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366634
 CATALOG NUMBER: PMM-SA1A-730-U-SLR

CANDELA DISTRIBUTION (continued):

| | 275° | 277.5° | 280° | 282.5° | 285° | 287.5° | 290° | 292.5° | 295° | 297.5° | 300° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366634

CATALOG NUMBER: PMM-SA1A-730-U-SLR

CANDELA DISTRIBUTION (continued):

| | 302.5° | 305° | 307.5° | 310° | 312.5° | 315° | 317.5° | 320° | 322.5° | 325° | 327.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 |
| 2.5° | 387.8 | 395.9 | 393.5 | 391.2 | 388.7 | 386.3 | 390.7 | 395.2 | 399.7 | 404.2 | 402.7 |
| 5° | 535.3 | 536.9 | 522.3 | 507.9 | 493.4 | 478.9 | 487.9 | 496.9 | 506.0 | 515.0 | 511.8 |
| 7.5° | 630.5 | 622.9 | 614.5 | 606.0 | 597.5 | 589.1 | 587.2 | 585.4 | 583.4 | 581.6 | 579.1 |
| 10° | 707.1 | 712.4 | 706.9 | 701.5 | 696.0 | 690.5 | 677.7 | 664.8 | 651.8 | 638.9 | 633.6 |
| 12.5° | 766.9 | 772.9 | 774.2 | 775.5 | 776.8 | 778.2 | 763.8 | 749.6 | 735.2 | 720.8 | 707.8 |
| 15° | 767.7 | 772.7 | 777.1 | 781.4 | 785.9 | 790.2 | 781.3 | 772.6 | 763.7 | 754.8 | 750.7 |
| 17.5° | 786.5 | 787.4 | 783.7 | 780.2 | 776.5 | 773.0 | 769.5 | 766.1 | 762.6 | 759.2 | 752.7 |
| 20° | 775.8 | 777.9 | 777.5 | 777.0 | 776.4 | 775.9 | 776.2 | 776.4 | 776.7 | 776.8 | 773.2 |
| 22.5° | 781.3 | 771.6 | 773.6 | 775.5 | 777.5 | 779.3 | 784.8 | 790.3 | 796.0 | 801.5 | 816.2 |
| 25° | 823.5 | 802.5 | 799.3 | 796.3 | 793.1 | 790.0 | 804.4 | 818.6 | 833.0 | 847.4 | 871.3 |
| 27.5° | 796.0 | 762.8 | 755.4 | 748.1 | 740.7 | 733.4 | 755.3 | 777.0 | 798.9 | 820.8 | 845.1 |
| 30° | 822.6 | 788.8 | 772.6 | 756.3 | 740.0 | 723.7 | 744.7 | 765.5 | 786.5 | 807.3 | 834.2 |
| 32.5° | 851.5 | 828.6 | 817.7 | 807.0 | 796.1 | 785.4 | 787.1 | 788.8 | 790.5 | 792.1 | 830.1 |
| 35° | 896.5 | 861.8 | 851.1 | 840.4 | 829.6 | 818.9 | 836.8 | 854.6 | 872.5 | 890.2 | 922.4 |
| 37.5° | 1030.6 | 1011.5 | 992.2 | 972.9 | 953.4 | 934.2 | 944.7 | 955.3 | 965.8 | 976.4 | 1006.7 |
| 40° | 1144.6 | 1112.3 | 1109.1 | 1106.0 | 1102.8 | 1099.6 | 1100.5 | 1101.3 | 1102.2 | 1103.1 | 1129.0 |
| 42.5° | 1347.2 | 1320.6 | 1304.2 | 1287.8 | 1271.5 | 1255.1 | 1254.0 | 1253.0 | 1251.7 | 1250.7 | 1270.1 |
| 45° | 1567.1 | 1547.4 | 1535.2 | 1522.9 | 1510.5 | 1498.3 | 1478.8 | 1459.4 | 1439.8 | 1420.4 | 1437.4 |
| 47.5° | 1758.8 | 1759.8 | 1782.0 | 1804.1 | 1826.2 | 1848.4 | 1815.2 | 1782.0 | 1748.8 | 1715.6 | 1693.7 |
| 50° | 2014.6 | 2059.9 | 2065.3 | 2070.5 | 2075.9 | 2081.2 | 2024.9 | 1968.7 | 1912.4 | 1856.1 | 1833.1 |
| 52.5° | 2193.7 | 2257.4 | 2249.1 | 2241.0 | 2232.7 | 2224.5 | 2191.9 | 2159.4 | 2126.8 | 2094.2 | 2044.2 |
| 55° | 2303.9 | 2374.7 | 2368.5 | 2362.3 | 2356.1 | 2349.8 | 2326.1 | 2302.4 | 2278.6 | 2254.9 | 2200.0 |
| 57.5° | 2367.7 | 2435.0 | 2436.9 | 2438.7 | 2440.6 | 2442.4 | 2436.1 | 2429.8 | 2423.6 | 2417.3 | 2345.8 |
| 60° | 2389.3 | 2462.3 | 2463.1 | 2463.7 | 2464.4 | 2465.0 | 2455.1 | 2445.1 | 2435.0 | 2425.1 | 2378.4 |
| 62.5° | 2322.7 | 2387.9 | 2390.8 | 2393.6 | 2396.5 | 2399.4 | 2392.5 | 2385.6 | 2378.7 | 2371.8 | 2337.3 |
| 65° | 2222.5 | 2263.3 | 2264.1 | 2264.7 | 2265.5 | 2266.2 | 2248.8 | 2231.5 | 2214.1 | 2196.6 | 2188.3 |
| 67.5° | 1924.8 | 1927.6 | 1943.8 | 1960.0 | 1976.2 | 1992.4 | 1993.8 | 1995.2 | 1996.7 | 1998.1 | 1986.2 |
| 70° | 1554.3 | 1538.4 | 1556.0 | 1573.6 | 1591.2 | 1608.8 | 1616.3 | 1623.8 | 1631.4 | 1638.9 | 1644.4 |
| 72.5° | 1210.3 | 1183.8 | 1196.8 | 1209.8 | 1223.0 | 1236.0 | 1224.8 | 1213.6 | 1202.4 | 1191.3 | 1226.6 |
| 75° | 918.9 | 886.3 | 884.6 | 883.0 | 881.4 | 879.8 | 874.2 | 868.5 | 862.7 | 857.0 | 890.1 |
| 77.5° | 703.7 | 682.6 | 683.6 | 684.6 | 685.6 | 686.5 | 680.7 | 675.1 | 669.3 | 663.4 | 676.1 |
| 80° | 583.2 | 588.9 | 589.1 | 589.2 | 589.4 | 589.5 | 584.0 | 578.7 | 573.1 | 567.6 | 558.4 |
| 82.5° | 467.5 | 482.7 | 482.5 | 482.5 | 482.4 | 482.2 | 481.9 | 481.6 | 481.2 | 480.9 | 465.9 |
| 85° | 335.0 | 345.1 | 334.7 | 324.3 | 313.9 | 303.5 | 311.1 | 318.8 | 326.6 | 334.2 | 328.0 |
| 87.5° | 113.4 | 103.9 | 91.5 | 79.3 | 66.9 | 54.5 | 67.8 | 81.1 | 94.6 | 107.9 | 115.5 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366634
 CATALOG NUMBER: PMM-SA1A-730-U-SLR

CANDELA DISTRIBUTION (continued):

| | 302.5° | 305° | 307.5° | 310° | 312.5° | 315° | 317.5° | 320° | 322.5° | 325° | 327.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366634

CATALOG NUMBER: PMM-SA1A-730-U-SLR

CANDELA DISTRIBUTION (continued):

| | 330° | 332.5° | 335° | 337.5° | 340° | 342.5° | 345° | 347.5° | 350° | 352.5° | 355° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 | 332.6 |
| 2.5° | 401.3 | 399.7 | 398.4 | 388.7 | 378.9 | 369.3 | 359.5 | 377.2 | 395.2 | 412.9 | 430.7 |
| 5° | 508.7 | 505.5 | 502.4 | 501.7 | 500.9 | 500.0 | 499.2 | 508.3 | 517.3 | 526.2 | 535.2 |
| 7.5° | 576.7 | 574.2 | 571.8 | 565.3 | 559.1 | 552.6 | 546.2 | 551.7 | 557.1 | 562.6 | 567.9 |
| 10° | 628.4 | 623.0 | 617.7 | 603.7 | 590.0 | 576.0 | 562.1 | 558.0 | 553.9 | 549.7 | 545.6 |
| 12.5° | 694.8 | 681.6 | 668.6 | 652.9 | 637.0 | 621.2 | 605.3 | 603.1 | 601.0 | 599.0 | 596.9 |
| 15° | 746.7 | 742.6 | 738.4 | 725.9 | 713.3 | 700.8 | 688.2 | 671.4 | 654.4 | 637.6 | 620.7 |
| 17.5° | 746.2 | 739.6 | 733.2 | 750.1 | 766.7 | 783.6 | 800.3 | 782.3 | 764.3 | 746.4 | 728.5 |
| 20° | 769.5 | 765.7 | 762.0 | 793.1 | 824.0 | 855.0 | 886.0 | 876.2 | 866.2 | 856.4 | 846.5 |
| 22.5° | 830.7 | 845.4 | 859.9 | 886.6 | 913.0 | 939.7 | 966.2 | 977.3 | 988.5 | 999.7 | 1010.8 |
| 25° | 895.0 | 918.9 | 942.7 | 982.4 | 1021.9 | 1061.5 | 1101.1 | 1109.1 | 1117.1 | 1125.0 | 1133.0 |
| 27.5° | 869.3 | 893.6 | 917.9 | 947.9 | 977.8 | 1007.8 | 1037.6 | 1072.5 | 1107.6 | 1142.5 | 1177.3 |
| 30° | 861.0 | 887.9 | 914.7 | 955.9 | 996.9 | 1038.1 | 1079.2 | 1127.3 | 1175.4 | 1223.3 | 1271.3 |
| 32.5° | 867.9 | 905.9 | 943.8 | 999.5 | 1055.1 | 1110.8 | 1166.5 | 1217.0 | 1267.6 | 1318.1 | 1368.7 |
| 35° | 954.4 | 986.5 | 1018.5 | 1080.8 | 1143.1 | 1205.4 | 1267.6 | 1326.9 | 1386.1 | 1445.2 | 1504.4 |
| 37.5° | 1036.9 | 1067.2 | 1097.5 | 1161.1 | 1224.6 | 1288.3 | 1352.0 | 1445.5 | 1539.1 | 1632.6 | 1726.2 |
| 40° | 1154.7 | 1180.6 | 1206.3 | 1260.8 | 1315.2 | 1369.7 | 1424.2 | 1537.0 | 1649.8 | 1762.6 | 1875.4 |
| 42.5° | 1289.4 | 1308.8 | 1328.1 | 1384.6 | 1441.0 | 1497.5 | 1554.0 | 1676.7 | 1799.6 | 1922.4 | 2045.1 |
| 45° | 1454.2 | 1471.2 | 1488.2 | 1527.0 | 1565.9 | 1604.9 | 1643.8 | 1770.4 | 1897.0 | 2023.5 | 2150.1 |
| 47.5° | 1671.8 | 1649.9 | 1628.1 | 1647.2 | 1666.3 | 1685.4 | 1704.6 | 1829.8 | 1955.0 | 2080.0 | 2205.2 |
| 50° | 1810.2 | 1787.2 | 1764.3 | 1765.9 | 1767.5 | 1769.2 | 1770.8 | 1887.6 | 2004.4 | 2121.0 | 2237.8 |
| 52.5° | 1994.1 | 1943.9 | 1893.9 | 1893.4 | 1893.0 | 1892.4 | 1891.9 | 1993.7 | 2095.6 | 2197.4 | 2299.1 |
| 55° | 2145.0 | 2090.1 | 2035.1 | 2024.4 | 2013.7 | 2002.9 | 1992.1 | 2092.8 | 2193.4 | 2294.1 | 2394.6 |
| 57.5° | 2274.4 | 2202.7 | 2131.3 | 2114.4 | 2097.6 | 2080.8 | 2063.9 | 2172.4 | 2281.1 | 2389.6 | 2498.1 |
| 60° | 2331.9 | 2285.2 | 2238.7 | 2218.0 | 2197.4 | 2176.7 | 2156.0 | 2248.5 | 2340.9 | 2433.2 | 2525.6 |
| 62.5° | 2302.8 | 2268.2 | 2233.8 | 2238.5 | 2243.3 | 2248.0 | 2252.8 | 2305.6 | 2358.5 | 2411.3 | 2464.1 |
| 65° | 2180.2 | 2172.0 | 2163.9 | 2202.1 | 2240.4 | 2278.6 | 2316.9 | 2317.7 | 2318.4 | 2319.2 | 2320.0 |
| 67.5° | 1974.2 | 1962.3 | 1950.4 | 2029.9 | 2109.4 | 2189.0 | 2268.5 | 2230.7 | 2192.9 | 2155.3 | 2117.5 |
| 70° | 1649.8 | 1655.3 | 1660.7 | 1769.0 | 1877.2 | 1985.6 | 2093.9 | 2039.1 | 1984.2 | 1929.4 | 1874.5 |
| 72.5° | 1262.0 | 1297.5 | 1332.8 | 1445.2 | 1557.5 | 1669.8 | 1782.2 | 1719.6 | 1656.8 | 1594.2 | 1531.5 |
| 75° | 923.1 | 956.2 | 989.3 | 1100.2 | 1211.2 | 1322.3 | 1433.2 | 1358.9 | 1284.5 | 1210.3 | 1135.9 |
| 77.5° | 688.8 | 701.7 | 714.4 | 806.7 | 898.8 | 991.1 | 1083.2 | 1008.5 | 933.9 | 859.3 | 784.6 |
| 80° | 549.4 | 540.2 | 531.2 | 582.3 | 633.4 | 684.6 | 735.7 | 682.7 | 629.6 | 576.7 | 523.7 |
| 82.5° | 451.0 | 436.0 | 421.2 | 440.1 | 459.1 | 478.3 | 497.2 | 454.8 | 412.4 | 370.1 | 327.7 |
| 85° | 321.7 | 315.4 | 309.1 | 314.7 | 320.0 | 325.5 | 331.0 | 289.7 | 248.4 | 207.2 | 165.9 |
| 87.5° | 123.0 | 130.7 | 138.3 | 147.1 | 155.6 | 164.4 | 172.9 | 135.4 | 97.9 | 60.6 | 23.1 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366634
 CATALOG NUMBER: PMM-SA1A-730-U-SLR

CANDELA DISTRIBUTION (continued):

| | 330° | 332.5° | 335° | 337.5° | 340° | 342.5° | 345° | 347.5° | 350° | 352.5° | 355° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366634
 CATALOG NUMBER: PMM-SA1A-730-U-SLR

CANDELA DISTRIBUTION (continued):

| | 357.5° | 360° |
|--------|--------|--------|
| 0° | 332.6 | 332.6 |
| 2.5° | 438.0 | 445.4 |
| 5° | 535.0 | 534.9 |
| 7.5° | 565.5 | 562.9 |
| 10° | 538.9 | 532.1 |
| 12.5° | 577.0 | 556.9 |
| 15° | 600.8 | 580.8 |
| 17.5° | 698.3 | 668.0 |
| 20° | 810.5 | 774.4 |
| 22.5° | 955.9 | 901.0 |
| 25° | 1067.3 | 1001.5 |
| 27.5° | 1138.3 | 1099.1 |
| 30° | 1226.5 | 1181.6 |
| 32.5° | 1335.6 | 1302.4 |
| 35° | 1474.1 | 1443.6 |
| 37.5° | 1716.7 | 1707.0 |
| 40° | 1863.9 | 1852.3 |
| 42.5° | 2045.6 | 2045.9 |
| 45° | 2157.0 | 2163.9 |
| 47.5° | 2222.6 | 2239.9 |
| 50° | 2275.0 | 2312.0 |
| 52.5° | 2349.8 | 2400.5 |
| 55° | 2462.0 | 2529.2 |
| 57.5° | 2555.3 | 2612.6 |
| 60° | 2555.3 | 2584.9 |
| 62.5° | 2463.4 | 2462.4 |
| 65° | 2305.7 | 2291.3 |
| 67.5° | 2099.4 | 2081.4 |
| 70° | 1846.3 | 1818.0 |
| 72.5° | 1496.4 | 1461.2 |
| 75° | 1087.7 | 1039.3 |
| 77.5° | 761.7 | 738.6 |
| 80° | 534.9 | 546.1 |
| 82.5° | 343.6 | 359.5 |
| 85° | 163.4 | 161.0 |
| 87.5° | 19.3 | 15.5 |
| 90° | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 |



REPORT NUMBER: P366634
CATALOG NUMBER: PMM-SA1A-730-U-SLR

CANDELA DISTRIBUTION (continued):

| | 357.5° | 360° |
|--------|--------|------|
| 112.5° | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 |

(END OF REPORT)