

Scaled data based on original data using
LM-79-08 Approved Method: Electrical and Photometric Measurements of Solid-
State Lighting Products

Test Report Prepared for
Cooper Lighting Solutions
(formerly Eaton)

Brand: STREETWORKS

Report Number: P367514

Luminaire Tested: **PMM-SA2C-830-U-SLR**

Issue Date: 12/2/2019

Test Information

Test Method: LM-79-08
Report Number: P367514
TEST IS SCALED FROM IESNA LM-79-08 TEST DATA (G2-1910-543-24)
Test Lab: INNOVATION CENTER
Issue Date: 12/2/2019
Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)
Product Line: STREETWORKS
Catalog Number: PMM-SA2C-830-U-SLR
Description: MESA POST TOP DECORATIVE LUMINAIRE. (2) LIGHTSQUARES WITH 16 LEDS EACH AND SPILL LIGHT ELIMINATOR RIGHT OPTICS.
Light Source: -
Ballast/Driver: ELECTRONIC DRIVER

Summary

Lumens per Lamp: N/A
Luminaire Lumens: 8397 lumens
Efficiency: N/A
Efficacy: 74.3 lumens/watt
Luminous Opening: Rectangular (W 0.5' x L: 1' x H: 0')
IES Classification: Type IV - Short
BUG Rating: B2 - U0 - G3


Input Watts (W): 113
Input Voltage (V): NR
Input Current (Ain): NR
Voltage Rise (V): NR
Power Factor: NR
Total Harmonic Distortion (THDi): NR
Frequency (hertz): 60
Stabilization Time: NR
Operation Time: NR
Ambient Temperature (°C): NR
Test Distance: 28.75 FT



REPORT NUMBER: P367514
 CATALOG NUMBER: PMM-SA2C-830-U-SLR

Iso-Footcandle Lines of Horizontal Illumination


× Max cd
 - - - 1/2 Max cd



Based on 25 foot mounting height. Maximum calculated value = 3.6 fc
 Type IV - Short - N/A

REPORT NUMBER: P367514
CATALOG NUMBER: PMM-SA2C-830-U-SLR

Luminous Intensity Polar Plot



— Vertical Plane Through 270-Deg Lateral - - - Horizontal Cone Through 60-Deg Vertical

REPORT NUMBER: P367514
 CATALOG NUMBER: PMM-SA2C-830-U-SLR


FLUX DISTRIBUTION:

| | | Downward | Upward | Total |
|--------------------|-----------|----------|--------|--------|
| House Side | Lumens | 1626.3 | 0.0 | 1626.3 |
| | % Fixture | 19.4 | 0.0 | 19.4 |
| Street Side | Lumens | 6770.7 | 0.0 | 6770.7 |
| | % Fixture | 80.6 | 0.0 | 80.6 |
| Total | Lumens | 8397.0 | 0.0 | 8397.0 |
| | % Fixture | 100.0 | 0.0 | 100.0 |

ZONAL LUMENS:

| Zone | Lumens | % Fixture |
|-----------|--------|-----------|
| 0°-10° | 101.5 | 1.2 |
| 10°-20° | 295.0 | 3.5 |
| 20°-30° | 520.9 | 6.2 |
| 30°-40° | 811.2 | 9.7 |
| 40°-50° | 1335.5 | 15.9 |
| 50°-60° | 1906.2 | 22.7 |
| 60°-70° | 2021.3 | 24.1 |
| 70°-80° | 1116.4 | 13.3 |
| 80°-90° | 288.9 | 3.4 |
| 90°-100° | 0.0 | 0.0 |
| 100°-110° | 0.0 | 0.0 |
| 110°-120° | 0.0 | 0.0 |
| 120°-130° | 0.0 | 0.0 |
| 130°-140° | 0.0 | 0.0 |
| 140°-150° | 0.0 | 0.0 |
| 150°-160° | 0.0 | 0.0 |
| 160°-170° | 0.0 | 0.0 |
| 170°-180° | 0.0 | 0.0 |
| 0°-90° | 8397.0 | 100.0 |
| 0°-180° | 8397.0 | 100.0 |

Coefficient of Utilization




REPORT NUMBER: P367514
 CATALOG NUMBER: PMM-SA2C-830-U-SLR

LUMINAIRE CLASSIFICATION SYSTEM LUMEN TABLE AND BUG RATING:

| Zone | Lumens | % Fixture | Zone Rating/Lumen Limit | | |
|----------------|--------|-----------|-------------------------|------|---------|
| | | | B | U | G |
| FL (0°-30°) | 642.5 | 7.7 | | | |
| FM (30°-60°) | 3255.2 | 38.8 | | | |
| FH (60°-80°) | 2627.4 | 31.3 | | | G2/5000 |
| FVH (80°-90°) | 245.5 | 2.9 | | | G3/500 |
| BL (0°-30°) | 274.9 | 3.3 | B1/500 | | |
| BM (30°-60°) | 797.8 | 9.5 | B1/1000 | | |
| BH (60°-80°) | 510.3 | 6.1 | B2/1000 | | G2/1000 |
| BVH (80°-90°) | 43.4 | 0.5 | | | G1/100 |
| UL (90°-100°) | 0.0 | 0.0 | | U0/0 | |
| UH (100°-180°) | 0.0 | 0.0 | | U0/0 | |

BUG Rating: B2-U0-G3
 Type IV Short





REPORT NUMBER: P367514

CATALOG NUMBER: PMM-SA2C-830-U-SLR

CANDELA DISTRIBUTION (FULL):

| | 0° | 2.5° | 5° | 7.5° | 10° | 12.5° | 15° | 17.5° | 20° | 22.5° | 25° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 |
| 2.5° | 1186.0 | 1193.4 | 1200.3 | 1186.5 | 1172.6 | 1158.3 | 1144.5 | 1123.7 | 1102.5 | 1081.7 | 1060.5 |
| 5° | 1424.5 | 1397.6 | 1370.3 | 1359.3 | 1348.7 | 1337.7 | 1326.7 | 1316.5 | 1306.3 | 1295.7 | 1285.5 |
| 7.5° | 1499.1 | 1460.8 | 1422.0 | 1405.7 | 1389.4 | 1372.7 | 1356.4 | 1319.7 | 1283.1 | 1246.0 | 1209.3 |
| 10° | 1417.1 | 1377.2 | 1336.9 | 1321.0 | 1304.7 | 1288.8 | 1272.5 | 1227.6 | 1183.2 | 1138.4 | 1093.5 |
| 12.5° | 1483.2 | 1442.4 | 1401.2 | 1350.7 | 1300.2 | 1249.2 | 1198.7 | 1173.8 | 1149.0 | 1123.7 | 1098.8 |
| 15° | 1546.8 | 1491.7 | 1436.3 | 1385.8 | 1335.2 | 1284.3 | 1233.7 | 1184.0 | 1134.3 | 1084.6 | 1034.8 |
| 17.5° | 1779.1 | 1687.4 | 1595.7 | 1504.4 | 1412.7 | 1321.4 | 1229.7 | 1172.2 | 1114.3 | 1056.8 | 999.0 |
| 20° | 2062.3 | 1934.8 | 1806.8 | 1668.2 | 1529.2 | 1390.7 | 1251.7 | 1179.1 | 1107.0 | 1034.4 | 961.9 |
| 22.5° | 2399.4 | 2238.4 | 2077.4 | 1902.6 | 1727.7 | 1552.5 | 1377.6 | 1272.5 | 1167.3 | 1061.7 | 956.6 |
| 25° | 2667.2 | 2512.3 | 2357.4 | 2135.7 | 1914.0 | 1692.3 | 1470.5 | 1351.1 | 1231.7 | 1111.9 | 992.4 |
| 27.5° | 2927.2 | 2680.6 | 2433.6 | 2179.7 | 1926.2 | 1672.3 | 1418.4 | 1307.9 | 1197.5 | 1087.0 | 976.6 |
| 30° | 3146.9 | 2951.3 | 2755.6 | 2424.3 | 2092.9 | 1761.1 | 1429.8 | 1294.1 | 1158.3 | 1022.6 | 886.9 |
| 32.5° | 3468.5 | 3189.3 | 2909.7 | 2564.1 | 2218.4 | 1872.8 | 1527.2 | 1353.6 | 1179.9 | 1006.3 | 832.7 |
| 35° | 3844.7 | 3554.5 | 3264.3 | 2836.7 | 2409.6 | 1982.0 | 1554.5 | 1370.7 | 1186.5 | 1002.6 | 818.4 |
| 37.5° | 4546.1 | 4034.6 | 3522.7 | 3056.0 | 2589.3 | 2122.3 | 1655.6 | 1442.0 | 1228.4 | 1014.5 | 800.9 |
| 40° | 4932.9 | 4460.1 | 3987.3 | 3405.7 | 2824.1 | 2242.1 | 1660.5 | 1442.0 | 1223.1 | 1004.7 | 785.8 |
| 42.5° | 5448.5 | 4850.6 | 4252.2 | 3623.4 | 2994.9 | 2366.0 | 1737.1 | 1495.0 | 1252.9 | 1010.4 | 768.3 |
| 45° | 5762.7 | 5096.3 | 4429.5 | 3757.5 | 3085.4 | 2413.3 | 1741.2 | 1495.4 | 1249.6 | 1003.9 | 758.1 |
| 47.5° | 5965.3 | 5325.4 | 4685.1 | 3961.6 | 3238.2 | 2514.3 | 1790.9 | 1530.0 | 1268.8 | 1007.9 | 746.7 |
| 50° | 6157.3 | 5523.5 | 4889.3 | 4138.1 | 3387.4 | 2636.2 | 1885.0 | 1600.1 | 1315.3 | 1029.9 | 745.1 |
| 52.5° | 6392.8 | 5809.2 | 5225.1 | 4419.4 | 3613.2 | 2807.4 | 2001.2 | 1691.0 | 1380.9 | 1070.7 | 760.5 |
| 55° | 6735.6 | 6160.5 | 5585.0 | 4720.1 | 3854.9 | 2990.0 | 2124.7 | 1780.3 | 1436.3 | 1091.9 | 747.5 |
| 57.5° | 6957.7 | 6374.5 | 5791.3 | 4909.3 | 4027.3 | 3144.9 | 2262.9 | 1881.4 | 1499.9 | 1118.0 | 736.5 |
| 60° | 6884.0 | 6282.4 | 5680.4 | 4839.6 | 3998.7 | 3157.9 | 2317.1 | 1905.0 | 1493.4 | 1081.3 | 669.2 |
| 62.5° | 6557.9 | 5918.4 | 5278.9 | 4525.7 | 3772.9 | 3019.7 | 2266.5 | 1847.5 | 1429.0 | 1010.0 | 591.0 |
| 65° | 6102.2 | 5441.2 | 4779.7 | 4100.2 | 3420.8 | 2741.4 | 2061.9 | 1681.7 | 1301.0 | 920.7 | 540.0 |
| 67.5° | 5543.0 | 4853.8 | 4164.2 | 3562.6 | 2961.0 | 2359.1 | 1757.5 | 1439.6 | 1122.1 | 804.1 | 486.2 |
| 70° | 4841.6 | 4164.2 | 3486.8 | 2966.3 | 2445.9 | 1925.4 | 1404.9 | 1165.7 | 926.8 | 687.6 | 448.3 |
| 72.5° | 3891.5 | 3307.1 | 2722.6 | 2313.0 | 1903.4 | 1493.8 | 1084.2 | 917.9 | 752.0 | 585.7 | 419.4 |
| 75° | 2767.9 | 2424.3 | 2080.7 | 1762.0 | 1443.2 | 1124.1 | 805.4 | 697.8 | 590.2 | 482.6 | 375.0 |
| 77.5° | 1967.0 | 1764.4 | 1561.8 | 1312.0 | 1062.1 | 812.3 | 562.5 | 499.3 | 436.5 | 373.3 | 310.2 |
| 80° | 1454.2 | 1285.1 | 1115.9 | 927.6 | 739.3 | 551.0 | 362.7 | 331.8 | 301.2 | 270.2 | 239.2 |
| 82.5° | 957.4 | 881.2 | 804.6 | 655.4 | 506.2 | 357.0 | 207.9 | 196.5 | 185.0 | 173.6 | 162.2 |
| 85° | 428.8 | 452.8 | 476.5 | 385.2 | 293.5 | 202.2 | 110.5 | 105.2 | 99.9 | 94.6 | 89.3 |
| 87.5° | 41.2 | 60.7 | 80.3 | 68.9 | 57.1 | 45.6 | 33.8 | 33.4 | 33.4 | 33.0 | 32.6 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P367514
 CATALOG NUMBER: PMM-SA2C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 0° | 2.5° | 5° | 7.5° | 10° | 12.5° | 15° | 17.5° | 20° | 22.5° | 25° |
|--------|-----|------|-----|------|-----|-------|-----|-------|-----|-------|-----|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P367514

CATALOG NUMBER: PMM-SA2C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 27.5° | 30° | 32.5° | 35° | 37.5° | 40° | 42.5° | 45° | 47.5° | 50° | 52.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 |
| 2.5° | 1066.2 | 1071.9 | 1077.6 | 1083.3 | 1077.2 | 1071.1 | 1064.6 | 1058.5 | 1050.7 | 1043.0 | 1034.8 |
| 5° | 1268.4 | 1250.9 | 1233.7 | 1216.2 | 1190.1 | 1164.0 | 1137.5 | 1111.5 | 1108.2 | 1104.5 | 1101.3 |
| 7.5° | 1177.1 | 1145.3 | 1113.1 | 1080.9 | 1040.1 | 999.8 | 959.0 | 918.3 | 906.0 | 893.8 | 881.6 |
| 10° | 1071.9 | 1049.9 | 1028.3 | 1006.3 | 981.0 | 955.8 | 930.1 | 904.8 | 871.4 | 837.6 | 804.1 |
| 12.5° | 1063.0 | 1027.1 | 990.8 | 955.0 | 939.5 | 924.0 | 908.5 | 893.0 | 863.7 | 834.3 | 804.6 |
| 15° | 1005.9 | 976.6 | 947.6 | 918.3 | 895.9 | 873.4 | 851.0 | 828.6 | 805.0 | 780.9 | 757.3 |
| 17.5° | 965.5 | 932.1 | 898.7 | 865.3 | 839.6 | 813.9 | 787.8 | 762.2 | 733.6 | 704.7 | 676.2 |
| 20° | 923.6 | 885.7 | 847.4 | 809.0 | 776.4 | 744.2 | 711.6 | 679.0 | 647.6 | 616.7 | 585.3 |
| 22.5° | 906.5 | 856.3 | 806.2 | 756.1 | 721.8 | 687.2 | 652.9 | 618.3 | 589.4 | 560.4 | 531.5 |
| 25° | 932.5 | 873.0 | 813.1 | 753.2 | 707.1 | 660.7 | 614.6 | 568.2 | 544.1 | 520.1 | 495.6 |
| 27.5° | 902.0 | 827.0 | 752.4 | 677.4 | 628.1 | 578.4 | 529.0 | 479.3 | 475.6 | 472.0 | 467.9 |
| 30° | 808.2 | 729.6 | 650.9 | 572.2 | 527.0 | 481.3 | 436.1 | 390.5 | 381.9 | 372.9 | 364.4 |
| 32.5° | 752.4 | 672.1 | 591.8 | 511.5 | 471.2 | 430.4 | 390.1 | 349.3 | 339.5 | 329.7 | 319.9 |
| 35° | 731.2 | 644.0 | 556.8 | 469.5 | 434.9 | 400.2 | 365.6 | 331.0 | 324.0 | 317.5 | 310.6 |
| 37.5° | 714.1 | 627.7 | 540.9 | 454.0 | 420.6 | 387.2 | 353.4 | 319.9 | 314.6 | 309.4 | 304.1 |
| 40° | 697.8 | 610.1 | 522.1 | 434.1 | 404.3 | 375.0 | 345.2 | 315.5 | 312.2 | 308.9 | 305.3 |
| 42.5° | 683.1 | 597.9 | 512.3 | 427.1 | 400.6 | 374.6 | 348.1 | 321.6 | 318.3 | 315.1 | 311.8 |
| 45° | 674.9 | 591.8 | 508.7 | 425.5 | 406.4 | 387.2 | 367.6 | 348.5 | 340.7 | 333.0 | 324.8 |
| 47.5° | 668.8 | 591.0 | 513.1 | 435.3 | 415.3 | 395.3 | 375.4 | 355.4 | 348.5 | 341.5 | 334.2 |
| 50° | 670.1 | 595.5 | 520.5 | 445.5 | 421.4 | 397.0 | 372.9 | 348.5 | 347.7 | 346.8 | 346.0 |
| 52.5° | 681.1 | 602.0 | 522.5 | 443.0 | 417.0 | 390.9 | 364.4 | 338.3 | 343.6 | 348.5 | 353.8 |
| 55° | 665.2 | 582.8 | 500.1 | 417.8 | 392.9 | 368.4 | 343.6 | 318.7 | 325.7 | 332.2 | 339.1 |
| 57.5° | 647.2 | 558.0 | 468.7 | 379.5 | 360.7 | 342.0 | 322.8 | 304.1 | 311.4 | 319.1 | 326.5 |
| 60° | 587.7 | 506.2 | 424.7 | 343.2 | 330.5 | 317.9 | 305.3 | 292.6 | 295.9 | 299.2 | 302.4 |
| 62.5° | 522.5 | 453.6 | 385.2 | 316.3 | 306.5 | 296.3 | 286.5 | 276.3 | 276.3 | 276.7 | 276.7 |
| 65° | 480.9 | 421.8 | 362.7 | 303.6 | 292.6 | 281.6 | 270.2 | 259.2 | 257.6 | 256.0 | 254.3 |
| 67.5° | 439.4 | 392.9 | 346.0 | 299.2 | 283.3 | 267.8 | 251.9 | 236.0 | 233.9 | 232.3 | 230.3 |
| 70° | 406.8 | 365.2 | 323.6 | 282.0 | 264.1 | 246.6 | 228.7 | 210.7 | 209.1 | 207.9 | 206.2 |
| 72.5° | 380.3 | 341.5 | 302.4 | 263.3 | 244.5 | 225.4 | 206.6 | 187.5 | 186.3 | 185.0 | 183.4 |
| 75° | 340.3 | 306.1 | 271.4 | 236.8 | 218.5 | 200.5 | 182.2 | 163.8 | 162.2 | 161.0 | 159.4 |
| 77.5° | 281.6 | 252.7 | 224.2 | 195.2 | 181.0 | 167.1 | 152.8 | 138.6 | 137.8 | 136.9 | 135.7 |
| 80° | 216.8 | 194.4 | 171.6 | 149.2 | 139.8 | 130.0 | 120.6 | 110.9 | 110.5 | 110.0 | 109.2 |
| 82.5° | 148.8 | 135.3 | 121.9 | 108.4 | 101.5 | 94.2 | 87.2 | 79.9 | 80.3 | 80.7 | 81.1 |
| 85° | 84.8 | 79.9 | 75.4 | 70.5 | 64.8 | 59.5 | 53.8 | 48.1 | 49.3 | 50.5 | 51.4 |
| 87.5° | 31.0 | 29.3 | 27.7 | 26.1 | 23.2 | 20.8 | 17.9 | 15.1 | 15.9 | 17.1 | 17.9 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P367514
 CATALOG NUMBER: PMM-SA2C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 27.5° | 30° | 32.5° | 35° | 37.5° | 40° | 42.5° | 45° | 47.5° | 50° | 52.5° |
|--------|-------|-----|-------|-----|-------|-----|-------|-----|-------|-----|-------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P367514

CATALOG NUMBER: PMM-SA2C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 55° | 57.5° | 60° | 62.5° | 65° | 67.5° | 70° | 72.5° | 75° | 77.5° | 80° |
|--------|--------|--------|--------|--------|--------|--------|-------|-------|-------|-------|-------|
| 0° | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 |
| 2.5° | 1027.1 | 1014.9 | 1002.6 | 990.4 | 978.2 | 952.9 | 928.1 | 902.8 | 877.5 | 893.0 | 908.9 |
| 5° | 1097.6 | 1076.8 | 1055.6 | 1034.8 | 1013.6 | 1001.8 | 990.0 | 978.2 | 966.4 | 972.5 | 979.0 |
| 7.5° | 869.4 | 857.1 | 844.5 | 832.3 | 819.6 | 814.3 | 809.4 | 804.1 | 798.9 | 813.9 | 829.0 |
| 10° | 770.3 | 753.2 | 736.1 | 718.6 | 701.4 | 691.3 | 681.1 | 670.9 | 660.7 | 664.8 | 668.8 |
| 12.5° | 775.2 | 749.9 | 724.7 | 699.4 | 674.1 | 659.1 | 644.0 | 628.9 | 613.8 | 617.5 | 621.1 |
| 15° | 733.2 | 707.1 | 681.1 | 655.0 | 628.9 | 611.4 | 593.4 | 575.9 | 558.0 | 551.9 | 545.3 |
| 17.5° | 647.2 | 618.7 | 590.2 | 561.6 | 533.1 | 521.3 | 509.5 | 497.7 | 485.8 | 479.3 | 472.8 |
| 20° | 553.9 | 527.4 | 500.9 | 474.4 | 447.9 | 439.8 | 431.6 | 423.1 | 414.9 | 410.8 | 406.4 |
| 22.5° | 502.5 | 486.2 | 469.5 | 453.2 | 436.5 | 427.1 | 418.2 | 408.8 | 399.4 | 394.9 | 390.1 |
| 25° | 471.6 | 474.8 | 478.5 | 481.8 | 485.0 | 480.9 | 476.5 | 472.4 | 467.9 | 469.5 | 470.8 |
| 27.5° | 464.2 | 471.2 | 478.5 | 485.4 | 492.4 | 496.0 | 499.7 | 503.4 | 507.0 | 508.2 | 509.5 |
| 30° | 355.4 | 359.1 | 362.3 | 366.0 | 369.3 | 379.5 | 389.6 | 399.4 | 409.6 | 425.5 | 441.8 |
| 32.5° | 310.2 | 308.9 | 307.7 | 306.1 | 304.9 | 307.3 | 309.8 | 311.8 | 314.2 | 319.9 | 326.1 |
| 35° | 303.6 | 300.8 | 297.5 | 294.7 | 291.4 | 292.6 | 293.9 | 295.1 | 296.3 | 300.8 | 305.3 |
| 37.5° | 298.8 | 297.5 | 296.7 | 295.5 | 294.3 | 297.1 | 299.6 | 302.4 | 304.9 | 308.5 | 312.2 |
| 40° | 302.0 | 301.6 | 301.2 | 300.4 | 300.0 | 301.6 | 303.2 | 304.9 | 306.5 | 311.4 | 316.3 |
| 42.5° | 308.5 | 308.5 | 308.1 | 308.1 | 307.7 | 309.4 | 310.6 | 312.2 | 313.4 | 316.3 | 319.1 |
| 45° | 317.1 | 316.3 | 315.9 | 315.1 | 314.2 | 313.8 | 313.8 | 313.4 | 313.0 | 314.6 | 316.7 |
| 47.5° | 327.3 | 324.4 | 321.2 | 318.3 | 315.1 | 314.2 | 313.0 | 312.2 | 311.0 | 311.8 | 312.6 |
| 50° | 345.2 | 337.5 | 330.1 | 322.4 | 314.6 | 312.6 | 310.6 | 308.5 | 306.5 | 306.1 | 306.1 |
| 52.5° | 358.7 | 347.3 | 335.8 | 324.4 | 313.0 | 309.4 | 305.7 | 302.0 | 298.3 | 297.5 | 297.1 |
| 55° | 345.6 | 337.1 | 328.9 | 320.4 | 311.8 | 306.5 | 300.8 | 295.5 | 289.8 | 288.6 | 287.3 |
| 57.5° | 333.8 | 328.5 | 323.2 | 317.9 | 312.6 | 307.3 | 301.6 | 296.3 | 290.6 | 287.7 | 284.9 |
| 60° | 305.7 | 305.7 | 306.1 | 306.1 | 306.1 | 300.4 | 294.7 | 289.0 | 283.3 | 280.4 | 278.0 |
| 62.5° | 276.7 | 281.2 | 285.3 | 289.8 | 293.9 | 286.1 | 278.0 | 270.2 | 262.1 | 260.0 | 258.4 |
| 65° | 252.7 | 253.9 | 255.6 | 256.8 | 258.0 | 251.9 | 245.8 | 239.7 | 233.5 | 232.3 | 230.7 |
| 67.5° | 228.2 | 227.8 | 227.4 | 226.6 | 226.2 | 222.5 | 218.5 | 214.8 | 210.7 | 209.1 | 207.5 |
| 70° | 204.6 | 204.2 | 203.8 | 203.0 | 202.6 | 199.3 | 196.0 | 192.8 | 189.5 | 188.3 | 187.1 |
| 72.5° | 182.2 | 181.8 | 181.0 | 180.6 | 179.7 | 176.9 | 174.4 | 171.6 | 168.7 | 167.1 | 165.5 |
| 75° | 157.7 | 156.9 | 156.1 | 155.3 | 154.5 | 152.0 | 149.6 | 146.7 | 144.3 | 142.7 | 141.0 |
| 77.5° | 134.9 | 133.7 | 132.5 | 130.8 | 129.6 | 127.6 | 125.1 | 123.1 | 120.6 | 118.6 | 117.0 |
| 80° | 108.8 | 108.0 | 107.2 | 106.0 | 105.2 | 103.1 | 101.1 | 98.6 | 96.6 | 94.2 | 92.1 |
| 82.5° | 81.5 | 81.1 | 80.3 | 79.9 | 79.1 | 77.0 | 75.0 | 73.0 | 70.9 | 68.5 | 66.0 |
| 85° | 52.6 | 52.2 | 51.8 | 51.4 | 50.9 | 49.3 | 48.1 | 46.5 | 44.8 | 42.4 | 40.4 |
| 87.5° | 18.7 | 17.9 | 17.5 | 16.7 | 15.9 | 15.5 | 14.7 | 14.3 | 13.5 | 12.2 | 11.0 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P367514
 CATALOG NUMBER: PMM-SA2C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 55° | 57.5° | 60° | 62.5° | 65° | 67.5° | 70° | 72.5° | 75° | 77.5° | 80° |
|--------|-----|-------|-----|-------|-----|-------|-----|-------|-----|-------|-----|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P367514

CATALOG NUMBER: PMM-SA2C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 82.5° | 85° | 87.5° | 90° | 92.5° | 95° | 97.5° | 100° | 102.5° | 105° | 107.5° |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|--------|
| 0° | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 |
| 2.5° | 924.4 | 939.9 | 940.3 | 940.3 | 947.6 | 954.5 | 940.3 | 926.0 | 911.3 | 897.1 | 882.8 |
| 5° | 985.1 | 991.2 | 989.6 | 987.6 | 978.6 | 969.6 | 960.3 | 950.9 | 941.5 | 932.1 | 932.5 |
| 7.5° | 844.1 | 859.2 | 871.4 | 883.2 | 871.8 | 860.4 | 854.3 | 848.2 | 842.1 | 835.9 | 835.1 |
| 10° | 672.5 | 676.6 | 681.5 | 686.0 | 679.0 | 671.7 | 683.9 | 696.1 | 708.0 | 720.2 | 706.7 |
| 12.5° | 624.8 | 628.5 | 619.9 | 611.0 | 608.1 | 605.3 | 602.4 | 599.1 | 596.3 | 593.0 | 591.4 |
| 15° | 539.2 | 532.7 | 526.2 | 519.3 | 517.6 | 515.6 | 513.5 | 511.1 | 509.1 | 506.6 | 499.3 |
| 17.5° | 466.3 | 459.7 | 448.7 | 437.3 | 432.8 | 428.0 | 426.7 | 425.5 | 423.9 | 422.7 | 415.7 |
| 20° | 402.3 | 397.8 | 394.9 | 391.7 | 387.2 | 382.7 | 378.2 | 373.7 | 368.9 | 364.4 | 357.9 |
| 22.5° | 385.6 | 380.7 | 377.0 | 372.9 | 372.1 | 371.3 | 363.2 | 354.6 | 346.4 | 337.9 | 334.2 |
| 25° | 472.4 | 473.6 | 451.2 | 428.4 | 426.3 | 424.3 | 409.6 | 394.5 | 379.9 | 364.8 | 352.1 |
| 27.5° | 510.3 | 511.5 | 510.7 | 509.9 | 503.4 | 496.4 | 471.6 | 446.3 | 421.4 | 396.2 | 378.2 |
| 30° | 457.7 | 473.6 | 479.7 | 485.8 | 481.3 | 476.5 | 450.4 | 424.7 | 398.6 | 372.5 | 360.7 |
| 32.5° | 331.8 | 337.5 | 347.7 | 357.4 | 362.7 | 367.6 | 359.5 | 351.3 | 343.2 | 335.0 | 333.0 |
| 35° | 309.4 | 313.8 | 315.9 | 317.9 | 314.6 | 311.4 | 305.3 | 299.2 | 292.6 | 286.5 | 285.3 |
| 37.5° | 315.5 | 319.1 | 323.2 | 327.3 | 318.3 | 308.9 | 302.0 | 295.5 | 288.6 | 281.6 | 275.9 |
| 40° | 321.2 | 326.1 | 328.5 | 331.0 | 322.0 | 313.0 | 304.5 | 296.3 | 287.7 | 279.2 | 273.5 |
| 42.5° | 322.0 | 324.8 | 329.3 | 333.8 | 321.2 | 308.1 | 300.4 | 292.2 | 284.5 | 276.3 | 270.6 |
| 45° | 318.3 | 319.9 | 324.0 | 328.1 | 313.4 | 298.3 | 291.4 | 284.1 | 277.2 | 269.8 | 264.9 |
| 47.5° | 313.0 | 313.8 | 317.1 | 319.9 | 304.5 | 288.6 | 282.0 | 275.5 | 268.6 | 262.1 | 257.2 |
| 50° | 305.7 | 305.3 | 307.7 | 309.8 | 293.9 | 278.0 | 271.4 | 265.3 | 258.8 | 252.3 | 248.2 |
| 52.5° | 296.3 | 295.5 | 297.9 | 300.0 | 283.3 | 266.6 | 260.8 | 255.6 | 249.8 | 244.1 | 240.9 |
| 55° | 285.7 | 284.5 | 286.5 | 288.6 | 272.3 | 255.6 | 250.7 | 245.4 | 240.5 | 235.2 | 232.3 |
| 57.5° | 281.6 | 278.8 | 280.0 | 281.2 | 262.9 | 244.5 | 239.7 | 234.8 | 229.9 | 225.0 | 222.9 |
| 60° | 275.1 | 272.3 | 273.5 | 274.3 | 254.7 | 234.8 | 230.3 | 225.4 | 220.9 | 216.0 | 214.0 |
| 62.5° | 256.4 | 254.3 | 256.0 | 257.6 | 240.1 | 222.1 | 218.1 | 214.4 | 210.3 | 206.2 | 203.4 |
| 65° | 229.5 | 227.8 | 231.1 | 234.4 | 219.3 | 204.2 | 201.8 | 199.3 | 196.5 | 194.0 | 191.2 |
| 67.5° | 205.8 | 204.2 | 207.5 | 210.7 | 199.7 | 188.7 | 186.3 | 183.8 | 181.4 | 178.9 | 177.3 |
| 70° | 185.9 | 184.6 | 187.5 | 190.3 | 181.0 | 171.6 | 169.1 | 167.1 | 164.7 | 162.2 | 161.0 |
| 72.5° | 163.4 | 161.8 | 165.5 | 168.7 | 161.0 | 152.8 | 150.8 | 148.4 | 146.3 | 143.9 | 143.1 |
| 75° | 139.4 | 137.8 | 141.0 | 143.9 | 138.6 | 132.9 | 130.8 | 128.8 | 126.8 | 124.7 | 124.3 |
| 77.5° | 114.9 | 112.9 | 116.2 | 119.0 | 115.8 | 112.1 | 110.5 | 108.4 | 106.8 | 104.7 | 104.7 |
| 80° | 89.7 | 87.2 | 89.7 | 91.7 | 90.5 | 89.3 | 88.0 | 86.4 | 85.2 | 83.6 | 84.0 |
| 82.5° | 63.6 | 61.1 | 62.4 | 63.6 | 64.4 | 65.2 | 65.2 | 65.2 | 65.2 | 65.2 | 65.2 |
| 85° | 37.9 | 35.5 | 35.9 | 36.3 | 37.5 | 38.7 | 39.1 | 39.5 | 39.9 | 40.4 | 40.8 |
| 87.5° | 9.8 | 8.6 | 7.7 | 6.5 | 7.7 | 8.6 | 9.4 | 9.8 | 10.6 | 11.0 | 11.0 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P367514
 CATALOG NUMBER: PMM-SA2C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 82.5° | 85° | 87.5° | 90° | 92.5° | 95° | 97.5° | 100° | 102.5° | 105° | 107.5° |
|--------|-------|-----|-------|-----|-------|-----|-------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P367514

CATALOG NUMBER: PMM-SA2C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 110° | 112.5° | 115° | 117.5° | 120° | 122.5° | 125° | 127.5° | 130° | 132.5° | 135° |
|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|
| 0° | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 |
| 2.5° | 868.5 | 853.9 | 839.6 | 848.6 | 857.1 | 866.1 | 874.7 | 875.1 | 875.1 | 875.5 | 875.5 |
| 5° | 933.4 | 933.8 | 934.2 | 925.6 | 917.5 | 908.9 | 900.3 | 895.9 | 891.4 | 886.5 | 882.0 |
| 7.5° | 833.9 | 833.1 | 831.9 | 823.7 | 815.6 | 807.4 | 799.3 | 779.7 | 759.7 | 740.2 | 720.2 |
| 10° | 692.9 | 679.4 | 665.6 | 662.3 | 659.5 | 656.2 | 652.9 | 647.6 | 642.7 | 637.5 | 632.2 |
| 12.5° | 589.8 | 588.1 | 586.5 | 577.9 | 569.4 | 560.4 | 551.9 | 551.9 | 551.9 | 551.9 | 551.9 |
| 15° | 491.5 | 484.2 | 476.5 | 472.4 | 467.9 | 463.8 | 459.3 | 457.3 | 455.3 | 453.2 | 451.2 |
| 17.5° | 408.4 | 401.5 | 394.1 | 393.3 | 392.5 | 391.7 | 390.9 | 388.8 | 386.8 | 384.8 | 382.7 |
| 20° | 351.3 | 344.8 | 338.3 | 340.7 | 343.2 | 345.2 | 347.7 | 345.6 | 343.6 | 341.1 | 339.1 |
| 22.5° | 330.1 | 326.5 | 322.4 | 320.4 | 318.3 | 315.9 | 313.8 | 313.8 | 314.2 | 314.2 | 314.2 |
| 25° | 339.9 | 327.3 | 314.6 | 308.5 | 302.4 | 295.9 | 289.8 | 287.3 | 285.3 | 282.9 | 280.4 |
| 27.5° | 360.3 | 342.0 | 324.0 | 313.4 | 302.8 | 292.2 | 281.6 | 277.2 | 272.3 | 267.8 | 262.9 |
| 30° | 348.5 | 336.7 | 324.4 | 312.2 | 300.0 | 287.7 | 275.5 | 269.8 | 264.1 | 258.0 | 252.3 |
| 32.5° | 331.0 | 328.5 | 326.5 | 315.1 | 303.6 | 291.8 | 280.4 | 278.0 | 275.9 | 273.5 | 271.0 |
| 35° | 283.7 | 282.5 | 280.8 | 278.0 | 275.1 | 272.3 | 269.4 | 266.1 | 262.9 | 259.6 | 256.4 |
| 37.5° | 270.6 | 264.9 | 259.2 | 258.0 | 256.8 | 255.6 | 254.3 | 253.1 | 251.9 | 250.3 | 249.0 |
| 40° | 267.8 | 262.1 | 256.4 | 254.3 | 252.3 | 249.8 | 247.8 | 248.2 | 249.0 | 249.4 | 249.8 |
| 42.5° | 264.5 | 258.8 | 252.7 | 251.1 | 249.4 | 247.8 | 246.2 | 246.6 | 247.4 | 247.8 | 248.2 |
| 45° | 260.4 | 255.6 | 250.7 | 247.8 | 245.4 | 242.5 | 239.7 | 242.1 | 244.5 | 246.6 | 249.0 |
| 47.5° | 252.3 | 247.0 | 242.1 | 240.5 | 238.8 | 236.8 | 235.2 | 237.6 | 240.1 | 242.1 | 244.5 |
| 50° | 243.7 | 239.7 | 235.2 | 234.8 | 234.4 | 233.5 | 233.1 | 234.8 | 236.4 | 238.0 | 239.7 |
| 52.5° | 237.2 | 233.9 | 230.3 | 230.3 | 229.9 | 229.9 | 229.5 | 231.1 | 232.7 | 233.9 | 235.6 |
| 55° | 229.9 | 227.0 | 224.2 | 224.6 | 225.4 | 225.8 | 226.2 | 227.8 | 229.9 | 231.5 | 233.1 |
| 57.5° | 220.5 | 218.5 | 216.0 | 217.6 | 218.9 | 220.5 | 221.7 | 222.9 | 224.6 | 225.8 | 227.0 |
| 60° | 211.5 | 209.5 | 207.0 | 208.7 | 210.7 | 212.3 | 214.0 | 215.2 | 216.4 | 217.6 | 218.9 |
| 62.5° | 200.5 | 197.3 | 194.4 | 196.9 | 198.9 | 201.3 | 203.4 | 204.2 | 205.4 | 206.2 | 207.0 |
| 65° | 188.7 | 185.9 | 183.0 | 184.6 | 186.3 | 187.5 | 189.1 | 190.3 | 191.6 | 192.8 | 194.0 |
| 67.5° | 175.3 | 173.6 | 171.6 | 172.8 | 174.0 | 175.3 | 176.5 | 176.9 | 176.9 | 177.3 | 177.3 |
| 70° | 159.4 | 158.1 | 156.5 | 157.3 | 158.5 | 159.4 | 160.2 | 160.2 | 160.2 | 159.8 | 159.8 |
| 72.5° | 142.7 | 141.8 | 141.0 | 141.4 | 142.2 | 142.7 | 143.1 | 142.7 | 142.2 | 141.8 | 141.4 |
| 75° | 123.9 | 123.5 | 123.1 | 123.5 | 124.3 | 124.7 | 125.1 | 124.7 | 123.9 | 123.5 | 122.7 |
| 77.5° | 105.2 | 105.2 | 105.2 | 105.2 | 105.6 | 105.6 | 105.6 | 104.7 | 103.9 | 103.1 | 102.3 |
| 80° | 84.4 | 84.8 | 85.2 | 85.2 | 85.2 | 85.2 | 85.2 | 84.4 | 83.6 | 82.3 | 81.5 |
| 82.5° | 65.2 | 65.2 | 65.2 | 65.2 | 65.6 | 65.6 | 65.6 | 63.6 | 62.0 | 59.9 | 57.9 |
| 85° | 40.8 | 41.2 | 41.2 | 41.6 | 42.0 | 42.0 | 42.4 | 39.5 | 37.1 | 34.2 | 31.4 |
| 87.5° | 11.0 | 11.0 | 11.0 | 11.0 | 11.0 | 10.6 | 10.6 | 8.2 | 5.3 | 2.9 | 0.0 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P367514
 CATALOG NUMBER: PMM-SA2C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 110° | 112.5° | 115° | 117.5° | 120° | 122.5° | 125° | 127.5° | 130° | 132.5° | 135° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P367514

CATALOG NUMBER: PMM-SA2C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 137.5° | 140° | 142.5° | 145° | 147.5° | 150° | 152.5° | 155° | 157.5° | 160° | 162.5° |
|--------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|
| 0° | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 |
| 2.5° | 877.9 | 880.4 | 882.4 | 884.8 | 885.3 | 885.7 | 885.7 | 886.1 | 877.5 | 869.0 | 860.0 |
| 5° | 888.1 | 893.8 | 899.9 | 905.6 | 904.4 | 903.2 | 902.0 | 900.7 | 898.3 | 896.3 | 893.8 |
| 7.5° | 715.7 | 711.6 | 707.1 | 702.7 | 706.3 | 710.0 | 713.7 | 717.3 | 719.0 | 720.6 | 721.8 |
| 10° | 622.0 | 611.8 | 601.6 | 591.4 | 585.7 | 579.6 | 573.9 | 567.8 | 566.9 | 566.5 | 565.7 |
| 12.5° | 541.3 | 530.3 | 519.7 | 508.7 | 505.4 | 501.7 | 498.5 | 494.8 | 498.1 | 501.3 | 504.2 |
| 15° | 446.7 | 442.6 | 438.1 | 433.7 | 437.3 | 441.0 | 444.7 | 448.3 | 451.6 | 454.4 | 457.7 |
| 17.5° | 380.7 | 379.0 | 377.0 | 375.0 | 378.2 | 381.9 | 385.2 | 388.4 | 395.8 | 403.1 | 410.4 |
| 20° | 337.5 | 336.3 | 334.6 | 333.0 | 331.8 | 330.1 | 328.9 | 327.3 | 337.9 | 348.1 | 358.7 |
| 22.5° | 311.8 | 309.4 | 306.9 | 304.5 | 304.9 | 305.3 | 305.3 | 305.7 | 314.2 | 323.2 | 331.8 |
| 25° | 279.6 | 278.8 | 278.0 | 277.2 | 279.6 | 282.0 | 284.1 | 286.5 | 294.3 | 302.0 | 309.4 |
| 27.5° | 263.3 | 263.7 | 264.1 | 264.5 | 267.8 | 271.4 | 274.7 | 278.0 | 283.3 | 288.6 | 293.9 |
| 30° | 254.3 | 256.8 | 258.8 | 260.8 | 262.1 | 263.3 | 264.5 | 265.7 | 271.0 | 275.9 | 281.2 |
| 32.5° | 267.8 | 264.5 | 260.8 | 257.6 | 259.2 | 261.3 | 262.9 | 264.5 | 269.4 | 274.3 | 279.2 |
| 35° | 255.1 | 253.5 | 252.3 | 250.7 | 252.7 | 254.7 | 256.4 | 258.4 | 262.9 | 267.0 | 271.4 |
| 37.5° | 248.6 | 248.2 | 247.8 | 247.4 | 248.6 | 249.8 | 250.7 | 251.9 | 256.0 | 260.0 | 263.7 |
| 40° | 248.2 | 246.2 | 244.5 | 242.5 | 243.7 | 245.0 | 245.8 | 247.0 | 251.9 | 256.8 | 261.7 |
| 42.5° | 245.8 | 243.3 | 240.5 | 238.0 | 239.2 | 240.9 | 242.1 | 243.3 | 248.6 | 253.5 | 258.8 |
| 45° | 245.4 | 241.7 | 237.6 | 233.9 | 235.6 | 237.2 | 238.8 | 240.5 | 244.5 | 248.6 | 252.3 |
| 47.5° | 240.9 | 237.2 | 233.5 | 229.9 | 230.7 | 231.5 | 231.9 | 232.7 | 236.4 | 239.7 | 243.3 |
| 50° | 237.2 | 234.4 | 231.9 | 229.1 | 227.8 | 227.0 | 225.8 | 224.6 | 227.4 | 230.3 | 233.1 |
| 52.5° | 232.7 | 229.9 | 226.6 | 223.8 | 222.1 | 220.5 | 218.9 | 217.2 | 219.7 | 221.7 | 224.2 |
| 55° | 229.9 | 226.2 | 222.9 | 219.3 | 217.2 | 215.2 | 213.2 | 211.1 | 212.8 | 214.0 | 215.6 |
| 57.5° | 223.8 | 220.5 | 216.8 | 213.6 | 211.1 | 208.7 | 205.8 | 203.4 | 204.2 | 205.0 | 205.8 |
| 60° | 215.6 | 211.9 | 208.7 | 205.0 | 202.2 | 199.3 | 196.0 | 193.2 | 193.6 | 194.4 | 194.8 |
| 62.5° | 203.8 | 200.5 | 196.9 | 193.6 | 190.3 | 187.5 | 184.2 | 181.0 | 181.8 | 182.2 | 183.0 |
| 65° | 190.7 | 187.1 | 183.8 | 180.1 | 177.3 | 174.4 | 171.2 | 168.3 | 169.1 | 170.0 | 170.4 |
| 67.5° | 174.9 | 172.0 | 169.6 | 166.7 | 164.3 | 161.4 | 159.0 | 156.1 | 156.5 | 156.9 | 157.3 |
| 70° | 157.7 | 155.3 | 153.2 | 150.8 | 148.8 | 146.7 | 144.7 | 142.7 | 142.7 | 143.1 | 143.1 |
| 72.5° | 139.4 | 137.4 | 135.3 | 133.3 | 131.2 | 129.6 | 127.6 | 125.5 | 126.3 | 127.2 | 127.6 |
| 75° | 120.6 | 119.0 | 117.0 | 114.9 | 113.3 | 111.7 | 109.6 | 108.0 | 108.8 | 109.6 | 110.0 |
| 77.5° | 101.1 | 99.9 | 98.2 | 97.0 | 95.4 | 93.7 | 91.7 | 90.1 | 90.9 | 91.7 | 92.1 |
| 80° | 80.7 | 79.9 | 78.7 | 77.8 | 76.2 | 74.6 | 73.0 | 71.3 | 71.7 | 71.7 | 72.1 |
| 82.5° | 58.3 | 58.7 | 58.7 | 59.1 | 57.9 | 56.2 | 55.0 | 53.4 | 53.4 | 53.4 | 53.0 |
| 85° | 32.6 | 34.2 | 35.5 | 36.7 | 35.5 | 34.2 | 33.0 | 31.8 | 31.4 | 31.4 | 31.0 |
| 87.5° | 1.2 | 2.0 | 3.3 | 4.1 | 3.7 | 3.3 | 2.4 | 2.0 | 2.4 | 2.9 | 2.9 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P367514
 CATALOG NUMBER: PMM-SA2C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 137.5° | 140° | 142.5° | 145° | 147.5° | 150° | 152.5° | 155° | 157.5° | 160° | 162.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P367514

CATALOG NUMBER: PMM-SA2C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 165° | 167.5° | 170° | 172.5° | 175° | 177.5° | 180° | 182.5° | 185° | 187.5° | 190° |
|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|
| 0° | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 |
| 2.5° | 851.4 | 858.4 | 865.3 | 872.2 | 879.1 | 889.7 | 900.3 | 911.3 | 922.3 | 916.2 | 909.7 |
| 5° | 891.4 | 895.4 | 899.9 | 904.0 | 908.1 | 919.9 | 931.3 | 945.6 | 959.4 | 957.8 | 955.8 |
| 7.5° | 723.4 | 729.2 | 734.9 | 740.2 | 745.9 | 763.8 | 781.7 | 796.8 | 811.9 | 809.9 | 807.4 |
| 10° | 564.9 | 576.7 | 588.9 | 600.8 | 612.6 | 627.3 | 641.5 | 654.2 | 666.8 | 688.0 | 708.8 |
| 12.5° | 507.4 | 525.8 | 544.1 | 562.5 | 580.8 | 591.4 | 601.6 | 617.9 | 634.2 | 645.6 | 657.4 |
| 15° | 460.6 | 477.7 | 494.8 | 511.9 | 529.0 | 529.8 | 530.7 | 547.8 | 564.9 | 574.7 | 584.1 |
| 17.5° | 417.8 | 427.1 | 436.5 | 445.5 | 454.9 | 451.6 | 448.3 | 456.5 | 464.2 | 468.3 | 472.8 |
| 20° | 368.9 | 375.4 | 381.9 | 388.4 | 394.9 | 399.4 | 403.5 | 408.4 | 412.9 | 408.8 | 404.3 |
| 22.5° | 340.3 | 350.1 | 360.3 | 370.1 | 379.9 | 382.7 | 385.2 | 382.3 | 379.5 | 378.2 | 377.0 |
| 25° | 317.1 | 328.9 | 341.1 | 353.0 | 364.8 | 370.5 | 376.2 | 378.6 | 380.7 | 376.2 | 371.7 |
| 27.5° | 299.2 | 313.4 | 327.3 | 341.5 | 355.4 | 365.6 | 375.8 | 378.6 | 381.1 | 377.8 | 374.2 |
| 30° | 286.1 | 301.6 | 317.1 | 332.6 | 348.1 | 363.6 | 378.6 | 392.1 | 405.1 | 403.9 | 402.7 |
| 32.5° | 284.1 | 294.7 | 305.3 | 315.9 | 326.5 | 336.3 | 345.6 | 346.4 | 346.8 | 343.6 | 339.9 |
| 35° | 275.5 | 282.5 | 289.4 | 296.3 | 303.2 | 309.4 | 315.1 | 314.2 | 313.4 | 310.2 | 306.9 |
| 37.5° | 267.8 | 274.7 | 282.0 | 289.0 | 295.9 | 306.5 | 316.7 | 314.6 | 312.2 | 308.9 | 305.7 |
| 40° | 266.6 | 274.3 | 282.0 | 289.4 | 297.1 | 306.9 | 316.7 | 314.6 | 312.6 | 308.5 | 304.5 |
| 42.5° | 263.7 | 271.4 | 278.8 | 286.5 | 293.9 | 305.7 | 317.1 | 313.4 | 309.4 | 306.1 | 302.8 |
| 45° | 256.4 | 263.3 | 270.2 | 277.2 | 284.1 | 296.7 | 309.4 | 304.9 | 300.4 | 299.2 | 297.5 |
| 47.5° | 246.6 | 253.5 | 260.4 | 267.4 | 274.3 | 286.9 | 299.2 | 295.5 | 291.4 | 291.0 | 290.2 |
| 50° | 236.0 | 242.5 | 249.4 | 256.0 | 262.5 | 275.1 | 287.3 | 284.1 | 280.8 | 281.2 | 281.2 |
| 52.5° | 226.2 | 232.3 | 238.0 | 244.1 | 249.8 | 262.5 | 274.7 | 272.3 | 269.4 | 270.2 | 270.6 |
| 55° | 216.8 | 221.7 | 226.6 | 231.5 | 236.4 | 248.6 | 260.8 | 257.2 | 253.5 | 254.7 | 256.0 |
| 57.5° | 206.6 | 210.7 | 214.8 | 218.5 | 222.5 | 234.8 | 246.6 | 242.5 | 238.0 | 240.1 | 241.7 |
| 60° | 195.2 | 198.9 | 202.6 | 205.8 | 209.5 | 220.5 | 231.1 | 227.4 | 223.4 | 226.2 | 228.7 |
| 62.5° | 183.4 | 186.3 | 189.1 | 192.0 | 194.8 | 205.0 | 215.2 | 212.3 | 209.5 | 212.8 | 215.6 |
| 65° | 171.2 | 173.2 | 175.7 | 177.7 | 179.7 | 189.5 | 198.9 | 196.9 | 194.8 | 197.7 | 200.5 |
| 67.5° | 157.7 | 159.4 | 161.4 | 163.0 | 164.7 | 173.6 | 182.6 | 180.6 | 178.1 | 180.6 | 182.6 |
| 70° | 143.1 | 144.7 | 145.9 | 147.5 | 148.8 | 156.9 | 165.1 | 162.2 | 159.0 | 161.4 | 163.4 |
| 72.5° | 128.4 | 129.2 | 130.4 | 131.2 | 132.1 | 138.2 | 144.3 | 141.8 | 139.4 | 141.8 | 143.9 |
| 75° | 110.9 | 111.7 | 112.5 | 113.3 | 114.1 | 119.4 | 124.3 | 121.5 | 118.2 | 120.6 | 123.1 |
| 77.5° | 92.9 | 93.3 | 94.2 | 94.6 | 95.0 | 98.6 | 101.9 | 99.0 | 95.8 | 98.6 | 101.5 |
| 80° | 72.1 | 72.5 | 73.0 | 73.0 | 73.4 | 74.6 | 75.8 | 73.8 | 71.3 | 75.0 | 78.7 |
| 82.5° | 53.0 | 52.6 | 52.6 | 52.2 | 51.8 | 51.8 | 51.4 | 50.1 | 48.5 | 51.8 | 55.0 |
| 85° | 30.6 | 30.2 | 29.3 | 28.9 | 28.1 | 26.9 | 25.7 | 25.3 | 24.9 | 27.7 | 30.6 |
| 87.5° | 3.3 | 2.9 | 2.0 | 1.6 | 0.8 | 0.4 | 0.0 | 0.0 | 0.0 | 1.6 | 3.7 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P367514
 CATALOG NUMBER: PMM-SA2C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 165° | 167.5° | 170° | 172.5° | 175° | 177.5° | 180° | 182.5° | 185° | 187.5° | 190° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P367514

CATALOG NUMBER: PMM-SA2C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 192.5° | 195° | 197.5° | 200° | 202.5° | 205° | 207.5° | 210° | 212.5° | 215° | 217.5° |
|--------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|
| 0° | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 |
| 2.5° | 903.6 | 897.1 | 891.0 | 884.8 | 878.7 | 872.6 | 884.0 | 895.4 | 906.9 | 918.3 | 928.5 |
| 5° | 954.1 | 952.1 | 946.8 | 941.9 | 936.6 | 931.3 | 934.2 | 937.4 | 940.3 | 943.1 | 949.2 |
| 7.5° | 805.4 | 802.9 | 814.3 | 825.3 | 836.8 | 847.8 | 850.6 | 853.1 | 855.9 | 858.4 | 856.7 |
| 10° | 730.0 | 750.8 | 756.1 | 760.9 | 766.2 | 771.1 | 779.3 | 787.4 | 795.2 | 803.3 | 807.8 |
| 12.5° | 668.8 | 680.2 | 699.0 | 718.2 | 736.9 | 755.6 | 767.9 | 780.1 | 792.3 | 804.6 | 829.8 |
| 15° | 593.8 | 603.2 | 617.5 | 631.7 | 646.0 | 660.3 | 677.8 | 695.7 | 713.3 | 730.8 | 758.5 |
| 17.5° | 476.9 | 480.9 | 491.5 | 502.1 | 512.3 | 522.9 | 546.6 | 569.8 | 593.4 | 616.7 | 648.5 |
| 20° | 400.2 | 395.8 | 395.8 | 396.2 | 396.2 | 396.2 | 419.8 | 443.0 | 466.7 | 489.9 | 531.9 |
| 22.5° | 375.4 | 374.2 | 369.7 | 364.8 | 360.3 | 355.4 | 367.6 | 380.3 | 392.5 | 404.7 | 439.0 |
| 25° | 366.8 | 362.3 | 356.6 | 350.9 | 345.2 | 339.5 | 347.3 | 355.0 | 362.7 | 370.5 | 397.4 |
| 27.5° | 370.9 | 367.2 | 370.1 | 372.5 | 375.4 | 377.8 | 380.3 | 382.7 | 385.2 | 387.6 | 397.0 |
| 30° | 401.5 | 400.2 | 404.7 | 408.8 | 413.3 | 417.4 | 411.7 | 406.4 | 400.6 | 394.9 | 398.2 |
| 32.5° | 336.7 | 333.0 | 331.4 | 329.7 | 328.1 | 326.5 | 326.1 | 325.7 | 324.8 | 324.4 | 331.8 |
| 35° | 303.6 | 300.4 | 297.9 | 295.5 | 292.6 | 290.2 | 291.4 | 292.2 | 293.5 | 294.3 | 302.4 |
| 37.5° | 302.4 | 299.2 | 296.3 | 293.5 | 290.2 | 287.3 | 288.6 | 290.2 | 291.4 | 292.6 | 298.8 |
| 40° | 300.4 | 296.3 | 294.7 | 293.0 | 291.4 | 289.8 | 290.6 | 291.4 | 291.8 | 292.6 | 297.1 |
| 42.5° | 299.2 | 295.9 | 295.1 | 294.3 | 293.5 | 292.6 | 293.5 | 294.3 | 294.7 | 295.5 | 300.8 |
| 45° | 296.3 | 294.7 | 295.5 | 296.3 | 297.1 | 297.9 | 297.9 | 297.9 | 297.9 | 297.9 | 303.6 |
| 47.5° | 289.8 | 289.0 | 291.4 | 293.9 | 296.3 | 298.8 | 302.8 | 306.9 | 310.6 | 314.6 | 315.9 |
| 50° | 281.6 | 281.6 | 285.7 | 289.8 | 293.5 | 297.5 | 307.3 | 316.7 | 326.5 | 335.8 | 329.7 |
| 52.5° | 271.4 | 271.9 | 278.0 | 283.7 | 289.8 | 295.5 | 304.5 | 313.4 | 322.0 | 331.0 | 322.0 |
| 55° | 256.8 | 258.0 | 265.7 | 273.1 | 280.8 | 288.2 | 295.1 | 302.0 | 308.9 | 315.9 | 306.5 |
| 57.5° | 243.7 | 245.4 | 253.5 | 261.3 | 269.4 | 277.2 | 281.2 | 285.7 | 289.8 | 293.9 | 287.7 |
| 60° | 231.5 | 233.9 | 244.5 | 255.1 | 265.3 | 275.9 | 272.7 | 269.4 | 265.7 | 262.5 | 262.1 |
| 62.5° | 218.9 | 221.7 | 231.5 | 241.3 | 250.7 | 260.4 | 255.6 | 250.7 | 245.4 | 240.5 | 242.5 |
| 65° | 203.0 | 205.8 | 210.3 | 214.8 | 218.9 | 223.4 | 222.9 | 222.9 | 222.5 | 222.1 | 226.2 |
| 67.5° | 185.0 | 187.1 | 189.9 | 192.4 | 195.2 | 197.7 | 199.3 | 201.3 | 203.0 | 204.6 | 209.5 |
| 70° | 165.9 | 167.9 | 170.8 | 173.2 | 176.1 | 178.5 | 180.6 | 182.6 | 184.2 | 186.3 | 191.2 |
| 72.5° | 146.3 | 148.4 | 151.2 | 154.1 | 156.5 | 159.4 | 161.0 | 162.6 | 163.8 | 165.5 | 169.6 |
| 75° | 125.5 | 128.0 | 130.8 | 133.3 | 136.1 | 138.6 | 139.8 | 141.0 | 142.2 | 143.5 | 147.1 |
| 77.5° | 104.3 | 107.2 | 110.0 | 112.9 | 115.8 | 118.6 | 119.0 | 119.4 | 119.8 | 120.2 | 123.5 |
| 80° | 81.9 | 85.6 | 88.4 | 91.3 | 94.2 | 97.0 | 97.0 | 97.0 | 97.0 | 97.0 | 98.6 |
| 82.5° | 58.3 | 61.5 | 64.8 | 67.7 | 70.9 | 73.8 | 73.8 | 73.4 | 73.4 | 73.0 | 73.0 |
| 85° | 33.4 | 36.3 | 38.3 | 40.8 | 42.8 | 44.8 | 44.8 | 44.8 | 44.4 | 44.4 | 43.6 |
| 87.5° | 5.3 | 6.9 | 7.7 | 9.0 | 9.8 | 10.6 | 10.2 | 10.2 | 9.8 | 9.4 | 8.2 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P367514
 CATALOG NUMBER: PMM-SA2C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 192.5° | 195° | 197.5° | 200° | 202.5° | 205° | 207.5° | 210° | 212.5° | 215° | 217.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P367514

CATALOG NUMBER: PMM-SA2C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 220° | 222.5° | 225° | 227.5° | 230° | 232.5° | 235° | 237.5° | 240° | 242.5° | 245° |
|--------|-------|--------|-------|--------|-------|--------|-------|--------|--------|--------|--------|
| 0° | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 |
| 2.5° | 938.6 | 948.8 | 959.0 | 957.4 | 955.8 | 954.1 | 952.5 | 958.6 | 964.3 | 970.4 | 976.1 |
| 5° | 955.0 | 961.1 | 966.8 | 971.3 | 975.7 | 980.2 | 984.7 | 1005.5 | 1025.9 | 1046.7 | 1067.0 |
| 7.5° | 855.1 | 853.1 | 851.4 | 870.6 | 890.1 | 909.3 | 928.5 | 955.0 | 981.4 | 1007.9 | 1034.4 |
| 10° | 812.3 | 816.8 | 821.3 | 829.0 | 837.2 | 844.9 | 852.7 | 878.7 | 904.8 | 930.9 | 957.0 |
| 12.5° | 854.7 | 880.0 | 904.8 | 910.9 | 917.5 | 923.6 | 929.7 | 935.0 | 940.3 | 945.2 | 950.5 |
| 15° | 786.2 | 813.9 | 841.6 | 857.5 | 873.4 | 888.9 | 904.8 | 944.8 | 984.3 | 1024.2 | 1063.8 |
| 17.5° | 679.8 | 711.6 | 743.0 | 782.1 | 821.3 | 860.4 | 899.5 | 936.2 | 972.9 | 1009.2 | 1045.8 |
| 20° | 573.9 | 615.4 | 657.4 | 700.2 | 742.6 | 785.4 | 827.8 | 863.7 | 899.5 | 935.0 | 970.8 |
| 22.5° | 472.8 | 507.0 | 540.9 | 593.0 | 644.8 | 697.0 | 748.7 | 815.6 | 882.0 | 948.8 | 1015.3 |
| 25° | 423.9 | 450.8 | 477.3 | 531.1 | 584.9 | 638.3 | 692.1 | 778.9 | 865.3 | 952.1 | 1038.5 |
| 27.5° | 406.8 | 416.1 | 425.5 | 474.4 | 522.9 | 571.8 | 620.3 | 714.1 | 807.8 | 901.2 | 994.9 |
| 30° | 401.5 | 404.7 | 408.0 | 446.3 | 484.6 | 522.9 | 561.2 | 653.8 | 746.7 | 839.2 | 931.7 |
| 32.5° | 338.7 | 346.0 | 353.0 | 390.5 | 427.5 | 465.0 | 502.1 | 595.5 | 688.4 | 781.7 | 874.7 |
| 35° | 310.6 | 318.7 | 326.9 | 363.6 | 400.2 | 436.5 | 473.2 | 571.4 | 670.1 | 768.3 | 866.5 |
| 37.5° | 304.9 | 311.0 | 317.1 | 358.7 | 400.2 | 441.8 | 483.4 | 582.8 | 682.3 | 781.7 | 881.2 |
| 40° | 302.0 | 306.5 | 311.0 | 351.3 | 392.1 | 432.4 | 472.8 | 577.1 | 681.1 | 785.4 | 889.3 |
| 42.5° | 305.7 | 311.0 | 315.9 | 352.6 | 388.8 | 425.5 | 461.8 | 569.8 | 677.4 | 785.4 | 893.0 |
| 45° | 308.9 | 314.6 | 319.9 | 354.2 | 388.4 | 422.7 | 456.9 | 572.2 | 687.2 | 802.5 | 917.5 |
| 47.5° | 316.7 | 317.9 | 318.7 | 348.5 | 377.8 | 407.6 | 436.9 | 554.3 | 671.7 | 788.7 | 906.0 |
| 50° | 323.2 | 317.1 | 310.6 | 341.5 | 372.1 | 403.1 | 433.7 | 544.9 | 656.2 | 767.1 | 878.3 |
| 52.5° | 313.0 | 303.6 | 294.7 | 328.1 | 361.5 | 394.5 | 428.0 | 539.2 | 650.9 | 762.2 | 873.4 |
| 55° | 297.5 | 288.2 | 278.8 | 312.6 | 346.4 | 380.3 | 414.1 | 525.0 | 636.2 | 747.1 | 857.9 |
| 57.5° | 282.0 | 275.9 | 269.8 | 297.5 | 325.7 | 353.4 | 381.1 | 501.3 | 621.1 | 741.4 | 861.2 |
| 60° | 261.7 | 260.8 | 260.4 | 282.0 | 304.1 | 325.7 | 347.3 | 465.0 | 582.4 | 700.2 | 817.6 |
| 62.5° | 244.1 | 246.2 | 247.8 | 265.3 | 282.9 | 300.0 | 317.5 | 431.2 | 545.3 | 659.1 | 772.8 |
| 65° | 230.7 | 234.8 | 238.8 | 258.8 | 278.8 | 298.3 | 318.3 | 413.7 | 509.1 | 604.4 | 699.8 |
| 67.5° | 214.4 | 219.3 | 224.2 | 250.3 | 276.3 | 302.4 | 328.5 | 407.2 | 485.8 | 564.5 | 643.2 |
| 70° | 195.6 | 200.5 | 205.0 | 238.4 | 271.4 | 304.9 | 337.9 | 407.6 | 477.7 | 547.4 | 617.1 |
| 72.5° | 173.6 | 177.7 | 181.8 | 217.6 | 253.5 | 289.4 | 325.2 | 384.3 | 443.4 | 502.1 | 561.2 |
| 75° | 151.2 | 154.9 | 158.5 | 189.5 | 220.5 | 251.5 | 282.5 | 328.1 | 373.3 | 419.0 | 464.2 |
| 77.5° | 126.3 | 129.6 | 132.5 | 153.2 | 174.0 | 194.8 | 215.6 | 250.7 | 285.3 | 320.4 | 355.0 |
| 80° | 100.3 | 101.9 | 103.5 | 115.8 | 127.6 | 139.8 | 151.6 | 174.9 | 198.1 | 220.9 | 244.1 |
| 82.5° | 73.4 | 73.4 | 73.4 | 81.1 | 89.3 | 97.0 | 104.7 | 116.6 | 128.0 | 139.8 | 151.2 |
| 85° | 42.8 | 41.6 | 40.8 | 46.1 | 51.4 | 56.7 | 62.0 | 66.8 | 71.7 | 76.6 | 81.5 |
| 87.5° | 6.9 | 5.3 | 4.1 | 7.3 | 10.6 | 13.9 | 17.1 | 18.7 | 20.8 | 22.4 | 24.0 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P367514
 CATALOG NUMBER: PMM-SA2C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 220° | 222.5° | 225° | 227.5° | 230° | 232.5° | 235° | 237.5° | 240° | 242.5° | 245° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P367514

CATALOG NUMBER: PMM-SA2C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 247.5° | 250° | 252.5° | 255° | 257.5° | 260° | 262.5° | 265° | 267.5° | 270° | 272.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 |
| 2.5° | 962.3 | 948.8 | 935.0 | 921.1 | 941.5 | 961.9 | 982.3 | 1002.6 | 1056.8 | 1089.0 | 1091.1 |
| 5° | 1084.2 | 1101.3 | 1118.4 | 1135.5 | 1152.6 | 1169.7 | 1186.5 | 1203.6 | 1291.6 | 1345.8 | 1356.0 |
| 7.5° | 1062.6 | 1091.1 | 1119.2 | 1147.3 | 1195.8 | 1244.3 | 1292.8 | 1341.3 | 1415.9 | 1469.7 | 1505.2 |
| 10° | 992.0 | 1027.1 | 1062.1 | 1097.2 | 1154.7 | 1212.5 | 1270.0 | 1327.5 | 1406.5 | 1477.5 | 1511.3 |
| 12.5° | 1006.3 | 1062.1 | 1117.6 | 1173.4 | 1223.1 | 1273.3 | 1323.0 | 1372.7 | 1427.3 | 1454.2 | 1515.8 |
| 15° | 1102.5 | 1141.2 | 1179.9 | 1218.7 | 1293.6 | 1368.2 | 1443.2 | 1517.8 | 1548.8 | 1610.3 | 1665.8 |
| 17.5° | 1117.2 | 1188.1 | 1259.4 | 1330.3 | 1422.0 | 1513.7 | 1605.4 | 1697.2 | 1754.6 | 1834.1 | 1900.9 |
| 20° | 1071.5 | 1171.8 | 1272.5 | 1372.7 | 1490.9 | 1609.5 | 1727.7 | 1845.9 | 1918.9 | 1985.7 | 2089.2 |
| 22.5° | 1126.1 | 1237.0 | 1347.4 | 1458.3 | 1615.2 | 1771.7 | 1928.7 | 2085.2 | 2237.6 | 2386.8 | 2456.9 |
| 25° | 1186.5 | 1334.8 | 1482.8 | 1630.7 | 1826.8 | 2022.4 | 2218.4 | 2414.1 | 2610.1 | 2749.9 | 2830.6 |
| 27.5° | 1144.1 | 1292.8 | 1442.0 | 1590.8 | 1833.3 | 2076.2 | 2318.7 | 2561.2 | 2771.1 | 2939.4 | 3008.7 |
| 30° | 1114.3 | 1296.9 | 1479.5 | 1662.1 | 1946.6 | 2231.1 | 2515.6 | 2800.1 | 2994.1 | 3182.0 | 3283.8 |
| 32.5° | 1109.0 | 1343.4 | 1577.3 | 1811.7 | 2143.0 | 2474.0 | 2805.4 | 3136.3 | 3265.1 | 3431.8 | 3569.2 |
| 35° | 1123.7 | 1381.3 | 1638.5 | 1895.6 | 2275.5 | 2655.4 | 3034.8 | 3414.7 | 3597.7 | 3762.8 | 3883.0 |
| 37.5° | 1168.5 | 1455.9 | 1742.8 | 2030.1 | 2487.8 | 2946.0 | 3403.7 | 3861.4 | 4168.3 | 4470.3 | 4524.1 |
| 40° | 1193.8 | 1498.7 | 1803.1 | 2107.6 | 2639.9 | 3172.2 | 3704.5 | 4236.8 | 4589.7 | 4921.1 | 4943.5 |
| 42.5° | 1223.5 | 1554.1 | 1884.2 | 2214.8 | 2804.9 | 3395.5 | 3985.7 | 4575.9 | 5012.8 | 5369.0 | 5379.6 |
| 45° | 1257.8 | 1597.7 | 1938.0 | 2277.9 | 2894.2 | 3510.1 | 4126.3 | 4742.2 | 5270.4 | 5703.2 | 5597.7 |
| 47.5° | 1271.2 | 1636.8 | 2002.0 | 2367.2 | 3024.2 | 3680.8 | 4337.8 | 4994.4 | 5468.5 | 5862.2 | 5761.1 |
| 50° | 1276.5 | 1675.1 | 2073.3 | 2471.5 | 3152.2 | 3833.3 | 4513.9 | 5194.6 | 5676.7 | 6060.7 | 5905.8 |
| 52.5° | 1309.5 | 1745.7 | 2181.8 | 2617.9 | 3327.1 | 4036.2 | 4745.4 | 5454.6 | 5929.0 | 6297.9 | 6105.5 |
| 55° | 1354.0 | 1850.0 | 2345.6 | 2841.6 | 3575.7 | 4309.3 | 5043.4 | 5777.0 | 6253.0 | 6596.2 | 6357.8 |
| 57.5° | 1395.1 | 1929.5 | 2463.4 | 2997.3 | 3757.9 | 4518.8 | 5279.3 | 6039.9 | 6522.0 | 6861.6 | 6630.5 |
| 60° | 1375.2 | 1932.7 | 2490.3 | 3047.9 | 3795.4 | 4542.4 | 5289.9 | 6037.0 | 6584.4 | 6991.6 | 6873.4 |
| 62.5° | 1314.8 | 1856.9 | 2398.6 | 2940.7 | 3650.3 | 4359.4 | 5069.0 | 5778.2 | 6418.9 | 6941.0 | 6935.7 |
| 65° | 1198.7 | 1697.6 | 2196.0 | 2694.9 | 3351.5 | 4008.5 | 4665.1 | 5321.7 | 6077.0 | 6711.2 | 6752.3 |
| 67.5° | 1057.3 | 1471.4 | 1885.5 | 2299.5 | 2917.8 | 3536.1 | 4154.4 | 4772.7 | 5580.1 | 6279.9 | 6315.4 |
| 70° | 920.3 | 1224.0 | 1527.2 | 1830.4 | 2373.3 | 2916.2 | 3458.7 | 4001.6 | 4817.2 | 5525.1 | 5557.7 |
| 72.5° | 759.7 | 958.2 | 1156.3 | 1354.8 | 1794.6 | 2234.3 | 2673.7 | 3113.5 | 3829.6 | 4374.1 | 4557.9 |
| 75° | 582.0 | 699.8 | 817.6 | 935.4 | 1291.2 | 1647.0 | 2002.4 | 2358.2 | 2834.3 | 3236.2 | 3443.2 |
| 77.5° | 416.1 | 477.3 | 538.4 | 599.5 | 902.0 | 1204.4 | 1506.4 | 1808.8 | 2059.1 | 2286.9 | 2426.7 |
| 80° | 273.1 | 301.6 | 330.5 | 359.1 | 610.6 | 862.0 | 1113.1 | 1364.6 | 1517.0 | 1639.3 | 1709.8 |
| 82.5° | 165.5 | 179.7 | 193.6 | 207.9 | 411.7 | 615.4 | 818.8 | 1022.6 | 1109.8 | 1168.1 | 1230.9 |
| 85° | 89.3 | 97.0 | 104.7 | 112.5 | 243.3 | 373.7 | 504.6 | 635.0 | 643.6 | 650.5 | 743.8 |
| 87.5° | 26.1 | 28.5 | 30.6 | 32.6 | 53.8 | 75.4 | 96.6 | 117.8 | 73.4 | 45.6 | 93.7 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P367514
 CATALOG NUMBER: PMM-SA2C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 247.5° | 250° | 252.5° | 255° | 257.5° | 260° | 262.5° | 265° | 267.5° | 270° | 272.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P367514

CATALOG NUMBER: PMM-SA2C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 275° | 277.5° | 280° | 282.5° | 285° | 287.5° | 290° | 292.5° | 295° | 297.5° | 300° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 |
| 2.5° | 1079.3 | 1074.0 | 1068.7 | 1063.0 | 1057.7 | 1035.2 | 1013.2 | 990.8 | 968.4 | 990.0 | 1011.2 |
| 5° | 1344.2 | 1360.5 | 1376.4 | 1392.7 | 1409.0 | 1410.2 | 1411.0 | 1412.3 | 1413.1 | 1417.1 | 1421.2 |
| 7.5° | 1534.9 | 1563.9 | 1592.4 | 1621.3 | 1650.3 | 1672.7 | 1695.1 | 1717.9 | 1740.4 | 1720.0 | 1699.6 |
| 10° | 1551.2 | 1612.4 | 1673.5 | 1734.6 | 1795.8 | 1806.8 | 1817.4 | 1828.4 | 1839.4 | 1854.1 | 1868.3 |
| 12.5° | 1567.5 | 1642.1 | 1716.3 | 1790.9 | 1865.5 | 1898.1 | 1930.3 | 1962.9 | 1995.1 | 2011.0 | 2026.5 |
| 15° | 1739.9 | 1784.0 | 1827.6 | 1871.6 | 1915.2 | 1937.6 | 1959.6 | 1982.0 | 2004.5 | 2017.9 | 2031.0 |
| 17.5° | 1961.7 | 1978.0 | 1993.9 | 2010.2 | 2026.5 | 2041.6 | 2056.6 | 2071.7 | 2086.8 | 2089.2 | 2091.7 |
| 20° | 2163.8 | 2167.1 | 2169.9 | 2173.2 | 2176.1 | 2144.3 | 2112.9 | 2081.1 | 2049.3 | 2055.0 | 2060.3 |
| 22.5° | 2467.1 | 2449.1 | 2431.6 | 2413.7 | 2396.1 | 2336.2 | 2276.7 | 2216.8 | 2157.3 | 2131.6 | 2106.4 |
| 25° | 2923.5 | 2877.9 | 2832.3 | 2786.6 | 2741.0 | 2645.6 | 2550.6 | 2455.2 | 2360.3 | 2304.4 | 2249.0 |
| 27.5° | 3070.7 | 2971.2 | 2872.2 | 2772.7 | 2673.3 | 2601.2 | 2529.4 | 2457.3 | 2385.5 | 2297.1 | 2208.7 |
| 30° | 3368.2 | 3211.3 | 3054.8 | 2897.9 | 2741.0 | 2671.3 | 2601.6 | 2531.5 | 2461.8 | 2371.3 | 2281.2 |
| 32.5° | 3631.9 | 3468.9 | 3305.9 | 3142.4 | 2979.4 | 2847.3 | 2715.3 | 2583.2 | 2451.2 | 2390.0 | 2328.9 |
| 35° | 3937.2 | 3732.2 | 3527.2 | 3322.2 | 3117.1 | 3003.8 | 2890.9 | 2777.6 | 2664.7 | 2572.2 | 2480.1 |
| 37.5° | 4381.9 | 4163.8 | 3945.8 | 3727.3 | 3509.2 | 3356.0 | 3203.1 | 3049.9 | 2897.1 | 2846.1 | 2795.6 |
| 40° | 4805.7 | 4548.2 | 4291.0 | 4033.4 | 3776.2 | 3658.8 | 3541.4 | 3423.6 | 3306.3 | 3220.3 | 3134.3 |
| 42.5° | 5160.7 | 4906.0 | 4651.7 | 4396.9 | 4142.6 | 4057.0 | 3971.8 | 3886.2 | 3801.1 | 3730.1 | 3659.2 |
| 45° | 5282.6 | 5074.7 | 4867.3 | 4659.4 | 4451.6 | 4421.4 | 4391.6 | 4361.5 | 4331.7 | 4279.1 | 4226.6 |
| 47.5° | 5478.6 | 5266.7 | 5055.2 | 4843.2 | 4631.3 | 4642.3 | 4653.3 | 4664.7 | 4675.7 | 4678.6 | 4681.0 |
| 50° | 5594.0 | 5392.7 | 5191.7 | 4990.4 | 4789.4 | 4842.8 | 4895.8 | 4949.2 | 5002.6 | 5123.6 | 5244.3 |
| 52.5° | 5762.3 | 5564.6 | 5367.4 | 5169.7 | 4972.0 | 5062.5 | 5152.6 | 5243.1 | 5333.1 | 5502.7 | 5672.2 |
| 55° | 5973.4 | 5784.3 | 5595.6 | 5406.5 | 5217.8 | 5305.8 | 5393.5 | 5481.5 | 5569.1 | 5757.8 | 5946.5 |
| 57.5° | 6253.5 | 6050.9 | 5848.7 | 5646.2 | 5444.0 | 5525.1 | 5605.8 | 5686.9 | 5767.6 | 5947.0 | 6126.3 |
| 60° | 6572.2 | 6352.1 | 6132.0 | 5911.5 | 5691.4 | 5713.8 | 5735.8 | 5758.2 | 5780.3 | 5974.7 | 6168.7 |
| 62.5° | 6728.7 | 6524.9 | 6321.5 | 6117.7 | 5913.9 | 5851.6 | 5789.2 | 5726.5 | 5664.1 | 5838.1 | 6011.8 |
| 65° | 6593.0 | 6452.8 | 6313.0 | 6172.8 | 6032.5 | 5922.5 | 5812.9 | 5702.8 | 5592.8 | 5701.6 | 5810.0 |
| 67.5° | 6160.9 | 6081.5 | 6002.4 | 5922.9 | 5843.4 | 5658.8 | 5474.2 | 5289.1 | 5104.5 | 5111.8 | 5118.8 |
| 70° | 5460.7 | 5439.5 | 5418.7 | 5397.5 | 5376.3 | 5098.8 | 4821.6 | 4544.1 | 4266.5 | 4224.1 | 4181.7 |
| 72.5° | 4573.4 | 4587.3 | 4600.7 | 4614.6 | 4628.4 | 4330.1 | 4031.8 | 3733.4 | 3435.1 | 3364.5 | 3294.0 |
| 75° | 3542.3 | 3618.9 | 3695.5 | 3772.5 | 3849.2 | 3563.9 | 3278.5 | 2992.8 | 2707.5 | 2620.7 | 2533.9 |
| 77.5° | 2502.9 | 2646.0 | 2788.6 | 2931.7 | 3074.8 | 2816.8 | 2559.2 | 2301.2 | 2043.2 | 1986.9 | 1930.7 |
| 80° | 1745.2 | 1815.3 | 1885.5 | 1955.6 | 2025.7 | 1896.0 | 1766.4 | 1636.8 | 1507.2 | 1522.7 | 1537.8 |
| 82.5° | 1271.2 | 1287.5 | 1303.4 | 1319.7 | 1336.0 | 1283.1 | 1230.1 | 1176.7 | 1123.7 | 1164.0 | 1204.4 |
| 85° | 814.3 | 872.6 | 930.5 | 988.8 | 1046.7 | 988.0 | 929.3 | 870.2 | 811.5 | 838.4 | 865.3 |
| 87.5° | 182.2 | 288.2 | 394.1 | 500.5 | 606.5 | 549.4 | 492.8 | 435.7 | 378.6 | 353.0 | 327.7 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P367514
 CATALOG NUMBER: PMM-SA2C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 275° | 277.5° | 280° | 282.5° | 285° | 287.5° | 290° | 292.5° | 295° | 297.5° | 300° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P367514

CATALOG NUMBER: PMM-SA2C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 302.5° | 305° | 307.5° | 310° | 312.5° | 315° | 317.5° | 320° | 322.5° | 325° | 327.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 |
| 2.5° | 1032.8 | 1054.4 | 1047.9 | 1041.8 | 1035.2 | 1028.7 | 1040.5 | 1052.4 | 1064.6 | 1076.4 | 1072.3 |
| 5° | 1425.7 | 1429.8 | 1391.1 | 1352.7 | 1314.0 | 1275.3 | 1299.4 | 1323.4 | 1347.4 | 1371.5 | 1362.9 |
| 7.5° | 1679.2 | 1658.8 | 1636.4 | 1614.0 | 1591.2 | 1568.8 | 1563.9 | 1559.0 | 1553.7 | 1548.8 | 1542.3 |
| 10° | 1883.0 | 1897.3 | 1882.6 | 1868.3 | 1853.7 | 1839.0 | 1804.8 | 1770.5 | 1735.9 | 1701.6 | 1687.4 |
| 12.5° | 2042.4 | 2058.3 | 2061.9 | 2065.2 | 2068.9 | 2072.5 | 2034.2 | 1996.3 | 1958.0 | 1919.7 | 1885.0 |
| 15° | 2044.4 | 2057.9 | 2069.7 | 2081.1 | 2092.9 | 2104.3 | 2080.7 | 2057.4 | 2033.8 | 2010.2 | 1999.2 |
| 17.5° | 2094.5 | 2097.0 | 2087.2 | 2077.8 | 2068.0 | 2058.7 | 2049.3 | 2040.3 | 2031.0 | 2022.0 | 2004.5 |
| 20° | 2066.0 | 2071.7 | 2070.5 | 2069.3 | 2067.6 | 2066.4 | 2067.2 | 2067.6 | 2068.5 | 2068.9 | 2059.1 |
| 22.5° | 2080.7 | 2055.0 | 2060.3 | 2065.2 | 2070.5 | 2075.4 | 2090.1 | 2104.7 | 2119.8 | 2134.5 | 2173.6 |
| 25° | 2193.2 | 2137.3 | 2128.8 | 2120.6 | 2112.1 | 2103.9 | 2142.2 | 2180.1 | 2218.4 | 2256.8 | 2320.3 |
| 27.5° | 2119.8 | 2031.4 | 2011.8 | 1992.2 | 1972.7 | 1953.1 | 2011.4 | 2069.3 | 2127.6 | 2185.8 | 2250.6 |
| 30° | 2190.7 | 2100.7 | 2057.4 | 2014.2 | 1970.6 | 1927.4 | 1983.3 | 2038.7 | 2094.5 | 2150.0 | 2221.7 |
| 32.5° | 2267.8 | 2206.6 | 2177.7 | 2149.2 | 2120.2 | 2091.7 | 2096.2 | 2100.7 | 2105.1 | 2109.6 | 2210.7 |
| 35° | 2387.6 | 2295.1 | 2266.5 | 2238.0 | 2209.5 | 2180.9 | 2228.6 | 2275.9 | 2323.6 | 2370.9 | 2456.5 |
| 37.5° | 2744.6 | 2693.7 | 2642.3 | 2591.0 | 2539.2 | 2487.8 | 2516.0 | 2544.1 | 2572.2 | 2600.3 | 2681.0 |
| 40° | 3048.3 | 2962.3 | 2953.7 | 2945.6 | 2937.0 | 2928.4 | 2930.9 | 2932.9 | 2935.4 | 2937.8 | 3006.7 |
| 42.5° | 3587.9 | 3517.0 | 3473.4 | 3429.8 | 3386.1 | 3342.5 | 3339.7 | 3336.8 | 3333.6 | 3330.7 | 3382.5 |
| 45° | 4173.6 | 4121.0 | 4088.4 | 4055.8 | 4022.8 | 3990.2 | 3938.4 | 3886.7 | 3834.5 | 3782.7 | 3828.0 |
| 47.5° | 4683.9 | 4686.7 | 4745.8 | 4804.5 | 4863.6 | 4922.7 | 4834.3 | 4745.8 | 4657.4 | 4568.9 | 4510.7 |
| 50° | 5365.3 | 5486.0 | 5500.3 | 5514.1 | 5528.4 | 5542.6 | 5392.7 | 5243.1 | 5093.1 | 4943.1 | 4882.0 |
| 52.5° | 5842.2 | 6011.8 | 5989.8 | 5968.1 | 5946.1 | 5924.1 | 5837.3 | 5750.9 | 5664.1 | 5577.3 | 5444.0 |
| 55° | 6135.7 | 6324.4 | 6307.7 | 6291.4 | 6274.6 | 6257.9 | 6194.8 | 6131.6 | 6068.4 | 6005.2 | 5858.9 |
| 57.5° | 6305.6 | 6485.0 | 6489.8 | 6494.7 | 6499.6 | 6504.5 | 6487.8 | 6471.1 | 6454.4 | 6437.7 | 6247.3 |
| 60° | 6363.1 | 6557.5 | 6559.5 | 6561.2 | 6563.2 | 6564.8 | 6538.3 | 6511.9 | 6485.0 | 6458.5 | 6334.2 |
| 62.5° | 6185.8 | 6359.4 | 6367.2 | 6374.5 | 6382.2 | 6390.0 | 6371.6 | 6353.3 | 6335.0 | 6316.6 | 6224.5 |
| 65° | 5918.8 | 6027.7 | 6029.7 | 6031.3 | 6033.4 | 6035.4 | 5988.9 | 5942.9 | 5896.4 | 5850.0 | 5827.9 |
| 67.5° | 5126.1 | 5133.4 | 5176.6 | 5219.8 | 5263.0 | 5306.2 | 5309.9 | 5313.6 | 5317.7 | 5321.3 | 5289.5 |
| 70° | 4139.4 | 4097.0 | 4143.8 | 4190.7 | 4237.6 | 4284.4 | 4304.4 | 4324.4 | 4344.8 | 4364.7 | 4379.4 |
| 72.5° | 3223.1 | 3152.6 | 3187.3 | 3221.9 | 3256.9 | 3291.6 | 3261.8 | 3232.1 | 3202.3 | 3172.6 | 3266.7 |
| 75° | 2447.1 | 2360.3 | 2355.8 | 2351.7 | 2347.2 | 2343.2 | 2328.1 | 2313.0 | 2297.5 | 2282.4 | 2370.5 |
| 77.5° | 1874.0 | 1817.8 | 1820.6 | 1823.1 | 1825.9 | 1828.4 | 1812.9 | 1797.8 | 1782.3 | 1766.8 | 1800.7 |
| 80° | 1553.3 | 1568.4 | 1568.8 | 1569.2 | 1569.6 | 1570.0 | 1555.3 | 1541.0 | 1526.4 | 1511.7 | 1487.2 |
| 82.5° | 1245.1 | 1285.5 | 1285.1 | 1285.1 | 1284.7 | 1284.3 | 1283.5 | 1282.6 | 1281.4 | 1280.6 | 1240.7 |
| 85° | 892.2 | 919.1 | 891.4 | 863.7 | 835.9 | 808.2 | 828.6 | 849.0 | 869.8 | 890.1 | 873.4 |
| 87.5° | 302.0 | 276.7 | 243.7 | 211.1 | 178.1 | 145.1 | 180.6 | 216.0 | 251.9 | 287.3 | 307.7 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P367514
 CATALOG NUMBER: PMM-SA2C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 302.5° | 305° | 307.5° | 310° | 312.5° | 315° | 317.5° | 320° | 322.5° | 325° | 327.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P367514

CATALOG NUMBER: PMM-SA2C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 330° | 332.5° | 335° | 337.5° | 340° | 342.5° | 345° | 347.5° | 350° | 352.5° | 355° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 | 885.7 |
| 2.5° | 1068.7 | 1064.6 | 1060.9 | 1035.2 | 1009.2 | 983.5 | 957.4 | 1004.7 | 1052.4 | 1099.6 | 1146.9 |
| 5° | 1354.8 | 1346.2 | 1338.1 | 1336.0 | 1334.0 | 1331.6 | 1329.5 | 1353.6 | 1377.6 | 1401.2 | 1425.3 |
| 7.5° | 1535.7 | 1529.2 | 1522.7 | 1505.6 | 1488.9 | 1471.8 | 1454.6 | 1469.3 | 1483.6 | 1498.3 | 1512.5 |
| 10° | 1673.5 | 1659.2 | 1645.0 | 1607.9 | 1571.2 | 1534.1 | 1497.0 | 1486.0 | 1475.0 | 1464.0 | 1453.0 |
| 12.5° | 1850.4 | 1815.3 | 1780.7 | 1738.7 | 1696.3 | 1654.4 | 1612.0 | 1606.3 | 1600.6 | 1595.3 | 1589.5 |
| 15° | 1988.6 | 1977.6 | 1966.6 | 1933.1 | 1899.7 | 1866.3 | 1832.9 | 1788.0 | 1742.8 | 1698.0 | 1653.1 |
| 17.5° | 1987.3 | 1969.8 | 1952.7 | 1997.5 | 2042.0 | 2086.8 | 2131.2 | 2083.5 | 2035.4 | 1987.8 | 1940.1 |
| 20° | 2049.3 | 2039.1 | 2029.3 | 2112.1 | 2194.4 | 2277.1 | 2359.5 | 2333.4 | 2306.9 | 2280.8 | 2254.3 |
| 22.5° | 2212.3 | 2251.5 | 2290.2 | 2361.1 | 2431.6 | 2502.5 | 2573.0 | 2602.8 | 2632.5 | 2662.3 | 2692.0 |
| 25° | 2383.5 | 2447.1 | 2510.7 | 2616.2 | 2721.4 | 2827.0 | 2932.5 | 2953.7 | 2974.9 | 2996.1 | 3017.3 |
| 27.5° | 2315.0 | 2379.8 | 2444.6 | 2524.5 | 2604.0 | 2683.9 | 2763.4 | 2856.3 | 2949.6 | 3042.6 | 3135.5 |
| 30° | 2293.0 | 2364.8 | 2436.1 | 2545.7 | 2655.0 | 2764.6 | 2874.2 | 3002.2 | 3130.2 | 3257.8 | 3385.7 |
| 32.5° | 2311.4 | 2412.4 | 2513.5 | 2661.9 | 2809.8 | 2958.2 | 3106.6 | 3241.1 | 3376.0 | 3510.5 | 3645.0 |
| 35° | 2541.6 | 2627.2 | 2712.4 | 2878.3 | 3044.2 | 3210.1 | 3376.0 | 3533.7 | 3691.4 | 3848.7 | 4006.5 |
| 37.5° | 2761.3 | 2842.0 | 2922.7 | 3092.3 | 3261.4 | 3431.0 | 3600.5 | 3849.6 | 4099.0 | 4348.0 | 4597.1 |
| 40° | 3075.2 | 3144.0 | 3212.5 | 3357.6 | 3502.7 | 3647.8 | 3792.9 | 4093.3 | 4393.7 | 4694.1 | 4994.4 |
| 42.5° | 3433.8 | 3485.6 | 3537.0 | 3687.3 | 3837.7 | 3988.1 | 4138.5 | 4465.4 | 4792.7 | 5119.6 | 5446.5 |
| 45° | 3872.8 | 3918.0 | 3963.3 | 4066.8 | 4170.3 | 4274.3 | 4377.8 | 4714.8 | 5051.9 | 5389.0 | 5726.0 |
| 47.5° | 4452.4 | 4394.1 | 4335.8 | 4386.8 | 4437.7 | 4488.6 | 4539.6 | 4873.0 | 5206.4 | 5539.4 | 5872.8 |
| 50° | 4820.8 | 4759.7 | 4698.5 | 4703.0 | 4707.1 | 4711.6 | 4716.1 | 5027.1 | 5338.0 | 5648.6 | 5959.6 |
| 52.5° | 5310.7 | 5177.0 | 5043.8 | 5042.5 | 5041.3 | 5039.7 | 5038.5 | 5309.5 | 5581.0 | 5852.0 | 6123.0 |
| 55° | 5712.6 | 5566.3 | 5420.0 | 5391.4 | 5362.9 | 5334.0 | 5305.4 | 5573.6 | 5841.4 | 6109.6 | 6377.4 |
| 57.5° | 6057.0 | 5866.3 | 5675.9 | 5631.1 | 5586.2 | 5541.4 | 5496.6 | 5785.6 | 6074.9 | 6363.9 | 6652.9 |
| 60° | 6210.2 | 6085.9 | 5962.0 | 5907.0 | 5852.0 | 5797.0 | 5741.9 | 5988.1 | 6234.3 | 6480.1 | 6726.2 |
| 62.5° | 6132.8 | 6040.7 | 5949.0 | 5961.6 | 5974.3 | 5986.9 | 5999.5 | 6140.1 | 6281.2 | 6421.8 | 6562.4 |
| 65° | 5806.3 | 5784.3 | 5762.7 | 5864.6 | 5966.5 | 6068.4 | 6170.3 | 6172.3 | 6174.4 | 6176.4 | 6178.5 |
| 67.5° | 5257.7 | 5226.0 | 5194.2 | 5406.1 | 5617.6 | 5829.6 | 6041.5 | 5940.8 | 5840.2 | 5739.9 | 5639.2 |
| 70° | 4393.7 | 4408.4 | 4422.6 | 4711.2 | 4999.3 | 5287.9 | 5576.5 | 5430.6 | 5284.2 | 5138.3 | 4992.0 |
| 72.5° | 3360.9 | 3455.4 | 3549.6 | 3848.7 | 4147.9 | 4447.1 | 4746.2 | 4579.5 | 4412.4 | 4245.7 | 4078.6 |
| 75° | 2458.5 | 2546.5 | 2634.6 | 2930.1 | 3225.6 | 3521.5 | 3817.0 | 3618.9 | 3420.8 | 3223.1 | 3025.0 |
| 77.5° | 1834.5 | 1868.7 | 1902.6 | 2148.3 | 2393.7 | 2639.5 | 2884.8 | 2685.9 | 2487.0 | 2288.5 | 2089.6 |
| 80° | 1463.2 | 1438.7 | 1414.7 | 1550.8 | 1687.0 | 1823.1 | 1959.2 | 1818.2 | 1676.8 | 1535.7 | 1394.7 |
| 82.5° | 1201.1 | 1161.2 | 1121.7 | 1172.2 | 1222.7 | 1273.7 | 1324.2 | 1211.3 | 1098.4 | 985.5 | 872.6 |
| 85° | 856.7 | 840.0 | 823.3 | 838.0 | 852.2 | 866.9 | 881.6 | 771.5 | 661.5 | 551.9 | 441.8 |
| 87.5° | 327.7 | 348.1 | 368.4 | 391.7 | 414.5 | 437.7 | 460.6 | 360.7 | 260.8 | 161.4 | 61.5 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P367514
 CATALOG NUMBER: PMM-SA2C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 330° | 332.5° | 335° | 337.5° | 340° | 342.5° | 345° | 347.5° | 350° | 352.5° | 355° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

REPORT NUMBER: P367514
CATALOG NUMBER: PMM-SA2C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 357.5° | 360° |
|--------|--------|--------|
| 0° | 885.7 | 885.7 |
| 2.5° | 1166.5 | 1186.0 |
| 5° | 1424.9 | 1424.5 |
| 7.5° | 1506.0 | 1499.1 |
| 10° | 1435.1 | 1417.1 |
| 12.5° | 1536.6 | 1483.2 |
| 15° | 1600.1 | 1546.8 |
| 17.5° | 1859.8 | 1779.1 |
| 20° | 2158.5 | 2062.3 |
| 22.5° | 2545.7 | 2399.4 |
| 25° | 2842.4 | 2667.2 |
| 27.5° | 3031.6 | 2927.2 |
| 30° | 3266.3 | 3146.9 |
| 32.5° | 3556.9 | 3468.5 |
| 35° | 3925.8 | 3844.7 |
| 37.5° | 4571.8 | 4546.1 |
| 40° | 4963.9 | 4932.9 |
| 42.5° | 5447.7 | 5448.5 |
| 45° | 5744.4 | 5762.7 |
| 47.5° | 5919.2 | 5965.3 |
| 50° | 6058.6 | 6157.3 |
| 52.5° | 6257.9 | 6392.8 |
| 55° | 6556.7 | 6735.6 |
| 57.5° | 6805.3 | 6957.7 |
| 60° | 6805.3 | 6884.0 |
| 62.5° | 6560.4 | 6557.9 |
| 65° | 6140.6 | 6102.2 |
| 67.5° | 5591.1 | 5543.0 |
| 70° | 4917.0 | 4841.6 |
| 72.5° | 3985.3 | 3891.5 |
| 75° | 2896.6 | 2767.9 |
| 77.5° | 2028.5 | 1967.0 |
| 80° | 1424.5 | 1454.2 |
| 82.5° | 915.0 | 957.4 |
| 85° | 435.3 | 428.8 |
| 87.5° | 51.4 | 41.2 |
| 90° | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 |



REPORT NUMBER: P367514
CATALOG NUMBER: PMM-SA2C-830-U-SLR

CANDELA DISTRIBUTION (continued):

| | 357.5° | 360° |
|--------|--------|------|
| 112.5° | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 |

(END OF REPORT)