

Scaled data based on original data using
LM-79-08 Approved Method: Electrical and Photometric Measurements of Solid-
State Lighting Products

Test Report Prepared for
Cooper Lighting Solutions
(formerly Eaton)

Brand: STREETWORKS

Report Number: P598270

Luminaire Tested: **PMM-SA1B-835-U-SLR**

Issue Date: 5/27/2021

Test Information

Test Method: LM-79-08
Report Number: P598270
TEST IS SCALED FROM IESNA LM-79-08 TEST DATA (G2-1910-543-24)
Test Lab: INNOVATIONS CENTER
Issue Date: 5/27/2021
Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)
Product Line: STREETWORKS
Catalog Number: PMM-SA1B-835-U-SLR
Description: MESA POST TOP DECORATIVE LUMINAIRE. (1) LIGHTSQUARES WITH 16 LEDS EACH AND SPILL LIGHT ELIMINATOR RIGHT OPTICS.
Light Source: -
Ballast/Driver: ELECTRONIC DRIVER

Summary

Lumens per Lamp: N/A
Luminaire Lumens: 3577 lumens
Efficiency: N/A
Efficacy: 81.3 lumens/watt
Luminous Opening: Rectangular (W 0.5' x L: 0.5' x H: 0')
IES Classification: Type IV - Short
BUG Rating: B1 - U0 - G2


Input Watts (W): 44
Input Voltage (V): NR
Input Current (Ain): NR
Voltage Rise (V): NR
Power Factor: NR
Total Harmonic Distortion (THDi): NR
Frequency (hertz): 60
Stabilization Time: NR
Operation Time: NR
Ambient Temperature (°C): NR
Test Distance: 28.75 FT



REPORT NUMBER: P598270
 CATALOG NUMBER: PMM-SA1B-835-U-SLR

Iso-Footcandle Lines of Horizontal Illumination


× Max cd
 - - - 1/2 Max cd



Based on 25 foot mounting height. Maximum calculated value = 1.5 fc
 Type IV - Short - N/A

REPORT NUMBER: P598270
CATALOG NUMBER: PMM-SA1B-835-U-SLR

Luminous Intensity Polar Plot



REPORT NUMBER: P598270

CATALOG NUMBER: PMM-SA1B-835-U-SLR


FLUX DISTRIBUTION:

| | | Downward | Upward | Total |
|--------------------|-----------|----------|--------|--------|
| House Side | Lumens | 692.8 | 0.0 | 692.8 |
| | % Fixture | 19.4 | 0.0 | 19.4 |
| Street Side | Lumens | 2884.2 | 0.0 | 2884.2 |
| | % Fixture | 80.6 | 0.0 | 80.6 |
| Total | Lumens | 3577.0 | 0.0 | 3577.0 |
| | % Fixture | 100.0 | 0.0 | 100.0 |

ZONAL LUMENS:

| Zone | Lumens | % Fixture |
|-----------|--------|-----------|
| 0°-10° | 43.2 | 1.2 |
| 10°-20° | 125.7 | 3.5 |
| 20°-30° | 221.9 | 6.2 |
| 30°-40° | 345.6 | 9.7 |
| 40°-50° | 568.9 | 15.9 |
| 50°-60° | 812.0 | 22.7 |
| 60°-70° | 861.0 | 24.1 |
| 70°-80° | 475.6 | 13.3 |
| 80°-90° | 123.1 | 3.4 |
| 90°-100° | 0.0 | 0.0 |
| 100°-110° | 0.0 | 0.0 |
| 110°-120° | 0.0 | 0.0 |
| 120°-130° | 0.0 | 0.0 |
| 130°-140° | 0.0 | 0.0 |
| 140°-150° | 0.0 | 0.0 |
| 150°-160° | 0.0 | 0.0 |
| 160°-170° | 0.0 | 0.0 |
| 170°-180° | 0.0 | 0.0 |
| 0°-90° | 3577.0 | 100.0 |
| 0°-180° | 3577.0 | 100.0 |

Coefficient of Utilization



REPORT NUMBER: P598270


CATALOG NUMBER: PMM-SA1B-835-U-SLR

LUMINAIRE CLASSIFICATION SYSTEM LUMEN TABLE AND BUG RATING:

| Zone | Lumens | % Fixture | Zone Rating/Lumen Limit | | |
|----------------|--------|-----------|-------------------------|------|---------|
| | | | B | U | G |
| FL (0°-30°) | 273.7 | 7.7 | | | |
| FM (30°-60°) | 1386.7 | 38.8 | | | |
| FH (60°-80°) | 1119.3 | 31.3 | | | G1/1800 |
| FVH (80°-90°) | 104.6 | 2.9 | | | G2/225 |
| BL (0°-30°) | 117.1 | 3.3 | B1/500 | | |
| BM (30°-60°) | 339.8 | 9.5 | B1/1000 | | |
| BH (60°-80°) | 217.4 | 6.1 | B1/500 | | G1/500 |
| BVH (80°-90°) | 18.5 | 0.5 | | | G1/100 |
| UL (90°-100°) | 0.0 | 0.0 | | U0/0 | |
| UH (100°-180°) | 0.0 | 0.0 | | U0/0 | |

BUG Rating: B1-U0-G2

Type IV Short





REPORT NUMBER: P598270

CATALOG NUMBER: PMM-SA1B-835-U-SLR

CANDELA DISTRIBUTION (FULL):

| | 0° | 2.5° | 5° | 7.5° | 10° | 12.5° | 15° | 17.5° | 20° | 22.5° | 25° |
|--------|--------|--------|--------|--------|--------|--------|-------|-------|-------|-------|-------|
| 0° | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 |
| 2.5° | 505.2 | 508.4 | 511.3 | 505.4 | 499.5 | 493.4 | 487.5 | 478.7 | 469.6 | 460.8 | 451.8 |
| 5° | 606.8 | 595.3 | 583.7 | 579.0 | 574.5 | 569.8 | 565.1 | 560.8 | 556.5 | 551.9 | 547.6 |
| 7.5° | 638.6 | 622.3 | 605.8 | 598.8 | 591.9 | 584.8 | 577.8 | 562.2 | 546.6 | 530.8 | 515.1 |
| 10° | 603.7 | 586.7 | 569.5 | 562.7 | 555.8 | 549.0 | 542.0 | 522.9 | 504.0 | 484.9 | 465.8 |
| 12.5° | 631.8 | 614.4 | 596.9 | 575.4 | 553.9 | 532.2 | 510.6 | 500.0 | 489.4 | 478.7 | 468.1 |
| 15° | 658.9 | 635.5 | 611.8 | 590.3 | 568.8 | 547.1 | 525.6 | 504.4 | 483.2 | 462.0 | 440.8 |
| 17.5° | 757.9 | 718.8 | 679.7 | 640.8 | 601.8 | 562.9 | 523.8 | 499.3 | 474.7 | 450.2 | 425.5 |
| 20° | 878.5 | 824.2 | 769.7 | 710.6 | 651.4 | 592.4 | 533.2 | 502.3 | 471.6 | 440.7 | 409.7 |
| 22.5° | 1022.1 | 953.5 | 885.0 | 810.5 | 736.0 | 661.3 | 586.8 | 542.0 | 497.3 | 452.3 | 407.5 |
| 25° | 1136.2 | 1070.2 | 1004.2 | 909.8 | 815.3 | 720.9 | 626.4 | 575.6 | 524.7 | 473.6 | 422.8 |
| 27.5° | 1247.0 | 1141.9 | 1036.7 | 928.5 | 820.5 | 712.4 | 604.2 | 557.2 | 510.1 | 463.0 | 416.0 |
| 30° | 1340.5 | 1257.2 | 1173.9 | 1032.7 | 891.5 | 750.2 | 609.1 | 551.2 | 493.4 | 435.6 | 377.8 |
| 32.5° | 1477.5 | 1358.6 | 1239.5 | 1092.3 | 945.0 | 797.8 | 650.6 | 576.6 | 502.6 | 428.7 | 354.7 |
| 35° | 1637.8 | 1514.2 | 1390.5 | 1208.4 | 1026.5 | 844.3 | 662.2 | 583.9 | 505.4 | 427.1 | 348.6 |
| 37.5° | 1936.6 | 1718.7 | 1500.6 | 1301.8 | 1103.0 | 904.0 | 705.3 | 614.3 | 523.3 | 432.1 | 341.2 |
| 40° | 2101.3 | 1899.9 | 1698.5 | 1450.8 | 1203.0 | 955.1 | 707.3 | 614.3 | 521.0 | 428.0 | 334.7 |
| 42.5° | 2321.0 | 2066.3 | 1811.4 | 1543.5 | 1275.8 | 1007.9 | 740.0 | 636.8 | 533.7 | 430.4 | 327.3 |
| 45° | 2454.8 | 2171.0 | 1886.9 | 1600.6 | 1314.3 | 1028.0 | 741.7 | 637.0 | 532.3 | 427.6 | 322.9 |
| 47.5° | 2541.1 | 2268.5 | 1995.8 | 1687.6 | 1379.4 | 1071.1 | 762.9 | 651.8 | 540.5 | 429.4 | 318.1 |
| 50° | 2622.9 | 2352.9 | 2082.8 | 1762.8 | 1443.0 | 1123.0 | 803.0 | 681.6 | 560.3 | 438.7 | 317.4 |
| 52.5° | 2723.3 | 2474.6 | 2225.8 | 1882.6 | 1539.2 | 1195.9 | 852.5 | 720.4 | 588.2 | 456.1 | 324.0 |
| 55° | 2869.3 | 2624.3 | 2379.1 | 2010.7 | 1642.1 | 1273.7 | 905.1 | 758.4 | 611.8 | 465.1 | 318.4 |
| 57.5° | 2963.9 | 2715.4 | 2467.0 | 2091.3 | 1715.6 | 1339.7 | 963.9 | 801.4 | 638.9 | 476.2 | 313.7 |
| 60° | 2932.5 | 2676.2 | 2419.8 | 2061.6 | 1703.4 | 1345.2 | 987.0 | 811.5 | 636.2 | 460.6 | 285.1 |
| 62.5° | 2793.6 | 2521.2 | 2248.8 | 1927.9 | 1607.2 | 1286.4 | 965.5 | 787.0 | 608.7 | 430.2 | 251.8 |
| 65° | 2599.5 | 2317.9 | 2036.1 | 1746.6 | 1457.2 | 1167.8 | 878.4 | 716.4 | 554.2 | 392.2 | 230.0 |
| 67.5° | 2361.3 | 2067.7 | 1773.9 | 1517.6 | 1261.4 | 1004.9 | 748.7 | 613.2 | 478.0 | 342.6 | 207.1 |
| 70° | 2062.5 | 1773.9 | 1485.3 | 1263.6 | 1041.9 | 820.2 | 598.5 | 496.6 | 394.8 | 292.9 | 191.0 |
| 72.5° | 1657.7 | 1408.8 | 1159.8 | 985.3 | 810.8 | 636.3 | 461.8 | 391.0 | 320.3 | 249.5 | 178.7 |
| 75° | 1179.1 | 1032.7 | 886.3 | 750.6 | 614.8 | 478.8 | 343.1 | 297.2 | 251.4 | 205.6 | 159.7 |
| 77.5° | 837.9 | 751.6 | 665.3 | 558.9 | 452.5 | 346.0 | 239.6 | 212.7 | 185.9 | 159.0 | 132.1 |
| 80° | 619.5 | 547.4 | 475.4 | 395.2 | 315.0 | 234.7 | 154.5 | 141.3 | 128.3 | 115.1 | 101.9 |
| 82.5° | 407.8 | 375.4 | 342.7 | 279.2 | 215.6 | 152.1 | 88.5 | 83.7 | 78.8 | 74.0 | 69.1 |
| 85° | 182.7 | 192.9 | 203.0 | 164.1 | 125.0 | 86.1 | 47.1 | 44.8 | 42.5 | 40.3 | 38.0 |
| 87.5° | 17.5 | 25.9 | 34.2 | 29.3 | 24.3 | 19.4 | 14.4 | 14.2 | 14.2 | 14.1 | 13.9 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598270

CATALOG NUMBER: PMM-SA1B-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 0° | 2.5° | 5° | 7.5° | 10° | 12.5° | 15° | 17.5° | 20° | 22.5° | 25° |
|--------|-----|------|-----|------|-----|-------|-----|-------|-----|-------|-----|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598270

CATALOG NUMBER: PMM-SA1B-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 27.5° | 30° | 32.5° | 35° | 37.5° | 40° | 42.5° | 45° | 47.5° | 50° | 52.5° |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 0° | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 |
| 2.5° | 454.2 | 456.6 | 459.1 | 461.5 | 458.9 | 456.3 | 453.5 | 450.9 | 447.6 | 444.3 | 440.8 |
| 5° | 540.3 | 532.8 | 525.6 | 518.1 | 507.0 | 495.9 | 484.6 | 473.5 | 472.1 | 470.5 | 469.1 |
| 7.5° | 501.4 | 487.9 | 474.2 | 460.4 | 443.1 | 425.9 | 408.5 | 391.2 | 386.0 | 380.8 | 375.5 |
| 10° | 456.6 | 447.2 | 438.0 | 428.7 | 417.9 | 407.1 | 396.2 | 385.4 | 371.2 | 356.8 | 342.6 |
| 12.5° | 452.8 | 437.5 | 422.1 | 406.8 | 400.2 | 393.6 | 387.0 | 380.4 | 367.9 | 355.4 | 342.7 |
| 15° | 428.5 | 416.0 | 403.7 | 391.2 | 381.6 | 372.1 | 362.5 | 353.0 | 342.9 | 332.7 | 322.6 |
| 17.5° | 411.3 | 397.1 | 382.8 | 368.6 | 357.7 | 346.7 | 335.6 | 324.7 | 312.5 | 300.2 | 288.0 |
| 20° | 393.4 | 377.3 | 361.0 | 344.6 | 330.7 | 317.0 | 303.1 | 289.3 | 275.9 | 262.7 | 249.3 |
| 22.5° | 386.1 | 364.8 | 343.4 | 322.1 | 307.5 | 292.7 | 278.1 | 263.4 | 251.1 | 238.7 | 226.4 |
| 25° | 397.2 | 371.9 | 346.4 | 320.9 | 301.2 | 281.4 | 261.8 | 242.0 | 231.8 | 221.5 | 211.1 |
| 27.5° | 384.2 | 352.3 | 320.5 | 288.6 | 267.6 | 246.4 | 225.4 | 204.2 | 202.6 | 201.1 | 199.3 |
| 30° | 344.3 | 310.8 | 277.3 | 243.8 | 224.5 | 205.0 | 185.8 | 166.3 | 162.7 | 158.9 | 155.2 |
| 32.5° | 320.5 | 286.3 | 252.1 | 217.9 | 200.7 | 183.3 | 166.2 | 148.8 | 144.6 | 140.5 | 136.3 |
| 35° | 311.5 | 274.3 | 237.2 | 200.0 | 185.3 | 170.5 | 155.7 | 141.0 | 138.0 | 135.3 | 132.3 |
| 37.5° | 304.2 | 267.4 | 230.4 | 193.4 | 179.2 | 164.9 | 150.5 | 136.3 | 134.0 | 131.8 | 129.5 |
| 40° | 297.2 | 259.9 | 222.4 | 184.9 | 172.2 | 159.7 | 147.1 | 134.4 | 133.0 | 131.6 | 130.0 |
| 42.5° | 291.0 | 254.7 | 218.2 | 182.0 | 170.7 | 159.6 | 148.3 | 137.0 | 135.6 | 134.2 | 132.8 |
| 45° | 287.5 | 252.1 | 216.7 | 181.3 | 173.1 | 164.9 | 156.6 | 148.4 | 145.1 | 141.8 | 138.4 |
| 47.5° | 284.9 | 251.8 | 218.6 | 185.4 | 176.9 | 168.4 | 159.9 | 151.4 | 148.4 | 145.5 | 142.4 |
| 50° | 285.4 | 253.7 | 221.7 | 189.8 | 179.5 | 169.1 | 158.9 | 148.4 | 148.1 | 147.8 | 147.4 |
| 52.5° | 290.1 | 256.4 | 222.6 | 188.7 | 177.6 | 166.5 | 155.2 | 144.1 | 146.4 | 148.4 | 150.7 |
| 55° | 283.4 | 248.3 | 213.0 | 178.0 | 167.4 | 157.0 | 146.4 | 135.8 | 138.7 | 141.5 | 144.5 |
| 57.5° | 275.7 | 237.7 | 199.7 | 161.6 | 153.7 | 145.7 | 137.5 | 129.5 | 132.6 | 135.9 | 139.1 |
| 60° | 250.4 | 215.6 | 180.9 | 146.2 | 140.8 | 135.4 | 130.0 | 124.7 | 126.0 | 127.4 | 128.8 |
| 62.5° | 222.6 | 193.2 | 164.1 | 134.7 | 130.6 | 126.2 | 122.1 | 117.7 | 117.7 | 117.9 | 117.9 |
| 65° | 204.9 | 179.7 | 154.5 | 129.3 | 124.7 | 120.0 | 115.1 | 110.4 | 109.7 | 109.0 | 108.3 |
| 67.5° | 187.2 | 167.4 | 147.4 | 127.4 | 120.7 | 114.1 | 107.3 | 100.5 | 99.7 | 99.0 | 98.1 |
| 70° | 173.3 | 155.6 | 137.9 | 120.1 | 112.5 | 105.0 | 97.4 | 89.8 | 89.1 | 88.5 | 87.9 |
| 72.5° | 162.0 | 145.5 | 128.8 | 112.2 | 104.2 | 96.0 | 88.0 | 79.9 | 79.3 | 78.8 | 78.1 |
| 75° | 145.0 | 130.4 | 115.6 | 100.9 | 93.1 | 85.4 | 77.6 | 69.8 | 69.1 | 68.6 | 67.9 |
| 77.5° | 120.0 | 107.6 | 95.5 | 83.2 | 77.1 | 71.2 | 65.1 | 59.0 | 58.7 | 58.3 | 57.8 |
| 80° | 92.4 | 82.8 | 73.1 | 63.5 | 59.6 | 55.4 | 51.4 | 47.2 | 47.1 | 46.9 | 46.5 |
| 82.5° | 63.4 | 57.6 | 51.9 | 46.2 | 43.2 | 40.1 | 37.2 | 34.0 | 34.2 | 34.4 | 34.6 |
| 85° | 36.1 | 34.0 | 32.1 | 30.0 | 27.6 | 25.3 | 22.9 | 20.5 | 21.0 | 21.5 | 21.9 |
| 87.5° | 13.2 | 12.5 | 11.8 | 11.1 | 9.9 | 8.9 | 7.6 | 6.4 | 6.8 | 7.3 | 7.6 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598270

CATALOG NUMBER: PMM-SA1B-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 27.5° | 30° | 32.5° | 35° | 37.5° | 40° | 42.5° | 45° | 47.5° | 50° | 52.5° |
|--------|-------|-----|-------|-----|-------|-----|-------|-----|-------|-----|-------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598270

CATALOG NUMBER: PMM-SA1B-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 55° | 57.5° | 60° | 62.5° | 65° | 67.5° | 70° | 72.5° | 75° | 77.5° | 80° |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 0° | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 |
| 2.5° | 437.5 | 432.3 | 427.1 | 421.9 | 416.7 | 405.9 | 395.3 | 384.6 | 373.8 | 380.4 | 387.2 |
| 5° | 467.6 | 458.7 | 449.7 | 440.8 | 431.8 | 426.8 | 421.7 | 416.7 | 411.7 | 414.3 | 417.0 |
| 7.5° | 370.3 | 365.1 | 359.7 | 354.5 | 349.2 | 346.9 | 344.8 | 342.6 | 340.3 | 346.7 | 353.1 |
| 10° | 328.1 | 320.9 | 313.6 | 306.1 | 298.8 | 294.5 | 290.1 | 285.8 | 281.4 | 283.2 | 284.9 |
| 12.5° | 330.2 | 319.5 | 308.7 | 297.9 | 287.2 | 280.7 | 274.3 | 267.9 | 261.5 | 263.0 | 264.6 |
| 15° | 312.3 | 301.2 | 290.1 | 279.0 | 267.9 | 260.4 | 252.8 | 245.3 | 237.7 | 235.1 | 232.3 |
| 17.5° | 275.7 | 263.6 | 251.4 | 239.3 | 227.1 | 222.1 | 217.0 | 212.0 | 207.0 | 204.2 | 201.4 |
| 20° | 236.0 | 224.7 | 213.4 | 202.1 | 190.8 | 187.3 | 183.9 | 180.2 | 176.7 | 175.0 | 173.1 |
| 22.5° | 214.1 | 207.1 | 200.0 | 193.1 | 185.9 | 182.0 | 178.1 | 174.1 | 170.1 | 168.2 | 166.2 |
| 25° | 200.9 | 202.3 | 203.8 | 205.2 | 206.6 | 204.9 | 203.0 | 201.2 | 199.3 | 200.0 | 200.5 |
| 27.5° | 197.8 | 200.7 | 203.8 | 206.8 | 209.7 | 211.3 | 212.9 | 214.4 | 216.0 | 216.5 | 217.0 |
| 30° | 151.4 | 153.0 | 154.3 | 155.9 | 157.3 | 161.6 | 166.0 | 170.1 | 174.5 | 181.3 | 188.2 |
| 32.5° | 132.1 | 131.6 | 131.1 | 130.4 | 129.9 | 130.9 | 132.0 | 132.8 | 133.9 | 136.3 | 138.9 |
| 35° | 129.3 | 128.1 | 126.7 | 125.5 | 124.1 | 124.7 | 125.2 | 125.7 | 126.2 | 128.1 | 130.0 |
| 37.5° | 127.3 | 126.7 | 126.4 | 125.9 | 125.4 | 126.6 | 127.6 | 128.8 | 129.9 | 131.4 | 133.0 |
| 40° | 128.7 | 128.5 | 128.3 | 128.0 | 127.8 | 128.5 | 129.2 | 129.9 | 130.6 | 132.6 | 134.7 |
| 42.5° | 131.4 | 131.4 | 131.3 | 131.3 | 131.1 | 131.8 | 132.3 | 133.0 | 133.5 | 134.7 | 135.9 |
| 45° | 135.1 | 134.7 | 134.6 | 134.2 | 133.9 | 133.7 | 133.7 | 133.5 | 133.3 | 134.0 | 134.9 |
| 47.5° | 139.4 | 138.2 | 136.8 | 135.6 | 134.2 | 133.9 | 133.3 | 133.0 | 132.5 | 132.8 | 133.2 |
| 50° | 147.1 | 143.8 | 140.6 | 137.3 | 134.0 | 133.2 | 132.3 | 131.4 | 130.6 | 130.4 | 130.4 |
| 52.5° | 152.8 | 147.9 | 143.1 | 138.2 | 133.3 | 131.8 | 130.2 | 128.7 | 127.1 | 126.7 | 126.6 |
| 55° | 147.2 | 143.6 | 140.1 | 136.5 | 132.8 | 130.6 | 128.1 | 125.9 | 123.4 | 122.9 | 122.4 |
| 57.5° | 142.2 | 139.9 | 137.7 | 135.4 | 133.2 | 130.9 | 128.5 | 126.2 | 123.8 | 122.6 | 121.4 |
| 60° | 130.2 | 130.2 | 130.4 | 130.4 | 130.4 | 128.0 | 125.5 | 123.1 | 120.7 | 119.5 | 118.4 |
| 62.5° | 117.9 | 119.8 | 121.5 | 123.4 | 125.2 | 121.9 | 118.4 | 115.1 | 111.6 | 110.8 | 110.1 |
| 65° | 107.6 | 108.2 | 108.9 | 109.4 | 109.9 | 107.3 | 104.7 | 102.1 | 99.5 | 99.0 | 98.3 |
| 67.5° | 97.2 | 97.1 | 96.9 | 96.5 | 96.4 | 94.8 | 93.1 | 91.5 | 89.8 | 89.1 | 88.4 |
| 70° | 87.2 | 87.0 | 86.8 | 86.5 | 86.3 | 84.9 | 83.5 | 82.1 | 80.7 | 80.2 | 79.7 |
| 72.5° | 77.6 | 77.4 | 77.1 | 76.9 | 76.6 | 75.4 | 74.3 | 73.1 | 71.9 | 71.2 | 70.5 |
| 75° | 67.2 | 66.8 | 66.5 | 66.1 | 65.8 | 64.8 | 63.7 | 62.5 | 61.5 | 60.8 | 60.1 |
| 77.5° | 57.5 | 56.9 | 56.4 | 55.7 | 55.2 | 54.3 | 53.3 | 52.4 | 51.4 | 50.5 | 49.8 |
| 80° | 46.4 | 46.0 | 45.7 | 45.1 | 44.8 | 43.9 | 43.1 | 42.0 | 41.1 | 40.1 | 39.2 |
| 82.5° | 34.7 | 34.6 | 34.2 | 34.0 | 33.7 | 32.8 | 31.9 | 31.1 | 30.2 | 29.2 | 28.1 |
| 85° | 22.4 | 22.2 | 22.0 | 21.9 | 21.7 | 21.0 | 20.5 | 19.8 | 19.1 | 18.1 | 17.2 |
| 87.5° | 8.0 | 7.6 | 7.5 | 7.1 | 6.8 | 6.6 | 6.3 | 6.1 | 5.7 | 5.2 | 4.7 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598270

CATALOG NUMBER: PMM-SA1B-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 55° | 57.5° | 60° | 62.5° | 65° | 67.5° | 70° | 72.5° | 75° | 77.5° | 80° |
|--------|-----|-------|-----|-------|-----|-------|-----|-------|-----|-------|-----|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598270

CATALOG NUMBER: PMM-SA1B-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 82.5° | 85° | 87.5° | 90° | 92.5° | 95° | 97.5° | 100° | 102.5° | 105° | 107.5° |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|--------|
| 0° | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 |
| 2.5° | 393.8 | 400.4 | 400.5 | 400.5 | 403.7 | 406.6 | 400.5 | 394.5 | 388.2 | 382.1 | 376.1 |
| 5° | 419.6 | 422.2 | 421.6 | 420.7 | 416.9 | 413.0 | 409.1 | 405.1 | 401.1 | 397.1 | 397.2 |
| 7.5° | 359.6 | 366.0 | 371.2 | 376.2 | 371.4 | 366.5 | 363.9 | 361.3 | 358.7 | 356.1 | 355.8 |
| 10° | 286.5 | 288.2 | 290.3 | 292.2 | 289.3 | 286.1 | 291.3 | 296.5 | 301.6 | 306.8 | 301.1 |
| 12.5° | 266.2 | 267.7 | 264.1 | 260.3 | 259.0 | 257.8 | 256.6 | 255.2 | 254.0 | 252.6 | 251.9 |
| 15° | 229.7 | 226.9 | 224.1 | 221.2 | 220.5 | 219.6 | 218.8 | 217.7 | 216.9 | 215.8 | 212.7 |
| 17.5° | 198.6 | 195.8 | 191.2 | 186.3 | 184.4 | 182.3 | 181.8 | 181.3 | 180.6 | 180.0 | 177.1 |
| 20° | 171.4 | 169.5 | 168.2 | 166.9 | 164.9 | 163.0 | 161.1 | 159.2 | 157.1 | 155.2 | 152.4 |
| 22.5° | 164.2 | 162.2 | 160.6 | 158.9 | 158.5 | 158.2 | 154.7 | 151.1 | 147.6 | 143.9 | 142.4 |
| 25° | 201.2 | 201.7 | 192.2 | 182.5 | 181.6 | 180.7 | 174.5 | 168.1 | 161.8 | 155.4 | 150.0 |
| 27.5° | 217.4 | 217.9 | 217.5 | 217.2 | 214.4 | 211.5 | 200.9 | 190.1 | 179.5 | 168.8 | 161.1 |
| 30° | 195.0 | 201.7 | 204.4 | 207.0 | 205.0 | 203.0 | 191.9 | 180.9 | 169.8 | 158.7 | 153.7 |
| 32.5° | 141.3 | 143.8 | 148.1 | 152.3 | 154.5 | 156.6 | 153.1 | 149.7 | 146.2 | 142.7 | 141.8 |
| 35° | 131.8 | 133.7 | 134.6 | 135.4 | 134.0 | 132.6 | 130.0 | 127.4 | 124.7 | 122.1 | 121.5 |
| 37.5° | 134.4 | 135.9 | 137.7 | 139.4 | 135.6 | 131.6 | 128.7 | 125.9 | 122.9 | 120.0 | 117.5 |
| 40° | 136.8 | 138.9 | 139.9 | 141.0 | 137.2 | 133.3 | 129.7 | 126.2 | 122.6 | 118.9 | 116.5 |
| 42.5° | 137.2 | 138.4 | 140.3 | 142.2 | 136.8 | 131.3 | 128.0 | 124.5 | 121.2 | 117.7 | 115.3 |
| 45° | 135.6 | 136.3 | 138.0 | 139.8 | 133.5 | 127.1 | 124.1 | 121.0 | 118.1 | 114.9 | 112.9 |
| 47.5° | 133.3 | 133.7 | 135.1 | 136.3 | 129.7 | 122.9 | 120.1 | 117.4 | 114.4 | 111.6 | 109.6 |
| 50° | 130.2 | 130.0 | 131.1 | 132.0 | 125.2 | 118.4 | 115.6 | 113.0 | 110.2 | 107.5 | 105.7 |
| 52.5° | 126.2 | 125.9 | 126.9 | 127.8 | 120.7 | 113.5 | 111.1 | 108.9 | 106.4 | 104.0 | 102.6 |
| 55° | 121.7 | 121.2 | 122.1 | 122.9 | 116.0 | 108.9 | 106.8 | 104.5 | 102.4 | 100.2 | 99.0 |
| 57.5° | 120.0 | 118.8 | 119.3 | 119.8 | 112.0 | 104.2 | 102.1 | 100.0 | 97.9 | 95.8 | 95.0 |
| 60° | 117.2 | 116.0 | 116.5 | 116.8 | 108.5 | 100.0 | 98.1 | 96.0 | 94.1 | 92.0 | 91.2 |
| 62.5° | 109.2 | 108.3 | 109.0 | 109.7 | 102.3 | 94.6 | 92.9 | 91.3 | 89.6 | 87.9 | 86.6 |
| 65° | 97.7 | 97.1 | 98.4 | 99.8 | 93.4 | 87.0 | 85.9 | 84.9 | 83.7 | 82.6 | 81.4 |
| 67.5° | 87.7 | 87.0 | 88.4 | 89.8 | 85.1 | 80.4 | 79.3 | 78.3 | 77.3 | 76.2 | 75.5 |
| 70° | 79.2 | 78.7 | 79.9 | 81.1 | 77.1 | 73.1 | 72.1 | 71.2 | 70.1 | 69.1 | 68.6 |
| 72.5° | 69.6 | 68.9 | 70.5 | 71.9 | 68.6 | 65.1 | 64.2 | 63.2 | 62.3 | 61.3 | 60.9 |
| 75° | 59.4 | 58.7 | 60.1 | 61.3 | 59.0 | 56.6 | 55.7 | 54.9 | 54.0 | 53.1 | 53.0 |
| 77.5° | 49.0 | 48.1 | 49.5 | 50.7 | 49.3 | 47.7 | 47.1 | 46.2 | 45.5 | 44.6 | 44.6 |
| 80° | 38.2 | 37.2 | 38.2 | 39.1 | 38.5 | 38.0 | 37.5 | 36.8 | 36.3 | 35.6 | 35.8 |
| 82.5° | 27.1 | 26.0 | 26.6 | 27.1 | 27.4 | 27.8 | 27.8 | 27.8 | 27.8 | 27.8 | 27.8 |
| 85° | 16.1 | 15.1 | 15.3 | 15.5 | 16.0 | 16.5 | 16.7 | 16.8 | 17.0 | 17.2 | 17.4 |
| 87.5° | 4.2 | 3.6 | 3.3 | 2.8 | 3.3 | 3.6 | 4.0 | 4.2 | 4.5 | 4.7 | 4.7 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598270

CATALOG NUMBER: PMM-SA1B-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 82.5° | 85° | 87.5° | 90° | 92.5° | 95° | 97.5° | 100° | 102.5° | 105° | 107.5° |
|--------|-------|-----|-------|-----|-------|-----|-------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598270

CATALOG NUMBER: PMM-SA1B-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 110° | 112.5° | 115° | 117.5° | 120° | 122.5° | 125° | 127.5° | 130° | 132.5° | 135° |
|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|
| 0° | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 |
| 2.5° | 370.0 | 363.7 | 357.7 | 361.5 | 365.1 | 368.9 | 372.6 | 372.8 | 372.8 | 372.9 | 372.9 |
| 5° | 397.6 | 397.8 | 397.9 | 394.3 | 390.8 | 387.2 | 383.5 | 381.6 | 379.7 | 377.6 | 375.7 |
| 7.5° | 355.2 | 354.9 | 354.4 | 350.9 | 347.4 | 343.9 | 340.5 | 332.1 | 323.6 | 315.3 | 306.8 |
| 10° | 295.2 | 289.4 | 283.5 | 282.1 | 280.9 | 279.5 | 278.1 | 275.9 | 273.8 | 271.5 | 269.3 |
| 12.5° | 251.2 | 250.5 | 249.8 | 246.2 | 242.5 | 238.7 | 235.1 | 235.1 | 235.1 | 235.1 | 235.1 |
| 15° | 209.4 | 206.3 | 203.0 | 201.2 | 199.3 | 197.6 | 195.7 | 194.8 | 193.9 | 193.1 | 192.2 |
| 17.5° | 174.0 | 171.0 | 167.9 | 167.5 | 167.2 | 166.9 | 166.5 | 165.6 | 164.8 | 163.9 | 163.0 |
| 20° | 149.7 | 146.9 | 144.1 | 145.1 | 146.2 | 147.1 | 148.1 | 147.2 | 146.4 | 145.3 | 144.5 |
| 22.5° | 140.6 | 139.1 | 137.3 | 136.5 | 135.6 | 134.6 | 133.7 | 133.7 | 133.9 | 133.9 | 133.9 |
| 25° | 144.8 | 139.4 | 134.0 | 131.4 | 128.8 | 126.0 | 123.4 | 122.4 | 121.5 | 120.5 | 119.5 |
| 27.5° | 153.5 | 145.7 | 138.0 | 133.5 | 129.0 | 124.5 | 120.0 | 118.1 | 116.0 | 114.1 | 112.0 |
| 30° | 148.4 | 143.4 | 138.2 | 133.0 | 127.8 | 122.6 | 117.4 | 114.9 | 112.5 | 109.9 | 107.5 |
| 32.5° | 141.0 | 139.9 | 139.1 | 134.2 | 129.3 | 124.3 | 119.5 | 118.4 | 117.5 | 116.5 | 115.5 |
| 35° | 120.8 | 120.3 | 119.6 | 118.4 | 117.2 | 116.0 | 114.8 | 113.4 | 112.0 | 110.6 | 109.2 |
| 37.5° | 115.3 | 112.9 | 110.4 | 109.9 | 109.4 | 108.9 | 108.3 | 107.8 | 107.3 | 106.6 | 106.1 |
| 40° | 114.1 | 111.6 | 109.2 | 108.3 | 107.5 | 106.4 | 105.6 | 105.7 | 106.1 | 106.3 | 106.4 |
| 42.5° | 112.7 | 110.2 | 107.6 | 107.0 | 106.3 | 105.6 | 104.9 | 105.0 | 105.4 | 105.6 | 105.7 |
| 45° | 110.9 | 108.9 | 106.8 | 105.6 | 104.5 | 103.3 | 102.1 | 103.1 | 104.2 | 105.0 | 106.1 |
| 47.5° | 107.5 | 105.2 | 103.1 | 102.4 | 101.7 | 100.9 | 100.2 | 101.2 | 102.3 | 103.1 | 104.2 |
| 50° | 103.8 | 102.1 | 100.2 | 100.0 | 99.8 | 99.5 | 99.3 | 100.0 | 100.7 | 101.4 | 102.1 |
| 52.5° | 101.0 | 99.7 | 98.1 | 98.1 | 97.9 | 97.9 | 97.7 | 98.4 | 99.1 | 99.7 | 100.4 |
| 55° | 97.9 | 96.7 | 95.5 | 95.7 | 96.0 | 96.2 | 96.4 | 97.1 | 97.9 | 98.6 | 99.3 |
| 57.5° | 93.9 | 93.1 | 92.0 | 92.7 | 93.2 | 93.9 | 94.5 | 95.0 | 95.7 | 96.2 | 96.7 |
| 60° | 90.1 | 89.2 | 88.2 | 88.9 | 89.8 | 90.5 | 91.2 | 91.7 | 92.2 | 92.7 | 93.2 |
| 62.5° | 85.4 | 84.0 | 82.8 | 83.9 | 84.7 | 85.8 | 86.6 | 87.0 | 87.5 | 87.9 | 88.2 |
| 65° | 80.4 | 79.2 | 78.0 | 78.7 | 79.3 | 79.9 | 80.6 | 81.1 | 81.6 | 82.1 | 82.6 |
| 67.5° | 74.7 | 74.0 | 73.1 | 73.6 | 74.1 | 74.7 | 75.2 | 75.4 | 75.4 | 75.5 | 75.5 |
| 70° | 67.9 | 67.4 | 66.7 | 67.0 | 67.5 | 67.9 | 68.2 | 68.2 | 68.2 | 68.1 | 68.1 |
| 72.5° | 60.8 | 60.4 | 60.1 | 60.2 | 60.6 | 60.8 | 60.9 | 60.8 | 60.6 | 60.4 | 60.2 |
| 75° | 52.8 | 52.6 | 52.4 | 52.6 | 53.0 | 53.1 | 53.3 | 53.1 | 52.8 | 52.6 | 52.3 |
| 77.5° | 44.8 | 44.8 | 44.8 | 44.8 | 45.0 | 45.0 | 45.0 | 44.6 | 44.3 | 43.9 | 43.6 |
| 80° | 35.9 | 36.1 | 36.3 | 36.3 | 36.3 | 36.3 | 36.3 | 35.9 | 35.6 | 35.1 | 34.7 |
| 82.5° | 27.8 | 27.8 | 27.8 | 27.8 | 28.0 | 28.0 | 28.0 | 27.1 | 26.4 | 25.5 | 24.7 |
| 85° | 17.4 | 17.5 | 17.5 | 17.7 | 17.9 | 17.9 | 18.1 | 16.8 | 15.8 | 14.6 | 13.4 |
| 87.5° | 4.7 | 4.7 | 4.7 | 4.7 | 4.7 | 4.5 | 4.5 | 3.5 | 2.3 | 1.2 | 0.0 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598270

CATALOG NUMBER: PMM-SA1B-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 110° | 112.5° | 115° | 117.5° | 120° | 122.5° | 125° | 127.5° | 130° | 132.5° | 135° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598270
 CATALOG NUMBER: PMM-SA1B-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 137.5° | 140° | 142.5° | 145° | 147.5° | 150° | 152.5° | 155° | 157.5° | 160° | 162.5° |
|--------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|
| 0° | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 |
| 2.5° | 374.0 | 375.0 | 375.9 | 376.9 | 377.1 | 377.3 | 377.3 | 377.5 | 373.8 | 370.2 | 366.3 |
| 5° | 378.3 | 380.8 | 383.4 | 385.8 | 385.3 | 384.7 | 384.2 | 383.7 | 382.7 | 381.8 | 380.8 |
| 7.5° | 304.9 | 303.1 | 301.2 | 299.3 | 300.9 | 302.4 | 304.0 | 305.6 | 306.3 | 307.0 | 307.5 |
| 10° | 264.9 | 260.6 | 256.3 | 251.9 | 249.5 | 246.9 | 244.5 | 241.9 | 241.5 | 241.3 | 241.0 |
| 12.5° | 230.6 | 225.9 | 221.4 | 216.7 | 215.3 | 213.7 | 212.3 | 210.8 | 212.2 | 213.6 | 214.8 |
| 15° | 190.3 | 188.6 | 186.6 | 184.7 | 186.3 | 187.9 | 189.4 | 191.0 | 192.4 | 193.6 | 195.0 |
| 17.5° | 162.2 | 161.5 | 160.6 | 159.7 | 161.1 | 162.7 | 164.1 | 165.5 | 168.6 | 171.7 | 174.8 |
| 20° | 143.8 | 143.2 | 142.5 | 141.8 | 141.3 | 140.6 | 140.1 | 139.4 | 143.9 | 148.3 | 152.8 |
| 22.5° | 132.8 | 131.8 | 130.7 | 129.7 | 129.9 | 130.0 | 130.0 | 130.2 | 133.9 | 137.7 | 141.3 |
| 25° | 119.1 | 118.8 | 118.4 | 118.1 | 119.1 | 120.1 | 121.0 | 122.1 | 125.4 | 128.7 | 131.8 |
| 27.5° | 112.2 | 112.3 | 112.5 | 112.7 | 114.1 | 115.6 | 117.0 | 118.4 | 120.7 | 122.9 | 125.2 |
| 30° | 108.3 | 109.4 | 110.2 | 111.1 | 111.6 | 112.2 | 112.7 | 113.2 | 115.5 | 117.5 | 119.8 |
| 32.5° | 114.1 | 112.7 | 111.1 | 109.7 | 110.4 | 111.3 | 112.0 | 112.7 | 114.8 | 116.8 | 118.9 |
| 35° | 108.7 | 108.0 | 107.5 | 106.8 | 107.6 | 108.5 | 109.2 | 110.1 | 112.0 | 113.7 | 115.6 |
| 37.5° | 105.9 | 105.7 | 105.6 | 105.4 | 105.9 | 106.4 | 106.8 | 107.3 | 109.0 | 110.8 | 112.3 |
| 40° | 105.7 | 104.9 | 104.2 | 103.3 | 103.8 | 104.3 | 104.7 | 105.2 | 107.3 | 109.4 | 111.5 |
| 42.5° | 104.7 | 103.7 | 102.4 | 101.4 | 101.9 | 102.6 | 103.1 | 103.7 | 105.9 | 108.0 | 110.2 |
| 45° | 104.5 | 103.0 | 101.2 | 99.7 | 100.4 | 101.0 | 101.7 | 102.4 | 104.2 | 105.9 | 107.5 |
| 47.5° | 102.6 | 101.0 | 99.5 | 97.9 | 98.3 | 98.6 | 98.8 | 99.1 | 100.7 | 102.1 | 103.7 |
| 50° | 101.0 | 99.8 | 98.8 | 97.6 | 97.1 | 96.7 | 96.2 | 95.7 | 96.9 | 98.1 | 99.3 |
| 52.5° | 99.1 | 97.9 | 96.5 | 95.3 | 94.6 | 93.9 | 93.2 | 92.5 | 93.6 | 94.5 | 95.5 |
| 55° | 97.9 | 96.4 | 95.0 | 93.4 | 92.5 | 91.7 | 90.8 | 89.9 | 90.6 | 91.2 | 91.8 |
| 57.5° | 95.3 | 93.9 | 92.4 | 91.0 | 89.9 | 88.9 | 87.7 | 86.6 | 87.0 | 87.3 | 87.7 |
| 60° | 91.8 | 90.3 | 88.9 | 87.3 | 86.1 | 84.9 | 83.5 | 82.3 | 82.5 | 82.8 | 83.0 |
| 62.5° | 86.8 | 85.4 | 83.9 | 82.5 | 81.1 | 79.9 | 78.5 | 77.1 | 77.4 | 77.6 | 78.0 |
| 65° | 81.3 | 79.7 | 78.3 | 76.7 | 75.5 | 74.3 | 72.9 | 71.7 | 72.1 | 72.4 | 72.6 |
| 67.5° | 74.5 | 73.3 | 72.2 | 71.0 | 70.0 | 68.8 | 67.7 | 66.5 | 66.7 | 66.8 | 67.0 |
| 70° | 67.2 | 66.1 | 65.3 | 64.2 | 63.4 | 62.5 | 61.6 | 60.8 | 60.8 | 60.9 | 60.9 |
| 72.5° | 59.4 | 58.5 | 57.6 | 56.8 | 55.9 | 55.2 | 54.3 | 53.5 | 53.8 | 54.2 | 54.3 |
| 75° | 51.4 | 50.7 | 49.8 | 49.0 | 48.3 | 47.6 | 46.7 | 46.0 | 46.4 | 46.7 | 46.9 |
| 77.5° | 43.1 | 42.5 | 41.8 | 41.3 | 40.6 | 39.9 | 39.1 | 38.4 | 38.7 | 39.1 | 39.2 |
| 80° | 34.4 | 34.0 | 33.5 | 33.2 | 32.5 | 31.8 | 31.1 | 30.4 | 30.6 | 30.6 | 30.7 |
| 82.5° | 24.8 | 25.0 | 25.0 | 25.2 | 24.7 | 24.0 | 23.4 | 22.7 | 22.7 | 22.7 | 22.6 |
| 85° | 13.9 | 14.6 | 15.1 | 15.6 | 15.1 | 14.6 | 14.1 | 13.5 | 13.4 | 13.4 | 13.2 |
| 87.5° | 0.5 | 0.9 | 1.4 | 1.7 | 1.6 | 1.4 | 1.0 | 0.9 | 1.0 | 1.2 | 1.2 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598270

CATALOG NUMBER: PMM-SA1B-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 137.5° | 140° | 142.5° | 145° | 147.5° | 150° | 152.5° | 155° | 157.5° | 160° | 162.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598270

CATALOG NUMBER: PMM-SA1B-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 165° | 167.5° | 170° | 172.5° | 175° | 177.5° | 180° | 182.5° | 185° | 187.5° | 190° |
|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|
| 0° | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 |
| 2.5° | 362.7 | 365.6 | 368.6 | 371.6 | 374.5 | 379.0 | 383.5 | 388.2 | 392.9 | 390.3 | 387.5 |
| 5° | 379.7 | 381.4 | 383.4 | 385.1 | 386.8 | 391.9 | 396.7 | 402.8 | 408.7 | 408.0 | 407.1 |
| 7.5° | 308.2 | 310.6 | 313.0 | 315.3 | 317.7 | 325.4 | 333.0 | 339.4 | 345.9 | 345.0 | 343.9 |
| 10° | 240.6 | 245.7 | 250.9 | 255.9 | 261.0 | 267.2 | 273.3 | 278.7 | 284.0 | 293.1 | 301.9 |
| 12.5° | 216.2 | 224.0 | 231.8 | 239.6 | 247.4 | 251.9 | 256.3 | 263.2 | 270.2 | 275.0 | 280.1 |
| 15° | 196.2 | 203.5 | 210.8 | 218.1 | 225.4 | 225.7 | 226.1 | 233.3 | 240.6 | 244.8 | 248.8 |
| 17.5° | 178.0 | 182.0 | 185.9 | 189.8 | 193.8 | 192.4 | 191.0 | 194.5 | 197.8 | 199.5 | 201.4 |
| 20° | 157.1 | 159.9 | 162.7 | 165.5 | 168.2 | 170.1 | 171.9 | 174.0 | 175.9 | 174.1 | 172.2 |
| 22.5° | 145.0 | 149.1 | 153.5 | 157.6 | 161.8 | 163.0 | 164.1 | 162.9 | 161.6 | 161.1 | 160.6 |
| 25° | 135.1 | 140.1 | 145.3 | 150.4 | 155.4 | 157.8 | 160.3 | 161.3 | 162.2 | 160.3 | 158.3 |
| 27.5° | 127.4 | 133.5 | 139.4 | 145.5 | 151.4 | 155.7 | 160.1 | 161.3 | 162.3 | 160.9 | 159.4 |
| 30° | 121.9 | 128.5 | 135.1 | 141.7 | 148.3 | 154.9 | 161.3 | 167.0 | 172.6 | 172.1 | 171.5 |
| 32.5° | 121.0 | 125.5 | 130.0 | 134.6 | 139.1 | 143.2 | 147.2 | 147.6 | 147.8 | 146.4 | 144.8 |
| 35° | 117.4 | 120.3 | 123.3 | 126.2 | 129.2 | 131.8 | 134.2 | 133.9 | 133.5 | 132.1 | 130.7 |
| 37.5° | 114.1 | 117.0 | 120.1 | 123.1 | 126.0 | 130.6 | 134.9 | 134.0 | 133.0 | 131.6 | 130.2 |
| 40° | 113.5 | 116.8 | 120.1 | 123.3 | 126.6 | 130.7 | 134.9 | 134.0 | 133.2 | 131.4 | 129.7 |
| 42.5° | 112.3 | 115.6 | 118.8 | 122.1 | 125.2 | 130.2 | 135.1 | 133.5 | 131.8 | 130.4 | 129.0 |
| 45° | 109.2 | 112.2 | 115.1 | 118.1 | 121.0 | 126.4 | 131.8 | 129.9 | 128.0 | 127.4 | 126.7 |
| 47.5° | 105.0 | 108.0 | 110.9 | 113.9 | 116.8 | 122.2 | 127.4 | 125.9 | 124.1 | 124.0 | 123.6 |
| 50° | 100.5 | 103.3 | 106.3 | 109.0 | 111.8 | 117.2 | 122.4 | 121.0 | 119.6 | 119.8 | 119.8 |
| 52.5° | 96.4 | 99.0 | 101.4 | 104.0 | 106.4 | 111.8 | 117.0 | 116.0 | 114.8 | 115.1 | 115.3 |
| 55° | 92.4 | 94.5 | 96.5 | 98.6 | 100.7 | 105.9 | 111.1 | 109.6 | 108.0 | 108.5 | 109.0 |
| 57.5° | 88.0 | 89.8 | 91.5 | 93.1 | 94.8 | 100.0 | 105.0 | 103.3 | 101.4 | 102.3 | 103.0 |
| 60° | 83.2 | 84.7 | 86.3 | 87.7 | 89.2 | 93.9 | 98.4 | 96.9 | 95.1 | 96.4 | 97.4 |
| 62.5° | 78.1 | 79.3 | 80.6 | 81.8 | 83.0 | 87.3 | 91.7 | 90.5 | 89.2 | 90.6 | 91.8 |
| 65° | 72.9 | 73.8 | 74.8 | 75.7 | 76.6 | 80.7 | 84.7 | 83.9 | 83.0 | 84.2 | 85.4 |
| 67.5° | 67.2 | 67.9 | 68.8 | 69.4 | 70.1 | 74.0 | 77.8 | 76.9 | 75.9 | 76.9 | 77.8 |
| 70° | 60.9 | 61.6 | 62.2 | 62.9 | 63.4 | 66.8 | 70.3 | 69.1 | 67.7 | 68.8 | 69.6 |
| 72.5° | 54.7 | 55.0 | 55.6 | 55.9 | 56.3 | 58.9 | 61.5 | 60.4 | 59.4 | 60.4 | 61.3 |
| 75° | 47.2 | 47.6 | 47.9 | 48.3 | 48.6 | 50.9 | 53.0 | 51.7 | 50.4 | 51.4 | 52.4 |
| 77.5° | 39.6 | 39.8 | 40.1 | 40.3 | 40.5 | 42.0 | 43.4 | 42.2 | 40.8 | 42.0 | 43.2 |
| 80° | 30.7 | 30.9 | 31.1 | 31.1 | 31.3 | 31.8 | 32.3 | 31.4 | 30.4 | 31.9 | 33.5 |
| 82.5° | 22.6 | 22.4 | 22.4 | 22.2 | 22.0 | 22.0 | 21.9 | 21.4 | 20.7 | 22.0 | 23.4 |
| 85° | 13.0 | 12.8 | 12.5 | 12.3 | 12.0 | 11.5 | 10.9 | 10.8 | 10.6 | 11.8 | 13.0 |
| 87.5° | 1.4 | 1.2 | 0.9 | 0.7 | 0.3 | 0.2 | 0.0 | 0.0 | 0.0 | 0.7 | 1.6 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598270

CATALOG NUMBER: PMM-SA1B-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 165° | 167.5° | 170° | 172.5° | 175° | 177.5° | 180° | 182.5° | 185° | 187.5° | 190° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598270

CATALOG NUMBER: PMM-SA1B-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 192.5° | 195° | 197.5° | 200° | 202.5° | 205° | 207.5° | 210° | 212.5° | 215° | 217.5° |
|--------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|
| 0° | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 |
| 2.5° | 384.9 | 382.1 | 379.5 | 376.9 | 374.3 | 371.7 | 376.6 | 381.4 | 386.3 | 391.2 | 395.5 |
| 5° | 406.4 | 405.6 | 403.3 | 401.2 | 399.0 | 396.7 | 397.9 | 399.3 | 400.5 | 401.8 | 404.4 |
| 7.5° | 343.1 | 342.0 | 346.9 | 351.6 | 356.4 | 361.1 | 362.3 | 363.4 | 364.6 | 365.6 | 365.0 |
| 10° | 311.0 | 319.8 | 322.1 | 324.2 | 326.4 | 328.5 | 332.0 | 335.4 | 338.7 | 342.2 | 344.1 |
| 12.5° | 284.9 | 289.8 | 297.8 | 305.9 | 313.9 | 321.9 | 327.1 | 332.3 | 337.5 | 342.7 | 353.5 |
| 15° | 253.0 | 257.0 | 263.0 | 269.1 | 275.2 | 281.3 | 288.7 | 296.4 | 303.8 | 311.3 | 323.1 |
| 17.5° | 203.1 | 204.9 | 209.4 | 213.9 | 218.2 | 222.8 | 232.8 | 242.7 | 252.8 | 262.7 | 276.2 |
| 20° | 170.5 | 168.6 | 168.6 | 168.8 | 168.8 | 168.8 | 178.8 | 188.7 | 198.8 | 208.7 | 226.6 |
| 22.5° | 159.9 | 159.4 | 157.5 | 155.4 | 153.5 | 151.4 | 156.6 | 162.0 | 167.2 | 172.4 | 187.0 |
| 25° | 156.3 | 154.3 | 151.9 | 149.5 | 147.1 | 144.6 | 147.9 | 151.2 | 154.5 | 157.8 | 169.3 |
| 27.5° | 158.0 | 156.4 | 157.6 | 158.7 | 159.9 | 160.9 | 162.0 | 163.0 | 164.1 | 165.1 | 169.1 |
| 30° | 171.0 | 170.5 | 172.4 | 174.1 | 176.1 | 177.8 | 175.4 | 173.1 | 170.7 | 168.2 | 169.6 |
| 32.5° | 143.4 | 141.8 | 141.2 | 140.5 | 139.8 | 139.1 | 138.9 | 138.7 | 138.4 | 138.2 | 141.3 |
| 35° | 129.3 | 128.0 | 126.9 | 125.9 | 124.7 | 123.6 | 124.1 | 124.5 | 125.0 | 125.4 | 128.8 |
| 37.5° | 128.8 | 127.4 | 126.2 | 125.0 | 123.6 | 122.4 | 122.9 | 123.6 | 124.1 | 124.7 | 127.3 |
| 40° | 128.0 | 126.2 | 125.5 | 124.8 | 124.1 | 123.4 | 123.8 | 124.1 | 124.3 | 124.7 | 126.6 |
| 42.5° | 127.4 | 126.0 | 125.7 | 125.4 | 125.0 | 124.7 | 125.0 | 125.4 | 125.5 | 125.9 | 128.1 |
| 45° | 126.2 | 125.5 | 125.9 | 126.2 | 126.6 | 126.9 | 126.9 | 126.9 | 126.9 | 126.9 | 129.3 |
| 47.5° | 123.4 | 123.1 | 124.1 | 125.2 | 126.2 | 127.3 | 129.0 | 130.7 | 132.3 | 134.0 | 134.6 |
| 50° | 120.0 | 120.0 | 121.7 | 123.4 | 125.0 | 126.7 | 130.9 | 134.9 | 139.1 | 143.1 | 140.5 |
| 52.5° | 115.6 | 115.8 | 118.4 | 120.8 | 123.4 | 125.9 | 129.7 | 133.5 | 137.2 | 141.0 | 137.2 |
| 55° | 109.4 | 109.9 | 113.2 | 116.3 | 119.6 | 122.8 | 125.7 | 128.7 | 131.6 | 134.6 | 130.6 |
| 57.5° | 103.8 | 104.5 | 108.0 | 111.3 | 114.8 | 118.1 | 119.8 | 121.7 | 123.4 | 125.2 | 122.6 |
| 60° | 98.6 | 99.7 | 104.2 | 108.7 | 113.0 | 117.5 | 116.2 | 114.8 | 113.2 | 111.8 | 111.6 |
| 62.5° | 93.2 | 94.5 | 98.6 | 102.8 | 106.8 | 110.9 | 108.9 | 106.8 | 104.5 | 102.4 | 103.3 |
| 65° | 86.5 | 87.7 | 89.6 | 91.5 | 93.2 | 95.1 | 95.0 | 95.0 | 94.8 | 94.6 | 96.4 |
| 67.5° | 78.8 | 79.7 | 80.9 | 81.9 | 83.2 | 84.2 | 84.9 | 85.8 | 86.5 | 87.2 | 89.2 |
| 70° | 70.7 | 71.5 | 72.7 | 73.8 | 75.0 | 76.0 | 76.9 | 77.8 | 78.5 | 79.3 | 81.4 |
| 72.5° | 62.3 | 63.2 | 64.4 | 65.6 | 66.7 | 67.9 | 68.6 | 69.3 | 69.8 | 70.5 | 72.2 |
| 75° | 53.5 | 54.5 | 55.7 | 56.8 | 58.0 | 59.0 | 59.6 | 60.1 | 60.6 | 61.1 | 62.7 |
| 77.5° | 44.4 | 45.7 | 46.9 | 48.1 | 49.3 | 50.5 | 50.7 | 50.9 | 51.0 | 51.2 | 52.6 |
| 80° | 34.9 | 36.5 | 37.7 | 38.9 | 40.1 | 41.3 | 41.3 | 41.3 | 41.3 | 41.3 | 42.0 |
| 82.5° | 24.8 | 26.2 | 27.6 | 28.8 | 30.2 | 31.4 | 31.4 | 31.3 | 31.3 | 31.1 | 31.1 |
| 85° | 14.2 | 15.5 | 16.3 | 17.4 | 18.2 | 19.1 | 19.1 | 19.1 | 18.9 | 18.9 | 18.6 |
| 87.5° | 2.3 | 3.0 | 3.3 | 3.8 | 4.2 | 4.5 | 4.3 | 4.3 | 4.2 | 4.0 | 3.5 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598270

CATALOG NUMBER: PMM-SA1B-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 192.5° | 195° | 197.5° | 200° | 202.5° | 205° | 207.5° | 210° | 212.5° | 215° | 217.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598270

CATALOG NUMBER: PMM-SA1B-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 220° | 222.5° | 225° | 227.5° | 230° | 232.5° | 235° | 237.5° | 240° | 242.5° | 245° |
|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|
| 0° | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 |
| 2.5° | 399.9 | 404.2 | 408.5 | 407.8 | 407.1 | 406.4 | 405.8 | 408.4 | 410.8 | 413.4 | 415.8 |
| 5° | 406.8 | 409.4 | 411.8 | 413.7 | 415.7 | 417.6 | 419.5 | 428.3 | 437.0 | 445.9 | 454.5 |
| 7.5° | 364.3 | 363.4 | 362.7 | 370.9 | 379.2 | 387.4 | 395.5 | 406.8 | 418.1 | 429.4 | 440.7 |
| 10° | 346.0 | 347.9 | 349.8 | 353.1 | 356.6 | 359.9 | 363.2 | 374.3 | 385.4 | 396.6 | 407.7 |
| 12.5° | 364.1 | 374.8 | 385.4 | 388.0 | 390.8 | 393.4 | 396.0 | 398.3 | 400.5 | 402.6 | 404.9 |
| 15° | 334.9 | 346.7 | 358.5 | 365.3 | 372.1 | 378.7 | 385.4 | 402.5 | 419.3 | 436.3 | 453.2 |
| 17.5° | 289.6 | 303.1 | 316.5 | 333.2 | 349.8 | 366.5 | 383.2 | 398.8 | 414.4 | 429.9 | 445.5 |
| 20° | 244.5 | 262.2 | 280.1 | 298.3 | 316.3 | 334.6 | 352.6 | 367.9 | 383.2 | 398.3 | 413.6 |
| 22.5° | 201.4 | 216.0 | 230.4 | 252.6 | 274.7 | 296.9 | 318.9 | 347.4 | 375.7 | 404.2 | 432.5 |
| 25° | 180.6 | 192.0 | 203.3 | 226.2 | 249.1 | 271.9 | 294.8 | 331.8 | 368.6 | 405.6 | 442.4 |
| 27.5° | 173.3 | 177.3 | 181.3 | 202.1 | 222.8 | 243.6 | 264.3 | 304.2 | 344.1 | 383.9 | 423.8 |
| 30° | 171.0 | 172.4 | 173.8 | 190.1 | 206.4 | 222.8 | 239.1 | 278.5 | 318.1 | 357.5 | 396.9 |
| 32.5° | 144.3 | 147.4 | 150.4 | 166.3 | 182.1 | 198.1 | 213.9 | 253.7 | 293.2 | 333.0 | 372.6 |
| 35° | 132.3 | 135.8 | 139.2 | 154.9 | 170.5 | 185.9 | 201.6 | 243.4 | 285.4 | 327.3 | 369.1 |
| 37.5° | 129.9 | 132.5 | 135.1 | 152.8 | 170.5 | 188.2 | 205.9 | 248.3 | 290.6 | 333.0 | 375.4 |
| 40° | 128.7 | 130.6 | 132.5 | 149.7 | 167.0 | 184.2 | 201.4 | 245.8 | 290.1 | 334.6 | 378.8 |
| 42.5° | 130.2 | 132.5 | 134.6 | 150.2 | 165.6 | 181.3 | 196.7 | 242.7 | 288.6 | 334.6 | 380.4 |
| 45° | 131.6 | 134.0 | 136.3 | 150.9 | 165.5 | 180.0 | 194.6 | 243.8 | 292.7 | 341.9 | 390.8 |
| 47.5° | 134.9 | 135.4 | 135.8 | 148.4 | 160.9 | 173.6 | 186.1 | 236.1 | 286.1 | 336.0 | 386.0 |
| 50° | 137.7 | 135.1 | 132.3 | 145.5 | 158.5 | 171.7 | 184.7 | 232.1 | 279.5 | 326.8 | 374.2 |
| 52.5° | 133.3 | 129.3 | 125.5 | 139.8 | 154.0 | 168.1 | 182.3 | 229.7 | 277.3 | 324.7 | 372.1 |
| 55° | 126.7 | 122.8 | 118.8 | 133.2 | 147.6 | 162.0 | 176.4 | 223.6 | 271.0 | 318.2 | 365.5 |
| 57.5° | 120.1 | 117.5 | 114.9 | 126.7 | 138.7 | 150.5 | 162.3 | 213.6 | 264.6 | 315.8 | 366.9 |
| 60° | 111.5 | 111.1 | 110.9 | 120.1 | 129.5 | 138.7 | 147.9 | 198.1 | 248.1 | 298.3 | 348.3 |
| 62.5° | 104.0 | 104.9 | 105.6 | 113.0 | 120.5 | 127.8 | 135.3 | 183.7 | 232.3 | 280.7 | 329.2 |
| 65° | 98.3 | 100.0 | 101.7 | 110.2 | 118.8 | 127.1 | 135.6 | 176.2 | 216.9 | 257.5 | 298.1 |
| 67.5° | 91.3 | 93.4 | 95.5 | 106.6 | 117.7 | 128.8 | 139.9 | 173.4 | 207.0 | 240.5 | 274.0 |
| 70° | 83.3 | 85.4 | 87.3 | 101.6 | 115.6 | 129.9 | 143.9 | 173.6 | 203.5 | 233.2 | 262.9 |
| 72.5° | 74.0 | 75.7 | 77.4 | 92.7 | 108.0 | 123.3 | 138.6 | 163.7 | 188.9 | 213.9 | 239.1 |
| 75° | 64.4 | 66.0 | 67.5 | 80.7 | 93.9 | 107.1 | 120.3 | 139.8 | 159.0 | 178.5 | 197.8 |
| 77.5° | 53.8 | 55.2 | 56.4 | 65.3 | 74.1 | 83.0 | 91.8 | 106.8 | 121.5 | 136.5 | 151.2 |
| 80° | 42.7 | 43.4 | 44.1 | 49.3 | 54.3 | 59.6 | 64.6 | 74.5 | 84.4 | 94.1 | 104.0 |
| 82.5° | 31.3 | 31.3 | 31.3 | 34.6 | 38.0 | 41.3 | 44.6 | 49.7 | 54.5 | 59.6 | 64.4 |
| 85° | 18.2 | 17.7 | 17.4 | 19.6 | 21.9 | 24.1 | 26.4 | 28.5 | 30.6 | 32.6 | 34.7 |
| 87.5° | 3.0 | 2.3 | 1.7 | 3.1 | 4.5 | 5.9 | 7.3 | 8.0 | 8.9 | 9.5 | 10.2 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598270

CATALOG NUMBER: PMM-SA1B-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 220° | 222.5° | 225° | 227.5° | 230° | 232.5° | 235° | 237.5° | 240° | 242.5° | 245° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598270

CATALOG NUMBER: PMM-SA1B-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 247.5° | 250° | 252.5° | 255° | 257.5° | 260° | 262.5° | 265° | 267.5° | 270° | 272.5° |
|--------|--------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 |
| 2.5° | 409.9 | 404.2 | 398.3 | 392.4 | 401.1 | 409.7 | 418.4 | 427.1 | 450.2 | 463.9 | 464.8 |
| 5° | 461.8 | 469.1 | 476.4 | 483.7 | 491.0 | 498.3 | 505.4 | 512.7 | 550.2 | 573.3 | 577.6 |
| 7.5° | 452.6 | 464.8 | 476.8 | 488.7 | 509.4 | 530.1 | 550.7 | 571.4 | 603.2 | 626.1 | 641.2 |
| 10° | 422.6 | 437.5 | 452.5 | 467.4 | 491.9 | 516.5 | 541.0 | 565.5 | 599.2 | 629.4 | 643.8 |
| 12.5° | 428.7 | 452.5 | 476.1 | 499.9 | 521.0 | 542.4 | 563.6 | 584.8 | 608.0 | 619.5 | 645.7 |
| 15° | 469.6 | 486.1 | 502.6 | 519.1 | 551.1 | 582.8 | 614.8 | 646.6 | 659.8 | 686.0 | 709.6 |
| 17.5° | 475.9 | 506.1 | 536.5 | 566.7 | 605.8 | 644.8 | 683.9 | 723.0 | 747.4 | 781.3 | 809.8 |
| 20° | 456.5 | 499.2 | 542.0 | 584.8 | 635.1 | 685.6 | 736.0 | 786.3 | 817.4 | 845.9 | 890.0 |
| 22.5° | 479.7 | 526.9 | 574.0 | 621.2 | 688.1 | 754.7 | 821.6 | 888.2 | 953.2 | 1016.7 | 1046.6 |
| 25° | 505.4 | 568.6 | 631.6 | 694.7 | 778.2 | 861.5 | 945.0 | 1028.4 | 1111.9 | 1171.4 | 1205.8 |
| 27.5° | 487.4 | 550.7 | 614.3 | 677.6 | 781.0 | 884.4 | 987.7 | 1091.0 | 1180.5 | 1252.2 | 1281.7 |
| 30° | 474.7 | 552.5 | 630.2 | 708.0 | 829.2 | 950.4 | 1071.6 | 1192.8 | 1275.4 | 1355.5 | 1398.9 |
| 32.5° | 472.4 | 572.3 | 671.9 | 771.7 | 912.9 | 1053.9 | 1195.0 | 1336.0 | 1390.9 | 1461.9 | 1520.4 |
| 35° | 478.7 | 588.4 | 698.0 | 807.5 | 969.3 | 1131.1 | 1292.8 | 1454.6 | 1532.6 | 1602.9 | 1654.1 |
| 37.5° | 497.8 | 620.2 | 742.4 | 864.8 | 1059.8 | 1254.9 | 1449.9 | 1644.9 | 1775.6 | 1904.3 | 1927.2 |
| 40° | 508.5 | 638.4 | 768.1 | 897.8 | 1124.5 | 1351.3 | 1578.0 | 1804.8 | 1955.2 | 2096.3 | 2105.9 |
| 42.5° | 521.2 | 662.0 | 802.7 | 943.5 | 1194.9 | 1446.4 | 1697.8 | 1949.3 | 2135.4 | 2287.1 | 2291.6 |
| 45° | 535.8 | 680.6 | 825.6 | 970.4 | 1232.9 | 1495.2 | 1757.7 | 2020.1 | 2245.1 | 2429.5 | 2384.5 |
| 47.5° | 541.5 | 697.3 | 852.8 | 1008.4 | 1288.3 | 1568.0 | 1847.9 | 2127.6 | 2329.5 | 2497.2 | 2454.1 |
| 50° | 543.8 | 713.6 | 883.2 | 1052.8 | 1342.8 | 1632.9 | 1922.9 | 2212.8 | 2418.2 | 2581.8 | 2515.8 |
| 52.5° | 557.8 | 743.6 | 929.4 | 1115.2 | 1417.3 | 1719.4 | 2021.5 | 2323.6 | 2525.7 | 2682.8 | 2600.9 |
| 55° | 576.8 | 788.1 | 999.2 | 1210.5 | 1523.2 | 1835.7 | 2148.4 | 2460.9 | 2663.7 | 2809.9 | 2708.3 |
| 57.5° | 594.3 | 821.9 | 1049.4 | 1276.8 | 1600.8 | 1924.9 | 2248.9 | 2572.9 | 2778.3 | 2922.9 | 2824.5 |
| 60° | 585.8 | 823.3 | 1060.8 | 1298.3 | 1616.8 | 1935.0 | 2253.4 | 2571.7 | 2804.9 | 2978.3 | 2928.0 |
| 62.5° | 560.1 | 791.0 | 1021.8 | 1252.7 | 1555.0 | 1857.1 | 2159.3 | 2461.4 | 2734.4 | 2956.8 | 2954.5 |
| 65° | 510.6 | 723.1 | 935.5 | 1148.0 | 1427.7 | 1707.6 | 1987.3 | 2267.0 | 2588.7 | 2858.9 | 2876.4 |
| 67.5° | 450.4 | 626.8 | 803.2 | 979.6 | 1243.0 | 1506.3 | 1769.7 | 2033.1 | 2377.1 | 2675.2 | 2690.3 |
| 70° | 392.0 | 521.4 | 650.6 | 779.7 | 1011.0 | 1242.3 | 1473.4 | 1704.6 | 2052.0 | 2353.6 | 2367.5 |
| 72.5° | 323.6 | 408.2 | 492.6 | 577.1 | 764.5 | 951.8 | 1139.0 | 1326.3 | 1631.4 | 1863.3 | 1941.6 |
| 75° | 247.9 | 298.1 | 348.3 | 398.5 | 550.0 | 701.6 | 853.0 | 1004.6 | 1207.4 | 1378.6 | 1466.8 |
| 77.5° | 177.3 | 203.3 | 229.4 | 255.4 | 384.2 | 513.1 | 641.7 | 770.5 | 877.1 | 974.2 | 1033.7 |
| 80° | 116.3 | 128.5 | 140.8 | 153.0 | 260.1 | 367.2 | 474.2 | 581.3 | 646.2 | 698.3 | 728.3 |
| 82.5° | 70.5 | 76.6 | 82.5 | 88.5 | 175.4 | 262.2 | 348.8 | 435.6 | 472.8 | 497.6 | 524.3 |
| 85° | 38.0 | 41.3 | 44.6 | 47.9 | 103.7 | 159.2 | 214.9 | 270.5 | 274.1 | 277.1 | 316.9 |
| 87.5° | 11.1 | 12.2 | 13.0 | 13.9 | 22.9 | 32.1 | 41.1 | 50.2 | 31.3 | 19.4 | 39.9 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598270

CATALOG NUMBER: PMM-SA1B-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 247.5° | 250° | 252.5° | 255° | 257.5° | 260° | 262.5° | 265° | 267.5° | 270° | 272.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598270

CATALOG NUMBER: PMM-SA1B-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 275° | 277.5° | 280° | 282.5° | 285° | 287.5° | 290° | 292.5° | 295° | 297.5° | 300° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 |
| 2.5° | 459.8 | 457.5 | 455.2 | 452.8 | 450.5 | 441.0 | 431.6 | 422.1 | 412.5 | 421.7 | 430.8 |
| 5° | 572.6 | 579.5 | 586.3 | 593.3 | 600.2 | 600.7 | 601.1 | 601.6 | 601.9 | 603.7 | 605.4 |
| 7.5° | 653.9 | 666.2 | 678.3 | 690.7 | 703.0 | 712.5 | 722.1 | 731.8 | 741.4 | 732.7 | 724.0 |
| 10° | 660.8 | 686.8 | 712.9 | 738.9 | 765.0 | 769.7 | 774.2 | 778.9 | 783.6 | 789.8 | 795.9 |
| 12.5° | 667.7 | 699.5 | 731.1 | 762.9 | 794.7 | 808.6 | 822.3 | 836.2 | 849.9 | 856.7 | 863.2 |
| 15° | 741.2 | 759.9 | 778.5 | 797.3 | 815.8 | 825.4 | 834.8 | 844.3 | 853.9 | 859.6 | 865.2 |
| 17.5° | 835.6 | 842.6 | 849.4 | 856.3 | 863.2 | 869.7 | 876.1 | 882.5 | 888.9 | 890.0 | 891.0 |
| 20° | 921.8 | 923.1 | 924.4 | 925.8 | 927.0 | 913.4 | 900.1 | 886.5 | 873.0 | 875.4 | 877.7 |
| 22.5° | 1050.9 | 1043.3 | 1035.8 | 1028.2 | 1020.7 | 995.2 | 969.9 | 944.3 | 919.0 | 908.0 | 897.3 |
| 25° | 1245.4 | 1225.9 | 1206.5 | 1187.1 | 1167.6 | 1127.0 | 1086.5 | 1045.9 | 1005.4 | 981.7 | 958.0 |
| 27.5° | 1308.1 | 1265.7 | 1223.5 | 1181.1 | 1138.8 | 1108.1 | 1077.5 | 1046.8 | 1016.2 | 978.5 | 940.9 |
| 30° | 1434.8 | 1368.0 | 1301.3 | 1234.5 | 1167.6 | 1137.9 | 1108.2 | 1078.4 | 1048.7 | 1010.1 | 971.8 |
| 32.5° | 1547.1 | 1477.7 | 1408.2 | 1338.6 | 1269.2 | 1212.9 | 1156.7 | 1100.4 | 1044.2 | 1018.1 | 992.1 |
| 35° | 1677.2 | 1589.9 | 1502.5 | 1415.2 | 1327.9 | 1279.6 | 1231.5 | 1183.2 | 1135.1 | 1095.7 | 1056.5 |
| 37.5° | 1866.6 | 1773.7 | 1680.8 | 1587.8 | 1494.9 | 1429.6 | 1364.5 | 1299.2 | 1234.1 | 1212.4 | 1190.9 |
| 40° | 2047.2 | 1937.4 | 1827.9 | 1718.2 | 1608.6 | 1558.6 | 1508.6 | 1458.4 | 1408.4 | 1371.8 | 1335.2 |
| 42.5° | 2198.4 | 2089.9 | 1981.5 | 1873.0 | 1764.7 | 1728.2 | 1691.9 | 1655.5 | 1619.2 | 1589.0 | 1558.8 |
| 45° | 2250.3 | 2161.8 | 2073.4 | 1984.8 | 1896.3 | 1883.4 | 1870.8 | 1857.9 | 1845.3 | 1822.9 | 1800.5 |
| 47.5° | 2333.8 | 2243.5 | 2153.4 | 2063.1 | 1972.9 | 1977.6 | 1982.2 | 1987.1 | 1991.8 | 1993.0 | 1994.0 |
| 50° | 2383.0 | 2297.2 | 2211.6 | 2125.8 | 2040.2 | 2063.0 | 2085.5 | 2108.3 | 2131.0 | 2182.6 | 2234.0 |
| 52.5° | 2454.7 | 2370.5 | 2286.4 | 2202.2 | 2118.0 | 2156.6 | 2194.9 | 2233.5 | 2271.8 | 2344.1 | 2416.3 |
| 55° | 2544.6 | 2464.0 | 2383.7 | 2303.1 | 2222.7 | 2260.2 | 2297.5 | 2335.0 | 2372.4 | 2452.8 | 2533.1 |
| 57.5° | 2663.9 | 2577.6 | 2491.5 | 2405.2 | 2319.1 | 2353.6 | 2388.0 | 2422.5 | 2456.9 | 2533.3 | 2609.7 |
| 60° | 2799.7 | 2705.9 | 2612.1 | 2518.2 | 2424.5 | 2434.0 | 2443.4 | 2452.9 | 2462.3 | 2545.1 | 2627.8 |
| 62.5° | 2866.3 | 2779.5 | 2692.9 | 2606.1 | 2519.3 | 2492.7 | 2466.1 | 2439.4 | 2412.8 | 2487.0 | 2560.9 |
| 65° | 2808.5 | 2748.8 | 2689.2 | 2629.5 | 2569.8 | 2522.9 | 2476.2 | 2429.3 | 2382.4 | 2428.8 | 2475.0 |
| 67.5° | 2624.5 | 2590.6 | 2556.9 | 2523.1 | 2489.2 | 2410.6 | 2331.9 | 2253.1 | 2174.4 | 2177.6 | 2180.5 |
| 70° | 2326.2 | 2317.2 | 2308.3 | 2299.3 | 2290.2 | 2172.0 | 2053.9 | 1935.7 | 1817.5 | 1799.4 | 1781.4 |
| 72.5° | 1948.2 | 1954.1 | 1959.8 | 1965.7 | 1971.6 | 1844.6 | 1717.5 | 1590.4 | 1463.3 | 1433.2 | 1403.2 |
| 75° | 1508.9 | 1541.6 | 1574.2 | 1607.0 | 1639.7 | 1518.1 | 1396.6 | 1274.9 | 1153.4 | 1116.4 | 1079.4 |
| 77.5° | 1066.2 | 1127.2 | 1187.9 | 1248.9 | 1309.8 | 1199.9 | 1090.2 | 980.3 | 870.4 | 846.4 | 822.4 |
| 80° | 743.4 | 773.3 | 803.2 | 833.0 | 862.9 | 807.7 | 752.5 | 697.3 | 642.1 | 648.7 | 655.1 |
| 82.5° | 541.5 | 548.5 | 555.2 | 562.2 | 569.1 | 546.6 | 524.0 | 501.2 | 478.7 | 495.9 | 513.1 |
| 85° | 346.9 | 371.7 | 396.4 | 421.2 | 445.9 | 420.9 | 395.9 | 370.7 | 345.7 | 357.1 | 368.6 |
| 87.5° | 77.6 | 122.8 | 167.9 | 213.2 | 258.3 | 234.0 | 209.9 | 185.6 | 161.3 | 150.4 | 139.6 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598270

CATALOG NUMBER: PMM-SA1B-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 275° | 277.5° | 280° | 282.5° | 285° | 287.5° | 290° | 292.5° | 295° | 297.5° | 300° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598270

CATALOG NUMBER: PMM-SA1B-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 302.5° | 305° | 307.5° | 310° | 312.5° | 315° | 317.5° | 320° | 322.5° | 325° | 327.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 |
| 2.5° | 440.0 | 449.2 | 446.4 | 443.8 | 441.0 | 438.2 | 443.3 | 448.3 | 453.5 | 458.5 | 456.8 |
| 5° | 607.3 | 609.1 | 592.6 | 576.3 | 559.8 | 543.3 | 553.5 | 563.8 | 574.0 | 584.2 | 580.6 |
| 7.5° | 715.3 | 706.6 | 697.1 | 687.5 | 677.8 | 668.3 | 666.2 | 664.1 | 661.8 | 659.8 | 657.0 |
| 10° | 802.1 | 808.2 | 802.0 | 795.9 | 789.6 | 783.4 | 768.8 | 754.2 | 739.5 | 724.9 | 718.8 |
| 12.5° | 870.0 | 876.8 | 878.4 | 879.7 | 881.3 | 882.9 | 866.5 | 850.4 | 834.1 | 817.8 | 803.0 |
| 15° | 870.9 | 876.6 | 881.7 | 886.5 | 891.5 | 896.4 | 886.3 | 876.4 | 866.4 | 856.3 | 851.6 |
| 17.5° | 892.2 | 893.3 | 889.1 | 885.1 | 881.0 | 877.0 | 873.0 | 869.2 | 865.2 | 861.3 | 853.9 |
| 20° | 880.1 | 882.5 | 882.0 | 881.5 | 880.8 | 880.3 | 880.6 | 880.8 | 881.1 | 881.3 | 877.1 |
| 22.5° | 886.3 | 875.4 | 877.7 | 879.7 | 882.0 | 884.1 | 890.3 | 896.6 | 903.0 | 909.3 | 925.9 |
| 25° | 934.3 | 910.5 | 906.8 | 903.4 | 899.7 | 896.2 | 912.6 | 928.7 | 945.0 | 961.3 | 988.4 |
| 27.5° | 903.0 | 865.3 | 857.0 | 848.7 | 840.3 | 832.0 | 856.8 | 881.5 | 906.3 | 931.1 | 958.7 |
| 30° | 933.2 | 894.8 | 876.4 | 858.0 | 839.5 | 821.1 | 844.8 | 868.5 | 892.2 | 915.9 | 946.4 |
| 32.5° | 966.0 | 940.0 | 927.7 | 915.5 | 903.2 | 891.0 | 892.9 | 894.8 | 896.8 | 898.7 | 941.7 |
| 35° | 1017.1 | 977.7 | 965.5 | 953.4 | 941.2 | 929.1 | 949.4 | 969.5 | 989.8 | 1010.0 | 1046.4 |
| 37.5° | 1169.2 | 1147.5 | 1125.6 | 1103.7 | 1081.7 | 1059.8 | 1071.8 | 1083.7 | 1095.7 | 1107.7 | 1142.1 |
| 40° | 1298.5 | 1261.9 | 1258.2 | 1254.8 | 1251.1 | 1247.5 | 1248.5 | 1249.4 | 1250.4 | 1251.5 | 1280.8 |
| 42.5° | 1528.4 | 1498.2 | 1479.6 | 1461.0 | 1442.5 | 1423.9 | 1422.7 | 1421.4 | 1420.1 | 1418.8 | 1440.9 |
| 45° | 1777.9 | 1755.5 | 1741.6 | 1727.7 | 1713.6 | 1699.8 | 1677.7 | 1655.7 | 1633.4 | 1611.4 | 1630.7 |
| 47.5° | 1995.3 | 1996.5 | 2021.7 | 2046.7 | 2071.8 | 2097.0 | 2059.3 | 2021.7 | 1984.0 | 1946.3 | 1921.5 |
| 50° | 2285.6 | 2336.9 | 2343.0 | 2348.9 | 2355.0 | 2361.1 | 2297.2 | 2233.5 | 2169.6 | 2105.7 | 2079.6 |
| 52.5° | 2488.7 | 2560.9 | 2551.5 | 2542.3 | 2533.0 | 2523.6 | 2486.6 | 2449.8 | 2412.8 | 2375.8 | 2319.1 |
| 55° | 2613.7 | 2694.1 | 2687.0 | 2680.0 | 2672.9 | 2665.8 | 2638.9 | 2612.0 | 2585.1 | 2558.1 | 2495.8 |
| 57.5° | 2686.1 | 2762.5 | 2764.6 | 2766.7 | 2768.7 | 2770.8 | 2763.7 | 2756.6 | 2749.5 | 2742.4 | 2661.3 |
| 60° | 2710.6 | 2793.4 | 2794.3 | 2795.0 | 2795.8 | 2796.5 | 2785.2 | 2774.0 | 2762.5 | 2751.2 | 2698.3 |
| 62.5° | 2635.1 | 2709.0 | 2712.3 | 2715.4 | 2718.7 | 2722.0 | 2714.2 | 2706.4 | 2698.6 | 2690.8 | 2651.6 |
| 65° | 2521.3 | 2567.7 | 2568.6 | 2569.3 | 2570.1 | 2571.0 | 2551.2 | 2531.6 | 2511.8 | 2492.0 | 2482.6 |
| 67.5° | 2183.6 | 2186.8 | 2205.2 | 2223.6 | 2242.0 | 2260.4 | 2261.9 | 2263.5 | 2265.2 | 2266.8 | 2253.3 |
| 70° | 1763.3 | 1745.2 | 1765.2 | 1785.2 | 1805.1 | 1825.1 | 1833.6 | 1842.1 | 1850.8 | 1859.3 | 1865.6 |
| 72.5° | 1373.0 | 1343.0 | 1357.7 | 1372.5 | 1387.4 | 1402.2 | 1389.5 | 1376.8 | 1364.1 | 1351.5 | 1391.6 |
| 75° | 1042.4 | 1005.4 | 1003.5 | 1001.8 | 999.9 | 998.2 | 991.7 | 985.3 | 978.7 | 972.3 | 1009.8 |
| 77.5° | 798.3 | 774.4 | 775.6 | 776.6 | 777.8 | 778.9 | 772.3 | 765.8 | 759.2 | 752.7 | 767.1 |
| 80° | 661.7 | 668.1 | 668.3 | 668.4 | 668.6 | 668.8 | 662.5 | 656.5 | 650.2 | 644.0 | 633.5 |
| 82.5° | 530.4 | 547.6 | 547.4 | 547.4 | 547.3 | 547.1 | 546.7 | 546.4 | 545.9 | 545.5 | 528.5 |
| 85° | 380.1 | 391.5 | 379.7 | 367.9 | 356.1 | 344.3 | 353.0 | 361.7 | 370.5 | 379.2 | 372.1 |
| 87.5° | 128.7 | 117.9 | 103.8 | 89.9 | 75.9 | 61.8 | 76.9 | 92.0 | 107.3 | 122.4 | 131.1 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598270

CATALOG NUMBER: PMM-SA1B-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 302.5° | 305° | 307.5° | 310° | 312.5° | 315° | 317.5° | 320° | 322.5° | 325° | 327.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598270

CATALOG NUMBER: PMM-SA1B-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 330° | 332.5° | 335° | 337.5° | 340° | 342.5° | 345° | 347.5° | 350° | 352.5° | 355° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 | 377.3 |
| 2.5° | 455.2 | 453.5 | 451.9 | 441.0 | 429.9 | 418.9 | 407.8 | 428.0 | 448.3 | 468.4 | 488.6 |
| 5° | 577.1 | 573.5 | 570.0 | 569.1 | 568.3 | 567.2 | 566.4 | 576.6 | 586.8 | 596.9 | 607.2 |
| 7.5° | 654.2 | 651.4 | 648.7 | 641.4 | 634.2 | 626.9 | 619.7 | 625.9 | 632.0 | 638.2 | 644.3 |
| 10° | 712.9 | 706.8 | 700.7 | 684.9 | 669.3 | 653.5 | 637.7 | 633.0 | 628.3 | 623.6 | 619.0 |
| 12.5° | 788.2 | 773.3 | 758.6 | 740.7 | 722.6 | 704.7 | 686.7 | 684.2 | 681.8 | 679.6 | 677.1 |
| 15° | 847.1 | 842.4 | 837.7 | 823.5 | 809.3 | 795.0 | 780.8 | 761.7 | 742.4 | 723.3 | 704.2 |
| 17.5° | 846.6 | 839.1 | 831.8 | 850.9 | 869.8 | 888.9 | 907.9 | 887.6 | 867.1 | 846.8 | 826.4 |
| 20° | 873.0 | 868.6 | 864.5 | 899.7 | 934.8 | 970.0 | 1005.1 | 994.0 | 982.7 | 971.6 | 960.3 |
| 22.5° | 942.4 | 959.1 | 975.6 | 1005.8 | 1035.8 | 1066.0 | 1096.1 | 1108.7 | 1121.4 | 1134.1 | 1146.8 |
| 25° | 1015.3 | 1042.4 | 1069.5 | 1114.5 | 1159.3 | 1204.2 | 1249.2 | 1258.2 | 1267.3 | 1276.3 | 1285.3 |
| 27.5° | 986.2 | 1013.8 | 1041.4 | 1075.4 | 1109.3 | 1143.3 | 1177.2 | 1216.7 | 1256.5 | 1296.1 | 1335.7 |
| 30° | 976.8 | 1007.4 | 1037.7 | 1084.4 | 1131.0 | 1177.7 | 1224.4 | 1278.9 | 1333.4 | 1387.8 | 1442.3 |
| 32.5° | 984.6 | 1027.7 | 1070.7 | 1133.9 | 1196.9 | 1260.1 | 1323.3 | 1380.6 | 1438.1 | 1495.4 | 1552.7 |
| 35° | 1082.7 | 1119.2 | 1155.5 | 1226.1 | 1296.8 | 1367.4 | 1438.1 | 1505.3 | 1572.5 | 1639.5 | 1706.7 |
| 37.5° | 1176.3 | 1210.7 | 1245.0 | 1317.3 | 1389.3 | 1461.5 | 1533.8 | 1639.9 | 1746.1 | 1852.2 | 1958.3 |
| 40° | 1310.0 | 1339.3 | 1368.5 | 1430.3 | 1492.1 | 1553.9 | 1615.7 | 1743.7 | 1871.6 | 1999.6 | 2127.6 |
| 42.5° | 1462.8 | 1484.8 | 1506.7 | 1570.8 | 1634.8 | 1698.9 | 1763.0 | 1902.2 | 2041.6 | 2180.9 | 2320.1 |
| 45° | 1649.8 | 1669.0 | 1688.3 | 1732.4 | 1776.5 | 1820.8 | 1864.9 | 2008.5 | 2152.0 | 2295.6 | 2439.2 |
| 47.5° | 1896.6 | 1871.8 | 1847.0 | 1868.7 | 1890.4 | 1912.1 | 1933.8 | 2075.8 | 2217.8 | 2359.7 | 2501.7 |
| 50° | 2053.6 | 2027.6 | 2001.5 | 2003.4 | 2005.2 | 2007.1 | 2009.0 | 2141.5 | 2273.9 | 2406.2 | 2538.7 |
| 52.5° | 2262.3 | 2205.3 | 2148.6 | 2148.0 | 2147.5 | 2146.8 | 2146.3 | 2261.8 | 2377.4 | 2492.9 | 2608.3 |
| 55° | 2433.5 | 2371.2 | 2308.8 | 2296.7 | 2284.5 | 2272.2 | 2260.0 | 2374.3 | 2488.3 | 2602.6 | 2716.7 |
| 57.5° | 2580.2 | 2498.9 | 2417.9 | 2398.8 | 2379.7 | 2360.6 | 2341.5 | 2464.6 | 2587.8 | 2710.9 | 2834.0 |
| 60° | 2645.5 | 2592.5 | 2539.7 | 2516.3 | 2492.9 | 2469.4 | 2446.0 | 2550.9 | 2655.7 | 2760.4 | 2865.3 |
| 62.5° | 2612.5 | 2573.2 | 2534.2 | 2539.6 | 2544.9 | 2550.3 | 2555.7 | 2615.6 | 2675.7 | 2735.6 | 2795.5 |
| 65° | 2473.4 | 2464.0 | 2454.8 | 2498.2 | 2541.7 | 2585.1 | 2628.5 | 2629.3 | 2630.2 | 2631.1 | 2631.9 |
| 67.5° | 2239.7 | 2226.2 | 2212.6 | 2302.9 | 2393.0 | 2483.3 | 2573.6 | 2530.7 | 2487.8 | 2445.1 | 2402.2 |
| 70° | 1871.6 | 1877.9 | 1884.0 | 2006.9 | 2129.6 | 2252.6 | 2375.5 | 2313.3 | 2251.0 | 2188.9 | 2126.5 |
| 72.5° | 1431.7 | 1472.0 | 1512.1 | 1639.5 | 1766.9 | 1894.4 | 2021.8 | 1950.8 | 1879.6 | 1808.6 | 1737.4 |
| 75° | 1047.3 | 1084.8 | 1122.3 | 1248.2 | 1374.0 | 1500.1 | 1626.0 | 1541.6 | 1457.2 | 1373.0 | 1288.6 |
| 77.5° | 781.5 | 796.1 | 810.5 | 915.2 | 1019.7 | 1124.4 | 1228.9 | 1144.2 | 1059.4 | 974.9 | 890.2 |
| 80° | 623.3 | 612.9 | 602.6 | 660.6 | 718.6 | 776.6 | 834.6 | 774.5 | 714.3 | 654.2 | 594.1 |
| 82.5° | 511.7 | 494.6 | 477.8 | 499.3 | 520.9 | 542.6 | 564.1 | 516.0 | 467.9 | 419.8 | 371.7 |
| 85° | 365.0 | 357.8 | 350.7 | 357.0 | 363.0 | 369.3 | 375.5 | 328.7 | 281.8 | 235.1 | 188.2 |
| 87.5° | 139.6 | 148.3 | 157.0 | 166.9 | 176.6 | 186.5 | 196.2 | 153.7 | 111.1 | 68.8 | 26.2 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598270

CATALOG NUMBER: PMM-SA1B-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 330° | 332.5° | 335° | 337.5° | 340° | 342.5° | 345° | 347.5° | 350° | 352.5° | 355° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598270
 CATALOG NUMBER: PMM-SA1B-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 357.5° | 360° |
|--------|--------|--------|
| 0° | 377.3 | 377.3 |
| 2.5° | 496.9 | 505.2 |
| 5° | 607.0 | 606.8 |
| 7.5° | 641.5 | 638.6 |
| 10° | 611.3 | 603.7 |
| 12.5° | 654.6 | 631.8 |
| 15° | 681.6 | 658.9 |
| 17.5° | 792.2 | 757.9 |
| 20° | 919.5 | 878.5 |
| 22.5° | 1084.4 | 1022.1 |
| 25° | 1210.8 | 1136.2 |
| 27.5° | 1291.4 | 1247.0 |
| 30° | 1391.4 | 1340.5 |
| 32.5° | 1515.2 | 1477.5 |
| 35° | 1672.3 | 1637.8 |
| 37.5° | 1947.5 | 1936.6 |
| 40° | 2114.5 | 2101.3 |
| 42.5° | 2320.6 | 2321.0 |
| 45° | 2447.0 | 2454.8 |
| 47.5° | 2521.5 | 2541.1 |
| 50° | 2580.9 | 2622.9 |
| 52.5° | 2665.8 | 2723.3 |
| 55° | 2793.1 | 2869.3 |
| 57.5° | 2899.0 | 2963.9 |
| 60° | 2899.0 | 2932.5 |
| 62.5° | 2794.6 | 2793.6 |
| 65° | 2615.8 | 2599.5 |
| 67.5° | 2381.7 | 2361.3 |
| 70° | 2094.6 | 2062.5 |
| 72.5° | 1697.7 | 1657.7 |
| 75° | 1233.9 | 1179.1 |
| 77.5° | 864.1 | 837.9 |
| 80° | 606.8 | 619.5 |
| 82.5° | 389.8 | 407.8 |
| 85° | 185.4 | 182.7 |
| 87.5° | 21.9 | 17.5 |
| 90° | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 |



REPORT NUMBER: P598270
CATALOG NUMBER: PMM-SA1B-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 357.5° | 360° |
|--------|--------|------|
| 112.5° | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 |

(END OF REPORT)