

Scaled data based on original data using
LM-79-08 Approved Method: Electrical and Photometric Measurements of Solid-
State Lighting Products

Test Report Prepared for
Cooper Lighting Solutions
(formerly Eaton)

Brand: STREETWORKS

Report Number: P598490

Luminaire Tested: **PMM-SA3D-835-U-SLR**

Issue Date: 5/27/2021

Test Information

Test Method: LM-79-08
Report Number: P598490
TEST IS SCALED FROM IESNA LM-79-08 TEST DATA (G2-1910-543-24)
Test Lab: INNOVATIONS CENTER
Issue Date: 5/27/2021
Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)
Product Line: STREETWORKS
Catalog Number: PMM-SA3D-835-U-SLR
Description: MESA POST TOP DECORATIVE LUMINAIRE. (3) LIGHTSQUARES WITH 16 LEDS EACH AND SPILL LIGHT ELIMINATOR RIGHT OPTICS.
Light Source: -
Ballast/Driver: ELECTRONIC DRIVER

Summary

Lumens per Lamp: N/A
Luminaire Lumens: 14057 lumens
Efficiency: N/A
Efficacy: 73.2 lumens/watt
Luminous Opening: Rectangular (W 1' x L: 1' x H: 0')
IES Classification: Type IV - Short
BUG Rating: B2 - U0 - G3


Input Watts (W): 192
Input Voltage (V): NR
Input Current (Ain): NR
Voltage Rise (V): NR
Power Factor: NR
Total Harmonic Distortion (THDi): NR
Frequency (hertz): 60
Stabilization Time: NR
Operation Time: NR
Ambient Temperature (°C): NR
Test Distance: 28.75 FT



REPORT NUMBER: P598490
 CATALOG NUMBER: PMM-SA3D-835-U-SLR

Iso-Footcandle Lines of Horizontal Illumination


× Max cd
 - - - 1/2 Max cd



Based on 25 foot mounting height. Maximum calculated value = 6 fc
 Type IV - Short - N/A

REPORT NUMBER: P598490
CATALOG NUMBER: PMM-SA3D-835-U-SLR

Luminous Intensity Polar Plot



REPORT NUMBER: P598490

CATALOG NUMBER: PMM-SA3D-835-U-SLR


FLUX DISTRIBUTION:

| | | Downward | Upward | Total |
|--------------------|-----------|----------|--------|---------|
| House Side | Lumens | 2722.6 | 0.0 | 2722.6 |
| | % Fixture | 19.4 | 0.0 | 19.4 |
| Street Side | Lumens | 11334.4 | 0.0 | 11334.4 |
| | % Fixture | 80.6 | 0.0 | 80.6 |
| Total | Lumens | 14057.0 | 0.0 | 14057.0 |
| | % Fixture | 100.0 | 0.0 | 100.0 |

ZONAL LUMENS:

| Zone | Lumens | % Fixture |
|-----------|---------|-----------|
| 0°-10° | 170.0 | 1.2 |
| 10°-20° | 493.9 | 3.5 |
| 20°-30° | 871.9 | 6.2 |
| 30°-40° | 1358.0 | 9.7 |
| 40°-50° | 2235.7 | 15.9 |
| 50°-60° | 3191.2 | 22.7 |
| 60°-70° | 3383.8 | 24.1 |
| 70°-80° | 1869.0 | 13.3 |
| 80°-90° | 483.6 | 3.4 |
| 90°-100° | 0.0 | 0.0 |
| 100°-110° | 0.0 | 0.0 |
| 110°-120° | 0.0 | 0.0 |
| 120°-130° | 0.0 | 0.0 |
| 130°-140° | 0.0 | 0.0 |
| 140°-150° | 0.0 | 0.0 |
| 150°-160° | 0.0 | 0.0 |
| 160°-170° | 0.0 | 0.0 |
| 170°-180° | 0.0 | 0.0 |
| 0°-90° | 14057.0 | 100.0 |
| 0°-180° | 14057.0 | 100.0 |

Coefficient of Utilization



REPORT NUMBER: P598490


CATALOG NUMBER: PMM-SA3D-835-U-SLR

LUMINAIRE CLASSIFICATION SYSTEM LUMEN TABLE AND BUG RATING:

| Zone | Lumens | % Fixture | Zone Rating/Lumen Limit | | |
|----------------|--------|-----------|-------------------------|------|---------|
| | | | B | U | G |
| FL (0°-30°) | 1075.6 | 7.7 | | | |
| FM (30°-60°) | 5449.4 | 38.8 | | | |
| FH (60°-80°) | 4398.5 | 31.3 | | | G2/5000 |
| FVH (80°-90°) | 411.0 | 2.9 | | | G3/500 |
| BL (0°-30°) | 460.2 | 3.3 | B1/500 | | |
| BM (30°-60°) | 1335.5 | 9.5 | B2/2500 | | |
| BH (60°-80°) | 854.3 | 6.1 | B2/1000 | | G2/1000 |
| BVH (80°-90°) | 72.6 | 0.5 | | | G1/100 |
| UL (90°-100°) | 0.0 | 0.0 | | U0/0 | |
| UH (100°-180°) | 0.0 | 0.0 | | U0/0 | |

BUG Rating: B2-U0-G3

Type IV Short





REPORT NUMBER: P598490

CATALOG NUMBER: PMM-SA3D-835-U-SLR

CANDELA DISTRIBUTION (FULL):

| | 0° | 2.5° | 5° | 7.5° | 10° | 12.5° | 15° | 17.5° | 20° | 22.5° | 25° |
|--------|---------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 |
| 2.5° | 1985.5 | 1997.8 | 2009.4 | 1986.2 | 1963.0 | 1939.1 | 1915.9 | 1881.1 | 1845.6 | 1810.8 | 1775.4 |
| 5° | 2384.7 | 2339.6 | 2293.9 | 2275.5 | 2257.7 | 2239.3 | 2220.9 | 2203.8 | 2186.8 | 2169.0 | 2152.0 |
| 7.5° | 2509.5 | 2445.4 | 2380.6 | 2353.3 | 2326.0 | 2298.0 | 2270.7 | 2209.3 | 2147.9 | 2085.8 | 2024.4 |
| 10° | 2372.4 | 2305.5 | 2238.0 | 2211.3 | 2184.1 | 2157.4 | 2130.2 | 2055.1 | 1980.7 | 1905.7 | 1830.6 |
| 12.5° | 2482.9 | 2414.7 | 2345.8 | 2261.2 | 2176.6 | 2091.3 | 2006.7 | 1965.0 | 1923.4 | 1881.1 | 1839.5 |
| 15° | 2589.3 | 2497.2 | 2404.4 | 2319.8 | 2235.2 | 2149.9 | 2065.3 | 1982.1 | 1898.9 | 1815.6 | 1732.4 |
| 17.5° | 2978.3 | 2824.7 | 2671.2 | 2518.4 | 2364.9 | 2212.0 | 2058.5 | 1962.3 | 1865.4 | 1769.2 | 1672.3 |
| 20° | 3452.5 | 3238.9 | 3024.7 | 2792.7 | 2560.0 | 2328.0 | 2095.4 | 1973.9 | 1853.1 | 1731.7 | 1610.2 |
| 22.5° | 4016.7 | 3747.2 | 3477.7 | 3185.0 | 2892.3 | 2598.9 | 2306.2 | 2130.2 | 1954.1 | 1777.4 | 1601.4 |
| 25° | 4465.0 | 4205.7 | 3946.4 | 3575.3 | 3204.1 | 2832.9 | 2461.8 | 2261.8 | 2061.9 | 1861.3 | 1661.4 |
| 27.5° | 4900.3 | 4487.5 | 4074.0 | 3649.0 | 3224.6 | 2799.5 | 2374.4 | 2189.5 | 2004.6 | 1819.7 | 1634.8 |
| 30° | 5268.1 | 4940.6 | 4613.1 | 4058.3 | 3503.6 | 2948.2 | 2393.5 | 2166.3 | 1939.1 | 1711.9 | 1484.7 |
| 32.5° | 5806.4 | 5339.0 | 4871.0 | 4292.4 | 3713.8 | 3135.2 | 2556.6 | 2265.9 | 1975.3 | 1684.6 | 1393.9 |
| 35° | 6436.2 | 5950.4 | 5464.6 | 4748.8 | 4033.8 | 3318.0 | 2602.3 | 2294.6 | 1986.2 | 1678.5 | 1370.1 |
| 37.5° | 7610.4 | 6754.1 | 5897.2 | 5115.9 | 4334.7 | 3552.8 | 2771.5 | 2414.0 | 2056.5 | 1698.3 | 1340.7 |
| 40° | 8257.9 | 7466.5 | 6675.0 | 5701.3 | 4727.7 | 3753.4 | 2779.7 | 2414.0 | 2047.6 | 1681.9 | 1315.5 |
| 42.5° | 9121.0 | 8120.1 | 7118.5 | 6065.7 | 5013.6 | 3960.8 | 2908.0 | 2502.7 | 2097.4 | 1691.4 | 1286.1 |
| 45° | 9647.1 | 8531.5 | 7415.3 | 6290.2 | 5165.0 | 4039.9 | 2914.8 | 2503.4 | 2091.9 | 1680.5 | 1269.1 |
| 47.5° | 9986.2 | 8915.0 | 7843.1 | 6632.0 | 5420.9 | 4209.1 | 2998.0 | 2561.4 | 2124.0 | 1687.3 | 1250.0 |
| 50° | 10307.6 | 9246.6 | 8184.9 | 6927.4 | 5670.6 | 4413.1 | 3155.7 | 2678.7 | 2201.8 | 1724.2 | 1247.3 |
| 52.5° | 10701.9 | 9724.9 | 8747.1 | 7398.2 | 6048.6 | 4699.7 | 3350.1 | 2830.9 | 2311.6 | 1792.4 | 1273.2 |
| 55° | 11275.8 | 10313.0 | 9349.6 | 7901.8 | 6453.2 | 5005.4 | 3556.9 | 2980.3 | 2404.4 | 1827.9 | 1251.3 |
| 57.5° | 11647.6 | 10671.2 | 9694.9 | 8218.4 | 6741.8 | 5264.7 | 3788.2 | 3149.5 | 2510.9 | 1871.6 | 1232.9 |
| 60° | 11524.1 | 10517.0 | 9509.3 | 8101.7 | 6694.1 | 5286.5 | 3878.9 | 3189.1 | 2500.0 | 1810.2 | 1120.3 |
| 62.5° | 10978.3 | 9907.7 | 8837.2 | 7576.3 | 6316.1 | 5055.2 | 3794.3 | 3092.9 | 2392.2 | 1690.7 | 989.3 |
| 65° | 10215.5 | 9108.8 | 8001.4 | 6864.0 | 5726.6 | 4589.2 | 3451.8 | 2815.2 | 2177.9 | 1541.3 | 904.1 |
| 67.5° | 9279.3 | 8125.6 | 6971.1 | 5964.0 | 4956.9 | 3949.2 | 2942.1 | 2409.9 | 1878.4 | 1346.2 | 814.0 |
| 70° | 8105.1 | 6971.1 | 5837.1 | 4965.8 | 4094.5 | 3223.2 | 2351.9 | 1951.4 | 1551.6 | 1151.0 | 750.5 |
| 72.5° | 6514.6 | 5536.2 | 4557.8 | 3872.1 | 3186.4 | 2500.6 | 1814.9 | 1536.5 | 1258.9 | 980.5 | 702.1 |
| 75° | 4633.5 | 4058.3 | 3483.2 | 2949.6 | 2416.0 | 1881.8 | 1348.2 | 1168.1 | 988.0 | 807.8 | 627.7 |
| 77.5° | 3292.8 | 2953.7 | 2614.6 | 2196.3 | 1778.1 | 1359.8 | 941.6 | 835.8 | 730.7 | 625.0 | 519.2 |
| 80° | 2434.5 | 2151.3 | 1868.1 | 1552.9 | 1237.7 | 922.5 | 607.3 | 555.4 | 504.2 | 452.4 | 400.5 |
| 82.5° | 1602.7 | 1475.1 | 1346.9 | 1097.1 | 847.4 | 597.7 | 348.0 | 328.9 | 309.8 | 290.7 | 271.6 |
| 85° | 717.8 | 758.0 | 797.6 | 644.8 | 491.3 | 338.4 | 184.9 | 176.0 | 167.2 | 158.3 | 149.4 |
| 87.5° | 68.9 | 101.7 | 134.4 | 115.3 | 95.5 | 76.4 | 56.6 | 55.9 | 55.9 | 55.3 | 54.6 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598490

CATALOG NUMBER: PMM-SA3D-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 0° | 2.5° | 5° | 7.5° | 10° | 12.5° | 15° | 17.5° | 20° | 22.5° | 25° |
|--------|-----|------|-----|------|-----|-------|-----|-------|-----|-------|-----|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598490

CATALOG NUMBER: PMM-SA3D-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 27.5° | 30° | 32.5° | 35° | 37.5° | 40° | 42.5° | 45° | 47.5° | 50° | 52.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 |
| 2.5° | 1784.9 | 1794.5 | 1804.0 | 1813.6 | 1803.3 | 1793.1 | 1782.2 | 1771.9 | 1759.0 | 1746.0 | 1732.4 |
| 5° | 2123.3 | 2094.0 | 2065.3 | 2036.0 | 1992.3 | 1948.7 | 1904.3 | 1860.6 | 1855.2 | 1849.0 | 1843.6 |
| 7.5° | 1970.5 | 1917.3 | 1863.4 | 1809.5 | 1741.2 | 1673.7 | 1605.5 | 1537.2 | 1516.8 | 1496.3 | 1475.8 |
| 10° | 1794.5 | 1757.6 | 1721.5 | 1684.6 | 1642.3 | 1600.0 | 1557.0 | 1514.7 | 1458.8 | 1402.1 | 1346.2 |
| 12.5° | 1779.4 | 1719.4 | 1658.7 | 1598.6 | 1572.7 | 1546.8 | 1520.9 | 1494.9 | 1445.8 | 1396.7 | 1346.9 |
| 15° | 1683.9 | 1634.8 | 1586.4 | 1537.2 | 1499.7 | 1462.2 | 1424.7 | 1387.1 | 1347.6 | 1307.3 | 1267.7 |
| 17.5° | 1616.4 | 1560.4 | 1504.5 | 1448.5 | 1405.5 | 1362.6 | 1318.9 | 1275.9 | 1228.1 | 1179.7 | 1131.9 |
| 20° | 1546.1 | 1482.6 | 1418.5 | 1354.4 | 1299.8 | 1245.9 | 1191.3 | 1136.7 | 1084.2 | 1032.3 | 979.8 |
| 22.5° | 1517.4 | 1433.5 | 1349.6 | 1265.7 | 1208.4 | 1150.4 | 1093.1 | 1035.1 | 986.6 | 938.2 | 889.7 |
| 25° | 1561.1 | 1461.5 | 1361.2 | 1260.9 | 1183.8 | 1106.0 | 1028.9 | 951.1 | 910.9 | 870.6 | 829.7 |
| 27.5° | 1509.9 | 1384.4 | 1259.5 | 1134.0 | 1051.4 | 968.2 | 885.6 | 802.4 | 796.2 | 790.1 | 783.3 |
| 30° | 1353.0 | 1221.3 | 1089.6 | 958.0 | 882.2 | 805.8 | 730.1 | 653.6 | 639.3 | 624.3 | 610.0 |
| 32.5° | 1259.5 | 1125.1 | 990.7 | 856.3 | 788.7 | 720.5 | 653.0 | 584.7 | 568.4 | 552.0 | 535.6 |
| 35° | 1224.1 | 1078.0 | 932.0 | 786.0 | 728.0 | 670.0 | 612.0 | 554.0 | 542.4 | 531.5 | 519.9 |
| 37.5° | 1195.4 | 1050.7 | 905.4 | 760.1 | 704.1 | 648.2 | 591.6 | 535.6 | 526.7 | 517.9 | 509.0 |
| 40° | 1168.1 | 1021.4 | 874.0 | 726.7 | 676.8 | 627.7 | 577.9 | 528.1 | 522.6 | 517.2 | 511.0 |
| 42.5° | 1143.5 | 1000.9 | 857.7 | 715.1 | 670.7 | 627.0 | 582.7 | 538.3 | 532.9 | 527.4 | 522.0 |
| 45° | 1129.9 | 990.7 | 851.5 | 712.3 | 680.3 | 648.2 | 615.4 | 583.4 | 570.4 | 557.4 | 543.8 |
| 47.5° | 1119.7 | 989.3 | 859.0 | 728.7 | 695.3 | 661.8 | 628.4 | 595.0 | 583.4 | 571.8 | 559.5 |
| 50° | 1121.7 | 996.8 | 871.3 | 745.8 | 705.5 | 664.6 | 624.3 | 583.4 | 582.0 | 580.6 | 579.3 |
| 52.5° | 1140.1 | 1007.8 | 874.7 | 741.7 | 698.0 | 654.3 | 610.0 | 566.3 | 575.2 | 583.4 | 592.2 |
| 55° | 1113.5 | 975.7 | 837.2 | 699.4 | 657.7 | 616.8 | 575.2 | 533.6 | 545.2 | 556.1 | 567.7 |
| 57.5° | 1083.5 | 934.1 | 784.6 | 635.2 | 603.8 | 572.5 | 540.4 | 509.0 | 521.3 | 534.2 | 546.5 |
| 60° | 983.9 | 847.4 | 711.0 | 574.5 | 553.3 | 532.2 | 511.0 | 489.9 | 495.4 | 500.8 | 506.3 |
| 62.5° | 874.7 | 759.4 | 644.8 | 529.5 | 513.1 | 496.0 | 479.7 | 462.6 | 462.6 | 463.3 | 463.3 |
| 65° | 805.1 | 706.2 | 607.3 | 508.3 | 489.9 | 471.5 | 452.4 | 433.9 | 431.2 | 428.5 | 425.8 |
| 67.5° | 735.5 | 657.7 | 579.3 | 500.8 | 474.2 | 448.3 | 421.7 | 395.1 | 391.6 | 388.9 | 385.5 |
| 70° | 680.9 | 611.3 | 541.7 | 472.2 | 442.1 | 412.8 | 382.8 | 352.8 | 350.0 | 348.0 | 345.2 |
| 72.5° | 636.6 | 571.8 | 506.3 | 440.8 | 409.4 | 377.3 | 345.9 | 313.9 | 311.8 | 309.8 | 307.0 |
| 75° | 569.7 | 512.4 | 454.4 | 396.4 | 365.7 | 335.7 | 305.0 | 274.3 | 271.6 | 269.5 | 266.8 |
| 77.5° | 471.5 | 423.0 | 375.3 | 326.8 | 302.9 | 279.7 | 255.9 | 232.0 | 230.6 | 229.3 | 227.2 |
| 80° | 363.0 | 325.5 | 287.3 | 249.7 | 234.0 | 217.7 | 202.0 | 185.6 | 184.9 | 184.2 | 182.9 |
| 82.5° | 249.0 | 226.5 | 204.0 | 181.5 | 169.9 | 157.6 | 146.0 | 133.7 | 134.4 | 135.1 | 135.8 |
| 85° | 141.9 | 133.7 | 126.2 | 118.0 | 108.5 | 99.6 | 90.1 | 80.5 | 82.6 | 84.6 | 86.0 |
| 87.5° | 51.9 | 49.1 | 46.4 | 43.7 | 38.9 | 34.8 | 30.0 | 25.2 | 26.6 | 28.7 | 30.0 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598490

CATALOG NUMBER: PMM-SA3D-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 27.5° | 30° | 32.5° | 35° | 37.5° | 40° | 42.5° | 45° | 47.5° | 50° | 52.5° |
|--------|-------|-----|-------|-----|-------|-----|-------|-----|-------|-----|-------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598490

CATALOG NUMBER: PMM-SA3D-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 55° | 57.5° | 60° | 62.5° | 65° | 67.5° | 70° | 72.5° | 75° | 77.5° | 80° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 |
| 2.5° | 1719.4 | 1698.9 | 1678.5 | 1658.0 | 1637.5 | 1595.2 | 1553.6 | 1511.3 | 1469.0 | 1494.9 | 1521.5 |
| 5° | 1837.4 | 1802.6 | 1767.2 | 1732.4 | 1696.9 | 1677.1 | 1657.3 | 1637.5 | 1617.7 | 1628.0 | 1638.9 |
| 7.5° | 1455.4 | 1434.9 | 1413.7 | 1393.3 | 1372.1 | 1363.2 | 1355.1 | 1346.2 | 1337.3 | 1362.6 | 1387.8 |
| 10° | 1289.6 | 1260.9 | 1232.2 | 1202.9 | 1174.2 | 1157.2 | 1140.1 | 1123.1 | 1106.0 | 1112.8 | 1119.7 |
| 12.5° | 1297.7 | 1255.4 | 1213.1 | 1170.8 | 1128.5 | 1103.3 | 1078.0 | 1052.8 | 1027.6 | 1033.7 | 1039.8 |
| 15° | 1227.5 | 1183.8 | 1140.1 | 1096.5 | 1052.8 | 1023.5 | 993.4 | 964.1 | 934.1 | 923.8 | 912.9 |
| 17.5° | 1083.5 | 1035.7 | 988.0 | 940.2 | 892.5 | 872.7 | 852.9 | 833.1 | 813.3 | 802.4 | 791.5 |
| 20° | 927.3 | 882.9 | 838.6 | 794.2 | 749.9 | 736.2 | 722.6 | 708.2 | 694.6 | 687.8 | 680.3 |
| 22.5° | 841.3 | 814.0 | 786.0 | 758.7 | 730.7 | 715.1 | 700.0 | 684.4 | 668.7 | 661.2 | 653.0 |
| 25° | 789.4 | 794.9 | 801.0 | 806.5 | 811.9 | 805.1 | 797.6 | 790.8 | 783.3 | 786.0 | 788.1 |
| 27.5° | 777.1 | 788.7 | 801.0 | 812.6 | 824.2 | 830.4 | 836.5 | 842.6 | 848.8 | 850.8 | 852.9 |
| 30° | 595.0 | 601.1 | 606.6 | 612.7 | 618.2 | 635.2 | 652.3 | 668.7 | 685.7 | 712.3 | 739.6 |
| 32.5° | 519.2 | 517.2 | 515.1 | 512.4 | 510.4 | 514.5 | 518.6 | 522.0 | 526.1 | 535.6 | 545.8 |
| 35° | 508.3 | 503.5 | 498.1 | 493.3 | 487.8 | 489.9 | 491.9 | 494.0 | 496.0 | 503.5 | 511.0 |
| 37.5° | 500.1 | 498.1 | 496.7 | 494.7 | 492.6 | 497.4 | 501.5 | 506.3 | 510.4 | 516.5 | 522.6 |
| 40° | 505.6 | 504.9 | 504.2 | 502.9 | 502.2 | 504.9 | 507.6 | 510.4 | 513.1 | 521.3 | 529.5 |
| 42.5° | 516.5 | 516.5 | 515.8 | 515.8 | 515.1 | 517.9 | 519.9 | 522.6 | 524.7 | 529.5 | 534.2 |
| 45° | 530.8 | 529.5 | 528.8 | 527.4 | 526.1 | 525.4 | 525.4 | 524.7 | 524.0 | 526.7 | 530.2 |
| 47.5° | 547.9 | 543.1 | 537.7 | 532.9 | 527.4 | 526.1 | 524.0 | 522.6 | 520.6 | 522.0 | 523.3 |
| 50° | 577.9 | 564.9 | 552.7 | 539.7 | 526.7 | 523.3 | 519.9 | 516.5 | 513.1 | 512.4 | 512.4 |
| 52.5° | 600.4 | 581.3 | 562.2 | 543.1 | 524.0 | 517.9 | 511.7 | 505.6 | 499.4 | 498.1 | 497.4 |
| 55° | 578.6 | 564.3 | 550.6 | 536.3 | 522.0 | 513.1 | 503.5 | 494.7 | 485.1 | 483.1 | 481.0 |
| 57.5° | 558.8 | 549.9 | 541.1 | 532.2 | 523.3 | 514.5 | 504.9 | 496.0 | 486.5 | 481.7 | 476.9 |
| 60° | 511.7 | 511.7 | 512.4 | 512.4 | 512.4 | 502.9 | 493.3 | 483.8 | 474.2 | 469.4 | 465.3 |
| 62.5° | 463.3 | 470.8 | 477.6 | 485.1 | 491.9 | 479.0 | 465.3 | 452.4 | 438.7 | 435.3 | 432.6 |
| 65° | 423.0 | 425.1 | 427.8 | 429.9 | 431.9 | 421.7 | 411.4 | 401.2 | 391.0 | 388.9 | 386.2 |
| 67.5° | 382.1 | 381.4 | 380.7 | 379.4 | 378.7 | 372.5 | 365.7 | 359.6 | 352.8 | 350.0 | 347.3 |
| 70° | 342.5 | 341.8 | 341.2 | 339.8 | 339.1 | 333.6 | 328.2 | 322.7 | 317.3 | 315.2 | 313.2 |
| 72.5° | 305.0 | 304.3 | 302.9 | 302.3 | 300.9 | 296.1 | 292.0 | 287.3 | 282.5 | 279.7 | 277.0 |
| 75° | 264.1 | 262.7 | 261.3 | 260.0 | 258.6 | 254.5 | 250.4 | 245.6 | 241.5 | 238.8 | 236.1 |
| 77.5° | 225.8 | 223.8 | 221.7 | 219.0 | 217.0 | 213.6 | 209.5 | 206.1 | 202.0 | 198.6 | 195.8 |
| 80° | 182.2 | 180.8 | 179.4 | 177.4 | 176.0 | 172.6 | 169.2 | 165.1 | 161.7 | 157.6 | 154.2 |
| 82.5° | 136.5 | 135.8 | 134.4 | 133.7 | 132.4 | 129.0 | 125.5 | 122.1 | 118.7 | 114.6 | 110.5 |
| 85° | 88.0 | 87.3 | 86.7 | 86.0 | 85.3 | 82.6 | 80.5 | 77.8 | 75.1 | 71.0 | 67.5 |
| 87.5° | 31.4 | 30.0 | 29.3 | 28.0 | 26.6 | 25.9 | 24.6 | 23.9 | 22.5 | 20.5 | 18.4 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598490

CATALOG NUMBER: PMM-SA3D-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 55° | 57.5° | 60° | 62.5° | 65° | 67.5° | 70° | 72.5° | 75° | 77.5° | 80° |
|--------|-----|-------|-----|-------|-----|-------|-----|-------|-----|-------|-----|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598490

CATALOG NUMBER: PMM-SA3D-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 82.5° | 85° | 87.5° | 90° | 92.5° | 95° | 97.5° | 100° | 102.5° | 105° | 107.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 |
| 2.5° | 1547.5 | 1573.4 | 1574.1 | 1574.1 | 1586.4 | 1598.0 | 1574.1 | 1550.2 | 1525.6 | 1501.8 | 1477.9 |
| 5° | 1649.1 | 1659.4 | 1656.6 | 1653.2 | 1638.2 | 1623.2 | 1607.5 | 1591.8 | 1576.1 | 1560.4 | 1561.1 |
| 7.5° | 1413.1 | 1438.3 | 1458.8 | 1478.6 | 1459.4 | 1440.3 | 1430.1 | 1419.9 | 1409.6 | 1399.4 | 1398.0 |
| 10° | 1125.8 | 1132.6 | 1140.8 | 1148.3 | 1136.7 | 1124.4 | 1144.9 | 1165.4 | 1185.2 | 1205.6 | 1183.1 |
| 12.5° | 1046.0 | 1052.1 | 1037.8 | 1022.8 | 1018.0 | 1013.2 | 1008.4 | 1003.0 | 998.2 | 992.8 | 990.0 |
| 15° | 902.7 | 891.8 | 880.9 | 869.3 | 866.5 | 863.1 | 859.7 | 855.6 | 852.2 | 848.1 | 835.8 |
| 17.5° | 780.6 | 769.6 | 751.2 | 732.1 | 724.6 | 716.4 | 714.4 | 712.3 | 709.6 | 707.5 | 696.0 |
| 20° | 673.4 | 665.9 | 661.2 | 655.7 | 648.2 | 640.7 | 633.2 | 625.7 | 617.5 | 610.0 | 599.1 |
| 22.5° | 645.5 | 637.3 | 631.1 | 624.3 | 622.9 | 621.6 | 607.9 | 593.6 | 580.0 | 565.6 | 559.5 |
| 25° | 790.8 | 792.8 | 755.3 | 717.1 | 713.7 | 710.3 | 685.7 | 660.5 | 635.9 | 610.7 | 589.5 |
| 27.5° | 854.2 | 856.3 | 854.9 | 853.6 | 842.6 | 831.0 | 789.4 | 747.1 | 705.5 | 663.2 | 633.2 |
| 30° | 766.2 | 792.8 | 803.1 | 813.3 | 805.8 | 797.6 | 753.9 | 711.0 | 667.3 | 623.6 | 603.8 |
| 32.5° | 555.4 | 564.9 | 582.0 | 598.4 | 607.3 | 615.4 | 601.8 | 588.1 | 574.5 | 560.9 | 557.4 |
| 35° | 517.9 | 525.4 | 528.8 | 532.2 | 526.7 | 521.3 | 511.0 | 500.8 | 489.9 | 479.7 | 477.6 |
| 37.5° | 528.1 | 534.2 | 541.1 | 547.9 | 532.9 | 517.2 | 505.6 | 494.7 | 483.1 | 471.5 | 461.9 |
| 40° | 537.7 | 545.8 | 549.9 | 554.0 | 539.0 | 524.0 | 509.7 | 496.0 | 481.7 | 467.4 | 457.8 |
| 42.5° | 539.0 | 543.8 | 551.3 | 558.8 | 537.7 | 515.8 | 502.9 | 489.2 | 476.2 | 462.6 | 453.1 |
| 45° | 532.9 | 535.6 | 542.4 | 549.3 | 524.7 | 499.4 | 487.8 | 475.6 | 464.0 | 451.7 | 443.5 |
| 47.5° | 524.0 | 525.4 | 530.8 | 535.6 | 509.7 | 483.1 | 472.2 | 461.2 | 449.6 | 438.7 | 430.5 |
| 50° | 511.7 | 511.0 | 515.1 | 518.6 | 491.9 | 465.3 | 454.4 | 444.2 | 433.3 | 422.3 | 415.5 |
| 52.5° | 496.0 | 494.7 | 498.8 | 502.2 | 474.2 | 446.2 | 436.7 | 427.8 | 418.3 | 408.7 | 403.2 |
| 55° | 478.3 | 476.2 | 479.7 | 483.1 | 455.8 | 427.8 | 419.6 | 410.7 | 402.6 | 393.7 | 388.9 |
| 57.5° | 471.5 | 466.7 | 468.7 | 470.8 | 440.1 | 409.4 | 401.2 | 393.0 | 384.8 | 376.6 | 373.2 |
| 60° | 460.6 | 455.8 | 457.8 | 459.2 | 426.4 | 393.0 | 385.5 | 377.3 | 369.8 | 361.6 | 358.2 |
| 62.5° | 429.2 | 425.8 | 428.5 | 431.2 | 401.9 | 371.9 | 365.0 | 358.9 | 352.1 | 345.2 | 340.5 |
| 65° | 384.1 | 381.4 | 386.9 | 392.3 | 367.1 | 341.8 | 337.7 | 333.6 | 328.9 | 324.8 | 320.0 |
| 67.5° | 344.6 | 341.8 | 347.3 | 352.8 | 334.3 | 315.9 | 311.8 | 307.7 | 303.6 | 299.5 | 296.8 |
| 70° | 311.1 | 309.1 | 313.9 | 318.6 | 302.9 | 287.3 | 283.2 | 279.7 | 275.7 | 271.6 | 269.5 |
| 72.5° | 273.6 | 270.9 | 277.0 | 282.5 | 269.5 | 255.9 | 252.5 | 248.4 | 244.9 | 240.9 | 239.5 |
| 75° | 233.3 | 230.6 | 236.1 | 240.9 | 232.0 | 222.4 | 219.0 | 215.6 | 212.2 | 208.8 | 208.1 |
| 77.5° | 192.4 | 189.0 | 194.5 | 199.2 | 193.8 | 187.6 | 184.9 | 181.5 | 178.8 | 175.4 | 175.4 |
| 80° | 150.1 | 146.0 | 150.1 | 153.5 | 151.5 | 149.4 | 147.4 | 144.6 | 142.6 | 139.9 | 140.6 |
| 82.5° | 106.4 | 102.3 | 104.4 | 106.4 | 107.8 | 109.2 | 109.2 | 109.2 | 109.2 | 109.2 | 109.2 |
| 85° | 63.5 | 59.4 | 60.0 | 60.7 | 62.8 | 64.8 | 65.5 | 66.2 | 66.9 | 67.5 | 68.2 |
| 87.5° | 16.4 | 14.3 | 13.0 | 10.9 | 13.0 | 14.3 | 15.7 | 16.4 | 17.7 | 18.4 | 18.4 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598490
 CATALOG NUMBER: PMM-SA3D-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 82.5° | 85° | 87.5° | 90° | 92.5° | 95° | 97.5° | 100° | 102.5° | 105° | 107.5° |
|--------|-------|-----|-------|-----|-------|-----|-------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598490

CATALOG NUMBER: PMM-SA3D-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 110° | 112.5° | 115° | 117.5° | 120° | 122.5° | 125° | 127.5° | 130° | 132.5° | 135° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 |
| 2.5° | 1454.0 | 1429.4 | 1405.5 | 1420.6 | 1434.9 | 1449.9 | 1464.2 | 1464.9 | 1464.9 | 1465.6 | 1465.6 |
| 5° | 1562.5 | 1563.2 | 1563.8 | 1549.5 | 1535.9 | 1521.5 | 1507.2 | 1499.7 | 1492.2 | 1484.0 | 1476.5 |
| 7.5° | 1396.0 | 1394.6 | 1392.6 | 1378.9 | 1365.3 | 1351.6 | 1338.0 | 1305.2 | 1271.8 | 1239.1 | 1205.6 |
| 10° | 1159.9 | 1137.4 | 1114.2 | 1108.7 | 1104.0 | 1098.5 | 1093.1 | 1084.2 | 1076.0 | 1067.1 | 1058.3 |
| 12.5° | 987.3 | 984.6 | 981.8 | 967.5 | 953.2 | 938.2 | 923.8 | 923.8 | 923.8 | 923.8 | 923.8 |
| 15° | 822.9 | 810.6 | 797.6 | 790.8 | 783.3 | 776.5 | 769.0 | 765.5 | 762.1 | 758.7 | 755.3 |
| 17.5° | 683.7 | 672.1 | 659.8 | 658.4 | 657.1 | 655.7 | 654.3 | 650.9 | 647.5 | 644.1 | 640.7 |
| 20° | 588.1 | 577.2 | 566.3 | 570.4 | 574.5 | 577.9 | 582.0 | 578.6 | 575.2 | 571.1 | 567.7 |
| 22.5° | 552.7 | 546.5 | 539.7 | 536.3 | 532.9 | 528.8 | 525.4 | 525.4 | 526.1 | 526.1 | 526.1 |
| 25° | 569.0 | 547.9 | 526.7 | 516.5 | 506.3 | 495.4 | 485.1 | 481.0 | 477.6 | 473.5 | 469.4 |
| 27.5° | 603.2 | 572.5 | 542.4 | 524.7 | 507.0 | 489.2 | 471.5 | 464.0 | 455.8 | 448.3 | 440.1 |
| 30° | 583.4 | 563.6 | 543.1 | 522.6 | 502.2 | 481.7 | 461.2 | 451.7 | 442.1 | 431.9 | 422.3 |
| 32.5° | 554.0 | 549.9 | 546.5 | 527.4 | 508.3 | 488.5 | 469.4 | 465.3 | 461.9 | 457.8 | 453.7 |
| 35° | 474.9 | 472.8 | 470.1 | 465.3 | 460.6 | 455.8 | 451.0 | 445.5 | 440.1 | 434.6 | 429.2 |
| 37.5° | 453.1 | 443.5 | 433.9 | 431.9 | 429.9 | 427.8 | 425.8 | 423.7 | 421.7 | 418.9 | 416.9 |
| 40° | 448.3 | 438.7 | 429.2 | 425.8 | 422.3 | 418.3 | 414.8 | 415.5 | 416.9 | 417.6 | 418.3 |
| 42.5° | 442.8 | 433.3 | 423.0 | 420.3 | 417.6 | 414.8 | 412.1 | 412.8 | 414.2 | 414.8 | 415.5 |
| 45° | 436.0 | 427.8 | 419.6 | 414.8 | 410.7 | 406.0 | 401.2 | 405.3 | 409.4 | 412.8 | 416.9 |
| 47.5° | 422.3 | 413.5 | 405.3 | 402.6 | 399.8 | 396.4 | 393.7 | 397.8 | 401.9 | 405.3 | 409.4 |
| 50° | 408.0 | 401.2 | 393.7 | 393.0 | 392.3 | 391.0 | 390.3 | 393.0 | 395.7 | 398.5 | 401.2 |
| 52.5° | 397.1 | 391.6 | 385.5 | 385.5 | 384.8 | 384.8 | 384.1 | 386.9 | 389.6 | 391.6 | 394.4 |
| 55° | 384.8 | 380.0 | 375.3 | 375.9 | 377.3 | 378.0 | 378.7 | 381.4 | 384.8 | 387.5 | 390.3 |
| 57.5° | 369.1 | 365.7 | 361.6 | 364.4 | 366.4 | 369.1 | 371.2 | 373.2 | 375.9 | 378.0 | 380.0 |
| 60° | 354.1 | 350.7 | 346.6 | 349.3 | 352.8 | 355.5 | 358.2 | 360.3 | 362.3 | 364.4 | 366.4 |
| 62.5° | 335.7 | 330.2 | 325.5 | 329.6 | 333.0 | 337.1 | 340.5 | 341.8 | 343.9 | 345.2 | 346.6 |
| 65° | 315.9 | 311.1 | 306.4 | 309.1 | 311.8 | 313.9 | 316.6 | 318.6 | 320.7 | 322.7 | 324.8 |
| 67.5° | 293.4 | 290.7 | 287.3 | 289.3 | 291.3 | 293.4 | 295.4 | 296.1 | 296.1 | 296.8 | 296.8 |
| 70° | 266.8 | 264.7 | 262.0 | 263.4 | 265.4 | 266.8 | 268.1 | 268.1 | 268.1 | 267.5 | 267.5 |
| 72.5° | 238.8 | 237.4 | 236.1 | 236.8 | 238.1 | 238.8 | 239.5 | 238.8 | 238.1 | 237.4 | 236.8 |
| 75° | 207.4 | 206.7 | 206.1 | 206.7 | 208.1 | 208.8 | 209.5 | 208.8 | 207.4 | 206.7 | 205.4 |
| 77.5° | 176.0 | 176.0 | 176.0 | 176.0 | 176.7 | 176.7 | 176.7 | 175.4 | 174.0 | 172.6 | 171.3 |
| 80° | 141.2 | 141.9 | 142.6 | 142.6 | 142.6 | 142.6 | 142.6 | 141.2 | 139.9 | 137.8 | 136.5 |
| 82.5° | 109.2 | 109.2 | 109.2 | 109.2 | 109.9 | 109.9 | 109.9 | 106.4 | 103.7 | 100.3 | 96.9 |
| 85° | 68.2 | 68.9 | 68.9 | 69.6 | 70.3 | 70.3 | 71.0 | 66.2 | 62.1 | 57.3 | 52.5 |
| 87.5° | 18.4 | 18.4 | 18.4 | 18.4 | 18.4 | 17.7 | 17.7 | 13.6 | 8.9 | 4.8 | 0.0 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598490

CATALOG NUMBER: PMM-SA3D-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 110° | 112.5° | 115° | 117.5° | 120° | 122.5° | 125° | 127.5° | 130° | 132.5° | 135° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598490

CATALOG NUMBER: PMM-SA3D-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 137.5° | 140° | 142.5° | 145° | 147.5° | 150° | 152.5° | 155° | 157.5° | 160° | 162.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 |
| 2.5° | 1469.7 | 1473.8 | 1477.2 | 1481.3 | 1482.0 | 1482.6 | 1482.6 | 1483.3 | 1469.0 | 1454.7 | 1439.7 |
| 5° | 1486.7 | 1496.3 | 1506.5 | 1516.1 | 1514.0 | 1512.0 | 1509.9 | 1507.9 | 1503.8 | 1500.4 | 1496.3 |
| 7.5° | 1198.1 | 1191.3 | 1183.8 | 1176.3 | 1182.4 | 1188.6 | 1194.7 | 1200.9 | 1203.6 | 1206.3 | 1208.4 |
| 10° | 1041.2 | 1024.1 | 1007.1 | 990.0 | 980.5 | 970.2 | 960.7 | 950.4 | 949.1 | 948.4 | 947.0 |
| 12.5° | 906.1 | 887.7 | 869.9 | 851.5 | 846.1 | 839.9 | 834.5 | 828.3 | 833.8 | 839.2 | 844.0 |
| 15° | 747.8 | 741.0 | 733.5 | 726.0 | 732.1 | 738.3 | 744.4 | 750.5 | 756.0 | 760.8 | 766.2 |
| 17.5° | 637.3 | 634.5 | 631.1 | 627.7 | 633.2 | 639.3 | 644.8 | 650.2 | 662.5 | 674.8 | 687.1 |
| 20° | 564.9 | 562.9 | 560.2 | 557.4 | 555.4 | 552.7 | 550.6 | 547.9 | 565.6 | 582.7 | 600.4 |
| 22.5° | 522.0 | 517.9 | 513.8 | 509.7 | 510.4 | 511.0 | 511.0 | 511.7 | 526.1 | 541.1 | 555.4 |
| 25° | 468.1 | 466.7 | 465.3 | 464.0 | 468.1 | 472.2 | 475.6 | 479.7 | 492.6 | 505.6 | 517.9 |
| 27.5° | 440.8 | 441.5 | 442.1 | 442.8 | 448.3 | 454.4 | 459.9 | 465.3 | 474.2 | 483.1 | 491.9 |
| 30° | 425.8 | 429.9 | 433.3 | 436.7 | 438.7 | 440.8 | 442.8 | 444.9 | 453.7 | 461.9 | 470.8 |
| 32.5° | 448.3 | 442.8 | 436.7 | 431.2 | 433.9 | 437.4 | 440.1 | 442.8 | 451.0 | 459.2 | 467.4 |
| 35° | 427.1 | 424.4 | 422.3 | 419.6 | 423.0 | 426.4 | 429.2 | 432.6 | 440.1 | 446.9 | 454.4 |
| 37.5° | 416.2 | 415.5 | 414.8 | 414.2 | 416.2 | 418.3 | 419.6 | 421.7 | 428.5 | 435.3 | 441.5 |
| 40° | 415.5 | 412.1 | 409.4 | 406.0 | 408.0 | 410.1 | 411.4 | 413.5 | 421.7 | 429.9 | 438.0 |
| 42.5° | 411.4 | 407.3 | 402.6 | 398.5 | 400.5 | 403.2 | 405.3 | 407.3 | 416.2 | 424.4 | 433.3 |
| 45° | 410.7 | 404.6 | 397.8 | 391.6 | 394.4 | 397.1 | 399.8 | 402.6 | 409.4 | 416.2 | 422.3 |
| 47.5° | 403.2 | 397.1 | 391.0 | 384.8 | 386.2 | 387.5 | 388.2 | 389.6 | 395.7 | 401.2 | 407.3 |
| 50° | 397.1 | 392.3 | 388.2 | 383.5 | 381.4 | 380.0 | 378.0 | 375.9 | 380.7 | 385.5 | 390.3 |
| 52.5° | 389.6 | 384.8 | 379.4 | 374.6 | 371.9 | 369.1 | 366.4 | 363.7 | 367.8 | 371.2 | 375.3 |
| 55° | 384.8 | 378.7 | 373.2 | 367.1 | 363.7 | 360.3 | 356.8 | 353.4 | 356.2 | 358.2 | 360.9 |
| 57.5° | 374.6 | 369.1 | 363.0 | 357.5 | 353.4 | 349.3 | 344.6 | 340.5 | 341.8 | 343.2 | 344.6 |
| 60° | 360.9 | 354.8 | 349.3 | 343.2 | 338.4 | 333.6 | 328.2 | 323.4 | 324.1 | 325.5 | 326.1 |
| 62.5° | 341.2 | 335.7 | 329.6 | 324.1 | 318.6 | 313.9 | 308.4 | 302.9 | 304.3 | 305.0 | 306.4 |
| 65° | 319.3 | 313.2 | 307.7 | 301.6 | 296.8 | 292.0 | 286.6 | 281.8 | 283.2 | 284.5 | 285.2 |
| 67.5° | 292.7 | 287.9 | 283.8 | 279.1 | 275.0 | 270.2 | 266.1 | 261.3 | 262.0 | 262.7 | 263.4 |
| 70° | 264.1 | 260.0 | 256.5 | 252.5 | 249.0 | 245.6 | 242.2 | 238.8 | 238.8 | 239.5 | 239.5 |
| 72.5° | 233.3 | 229.9 | 226.5 | 223.1 | 219.7 | 217.0 | 213.6 | 210.1 | 211.5 | 212.9 | 213.6 |
| 75° | 202.0 | 199.2 | 195.8 | 192.4 | 189.7 | 187.0 | 183.5 | 180.8 | 182.2 | 183.5 | 184.2 |
| 77.5° | 169.2 | 167.2 | 164.4 | 162.4 | 159.7 | 156.9 | 153.5 | 150.8 | 152.2 | 153.5 | 154.2 |
| 80° | 135.1 | 133.7 | 131.7 | 130.3 | 127.6 | 124.9 | 122.1 | 119.4 | 120.1 | 120.1 | 120.8 |
| 82.5° | 97.6 | 98.3 | 98.3 | 98.9 | 96.9 | 94.2 | 92.1 | 89.4 | 89.4 | 89.4 | 88.7 |
| 85° | 54.6 | 57.3 | 59.4 | 61.4 | 59.4 | 57.3 | 55.3 | 53.2 | 52.5 | 52.5 | 51.9 |
| 87.5° | 2.0 | 3.4 | 5.5 | 6.8 | 6.1 | 5.5 | 4.1 | 3.4 | 4.1 | 4.8 | 4.8 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598490
 CATALOG NUMBER: PMM-SA3D-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 137.5° | 140° | 142.5° | 145° | 147.5° | 150° | 152.5° | 155° | 157.5° | 160° | 162.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598490

CATALOG NUMBER: PMM-SA3D-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 165° | 167.5° | 170° | 172.5° | 175° | 177.5° | 180° | 182.5° | 185° | 187.5° | 190° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 |
| 2.5° | 1425.3 | 1436.9 | 1448.5 | 1460.1 | 1471.7 | 1489.5 | 1507.2 | 1525.6 | 1544.1 | 1533.8 | 1522.9 |
| 5° | 1492.2 | 1499.0 | 1506.5 | 1513.4 | 1520.2 | 1540.0 | 1559.1 | 1582.9 | 1606.1 | 1603.4 | 1600.0 |
| 7.5° | 1211.1 | 1220.6 | 1230.2 | 1239.1 | 1248.6 | 1278.6 | 1308.7 | 1333.9 | 1359.2 | 1355.7 | 1351.6 |
| 10° | 945.7 | 965.5 | 985.9 | 1005.7 | 1025.5 | 1050.1 | 1073.9 | 1095.1 | 1116.2 | 1151.7 | 1186.5 |
| 12.5° | 849.5 | 880.2 | 910.9 | 941.6 | 972.3 | 990.0 | 1007.1 | 1034.4 | 1061.7 | 1080.8 | 1100.6 |
| 15° | 771.0 | 799.7 | 828.3 | 857.0 | 885.6 | 887.0 | 888.4 | 917.0 | 945.7 | 962.0 | 977.7 |
| 17.5° | 699.4 | 715.1 | 730.7 | 745.8 | 761.5 | 756.0 | 750.5 | 764.2 | 777.1 | 784.0 | 791.5 |
| 20° | 617.5 | 628.4 | 639.3 | 650.2 | 661.2 | 668.7 | 675.5 | 683.7 | 691.2 | 684.4 | 676.8 |
| 22.5° | 569.7 | 586.1 | 603.2 | 619.5 | 635.9 | 640.7 | 644.8 | 640.0 | 635.2 | 633.2 | 631.1 |
| 25° | 530.8 | 550.6 | 571.1 | 590.9 | 610.7 | 620.2 | 629.8 | 633.9 | 637.3 | 629.8 | 622.3 |
| 27.5° | 500.8 | 524.7 | 547.9 | 571.8 | 595.0 | 612.0 | 629.1 | 633.9 | 638.0 | 632.5 | 626.4 |
| 30° | 479.0 | 504.9 | 530.8 | 556.8 | 582.7 | 608.6 | 633.9 | 656.4 | 678.2 | 676.2 | 674.1 |
| 32.5° | 475.6 | 493.3 | 511.0 | 528.8 | 546.5 | 562.9 | 578.6 | 580.0 | 580.6 | 575.2 | 569.0 |
| 35° | 461.2 | 472.8 | 484.4 | 496.0 | 507.6 | 517.9 | 527.4 | 526.1 | 524.7 | 519.2 | 513.8 |
| 37.5° | 448.3 | 459.9 | 472.2 | 483.8 | 495.4 | 513.1 | 530.2 | 526.7 | 522.6 | 517.2 | 511.7 |
| 40° | 446.2 | 459.2 | 472.2 | 484.4 | 497.4 | 513.8 | 530.2 | 526.7 | 523.3 | 516.5 | 509.7 |
| 42.5° | 441.5 | 454.4 | 466.7 | 479.7 | 491.9 | 511.7 | 530.8 | 524.7 | 517.9 | 512.4 | 507.0 |
| 45° | 429.2 | 440.8 | 452.4 | 464.0 | 475.6 | 496.7 | 517.9 | 510.4 | 502.9 | 500.8 | 498.1 |
| 47.5° | 412.8 | 424.4 | 436.0 | 447.6 | 459.2 | 480.3 | 500.8 | 494.7 | 487.8 | 487.2 | 485.8 |
| 50° | 395.1 | 406.0 | 417.6 | 428.5 | 439.4 | 460.6 | 481.0 | 475.6 | 470.1 | 470.8 | 470.8 |
| 52.5° | 378.7 | 388.9 | 398.5 | 408.7 | 418.3 | 439.4 | 459.9 | 455.8 | 451.0 | 452.4 | 453.1 |
| 55° | 363.0 | 371.2 | 379.4 | 387.5 | 395.7 | 416.2 | 436.7 | 430.5 | 424.4 | 426.4 | 428.5 |
| 57.5° | 345.9 | 352.8 | 359.6 | 365.7 | 372.5 | 393.0 | 412.8 | 406.0 | 398.5 | 401.9 | 404.6 |
| 60° | 326.8 | 333.0 | 339.1 | 344.6 | 350.7 | 369.1 | 386.9 | 380.7 | 373.9 | 378.7 | 382.8 |
| 62.5° | 307.0 | 311.8 | 316.6 | 321.4 | 326.1 | 343.2 | 360.3 | 355.5 | 350.7 | 356.2 | 360.9 |
| 65° | 286.6 | 290.0 | 294.1 | 297.5 | 300.9 | 317.3 | 333.0 | 329.6 | 326.1 | 330.9 | 335.7 |
| 67.5° | 264.1 | 266.8 | 270.2 | 272.9 | 275.7 | 290.7 | 305.7 | 302.3 | 298.2 | 302.3 | 305.7 |
| 70° | 239.5 | 242.2 | 244.3 | 247.0 | 249.0 | 262.7 | 276.3 | 271.6 | 266.1 | 270.2 | 273.6 |
| 72.5° | 214.9 | 216.3 | 218.3 | 219.7 | 221.1 | 231.3 | 241.5 | 237.4 | 233.3 | 237.4 | 240.9 |
| 75° | 185.6 | 187.0 | 188.3 | 189.7 | 191.0 | 199.9 | 208.1 | 203.3 | 197.9 | 202.0 | 206.1 |
| 77.5° | 155.6 | 156.2 | 157.6 | 158.3 | 159.0 | 165.1 | 170.6 | 165.8 | 160.3 | 165.1 | 169.9 |
| 80° | 120.8 | 121.5 | 122.1 | 122.1 | 122.8 | 124.9 | 126.9 | 123.5 | 119.4 | 125.5 | 131.7 |
| 82.5° | 88.7 | 88.0 | 88.0 | 87.3 | 86.7 | 86.7 | 86.0 | 83.9 | 81.2 | 86.7 | 92.1 |
| 85° | 51.2 | 50.5 | 49.1 | 48.4 | 47.1 | 45.0 | 43.0 | 42.3 | 41.6 | 46.4 | 51.2 |
| 87.5° | 5.5 | 4.8 | 3.4 | 2.7 | 1.4 | 0.7 | 0.0 | 0.0 | 0.0 | 2.7 | 6.1 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598490

CATALOG NUMBER: PMM-SA3D-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 165° | 167.5° | 170° | 172.5° | 175° | 177.5° | 180° | 182.5° | 185° | 187.5° | 190° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598490

CATALOG NUMBER: PMM-SA3D-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 192.5° | 195° | 197.5° | 200° | 202.5° | 205° | 207.5° | 210° | 212.5° | 215° | 217.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 |
| 2.5° | 1512.7 | 1501.8 | 1491.5 | 1481.3 | 1471.0 | 1460.8 | 1479.9 | 1499.0 | 1518.1 | 1537.2 | 1554.3 |
| 5° | 1597.3 | 1593.9 | 1585.0 | 1576.8 | 1567.9 | 1559.1 | 1563.8 | 1569.3 | 1574.1 | 1578.9 | 1589.1 |
| 7.5° | 1348.2 | 1344.1 | 1363.2 | 1381.7 | 1400.8 | 1419.2 | 1424.0 | 1428.1 | 1432.8 | 1436.9 | 1434.2 |
| 10° | 1222.0 | 1256.8 | 1265.7 | 1273.9 | 1282.7 | 1290.9 | 1304.6 | 1318.2 | 1331.2 | 1344.8 | 1352.3 |
| 12.5° | 1119.7 | 1138.8 | 1170.2 | 1202.2 | 1233.6 | 1265.0 | 1285.5 | 1305.9 | 1326.4 | 1346.9 | 1389.2 |
| 15° | 994.1 | 1009.8 | 1033.7 | 1057.6 | 1081.5 | 1105.3 | 1134.7 | 1164.7 | 1194.0 | 1223.4 | 1269.8 |
| 17.5° | 798.3 | 805.1 | 822.9 | 840.6 | 857.7 | 875.4 | 915.0 | 953.9 | 993.4 | 1032.3 | 1085.5 |
| 20° | 670.0 | 662.5 | 662.5 | 663.2 | 663.2 | 663.2 | 702.8 | 741.7 | 781.2 | 820.1 | 890.4 |
| 22.5° | 628.4 | 626.4 | 618.8 | 610.7 | 603.2 | 595.0 | 615.4 | 636.6 | 657.1 | 677.5 | 734.8 |
| 25° | 614.1 | 606.6 | 597.0 | 587.5 | 577.9 | 568.4 | 581.3 | 594.3 | 607.3 | 620.2 | 665.2 |
| 27.5° | 620.9 | 614.8 | 619.5 | 623.6 | 628.4 | 632.5 | 636.6 | 640.7 | 644.8 | 648.9 | 664.6 |
| 30° | 672.1 | 670.0 | 677.5 | 684.4 | 691.9 | 698.7 | 689.1 | 680.3 | 670.7 | 661.2 | 666.6 |
| 32.5° | 563.6 | 557.4 | 554.7 | 552.0 | 549.3 | 546.5 | 545.8 | 545.2 | 543.8 | 543.1 | 555.4 |
| 35° | 508.3 | 502.9 | 498.8 | 494.7 | 489.9 | 485.8 | 487.8 | 489.2 | 491.3 | 492.6 | 506.3 |
| 37.5° | 506.3 | 500.8 | 496.0 | 491.3 | 485.8 | 481.0 | 483.1 | 485.8 | 487.8 | 489.9 | 500.1 |
| 40° | 502.9 | 496.0 | 493.3 | 490.6 | 487.8 | 485.1 | 486.5 | 487.8 | 488.5 | 489.9 | 497.4 |
| 42.5° | 500.8 | 495.4 | 494.0 | 492.6 | 491.3 | 489.9 | 491.3 | 492.6 | 493.3 | 494.7 | 503.5 |
| 45° | 496.0 | 493.3 | 494.7 | 496.0 | 497.4 | 498.8 | 498.8 | 498.8 | 498.8 | 498.8 | 508.3 |
| 47.5° | 485.1 | 483.8 | 487.8 | 491.9 | 496.0 | 500.1 | 507.0 | 513.8 | 519.9 | 526.7 | 528.8 |
| 50° | 471.5 | 471.5 | 478.3 | 485.1 | 491.3 | 498.1 | 514.5 | 530.2 | 546.5 | 562.2 | 552.0 |
| 52.5° | 454.4 | 455.1 | 465.3 | 474.9 | 485.1 | 494.7 | 509.7 | 524.7 | 539.0 | 554.0 | 539.0 |
| 55° | 429.9 | 431.9 | 444.9 | 457.1 | 470.1 | 482.4 | 494.0 | 505.6 | 517.2 | 528.8 | 513.1 |
| 57.5° | 408.0 | 410.7 | 424.4 | 437.4 | 451.0 | 464.0 | 470.8 | 478.3 | 485.1 | 491.9 | 481.7 |
| 60° | 387.5 | 391.6 | 409.4 | 427.1 | 444.2 | 461.9 | 456.5 | 451.0 | 444.9 | 439.4 | 438.7 |
| 62.5° | 366.4 | 371.2 | 387.5 | 403.9 | 419.6 | 436.0 | 427.8 | 419.6 | 410.7 | 402.6 | 406.0 |
| 65° | 339.8 | 344.6 | 352.1 | 359.6 | 366.4 | 373.9 | 373.2 | 373.2 | 372.5 | 371.9 | 378.7 |
| 67.5° | 309.8 | 313.2 | 318.0 | 322.0 | 326.8 | 330.9 | 333.6 | 337.1 | 339.8 | 342.5 | 350.7 |
| 70° | 277.7 | 281.1 | 285.9 | 290.0 | 294.8 | 298.8 | 302.3 | 305.7 | 308.4 | 311.8 | 320.0 |
| 72.5° | 244.9 | 248.4 | 253.1 | 257.9 | 262.0 | 266.8 | 269.5 | 272.2 | 274.3 | 277.0 | 283.8 |
| 75° | 210.1 | 214.2 | 219.0 | 223.1 | 227.9 | 232.0 | 234.0 | 236.1 | 238.1 | 240.2 | 246.3 |
| 77.5° | 174.7 | 179.4 | 184.2 | 189.0 | 193.8 | 198.6 | 199.2 | 199.9 | 200.6 | 201.3 | 206.7 |
| 80° | 137.1 | 143.3 | 148.1 | 152.8 | 157.6 | 162.4 | 162.4 | 162.4 | 162.4 | 162.4 | 165.1 |
| 82.5° | 97.6 | 103.0 | 108.5 | 113.3 | 118.7 | 123.5 | 123.5 | 122.8 | 122.8 | 122.1 | 122.1 |
| 85° | 55.9 | 60.7 | 64.1 | 68.2 | 71.6 | 75.1 | 75.1 | 75.1 | 74.4 | 74.4 | 73.0 |
| 87.5° | 8.9 | 11.6 | 13.0 | 15.0 | 16.4 | 17.7 | 17.1 | 17.1 | 16.4 | 15.7 | 13.6 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598490
 CATALOG NUMBER: PMM-SA3D-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 192.5° | 195° | 197.5° | 200° | 202.5° | 205° | 207.5° | 210° | 212.5° | 215° | 217.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598490

CATALOG NUMBER: PMM-SA3D-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 220° | 222.5° | 225° | 227.5° | 230° | 232.5° | 235° | 237.5° | 240° | 242.5° | 245° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 |
| 2.5° | 1571.3 | 1588.4 | 1605.5 | 1602.7 | 1600.0 | 1597.3 | 1594.5 | 1604.8 | 1614.3 | 1624.6 | 1634.1 |
| 5° | 1598.6 | 1608.9 | 1618.4 | 1625.9 | 1633.4 | 1640.9 | 1648.4 | 1683.2 | 1717.4 | 1752.2 | 1786.3 |
| 7.5° | 1431.5 | 1428.1 | 1425.3 | 1457.4 | 1490.2 | 1522.2 | 1554.3 | 1598.6 | 1643.0 | 1687.3 | 1731.7 |
| 10° | 1359.8 | 1367.3 | 1374.8 | 1387.8 | 1401.5 | 1414.4 | 1427.4 | 1471.0 | 1514.7 | 1558.4 | 1602.1 |
| 12.5° | 1430.8 | 1473.1 | 1514.7 | 1524.9 | 1535.9 | 1546.1 | 1556.3 | 1565.2 | 1574.1 | 1582.3 | 1591.1 |
| 15° | 1316.2 | 1362.6 | 1409.0 | 1435.6 | 1462.2 | 1488.1 | 1514.7 | 1581.6 | 1647.8 | 1714.6 | 1780.8 |
| 17.5° | 1138.1 | 1191.3 | 1243.8 | 1309.3 | 1374.8 | 1440.3 | 1505.8 | 1567.3 | 1628.7 | 1689.4 | 1750.8 |
| 20° | 960.7 | 1030.3 | 1100.6 | 1172.2 | 1243.2 | 1314.8 | 1385.8 | 1445.8 | 1505.8 | 1565.2 | 1625.2 |
| 22.5° | 791.5 | 848.8 | 905.4 | 992.8 | 1079.4 | 1166.7 | 1253.4 | 1365.3 | 1476.5 | 1588.4 | 1699.6 |
| 25° | 709.6 | 754.6 | 799.0 | 889.0 | 979.1 | 1068.5 | 1158.6 | 1303.9 | 1448.5 | 1593.9 | 1738.5 |
| 27.5° | 680.9 | 696.6 | 712.3 | 794.2 | 875.4 | 957.3 | 1038.5 | 1195.4 | 1352.3 | 1508.6 | 1665.5 |
| 30° | 672.1 | 677.5 | 683.0 | 747.1 | 811.3 | 875.4 | 939.5 | 1094.4 | 1250.0 | 1404.9 | 1559.7 |
| 32.5° | 567.0 | 579.3 | 590.9 | 653.6 | 715.7 | 778.5 | 840.6 | 996.8 | 1152.4 | 1308.7 | 1464.2 |
| 35° | 519.9 | 533.6 | 547.2 | 608.6 | 670.0 | 730.7 | 792.2 | 956.6 | 1121.7 | 1286.1 | 1450.6 |
| 37.5° | 510.4 | 520.6 | 530.8 | 600.4 | 670.0 | 739.6 | 809.2 | 975.7 | 1142.2 | 1308.7 | 1475.1 |
| 40° | 505.6 | 513.1 | 520.6 | 588.1 | 656.4 | 723.9 | 791.5 | 966.1 | 1140.1 | 1314.8 | 1488.8 |
| 42.5° | 511.7 | 520.6 | 528.8 | 590.2 | 650.9 | 712.3 | 773.1 | 953.9 | 1134.0 | 1314.8 | 1494.9 |
| 45° | 517.2 | 526.7 | 535.6 | 592.9 | 650.2 | 707.5 | 764.9 | 958.0 | 1150.4 | 1343.5 | 1535.9 |
| 47.5° | 530.2 | 532.2 | 533.6 | 583.4 | 632.5 | 682.3 | 731.4 | 927.9 | 1124.4 | 1320.3 | 1516.8 |
| 50° | 541.1 | 530.8 | 519.9 | 571.8 | 622.9 | 674.8 | 726.0 | 912.2 | 1098.5 | 1284.1 | 1470.4 |
| 52.5° | 524.0 | 508.3 | 493.3 | 549.3 | 605.2 | 660.5 | 716.4 | 902.7 | 1089.6 | 1275.9 | 1462.2 |
| 55° | 498.1 | 482.4 | 466.7 | 523.3 | 580.0 | 636.6 | 693.2 | 878.8 | 1065.1 | 1250.7 | 1436.3 |
| 57.5° | 472.2 | 461.9 | 451.7 | 498.1 | 545.2 | 591.6 | 638.0 | 839.2 | 1039.8 | 1241.1 | 1441.7 |
| 60° | 438.0 | 436.7 | 436.0 | 472.2 | 509.0 | 545.2 | 581.3 | 778.5 | 975.0 | 1172.2 | 1368.7 |
| 62.5° | 408.7 | 412.1 | 414.8 | 444.2 | 473.5 | 502.2 | 531.5 | 721.9 | 912.9 | 1103.3 | 1293.6 |
| 65° | 386.2 | 393.0 | 399.8 | 433.3 | 466.7 | 499.4 | 532.9 | 692.5 | 852.2 | 1011.9 | 1171.5 |
| 67.5° | 358.9 | 367.1 | 375.3 | 418.9 | 462.6 | 506.3 | 549.9 | 681.6 | 813.3 | 945.0 | 1076.7 |
| 70° | 327.5 | 335.7 | 343.2 | 399.1 | 454.4 | 510.4 | 565.6 | 682.3 | 799.7 | 916.3 | 1033.0 |
| 72.5° | 290.7 | 297.5 | 304.3 | 364.4 | 424.4 | 484.4 | 544.5 | 643.4 | 742.3 | 840.6 | 939.5 |
| 75° | 253.1 | 259.3 | 265.4 | 317.3 | 369.1 | 421.0 | 472.8 | 549.3 | 625.0 | 701.4 | 777.1 |
| 77.5° | 211.5 | 217.0 | 221.7 | 256.5 | 291.3 | 326.1 | 360.9 | 419.6 | 477.6 | 536.3 | 594.3 |
| 80° | 167.8 | 170.6 | 173.3 | 193.8 | 213.6 | 234.0 | 253.8 | 292.7 | 331.6 | 369.8 | 408.7 |
| 82.5° | 122.8 | 122.8 | 122.8 | 135.8 | 149.4 | 162.4 | 175.4 | 195.1 | 214.2 | 234.0 | 253.1 |
| 85° | 71.6 | 69.6 | 68.2 | 77.1 | 86.0 | 94.8 | 103.7 | 111.9 | 120.1 | 128.3 | 136.5 |
| 87.5° | 11.6 | 8.9 | 6.8 | 12.3 | 17.7 | 23.2 | 28.7 | 31.4 | 34.8 | 37.5 | 40.3 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598490

CATALOG NUMBER: PMM-SA3D-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 220° | 222.5° | 225° | 227.5° | 230° | 232.5° | 235° | 237.5° | 240° | 242.5° | 245° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598490

CATALOG NUMBER: PMM-SA3D-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 247.5° | 250° | 252.5° | 255° | 257.5° | 260° | 262.5° | 265° | 267.5° | 270° | 272.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|---------|---------|
| 0° | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 |
| 2.5° | 1610.9 | 1588.4 | 1565.2 | 1542.0 | 1576.1 | 1610.2 | 1644.4 | 1678.5 | 1769.2 | 1823.1 | 1826.5 |
| 5° | 1814.9 | 1843.6 | 1872.2 | 1900.9 | 1929.6 | 1958.2 | 1986.2 | 2014.8 | 2162.2 | 2253.0 | 2270.0 |
| 7.5° | 1778.8 | 1826.5 | 1873.6 | 1920.7 | 2001.9 | 2083.1 | 2164.3 | 2245.5 | 2370.3 | 2460.4 | 2519.7 |
| 10° | 1660.7 | 1719.4 | 1778.1 | 1836.8 | 1933.0 | 2029.9 | 2126.1 | 2222.3 | 2354.6 | 2473.4 | 2530.0 |
| 12.5° | 1684.6 | 1778.1 | 1870.9 | 1964.4 | 2047.6 | 2131.5 | 2214.8 | 2298.0 | 2389.4 | 2434.5 | 2537.5 |
| 15° | 1845.6 | 1910.5 | 1975.3 | 2040.1 | 2165.6 | 2290.5 | 2416.0 | 2540.9 | 2592.8 | 2695.8 | 2788.6 |
| 17.5° | 1870.2 | 1988.9 | 2108.3 | 2227.0 | 2380.6 | 2534.1 | 2687.6 | 2841.1 | 2937.3 | 3070.4 | 3182.3 |
| 20° | 1793.8 | 1961.6 | 2130.2 | 2298.0 | 2495.9 | 2694.4 | 2892.3 | 3090.2 | 3212.3 | 3324.2 | 3497.5 |
| 22.5° | 1885.2 | 2070.8 | 2255.7 | 2441.3 | 2704.0 | 2966.0 | 3228.7 | 3490.7 | 3745.9 | 3995.6 | 4112.9 |
| 25° | 1986.2 | 2234.5 | 2482.2 | 2729.9 | 3058.1 | 3385.6 | 3713.8 | 4041.3 | 4369.5 | 4603.5 | 4738.6 |
| 27.5° | 1915.2 | 2164.3 | 2414.0 | 2663.0 | 3069.0 | 3475.7 | 3881.6 | 4287.6 | 4639.0 | 4920.8 | 5036.8 |
| 30° | 1865.4 | 2171.1 | 2476.8 | 2782.4 | 3258.7 | 3734.9 | 4211.2 | 4687.4 | 5012.2 | 5326.7 | 5497.3 |
| 32.5° | 1856.5 | 2248.9 | 2640.5 | 3032.8 | 3587.6 | 4141.6 | 4696.3 | 5250.3 | 5465.9 | 5745.0 | 5974.9 |
| 35° | 1881.1 | 2312.3 | 2742.9 | 3173.4 | 3809.3 | 4445.2 | 5080.4 | 5716.3 | 6022.7 | 6299.0 | 6500.3 |
| 37.5° | 1956.2 | 2437.2 | 2917.5 | 3398.6 | 4164.8 | 4931.7 | 5697.9 | 6464.2 | 6977.9 | 7483.5 | 7573.6 |
| 40° | 1998.5 | 2508.8 | 3018.5 | 3528.2 | 4419.3 | 5310.4 | 6201.5 | 7092.6 | 7683.4 | 8238.1 | 8275.7 |
| 42.5° | 2048.3 | 2601.6 | 3154.3 | 3707.6 | 4695.6 | 5684.3 | 6672.3 | 7660.2 | 8391.7 | 8988.0 | 9005.7 |
| 45° | 2105.6 | 2674.6 | 3244.4 | 3813.4 | 4845.0 | 5876.0 | 6907.6 | 7938.6 | 8822.9 | 9547.5 | 9370.8 |
| 47.5° | 2128.1 | 2740.1 | 3351.5 | 3962.8 | 5062.7 | 6161.9 | 7261.8 | 8361.0 | 9154.5 | 9813.6 | 9644.4 |
| 50° | 2137.0 | 2804.3 | 3470.9 | 4137.5 | 5276.9 | 6417.1 | 7556.5 | 8696.0 | 9503.1 | 10145.9 | 9886.6 |
| 52.5° | 2192.2 | 2922.3 | 3652.4 | 4382.4 | 5569.6 | 6756.9 | 7944.1 | 9131.3 | 9925.5 | 10543.0 | 10220.9 |
| 55° | 2266.6 | 3097.0 | 3926.7 | 4757.0 | 5985.9 | 7214.0 | 8442.8 | 9671.0 | 10467.9 | 11042.4 | 10643.3 |
| 57.5° | 2335.5 | 3230.0 | 4123.8 | 5017.7 | 6290.8 | 7564.7 | 8837.9 | 10111.1 | 10918.2 | 11486.6 | 11099.7 |
| 60° | 2302.1 | 3235.5 | 4168.9 | 5102.3 | 6353.6 | 7604.3 | 8855.6 | 10106.3 | 11022.6 | 11704.2 | 11506.4 |
| 62.5° | 2201.1 | 3108.6 | 4015.4 | 4922.8 | 6110.7 | 7297.9 | 8485.8 | 9673.0 | 10745.6 | 11619.6 | 11610.8 |
| 65° | 2006.7 | 2841.8 | 3676.3 | 4511.4 | 5610.6 | 6710.5 | 7809.7 | 8908.8 | 10173.2 | 11234.8 | 11303.7 |
| 67.5° | 1769.9 | 2463.1 | 3156.3 | 3849.6 | 4884.6 | 5919.7 | 6954.7 | 7989.8 | 9341.4 | 10512.9 | 10572.3 |
| 70° | 1540.6 | 2049.0 | 2556.6 | 3064.2 | 3973.1 | 4881.9 | 5790.0 | 6698.9 | 8064.2 | 9249.3 | 9303.9 |
| 72.5° | 1271.8 | 1604.1 | 1935.7 | 2268.0 | 3004.2 | 3740.4 | 4475.9 | 5212.1 | 6410.9 | 7322.5 | 7630.2 |
| 75° | 974.3 | 1171.5 | 1368.7 | 1565.9 | 2161.5 | 2757.2 | 3352.2 | 3947.8 | 4744.7 | 5417.5 | 5764.1 |
| 77.5° | 696.6 | 799.0 | 901.3 | 1003.7 | 1509.9 | 2016.2 | 2521.8 | 3028.1 | 3447.0 | 3828.4 | 4062.4 |
| 80° | 457.1 | 504.9 | 553.3 | 601.1 | 1022.1 | 1443.1 | 1863.4 | 2284.4 | 2539.5 | 2744.2 | 2862.3 |
| 82.5° | 277.0 | 300.9 | 324.1 | 348.0 | 689.1 | 1030.3 | 1370.7 | 1711.9 | 1857.9 | 1955.5 | 2060.6 |
| 85° | 149.4 | 162.4 | 175.4 | 188.3 | 407.3 | 625.7 | 844.7 | 1063.0 | 1077.4 | 1089.0 | 1245.2 |
| 87.5° | 43.7 | 47.8 | 51.2 | 54.6 | 90.1 | 126.2 | 161.7 | 197.2 | 122.8 | 76.4 | 156.9 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598490
 CATALOG NUMBER: PMM-SA3D-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 247.5° | 250° | 252.5° | 255° | 257.5° | 260° | 262.5° | 265° | 267.5° | 270° | 272.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598490

CATALOG NUMBER: PMM-SA3D-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 275° | 277.5° | 280° | 282.5° | 285° | 287.5° | 290° | 292.5° | 295° | 297.5° | 300° |
|--------|---------|---------|---------|---------|---------|--------|--------|--------|--------|---------|---------|
| 0° | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 |
| 2.5° | 1806.7 | 1797.9 | 1789.0 | 1779.4 | 1770.6 | 1733.1 | 1696.2 | 1658.7 | 1621.2 | 1657.3 | 1692.8 |
| 5° | 2250.2 | 2277.5 | 2304.1 | 2331.4 | 2358.7 | 2360.8 | 2362.1 | 2364.2 | 2365.5 | 2372.4 | 2379.2 |
| 7.5° | 2569.6 | 2618.0 | 2665.8 | 2714.2 | 2762.6 | 2800.2 | 2837.7 | 2875.9 | 2913.4 | 2879.3 | 2845.2 |
| 10° | 2596.8 | 2699.2 | 2801.5 | 2903.9 | 3006.2 | 3024.7 | 3042.4 | 3060.8 | 3079.2 | 3103.8 | 3127.7 |
| 12.5° | 2624.1 | 2749.0 | 2873.2 | 2998.0 | 3122.9 | 3177.5 | 3231.4 | 3286.0 | 3339.9 | 3366.5 | 3392.4 |
| 15° | 2912.8 | 2986.4 | 3059.5 | 3133.1 | 3206.1 | 3243.7 | 3280.5 | 3318.0 | 3355.6 | 3378.1 | 3399.9 |
| 17.5° | 3283.9 | 3311.2 | 3337.8 | 3365.1 | 3392.4 | 3417.7 | 3442.9 | 3468.2 | 3493.4 | 3497.5 | 3501.6 |
| 20° | 3622.4 | 3627.8 | 3632.6 | 3638.0 | 3642.8 | 3589.6 | 3537.1 | 3483.8 | 3430.6 | 3440.2 | 3449.0 |
| 22.5° | 4130.0 | 4100.0 | 4070.6 | 4040.6 | 4011.3 | 3911.0 | 3811.4 | 3711.1 | 3611.4 | 3568.5 | 3526.1 |
| 25° | 4894.2 | 4817.8 | 4741.3 | 4664.9 | 4588.5 | 4428.8 | 4269.9 | 4110.2 | 3951.2 | 3857.7 | 3765.0 |
| 27.5° | 5140.5 | 4974.0 | 4808.2 | 4641.7 | 4475.2 | 4354.5 | 4234.4 | 4113.6 | 3993.5 | 3845.5 | 3697.4 |
| 30° | 5638.6 | 5375.9 | 5113.9 | 4851.2 | 4588.5 | 4471.8 | 4355.1 | 4237.8 | 4121.1 | 3969.6 | 3818.9 |
| 32.5° | 6080.0 | 5807.1 | 5534.2 | 5260.6 | 4987.6 | 4766.6 | 4545.5 | 4324.4 | 4103.4 | 4001.0 | 3898.7 |
| 35° | 6591.1 | 6247.9 | 5904.7 | 5561.5 | 5218.3 | 5028.6 | 4839.6 | 4649.9 | 4460.9 | 4306.0 | 4151.8 |
| 37.5° | 7335.5 | 6970.4 | 6605.4 | 6239.7 | 5874.6 | 5618.1 | 5362.2 | 5105.7 | 4849.8 | 4764.5 | 4679.9 |
| 40° | 8045.0 | 7613.8 | 7183.3 | 6752.1 | 6321.5 | 6125.0 | 5928.5 | 5731.4 | 5534.9 | 5390.9 | 5246.9 |
| 42.5° | 8639.3 | 8212.9 | 7787.1 | 7360.7 | 6934.9 | 6791.7 | 6649.1 | 6505.8 | 6363.2 | 6244.4 | 6125.7 |
| 45° | 8843.3 | 8495.4 | 8148.1 | 7800.1 | 7452.1 | 7401.6 | 7351.8 | 7301.3 | 7251.5 | 7163.5 | 7075.5 |
| 47.5° | 9171.5 | 8816.7 | 8462.6 | 8107.8 | 7753.0 | 7771.4 | 7789.9 | 7809.0 | 7827.4 | 7832.2 | 7836.3 |
| 50° | 9364.6 | 9027.6 | 8691.2 | 8354.1 | 8017.8 | 8107.1 | 8195.8 | 8285.2 | 8374.6 | 8577.2 | 8779.2 |
| 52.5° | 9646.4 | 9315.5 | 8985.3 | 8654.3 | 8323.4 | 8474.9 | 8625.7 | 8777.2 | 8928.0 | 9211.8 | 9495.6 |
| 55° | 9999.9 | 9683.3 | 9367.4 | 9050.8 | 8734.9 | 8882.2 | 9028.9 | 9176.3 | 9323.0 | 9638.9 | 9954.8 |
| 57.5° | 10468.6 | 10129.5 | 9791.1 | 9452.0 | 9113.5 | 9249.3 | 9384.4 | 9520.2 | 9655.3 | 9955.5 | 10255.7 |
| 60° | 11002.2 | 10633.7 | 10265.3 | 9896.1 | 9527.7 | 9565.2 | 9602.1 | 9639.6 | 9676.4 | 10001.9 | 10326.7 |
| 62.5° | 11264.2 | 10923.0 | 10582.5 | 10241.4 | 9900.2 | 9795.8 | 9691.4 | 9586.4 | 9482.0 | 9773.3 | 10064.0 |
| 65° | 11037.0 | 10802.2 | 10568.2 | 10333.5 | 10098.8 | 9914.6 | 9731.0 | 9546.8 | 9362.6 | 9544.8 | 9726.2 |
| 67.5° | 10313.7 | 10180.7 | 10048.3 | 9915.2 | 9782.2 | 9473.1 | 9164.0 | 8854.3 | 8545.2 | 8557.5 | 8569.1 |
| 70° | 9141.5 | 9106.0 | 9071.2 | 9035.8 | 9000.3 | 8535.6 | 8071.7 | 7607.0 | 7142.4 | 7071.4 | 7000.4 |
| 72.5° | 7656.1 | 7679.3 | 7701.9 | 7725.0 | 7748.2 | 7248.8 | 6749.4 | 6249.9 | 5750.5 | 5632.4 | 5514.4 |
| 75° | 5929.9 | 6058.2 | 6186.5 | 6315.4 | 6443.7 | 5966.1 | 5488.5 | 5010.2 | 4532.5 | 4387.2 | 4241.9 |
| 77.5° | 4190.0 | 4429.5 | 4668.3 | 4907.8 | 5147.3 | 4715.4 | 4284.2 | 3852.3 | 3420.4 | 3326.2 | 3232.1 |
| 80° | 2921.6 | 3039.0 | 3156.3 | 3273.7 | 3391.1 | 3174.1 | 2957.1 | 2740.1 | 2523.2 | 2549.1 | 2574.3 |
| 82.5° | 2128.1 | 2155.4 | 2182.0 | 2209.3 | 2236.6 | 2147.9 | 2059.2 | 1969.8 | 1881.1 | 1948.7 | 2016.2 |
| 85° | 1363.2 | 1460.8 | 1557.7 | 1655.3 | 1752.2 | 1653.9 | 1555.7 | 1456.7 | 1358.5 | 1403.5 | 1448.5 |
| 87.5° | 305.0 | 482.4 | 659.8 | 837.9 | 1015.3 | 919.7 | 824.9 | 729.4 | 633.9 | 590.9 | 548.6 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598490

CATALOG NUMBER: PMM-SA3D-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 275° | 277.5° | 280° | 282.5° | 285° | 287.5° | 290° | 292.5° | 295° | 297.5° | 300° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598490

CATALOG NUMBER: PMM-SA3D-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 302.5° | 305° | 307.5° | 310° | 312.5° | 315° | 317.5° | 320° | 322.5° | 325° | 327.5° |
|--------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 0° | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 |
| 2.5° | 1729.0 | 1765.1 | 1754.2 | 1744.0 | 1733.1 | 1722.1 | 1741.9 | 1761.7 | 1782.2 | 1802.0 | 1795.1 |
| 5° | 2386.7 | 2393.5 | 2328.7 | 2264.6 | 2199.7 | 2134.9 | 2175.2 | 2215.4 | 2255.7 | 2296.0 | 2281.6 |
| 7.5° | 2811.1 | 2777.0 | 2739.5 | 2701.9 | 2663.7 | 2626.2 | 2618.0 | 2609.8 | 2600.9 | 2592.8 | 2581.8 |
| 10° | 3152.2 | 3176.1 | 3151.6 | 3127.7 | 3103.1 | 3078.6 | 3021.2 | 2963.9 | 2905.9 | 2848.6 | 2824.7 |
| 12.5° | 3419.0 | 3445.6 | 3451.8 | 3457.2 | 3463.4 | 3469.5 | 3405.4 | 3341.9 | 3277.8 | 3213.7 | 3155.7 |
| 15° | 3422.4 | 3445.0 | 3464.7 | 3483.8 | 3503.6 | 3522.7 | 3483.2 | 3444.3 | 3404.7 | 3365.1 | 3346.7 |
| 17.5° | 3506.4 | 3510.5 | 3494.1 | 3478.4 | 3462.0 | 3446.3 | 3430.6 | 3415.6 | 3399.9 | 3384.9 | 3355.6 |
| 20° | 3458.6 | 3468.2 | 3466.1 | 3464.1 | 3461.3 | 3459.3 | 3460.6 | 3461.3 | 3462.7 | 3463.4 | 3447.0 |
| 22.5° | 3483.2 | 3440.2 | 3449.0 | 3457.2 | 3466.1 | 3474.3 | 3498.9 | 3523.4 | 3548.7 | 3573.2 | 3638.7 |
| 25° | 3671.5 | 3578.0 | 3563.7 | 3550.0 | 3535.7 | 3522.1 | 3586.2 | 3649.6 | 3713.8 | 3777.9 | 3884.4 |
| 27.5° | 3548.7 | 3400.6 | 3367.9 | 3335.1 | 3302.4 | 3269.6 | 3367.2 | 3464.1 | 3561.6 | 3659.2 | 3767.7 |
| 30° | 3667.4 | 3516.6 | 3444.3 | 3371.9 | 3298.9 | 3226.6 | 3320.1 | 3412.9 | 3506.4 | 3599.2 | 3719.2 |
| 32.5° | 3796.3 | 3694.0 | 3645.6 | 3597.8 | 3549.3 | 3501.6 | 3509.1 | 3516.6 | 3524.1 | 3531.6 | 3700.8 |
| 35° | 3996.9 | 3842.1 | 3794.3 | 3746.5 | 3698.8 | 3651.0 | 3730.8 | 3810.0 | 3889.8 | 3969.0 | 4112.2 |
| 37.5° | 4594.6 | 4509.3 | 4423.4 | 4337.4 | 4250.8 | 4164.8 | 4211.9 | 4258.9 | 4306.0 | 4353.1 | 4488.2 |
| 40° | 5103.0 | 4959.0 | 4944.7 | 4931.0 | 4916.7 | 4902.4 | 4906.4 | 4909.9 | 4914.0 | 4918.0 | 5033.4 |
| 42.5° | 6006.3 | 5887.6 | 5814.6 | 5741.6 | 5668.6 | 5595.6 | 5590.8 | 5586.0 | 5580.6 | 5575.8 | 5662.4 |
| 45° | 6986.8 | 6898.8 | 6844.2 | 6789.6 | 6734.3 | 6679.8 | 6593.1 | 6506.5 | 6419.1 | 6332.5 | 6408.2 |
| 47.5° | 7841.0 | 7845.8 | 7944.8 | 8043.0 | 8141.9 | 8240.9 | 8092.8 | 7944.8 | 7796.7 | 7648.6 | 7551.1 |
| 50° | 8981.9 | 9183.8 | 9207.7 | 9230.9 | 9254.8 | 9278.7 | 9027.6 | 8777.2 | 8526.1 | 8275.0 | 8172.6 |
| 52.5° | 9780.1 | 10064.0 | 10027.1 | 9991.0 | 9954.1 | 9917.3 | 9772.0 | 9627.3 | 9482.0 | 9336.7 | 9113.5 |
| 55° | 10271.4 | 10587.3 | 10559.3 | 10532.0 | 10504.1 | 10476.1 | 10370.3 | 10264.6 | 10158.8 | 10053.1 | 9808.1 |
| 57.5° | 10555.9 | 10856.1 | 10864.3 | 10872.5 | 10880.7 | 10888.9 | 10860.9 | 10832.9 | 10805.0 | 10777.0 | 10458.4 |
| 60° | 10652.1 | 10977.6 | 10981.0 | 10983.7 | 10987.1 | 10989.9 | 10945.5 | 10901.2 | 10856.1 | 10811.8 | 10603.7 |
| 62.5° | 10355.3 | 10646.0 | 10659.0 | 10671.2 | 10684.2 | 10697.2 | 10666.5 | 10635.8 | 10605.1 | 10574.4 | 10420.2 |
| 65° | 9908.4 | 10090.6 | 10094.0 | 10096.7 | 10100.1 | 10103.6 | 10025.8 | 9948.7 | 9870.9 | 9793.1 | 9756.3 |
| 67.5° | 8581.3 | 8593.6 | 8665.9 | 8738.3 | 8810.6 | 8882.9 | 8889.1 | 8895.2 | 8902.0 | 8908.2 | 8854.9 |
| 70° | 6929.5 | 6858.5 | 6937.0 | 7015.5 | 7093.9 | 7172.4 | 7205.8 | 7239.2 | 7273.4 | 7306.8 | 7331.4 |
| 72.5° | 5395.7 | 5277.6 | 5335.6 | 5393.6 | 5452.3 | 5510.3 | 5460.5 | 5410.7 | 5360.9 | 5311.1 | 5468.7 |
| 75° | 4096.6 | 3951.2 | 3943.7 | 3936.9 | 3929.4 | 3922.6 | 3897.3 | 3872.1 | 3846.1 | 3820.9 | 3968.3 |
| 77.5° | 3137.2 | 3043.1 | 3047.9 | 3051.9 | 3056.7 | 3060.8 | 3034.9 | 3009.6 | 2983.7 | 2957.8 | 3014.4 |
| 80° | 2600.3 | 2625.5 | 2626.2 | 2626.9 | 2627.6 | 2628.2 | 2603.7 | 2579.8 | 2555.2 | 2530.7 | 2489.7 |
| 82.5° | 2084.4 | 2152.0 | 2151.3 | 2151.3 | 2150.6 | 2149.9 | 2148.6 | 2147.2 | 2145.2 | 2143.8 | 2076.9 |
| 85° | 1493.6 | 1538.6 | 1492.2 | 1445.8 | 1399.4 | 1353.0 | 1387.1 | 1421.2 | 1456.0 | 1490.2 | 1462.2 |
| 87.5° | 505.6 | 463.3 | 408.0 | 353.4 | 298.2 | 242.9 | 302.3 | 361.6 | 421.7 | 481.0 | 515.1 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598490

CATALOG NUMBER: PMM-SA3D-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 302.5° | 305° | 307.5° | 310° | 312.5° | 315° | 317.5° | 320° | 322.5° | 325° | 327.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598490

CATALOG NUMBER: PMM-SA3D-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 330° | 332.5° | 335° | 337.5° | 340° | 342.5° | 345° | 347.5° | 350° | 352.5° | 355° |
|--------|---------|---------|--------|--------|---------|---------|---------|---------|---------|---------|---------|
| 0° | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 | 1482.6 |
| 2.5° | 1789.0 | 1782.2 | 1776.0 | 1733.1 | 1689.4 | 1646.4 | 1602.7 | 1681.9 | 1761.7 | 1840.9 | 1920.0 |
| 5° | 2268.0 | 2253.7 | 2240.0 | 2236.6 | 2233.2 | 2229.1 | 2225.7 | 2265.9 | 2306.2 | 2345.8 | 2386.0 |
| 7.5° | 2570.9 | 2560.0 | 2549.1 | 2520.4 | 2492.5 | 2463.8 | 2435.1 | 2459.7 | 2483.6 | 2508.2 | 2532.0 |
| 10° | 2801.5 | 2777.7 | 2753.8 | 2691.7 | 2630.3 | 2568.2 | 2506.1 | 2487.7 | 2469.3 | 2450.8 | 2432.4 |
| 12.5° | 3097.7 | 3039.0 | 2981.0 | 2910.7 | 2839.8 | 2769.5 | 2698.5 | 2689.0 | 2679.4 | 2670.5 | 2661.0 |
| 15° | 3329.0 | 3310.5 | 3292.1 | 3236.2 | 3180.2 | 3124.3 | 3068.3 | 2993.3 | 2917.5 | 2842.5 | 2767.4 |
| 17.5° | 3326.9 | 3297.6 | 3268.9 | 3344.0 | 3418.3 | 3493.4 | 3567.8 | 3487.9 | 3407.4 | 3327.6 | 3247.8 |
| 20° | 3430.6 | 3413.6 | 3397.2 | 3535.7 | 3673.5 | 3812.0 | 3949.9 | 3906.2 | 3861.8 | 3818.2 | 3773.8 |
| 22.5° | 3703.5 | 3769.0 | 3833.9 | 3952.6 | 4070.6 | 4189.3 | 4307.4 | 4357.2 | 4407.0 | 4456.8 | 4506.6 |
| 25° | 3990.1 | 4096.6 | 4203.0 | 4379.7 | 4555.7 | 4732.5 | 4909.2 | 4944.7 | 4980.1 | 5015.6 | 5051.1 |
| 27.5° | 3875.5 | 3984.0 | 4092.5 | 4226.2 | 4359.2 | 4493.0 | 4626.0 | 4781.6 | 4937.8 | 5093.4 | 5249.0 |
| 30° | 3838.6 | 3958.7 | 4078.1 | 4261.7 | 4444.5 | 4628.1 | 4811.6 | 5025.9 | 5240.1 | 5453.7 | 5667.9 |
| 32.5° | 3869.3 | 4038.6 | 4207.8 | 4456.1 | 4703.8 | 4952.2 | 5200.5 | 5425.7 | 5651.5 | 5876.7 | 6101.8 |
| 35° | 4254.8 | 4398.1 | 4540.7 | 4818.4 | 5096.1 | 5373.8 | 5651.5 | 5915.6 | 6179.6 | 6443.0 | 6707.1 |
| 37.5° | 4622.6 | 4757.7 | 4892.8 | 5176.6 | 5459.8 | 5743.6 | 6027.5 | 6444.4 | 6861.9 | 7278.8 | 7695.7 |
| 40° | 5148.0 | 5263.3 | 5377.9 | 5620.8 | 5863.7 | 6106.6 | 6349.5 | 6852.4 | 7355.2 | 7858.1 | 8361.0 |
| 42.5° | 5748.4 | 5835.1 | 5921.0 | 6172.8 | 6424.6 | 6676.3 | 6928.1 | 7475.3 | 8023.2 | 8570.4 | 9117.6 |
| 45° | 6483.3 | 6559.0 | 6634.7 | 6808.0 | 6981.3 | 7155.3 | 7328.6 | 7892.9 | 8457.2 | 9021.4 | 9585.7 |
| 47.5° | 7453.5 | 7355.9 | 7258.4 | 7343.6 | 7428.9 | 7514.2 | 7599.5 | 8157.6 | 8715.8 | 9273.2 | 9831.3 |
| 50° | 8070.3 | 7967.9 | 7865.6 | 7873.1 | 7879.9 | 7887.4 | 7894.9 | 8415.5 | 8936.1 | 9456.1 | 9976.7 |
| 52.5° | 8890.4 | 8666.6 | 8443.5 | 8441.5 | 8439.4 | 8436.7 | 8434.6 | 8888.4 | 9342.8 | 9796.5 | 10250.3 |
| 55° | 9563.2 | 9318.2 | 9073.3 | 9025.5 | 8977.8 | 8929.3 | 8881.6 | 9330.5 | 9778.8 | 10227.7 | 10676.0 |
| 57.5° | 10139.7 | 9820.4 | 9501.8 | 9426.7 | 9351.7 | 9276.6 | 9201.6 | 9685.3 | 10169.7 | 10653.5 | 11137.3 |
| 60° | 10396.3 | 10188.2 | 9980.7 | 9888.6 | 9796.5 | 9704.4 | 9612.3 | 10024.4 | 10436.5 | 10848.0 | 11260.1 |
| 62.5° | 10266.6 | 10112.4 | 9958.9 | 9980.1 | 10001.2 | 10022.4 | 10043.5 | 10278.9 | 10515.0 | 10750.4 | 10985.8 |
| 65° | 9720.1 | 9683.3 | 9647.1 | 9817.7 | 9988.3 | 10158.8 | 10329.4 | 10332.8 | 10336.2 | 10339.6 | 10343.0 |
| 67.5° | 8801.7 | 8748.5 | 8695.3 | 9050.1 | 9404.2 | 9759.0 | 10113.8 | 9945.3 | 9776.7 | 9608.9 | 9440.4 |
| 70° | 7355.2 | 7379.8 | 7403.7 | 7886.8 | 8369.1 | 8852.2 | 9335.3 | 9091.0 | 8846.1 | 8601.8 | 8356.9 |
| 72.5° | 5626.3 | 5784.6 | 5942.2 | 6443.0 | 6943.8 | 7444.6 | 7945.4 | 7666.4 | 7386.6 | 7107.6 | 6827.8 |
| 75° | 4115.7 | 4263.0 | 4410.4 | 4905.1 | 5399.8 | 5895.1 | 6389.8 | 6058.2 | 5726.6 | 5395.7 | 5064.1 |
| 77.5° | 3071.1 | 3128.4 | 3185.0 | 3596.4 | 4007.2 | 4418.6 | 4829.3 | 4496.4 | 4163.4 | 3831.1 | 3498.2 |
| 80° | 2449.5 | 2408.5 | 2368.3 | 2596.2 | 2824.1 | 3051.9 | 3279.8 | 3043.8 | 2807.0 | 2570.9 | 2334.8 |
| 82.5° | 2010.8 | 1943.9 | 1877.7 | 1962.3 | 2046.9 | 2132.2 | 2216.8 | 2027.8 | 1838.8 | 1649.8 | 1460.8 |
| 85° | 1434.2 | 1406.2 | 1378.3 | 1402.8 | 1426.7 | 1451.3 | 1475.8 | 1291.6 | 1107.4 | 923.8 | 739.6 |
| 87.5° | 548.6 | 582.7 | 616.8 | 655.7 | 693.9 | 732.8 | 771.0 | 603.8 | 436.7 | 270.2 | 103.0 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598490

CATALOG NUMBER: PMM-SA3D-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 330° | 332.5° | 335° | 337.5° | 340° | 342.5° | 345° | 347.5° | 350° | 352.5° | 355° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P598490
 CATALOG NUMBER: PMM-SA3D-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 357.5° | 360° |
|--------|---------|---------|
| 0° | 1482.6 | 1482.6 |
| 2.5° | 1952.8 | 1985.5 |
| 5° | 2385.3 | 2384.7 |
| 7.5° | 2521.1 | 2509.5 |
| 10° | 2402.4 | 2372.4 |
| 12.5° | 2572.3 | 2482.9 |
| 15° | 2678.7 | 2589.3 |
| 17.5° | 3113.4 | 2978.3 |
| 20° | 3613.5 | 3452.5 |
| 22.5° | 4261.7 | 4016.7 |
| 25° | 4758.4 | 4465.0 |
| 27.5° | 5075.0 | 4900.3 |
| 30° | 5468.0 | 5268.1 |
| 32.5° | 5954.5 | 5806.4 |
| 35° | 6572.0 | 6436.2 |
| 37.5° | 7653.4 | 7610.4 |
| 40° | 8309.8 | 8257.9 |
| 42.5° | 9119.7 | 9121.0 |
| 45° | 9616.4 | 9647.1 |
| 47.5° | 9909.1 | 9986.2 |
| 50° | 10142.5 | 10307.6 |
| 52.5° | 10476.1 | 10701.9 |
| 55° | 10976.2 | 11275.8 |
| 57.5° | 11392.4 | 11647.6 |
| 60° | 11392.4 | 11524.1 |
| 62.5° | 10982.4 | 10978.3 |
| 65° | 10279.6 | 10215.5 |
| 67.5° | 9359.8 | 9279.3 |
| 70° | 8231.3 | 8105.1 |
| 72.5° | 6671.6 | 6514.6 |
| 75° | 4849.1 | 4633.5 |
| 77.5° | 3395.8 | 3292.8 |
| 80° | 2384.7 | 2434.5 |
| 82.5° | 1531.8 | 1602.7 |
| 85° | 728.7 | 717.8 |
| 87.5° | 86.0 | 68.9 |
| 90° | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 |



REPORT NUMBER: P598490
CATALOG NUMBER: PMM-SA3D-835-U-SLR

CANDELA DISTRIBUTION (continued):

| | 357.5° | 360° |
|--------|--------|------|
| 112.5° | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 |

(END OF REPORT)