

Scaled data based on original data using
LM-79-08 Approved Method: Electrical and Photometric Measurements of Solid-
State Lighting Products

Test Report Prepared for
Cooper Lighting Solutions
(formerly Eaton)

Brand: STREETWORKS

Report Number: P366920

Luminaire Tested: **PMM-SA1C-740-U-SLR**

Issue Date: 12/2/2019

Test Information

Test Method: LM-79-08
Report Number: P366920
TEST IS SCALED FROM IESNA LM-79-08 TEST DATA (G2-1910-543-24)
Test Lab: INNOVATION CENTER
Issue Date: 12/2/2019
Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)
Product Line: STREETWORKS
Catalog Number: PMM-SA1C-740-U-SLR
Description: MESA POST TOP DECORATIVE LUMINAIRE. (1) LIGHTSQUARES WITH 16 LEDS EACH AND SPILL LIGHT ELIMINATOR RIGHT OPTICS.
Light Source: -
Ballast/Driver: ELECTRONIC DRIVER

Summary

Lumens per Lamp: N/A
Luminaire Lumens: 5373 lumens
Efficiency: N/A
Efficacy: 91.1 lumens/watt
Luminous Opening: Rectangular (W 0.5' x L: 0.5' x H: 0')
IES Classification: Type IV - Short
BUG Rating: B1 - U0 - G2


Input Watts (W): 59
Input Voltage (V): NR
Input Current (Ain): NR
Voltage Rise (V): NR
Power Factor: NR
Total Harmonic Distortion (THDi): NR
Frequency (hertz): 60
Stabilization Time: NR
Operation Time: NR
Ambient Temperature (°C): NR
Test Distance: 28.75 FT



REPORT NUMBER: P366920
 CATALOG NUMBER: PMM-SA1C-740-U-SLR

Iso-Footcandle Lines of Horizontal Illumination


× Max cd
 - - - 1/2 Max cd



Based on 25 foot mounting height. Maximum calculated value = 2.3 fc
 Type IV - Short - N/A

REPORT NUMBER: P366920
CATALOG NUMBER: PMM-SA1C-740-U-SLR

Luminous Intensity Polar Plot



REPORT NUMBER: P366920

CATALOG NUMBER: PMM-SA1C-740-U-SLR


FLUX DISTRIBUTION:

| | | Downward | Upward | Total |
|--------------------|-----------|----------|--------|--------|
| House Side | Lumens | 1040.6 | 0.0 | 1040.6 |
| | % Fixture | 19.4 | 0.0 | 19.4 |
| Street Side | Lumens | 4332.4 | 0.0 | 4332.4 |
| | % Fixture | 80.6 | 0.0 | 80.6 |
| Total | Lumens | 5373.0 | 0.0 | 5373.0 |
| | % Fixture | 100.0 | 0.0 | 100.0 |

ZONAL LUMENS:

| Zone | Lumens | % Fixture |
|-----------|--------|-----------|
| 0°-10° | 65.0 | 1.2 |
| 10°-20° | 188.8 | 3.5 |
| 20°-30° | 333.3 | 6.2 |
| 30°-40° | 519.1 | 9.7 |
| 40°-50° | 854.6 | 15.9 |
| 50°-60° | 1219.8 | 22.7 |
| 60°-70° | 1293.4 | 24.1 |
| 70°-80° | 714.4 | 13.3 |
| 80°-90° | 184.8 | 3.4 |
| 90°-100° | 0.0 | 0.0 |
| 100°-110° | 0.0 | 0.0 |
| 110°-120° | 0.0 | 0.0 |
| 120°-130° | 0.0 | 0.0 |
| 130°-140° | 0.0 | 0.0 |
| 140°-150° | 0.0 | 0.0 |
| 150°-160° | 0.0 | 0.0 |
| 160°-170° | 0.0 | 0.0 |
| 170°-180° | 0.0 | 0.0 |
| 0°-90° | 5373.0 | 100.0 |
| 0°-180° | 5373.0 | 100.0 |

Coefficient of Utilization



REPORT NUMBER: P366920


CATALOG NUMBER: PMM-SA1C-740-U-SLR

LUMINAIRE CLASSIFICATION SYSTEM LUMEN TABLE AND BUG RATING:

| Zone | Lumens | % Fixture | Zone Rating/Lumen Limit | | |
|----------------|--------|-----------|-------------------------|------|---------|
| | | | B | U | G |
| FL (0°-30°) | 411.1 | 7.7 | | | |
| FM (30°-60°) | 2082.9 | 38.8 | | | |
| FH (60°-80°) | 1681.2 | 31.3 | | | G1/1800 |
| FVH (80°-90°) | 157.1 | 2.9 | | | G2/225 |
| BL (0°-30°) | 175.9 | 3.3 | B1/500 | | |
| BM (30°-60°) | 510.5 | 9.5 | B1/1000 | | |
| BH (60°-80°) | 326.5 | 6.1 | B1/500 | | G1/500 |
| BVH (80°-90°) | 27.7 | 0.5 | | | G1/100 |
| UL (90°-100°) | 0.0 | 0.0 | | U0/0 | |
| UH (100°-180°) | 0.0 | 0.0 | | U0/0 | |

BUG Rating: B1-U0-G2

Type IV Short





REPORT NUMBER: P366920

CATALOG NUMBER: PMM-SA1C-740-U-SLR

CANDELA DISTRIBUTION (FULL):

| | 0° | 2.5° | 5° | 7.5° | 10° | 12.5° | 15° | 17.5° | 20° | 22.5° | 25° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|-------|-------|
| 0° | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 |
| 2.5° | 758.9 | 763.6 | 768.0 | 759.2 | 750.3 | 741.2 | 732.3 | 719.0 | 705.5 | 692.2 | 678.6 |
| 5° | 911.5 | 894.3 | 876.8 | 869.8 | 863.0 | 855.9 | 848.9 | 842.4 | 835.9 | 829.1 | 822.6 |
| 7.5° | 959.2 | 934.7 | 909.9 | 899.5 | 889.1 | 878.4 | 867.9 | 844.5 | 821.0 | 797.3 | 773.8 |
| 10° | 906.8 | 881.2 | 855.4 | 845.2 | 834.8 | 824.6 | 814.2 | 785.5 | 757.1 | 728.4 | 699.7 |
| 12.5° | 949.0 | 923.0 | 896.6 | 864.3 | 831.9 | 799.3 | 767.0 | 751.1 | 735.2 | 719.0 | 703.1 |
| 15° | 989.7 | 954.5 | 919.0 | 886.7 | 854.4 | 821.8 | 789.4 | 757.6 | 725.8 | 694.0 | 662.2 |
| 17.5° | 1138.4 | 1079.7 | 1021.0 | 962.6 | 903.9 | 845.5 | 786.8 | 750.1 | 713.0 | 676.2 | 639.2 |
| 20° | 1319.6 | 1238.0 | 1156.1 | 1067.4 | 978.5 | 889.8 | 800.9 | 754.5 | 708.3 | 661.9 | 615.5 |
| 22.5° | 1535.3 | 1432.3 | 1329.3 | 1217.4 | 1105.5 | 993.4 | 881.5 | 814.2 | 746.9 | 679.4 | 612.1 |
| 25° | 1706.7 | 1607.6 | 1508.4 | 1366.6 | 1224.7 | 1082.8 | 941.0 | 864.5 | 788.1 | 711.5 | 635.0 |
| 27.5° | 1873.0 | 1715.3 | 1557.2 | 1394.7 | 1232.5 | 1070.0 | 907.6 | 836.9 | 766.2 | 695.5 | 624.9 |
| 30° | 2013.6 | 1888.4 | 1763.2 | 1551.2 | 1339.2 | 1126.9 | 914.9 | 828.0 | 741.2 | 654.3 | 567.5 |
| 32.5° | 2219.4 | 2040.7 | 1861.8 | 1640.7 | 1419.5 | 1198.4 | 977.2 | 866.1 | 755.0 | 643.9 | 532.8 |
| 35° | 2460.1 | 2274.4 | 2088.7 | 1815.1 | 1541.8 | 1268.3 | 994.7 | 877.1 | 759.2 | 641.6 | 523.7 |
| 37.5° | 2908.9 | 2581.6 | 2254.1 | 1955.5 | 1656.8 | 1358.0 | 1059.4 | 922.7 | 786.0 | 649.1 | 512.5 |
| 40° | 3156.4 | 2853.9 | 2551.4 | 2179.2 | 1807.1 | 1434.6 | 1062.5 | 922.7 | 782.7 | 642.9 | 502.8 |
| 42.5° | 3486.3 | 3103.7 | 2720.9 | 2318.5 | 1916.3 | 1513.9 | 1111.5 | 956.6 | 801.7 | 646.5 | 491.6 |
| 45° | 3687.4 | 3261.0 | 2834.3 | 2404.3 | 1974.2 | 1544.2 | 1114.1 | 956.9 | 799.6 | 642.3 | 485.1 |
| 47.5° | 3817.0 | 3407.6 | 2997.9 | 2534.9 | 2072.0 | 1608.9 | 1145.9 | 979.0 | 811.9 | 645.0 | 477.8 |
| 50° | 3939.9 | 3534.3 | 3128.5 | 2647.9 | 2167.5 | 1686.8 | 1206.2 | 1023.9 | 841.6 | 659.0 | 476.7 |
| 52.5° | 4090.6 | 3717.1 | 3343.4 | 2827.8 | 2312.0 | 1796.4 | 1280.5 | 1082.0 | 883.6 | 685.1 | 486.6 |
| 55° | 4309.9 | 3941.9 | 3573.7 | 3020.3 | 2466.6 | 1913.2 | 1359.5 | 1139.2 | 919.0 | 698.7 | 478.3 |
| 57.5° | 4452.1 | 4078.9 | 3705.7 | 3141.3 | 2576.9 | 2012.3 | 1447.9 | 1203.8 | 959.7 | 715.4 | 471.3 |
| 60° | 4404.9 | 4019.9 | 3634.7 | 3096.7 | 2558.7 | 2020.7 | 1482.6 | 1219.0 | 955.6 | 691.9 | 428.2 |
| 62.5° | 4196.2 | 3787.0 | 3377.8 | 2895.9 | 2414.2 | 1932.2 | 1450.3 | 1182.2 | 914.4 | 646.3 | 378.2 |
| 65° | 3904.6 | 3481.6 | 3058.4 | 2623.6 | 2188.9 | 1754.1 | 1319.4 | 1076.0 | 832.5 | 589.1 | 345.6 |
| 67.5° | 3546.8 | 3105.8 | 2664.6 | 2279.6 | 1894.7 | 1509.5 | 1124.6 | 921.1 | 718.0 | 514.6 | 311.1 |
| 70° | 3098.0 | 2664.6 | 2231.1 | 1898.1 | 1565.0 | 1232.0 | 899.0 | 745.9 | 593.1 | 440.0 | 286.9 |
| 72.5° | 2490.1 | 2116.1 | 1742.1 | 1480.0 | 1217.9 | 955.8 | 693.7 | 587.3 | 481.2 | 374.8 | 268.4 |
| 75° | 1771.1 | 1551.2 | 1331.4 | 1127.4 | 923.5 | 719.3 | 515.3 | 446.5 | 377.6 | 308.8 | 239.9 |
| 77.5° | 1258.6 | 1129.0 | 999.4 | 839.5 | 679.6 | 519.8 | 359.9 | 319.5 | 279.3 | 238.9 | 198.5 |
| 80° | 930.5 | 822.3 | 714.1 | 593.6 | 473.1 | 352.6 | 232.1 | 212.3 | 192.7 | 172.9 | 153.1 |
| 82.5° | 612.6 | 563.8 | 514.8 | 419.4 | 323.9 | 228.5 | 133.0 | 125.7 | 118.4 | 111.1 | 103.8 |
| 85° | 274.4 | 289.7 | 304.9 | 246.5 | 187.8 | 129.4 | 70.7 | 67.3 | 63.9 | 60.5 | 57.1 |
| 87.5° | 26.3 | 38.9 | 51.4 | 44.1 | 36.5 | 29.2 | 21.6 | 21.4 | 21.4 | 21.1 | 20.9 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366920

CATALOG NUMBER: PMM-SA1C-740-U-SLR

CANDELA DISTRIBUTION (continued):

| | 0° | 2.5° | 5° | 7.5° | 10° | 12.5° | 15° | 17.5° | 20° | 22.5° | 25° |
|--------|-----|------|-----|------|-----|-------|-----|-------|-----|-------|-----|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366920

CATALOG NUMBER: PMM-SA1C-740-U-SLR

CANDELA DISTRIBUTION (continued):

| | 27.5° | 30° | 32.5° | 35° | 37.5° | 40° | 42.5° | 45° | 47.5° | 50° | 52.5° |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 0° | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 |
| 2.5° | 682.2 | 685.9 | 689.5 | 693.2 | 689.3 | 685.4 | 681.2 | 677.3 | 672.3 | 667.4 | 662.2 |
| 5° | 811.6 | 800.4 | 789.4 | 778.2 | 761.5 | 744.8 | 727.9 | 711.2 | 709.1 | 706.8 | 704.7 |
| 7.5° | 753.2 | 732.8 | 712.2 | 691.6 | 665.6 | 639.7 | 613.7 | 587.6 | 579.8 | 571.9 | 564.1 |
| 10° | 685.9 | 671.8 | 658.0 | 643.9 | 627.7 | 611.6 | 595.1 | 579.0 | 557.6 | 535.9 | 514.6 |
| 12.5° | 680.2 | 657.2 | 634.0 | 611.0 | 601.1 | 591.2 | 581.3 | 571.4 | 552.6 | 533.9 | 514.8 |
| 15° | 643.6 | 624.9 | 606.4 | 587.6 | 573.2 | 558.9 | 544.5 | 530.2 | 515.1 | 499.7 | 484.6 |
| 17.5° | 617.8 | 596.4 | 575.1 | 553.7 | 537.2 | 520.8 | 504.1 | 487.7 | 469.4 | 450.9 | 432.7 |
| 20° | 591.0 | 566.7 | 542.2 | 517.7 | 496.8 | 476.2 | 455.4 | 434.5 | 414.4 | 394.6 | 374.5 |
| 22.5° | 580.0 | 547.9 | 515.9 | 483.8 | 461.9 | 439.7 | 417.8 | 395.6 | 377.1 | 358.6 | 340.1 |
| 25° | 596.7 | 558.6 | 520.3 | 482.0 | 452.5 | 422.8 | 393.3 | 363.6 | 348.2 | 332.8 | 317.1 |
| 27.5° | 577.1 | 529.2 | 481.4 | 433.4 | 401.9 | 370.1 | 338.5 | 306.7 | 304.3 | 302.0 | 299.4 |
| 30° | 517.2 | 466.8 | 416.5 | 366.2 | 337.2 | 308.0 | 279.1 | 249.8 | 244.4 | 238.6 | 233.2 |
| 32.5° | 481.4 | 430.1 | 378.7 | 327.3 | 301.5 | 275.4 | 249.6 | 223.5 | 217.2 | 211.0 | 204.7 |
| 35° | 467.9 | 412.1 | 356.2 | 300.4 | 278.3 | 256.1 | 233.9 | 211.8 | 207.3 | 203.2 | 198.7 |
| 37.5° | 456.9 | 401.6 | 346.1 | 290.5 | 269.1 | 247.8 | 226.1 | 204.7 | 201.3 | 197.9 | 194.6 |
| 40° | 446.5 | 390.4 | 334.1 | 277.7 | 258.7 | 239.9 | 220.9 | 201.9 | 199.8 | 197.7 | 195.3 |
| 42.5° | 437.1 | 382.6 | 327.8 | 273.3 | 256.4 | 239.7 | 222.7 | 205.8 | 203.7 | 201.6 | 199.5 |
| 45° | 431.9 | 378.7 | 325.5 | 272.3 | 260.0 | 247.8 | 235.2 | 223.0 | 218.0 | 213.1 | 207.9 |
| 47.5° | 428.0 | 378.2 | 328.3 | 278.5 | 265.8 | 253.0 | 240.2 | 227.4 | 223.0 | 218.5 | 213.9 |
| 50° | 428.7 | 381.0 | 333.0 | 285.1 | 269.7 | 254.0 | 238.6 | 223.0 | 222.5 | 221.9 | 221.4 |
| 52.5° | 435.8 | 385.2 | 334.3 | 283.5 | 266.8 | 250.1 | 233.2 | 216.5 | 219.9 | 223.0 | 226.4 |
| 55° | 425.6 | 372.9 | 320.0 | 267.3 | 251.4 | 235.8 | 219.9 | 203.9 | 208.4 | 212.5 | 217.0 |
| 57.5° | 414.1 | 357.0 | 299.9 | 242.8 | 230.8 | 218.8 | 206.6 | 194.6 | 199.2 | 204.2 | 208.9 |
| 60° | 376.1 | 323.9 | 271.8 | 219.6 | 211.5 | 203.4 | 195.3 | 187.3 | 189.3 | 191.4 | 193.5 |
| 62.5° | 334.3 | 290.3 | 246.5 | 202.4 | 196.1 | 189.6 | 183.3 | 176.8 | 176.8 | 177.1 | 177.1 |
| 65° | 307.7 | 269.9 | 232.1 | 194.3 | 187.3 | 180.2 | 172.9 | 165.9 | 164.8 | 163.8 | 162.7 |
| 67.5° | 281.1 | 251.4 | 221.4 | 191.4 | 181.3 | 171.3 | 161.2 | 151.0 | 149.7 | 148.7 | 147.4 |
| 70° | 260.3 | 233.7 | 207.1 | 180.5 | 169.0 | 157.8 | 146.3 | 134.8 | 133.8 | 133.0 | 132.0 |
| 72.5° | 243.3 | 218.5 | 193.5 | 168.5 | 156.5 | 144.2 | 132.2 | 120.0 | 119.2 | 118.4 | 117.4 |
| 75° | 217.8 | 195.9 | 173.7 | 151.5 | 139.8 | 128.3 | 116.6 | 104.8 | 103.8 | 103.0 | 102.0 |
| 77.5° | 180.2 | 161.7 | 143.4 | 124.9 | 115.8 | 106.9 | 97.8 | 88.7 | 88.1 | 87.6 | 86.8 |
| 80° | 138.7 | 124.4 | 109.8 | 95.5 | 89.5 | 83.2 | 77.2 | 70.9 | 70.7 | 70.4 | 69.9 |
| 82.5° | 95.2 | 86.6 | 78.0 | 69.4 | 64.9 | 60.2 | 55.8 | 51.1 | 51.4 | 51.6 | 51.9 |
| 85° | 54.2 | 51.1 | 48.2 | 45.1 | 41.5 | 38.1 | 34.4 | 30.8 | 31.6 | 32.3 | 32.9 |
| 87.5° | 19.8 | 18.8 | 17.7 | 16.7 | 14.9 | 13.3 | 11.5 | 9.6 | 10.2 | 11.0 | 11.5 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366920

CATALOG NUMBER: PMM-SA1C-740-U-SLR

CANDELA DISTRIBUTION (continued):

| | 27.5° | 30° | 32.5° | 35° | 37.5° | 40° | 42.5° | 45° | 47.5° | 50° | 52.5° |
|--------|-------|-----|-------|-----|-------|-----|-------|-----|-------|-----|-------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366920
 CATALOG NUMBER: PMM-SA1C-740-U-SLR

CANDELA DISTRIBUTION (continued):

| | 55° | 57.5° | 60° | 62.5° | 65° | 67.5° | 70° | 72.5° | 75° | 77.5° | 80° |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 0° | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 |
| 2.5° | 657.2 | 649.4 | 641.6 | 633.7 | 625.9 | 609.7 | 593.8 | 577.7 | 561.5 | 571.4 | 581.6 |
| 5° | 702.3 | 689.0 | 675.5 | 662.2 | 648.6 | 641.0 | 633.5 | 625.9 | 618.3 | 622.3 | 626.4 |
| 7.5° | 556.3 | 548.5 | 540.4 | 532.5 | 524.5 | 521.1 | 517.9 | 514.6 | 511.2 | 520.8 | 530.5 |
| 10° | 492.9 | 482.0 | 471.0 | 459.8 | 448.8 | 442.3 | 435.8 | 429.3 | 422.8 | 425.4 | 428.0 |
| 12.5° | 496.0 | 479.9 | 463.7 | 447.5 | 431.4 | 421.7 | 412.1 | 402.4 | 392.8 | 395.1 | 397.5 |
| 15° | 469.2 | 452.5 | 435.8 | 419.1 | 402.4 | 391.2 | 379.7 | 368.5 | 357.0 | 353.1 | 348.9 |
| 17.5° | 414.1 | 395.9 | 377.6 | 359.4 | 341.1 | 333.6 | 326.0 | 318.4 | 310.9 | 306.7 | 302.5 |
| 20° | 354.4 | 337.5 | 320.5 | 303.6 | 286.6 | 281.4 | 276.2 | 270.7 | 265.5 | 262.9 | 260.0 |
| 22.5° | 321.6 | 311.1 | 300.4 | 290.0 | 279.3 | 273.3 | 267.6 | 261.6 | 255.6 | 252.7 | 249.6 |
| 25° | 301.7 | 303.8 | 306.2 | 308.3 | 310.3 | 307.7 | 304.9 | 302.3 | 299.4 | 300.4 | 301.2 |
| 27.5° | 297.0 | 301.5 | 306.2 | 310.6 | 315.0 | 317.4 | 319.7 | 322.1 | 324.4 | 325.2 | 326.0 |
| 30° | 227.4 | 229.8 | 231.8 | 234.2 | 236.3 | 242.8 | 249.3 | 255.6 | 262.1 | 272.3 | 282.7 |
| 32.5° | 198.5 | 197.7 | 196.9 | 195.9 | 195.1 | 196.6 | 198.2 | 199.5 | 201.1 | 204.7 | 208.6 |
| 35° | 194.3 | 192.5 | 190.4 | 188.6 | 186.5 | 187.3 | 188.0 | 188.8 | 189.6 | 192.5 | 195.3 |
| 37.5° | 191.2 | 190.4 | 189.9 | 189.1 | 188.3 | 190.1 | 191.7 | 193.5 | 195.1 | 197.4 | 199.8 |
| 40° | 193.3 | 193.0 | 192.7 | 192.2 | 191.9 | 193.0 | 194.0 | 195.1 | 196.1 | 199.2 | 202.4 |
| 42.5° | 197.4 | 197.4 | 197.2 | 197.2 | 196.9 | 197.9 | 198.7 | 199.8 | 200.6 | 202.4 | 204.2 |
| 45° | 202.9 | 202.4 | 202.1 | 201.6 | 201.1 | 200.8 | 200.8 | 200.6 | 200.3 | 201.3 | 202.6 |
| 47.5° | 209.4 | 207.6 | 205.5 | 203.7 | 201.6 | 201.1 | 200.3 | 199.8 | 199.0 | 199.5 | 200.0 |
| 50° | 220.9 | 215.9 | 211.2 | 206.3 | 201.3 | 200.0 | 198.7 | 197.4 | 196.1 | 195.9 | 195.9 |
| 52.5° | 229.5 | 222.2 | 214.9 | 207.6 | 200.3 | 197.9 | 195.6 | 193.3 | 190.9 | 190.4 | 190.1 |
| 55° | 221.2 | 215.7 | 210.5 | 205.0 | 199.5 | 196.1 | 192.5 | 189.1 | 185.4 | 184.6 | 183.9 |
| 57.5° | 213.6 | 210.2 | 206.8 | 203.4 | 200.0 | 196.6 | 193.0 | 189.6 | 185.9 | 184.1 | 182.3 |
| 60° | 195.6 | 195.6 | 195.9 | 195.9 | 195.9 | 192.2 | 188.6 | 184.9 | 181.3 | 179.4 | 177.9 |
| 62.5° | 177.1 | 179.9 | 182.6 | 185.4 | 188.0 | 183.1 | 177.9 | 172.9 | 167.7 | 166.4 | 165.3 |
| 65° | 161.7 | 162.5 | 163.5 | 164.3 | 165.1 | 161.2 | 157.3 | 153.3 | 149.4 | 148.7 | 147.6 |
| 67.5° | 146.0 | 145.8 | 145.5 | 145.0 | 144.7 | 142.4 | 139.8 | 137.4 | 134.8 | 133.8 | 132.7 |
| 70° | 130.9 | 130.7 | 130.4 | 129.9 | 129.6 | 127.5 | 125.4 | 123.4 | 121.3 | 120.5 | 119.7 |
| 72.5° | 116.6 | 116.3 | 115.8 | 115.5 | 115.0 | 113.2 | 111.6 | 109.8 | 108.0 | 106.9 | 105.9 |
| 75° | 100.9 | 100.4 | 99.9 | 99.4 | 98.8 | 97.3 | 95.7 | 93.9 | 92.3 | 91.3 | 90.2 |
| 77.5° | 86.3 | 85.5 | 84.8 | 83.7 | 82.9 | 81.6 | 80.1 | 78.8 | 77.2 | 75.9 | 74.8 |
| 80° | 69.6 | 69.1 | 68.6 | 67.8 | 67.3 | 66.0 | 64.7 | 63.1 | 61.8 | 60.2 | 58.9 |
| 82.5° | 52.2 | 51.9 | 51.4 | 51.1 | 50.6 | 49.3 | 48.0 | 46.7 | 45.4 | 43.8 | 42.2 |
| 85° | 33.6 | 33.4 | 33.1 | 32.9 | 32.6 | 31.6 | 30.8 | 29.7 | 28.7 | 27.1 | 25.8 |
| 87.5° | 12.0 | 11.5 | 11.2 | 10.7 | 10.2 | 9.9 | 9.4 | 9.1 | 8.6 | 7.8 | 7.0 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366920

CATALOG NUMBER: PMM-SA1C-740-U-SLR

CANDELA DISTRIBUTION (continued):

| | 55° | 57.5° | 60° | 62.5° | 65° | 67.5° | 70° | 72.5° | 75° | 77.5° | 80° |
|--------|-----|-------|-----|-------|-----|-------|-----|-------|-----|-------|-----|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366920

CATALOG NUMBER: PMM-SA1C-740-U-SLR

CANDELA DISTRIBUTION (continued):

| | 82.5° | 85° | 87.5° | 90° | 92.5° | 95° | 97.5° | 100° | 102.5° | 105° | 107.5° |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|--------|
| 0° | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 |
| 2.5° | 591.5 | 601.4 | 601.7 | 601.7 | 606.4 | 610.8 | 601.7 | 592.5 | 583.1 | 574.0 | 564.9 |
| 5° | 630.3 | 634.3 | 633.2 | 631.9 | 626.2 | 620.4 | 614.4 | 608.4 | 602.4 | 596.4 | 596.7 |
| 7.5° | 540.1 | 549.8 | 557.6 | 565.1 | 557.8 | 550.5 | 546.6 | 542.7 | 538.8 | 534.9 | 534.4 |
| 10° | 430.3 | 432.9 | 436.1 | 438.9 | 434.5 | 429.8 | 437.6 | 445.4 | 453.0 | 460.8 | 452.2 |
| 12.5° | 399.8 | 402.1 | 396.7 | 390.9 | 389.1 | 387.3 | 385.5 | 383.4 | 381.5 | 379.5 | 378.4 |
| 15° | 345.0 | 340.9 | 336.7 | 332.3 | 331.2 | 329.9 | 328.6 | 327.0 | 325.7 | 324.2 | 319.5 |
| 17.5° | 298.4 | 294.2 | 287.1 | 279.8 | 277.0 | 273.8 | 273.1 | 272.3 | 271.2 | 270.4 | 266.0 |
| 20° | 257.4 | 254.5 | 252.7 | 250.6 | 247.8 | 244.9 | 242.0 | 239.2 | 236.0 | 233.2 | 229.0 |
| 22.5° | 246.7 | 243.6 | 241.2 | 238.6 | 238.1 | 237.6 | 232.4 | 226.9 | 221.7 | 216.2 | 213.9 |
| 25° | 302.3 | 303.0 | 288.7 | 274.1 | 272.8 | 271.5 | 262.1 | 252.5 | 243.1 | 233.4 | 225.3 |
| 27.5° | 326.5 | 327.3 | 326.8 | 326.3 | 322.1 | 317.7 | 301.7 | 285.6 | 269.7 | 253.5 | 242.0 |
| 30° | 292.9 | 303.0 | 307.0 | 310.9 | 308.0 | 304.9 | 288.2 | 271.8 | 255.1 | 238.4 | 230.8 |
| 32.5° | 212.3 | 215.9 | 222.5 | 228.7 | 232.1 | 235.2 | 230.0 | 224.8 | 219.6 | 214.4 | 213.1 |
| 35° | 197.9 | 200.8 | 202.1 | 203.4 | 201.3 | 199.2 | 195.3 | 191.4 | 187.3 | 183.3 | 182.6 |
| 37.5° | 201.9 | 204.2 | 206.8 | 209.4 | 203.7 | 197.7 | 193.3 | 189.1 | 184.6 | 180.2 | 176.6 |
| 40° | 205.5 | 208.6 | 210.2 | 211.8 | 206.0 | 200.3 | 194.8 | 189.6 | 184.1 | 178.6 | 175.0 |
| 42.5° | 206.0 | 207.9 | 210.7 | 213.6 | 205.5 | 197.2 | 192.2 | 187.0 | 182.0 | 176.8 | 173.2 |
| 45° | 203.7 | 204.7 | 207.3 | 209.9 | 200.6 | 190.9 | 186.5 | 181.8 | 177.3 | 172.6 | 169.5 |
| 47.5° | 200.3 | 200.8 | 202.9 | 204.7 | 194.8 | 184.6 | 180.5 | 176.3 | 171.9 | 167.7 | 164.6 |
| 50° | 195.6 | 195.3 | 196.9 | 198.2 | 188.0 | 177.9 | 173.7 | 169.8 | 165.6 | 161.4 | 158.8 |
| 52.5° | 189.6 | 189.1 | 190.6 | 191.9 | 181.3 | 170.6 | 166.9 | 163.5 | 159.9 | 156.2 | 154.1 |
| 55° | 182.8 | 182.0 | 183.3 | 184.6 | 174.2 | 163.5 | 160.4 | 157.0 | 153.9 | 150.5 | 148.7 |
| 57.5° | 180.2 | 178.4 | 179.2 | 179.9 | 168.2 | 156.5 | 153.3 | 150.2 | 147.1 | 144.0 | 142.7 |
| 60° | 176.0 | 174.2 | 175.0 | 175.5 | 163.0 | 150.2 | 147.4 | 144.2 | 141.4 | 138.2 | 136.9 |
| 62.5° | 164.0 | 162.7 | 163.8 | 164.8 | 153.6 | 142.1 | 139.5 | 137.2 | 134.6 | 132.0 | 130.1 |
| 65° | 146.8 | 145.8 | 147.9 | 150.0 | 140.3 | 130.7 | 129.1 | 127.5 | 125.7 | 124.1 | 122.3 |
| 67.5° | 131.7 | 130.7 | 132.7 | 134.8 | 127.8 | 120.7 | 119.2 | 117.6 | 116.1 | 114.5 | 113.4 |
| 70° | 118.9 | 118.1 | 120.0 | 121.8 | 115.8 | 109.8 | 108.2 | 106.9 | 105.4 | 103.8 | 103.0 |
| 72.5° | 104.6 | 103.5 | 105.9 | 108.0 | 103.0 | 97.8 | 96.5 | 94.9 | 93.6 | 92.1 | 91.5 |
| 75° | 89.2 | 88.1 | 90.2 | 92.1 | 88.7 | 85.0 | 83.7 | 82.4 | 81.1 | 79.8 | 79.5 |
| 77.5° | 73.5 | 72.2 | 74.3 | 76.2 | 74.1 | 71.7 | 70.7 | 69.4 | 68.3 | 67.0 | 67.0 |
| 80° | 57.4 | 55.8 | 57.4 | 58.7 | 57.9 | 57.1 | 56.3 | 55.3 | 54.5 | 53.5 | 53.7 |
| 82.5° | 40.7 | 39.1 | 39.9 | 40.7 | 41.2 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 |
| 85° | 24.3 | 22.7 | 23.0 | 23.2 | 24.0 | 24.8 | 25.0 | 25.3 | 25.6 | 25.8 | 26.1 |
| 87.5° | 6.3 | 5.5 | 5.0 | 4.2 | 5.0 | 5.5 | 6.0 | 6.3 | 6.8 | 7.0 | 7.0 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366920

CATALOG NUMBER: PMM-SA1C-740-U-SLR

CANDELA DISTRIBUTION (continued):

| | 82.5° | 85° | 87.5° | 90° | 92.5° | 95° | 97.5° | 100° | 102.5° | 105° | 107.5° |
|--------|-------|-----|-------|-----|-------|-----|-------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366920
 CATALOG NUMBER: PMM-SA1C-740-U-SLR

CANDELA DISTRIBUTION (continued):

| | 110° | 112.5° | 115° | 117.5° | 120° | 122.5° | 125° | 127.5° | 130° | 132.5° | 135° |
|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|
| 0° | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 |
| 2.5° | 555.8 | 546.4 | 537.2 | 543.0 | 548.5 | 554.2 | 559.7 | 559.9 | 559.9 | 560.2 | 560.2 |
| 5° | 597.2 | 597.5 | 597.7 | 592.3 | 587.1 | 581.6 | 576.1 | 573.2 | 570.4 | 567.2 | 564.4 |
| 7.5° | 533.6 | 533.1 | 532.3 | 527.1 | 521.9 | 516.6 | 511.4 | 498.9 | 486.1 | 473.6 | 460.8 |
| 10° | 443.4 | 434.7 | 425.9 | 423.8 | 422.0 | 419.9 | 417.8 | 414.4 | 411.3 | 407.9 | 404.5 |
| 12.5° | 377.4 | 376.3 | 375.3 | 369.8 | 364.3 | 358.6 | 353.1 | 353.1 | 353.1 | 353.1 | 353.1 |
| 15° | 314.5 | 309.8 | 304.9 | 302.3 | 299.4 | 296.8 | 293.9 | 292.6 | 291.3 | 290.0 | 288.7 |
| 17.5° | 261.3 | 256.9 | 252.2 | 251.7 | 251.1 | 250.6 | 250.1 | 248.8 | 247.5 | 246.2 | 244.9 |
| 20° | 224.8 | 220.6 | 216.5 | 218.0 | 219.6 | 220.9 | 222.5 | 221.2 | 219.9 | 218.3 | 217.0 |
| 22.5° | 211.2 | 208.9 | 206.3 | 205.0 | 203.7 | 202.1 | 200.8 | 200.8 | 201.1 | 201.1 | 201.1 |
| 25° | 217.5 | 209.4 | 201.3 | 197.4 | 193.5 | 189.3 | 185.4 | 183.9 | 182.6 | 181.0 | 179.4 |
| 27.5° | 230.5 | 218.8 | 207.3 | 200.6 | 193.8 | 187.0 | 180.2 | 177.3 | 174.2 | 171.3 | 168.2 |
| 30° | 223.0 | 215.4 | 207.6 | 199.8 | 191.9 | 184.1 | 176.3 | 172.6 | 169.0 | 165.1 | 161.4 |
| 32.5° | 211.8 | 210.2 | 208.9 | 201.6 | 194.3 | 186.7 | 179.4 | 177.9 | 176.6 | 175.0 | 173.4 |
| 35° | 181.5 | 180.7 | 179.7 | 177.9 | 176.0 | 174.2 | 172.4 | 170.3 | 168.2 | 166.1 | 164.0 |
| 37.5° | 173.2 | 169.5 | 165.9 | 165.1 | 164.3 | 163.5 | 162.7 | 162.0 | 161.2 | 160.1 | 159.3 |
| 40° | 171.3 | 167.7 | 164.0 | 162.7 | 161.4 | 159.9 | 158.6 | 158.8 | 159.3 | 159.6 | 159.9 |
| 42.5° | 169.3 | 165.6 | 161.7 | 160.7 | 159.6 | 158.6 | 157.5 | 157.8 | 158.3 | 158.6 | 158.8 |
| 45° | 166.6 | 163.5 | 160.4 | 158.6 | 157.0 | 155.2 | 153.3 | 154.9 | 156.5 | 157.8 | 159.3 |
| 47.5° | 161.4 | 158.0 | 154.9 | 153.9 | 152.8 | 151.5 | 150.5 | 152.0 | 153.6 | 154.9 | 156.5 |
| 50° | 156.0 | 153.3 | 150.5 | 150.2 | 150.0 | 149.4 | 149.2 | 150.2 | 151.3 | 152.3 | 153.3 |
| 52.5° | 151.8 | 149.7 | 147.4 | 147.4 | 147.1 | 147.1 | 146.8 | 147.9 | 148.9 | 149.7 | 150.7 |
| 55° | 147.1 | 145.3 | 143.4 | 143.7 | 144.2 | 144.5 | 144.7 | 145.8 | 147.1 | 148.1 | 149.2 |
| 57.5° | 141.1 | 139.8 | 138.2 | 139.3 | 140.0 | 141.1 | 141.9 | 142.7 | 143.7 | 144.5 | 145.3 |
| 60° | 135.4 | 134.0 | 132.5 | 133.5 | 134.8 | 135.9 | 136.9 | 137.7 | 138.5 | 139.3 | 140.0 |
| 62.5° | 128.3 | 126.2 | 124.4 | 126.0 | 127.3 | 128.8 | 130.1 | 130.7 | 131.4 | 132.0 | 132.5 |
| 65° | 120.7 | 118.9 | 117.1 | 118.1 | 119.2 | 120.0 | 121.0 | 121.8 | 122.6 | 123.4 | 124.1 |
| 67.5° | 112.1 | 111.1 | 109.8 | 110.6 | 111.4 | 112.1 | 112.9 | 113.2 | 113.2 | 113.4 | 113.4 |
| 70° | 102.0 | 101.2 | 100.1 | 100.7 | 101.4 | 102.0 | 102.5 | 102.5 | 102.5 | 102.2 | 102.2 |
| 72.5° | 91.3 | 90.8 | 90.2 | 90.5 | 91.0 | 91.3 | 91.5 | 91.3 | 91.0 | 90.8 | 90.5 |
| 75° | 79.3 | 79.0 | 78.8 | 79.0 | 79.5 | 79.8 | 80.1 | 79.8 | 79.3 | 79.0 | 78.5 |
| 77.5° | 67.3 | 67.3 | 67.3 | 67.3 | 67.5 | 67.5 | 67.5 | 67.0 | 66.5 | 66.0 | 65.5 |
| 80° | 54.0 | 54.2 | 54.5 | 54.5 | 54.5 | 54.5 | 54.5 | 54.0 | 53.5 | 52.7 | 52.2 |
| 82.5° | 41.7 | 41.7 | 41.7 | 41.7 | 42.0 | 42.0 | 42.0 | 40.7 | 39.6 | 38.3 | 37.0 |
| 85° | 26.1 | 26.3 | 26.3 | 26.6 | 26.9 | 26.9 | 27.1 | 25.3 | 23.7 | 21.9 | 20.1 |
| 87.5° | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 6.8 | 6.8 | 5.2 | 3.4 | 1.8 | 0.0 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366920

CATALOG NUMBER: PMM-SA1C-740-U-SLR

CANDELA DISTRIBUTION (continued):

| | 110° | 112.5° | 115° | 117.5° | 120° | 122.5° | 125° | 127.5° | 130° | 132.5° | 135° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366920

CATALOG NUMBER: PMM-SA1C-740-U-SLR

CANDELA DISTRIBUTION (continued):

| | 137.5° | 140° | 142.5° | 145° | 147.5° | 150° | 152.5° | 155° | 157.5° | 160° | 162.5° |
|--------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|
| 0° | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 |
| 2.5° | 561.8 | 563.3 | 564.6 | 566.2 | 566.5 | 566.7 | 566.7 | 567.0 | 561.5 | 556.0 | 550.3 |
| 5° | 568.3 | 571.9 | 575.8 | 579.5 | 578.7 | 577.9 | 577.1 | 576.4 | 574.8 | 573.5 | 571.9 |
| 7.5° | 458.0 | 455.4 | 452.5 | 449.6 | 452.0 | 454.3 | 456.7 | 459.0 | 460.0 | 461.1 | 461.9 |
| 10° | 398.0 | 391.5 | 384.9 | 378.4 | 374.8 | 370.9 | 367.2 | 363.3 | 362.8 | 362.5 | 362.0 |
| 12.5° | 346.3 | 339.3 | 332.5 | 325.5 | 323.4 | 321.0 | 319.0 | 316.6 | 318.7 | 320.8 | 322.6 |
| 15° | 285.8 | 283.2 | 280.4 | 277.5 | 279.8 | 282.2 | 284.5 | 286.9 | 289.0 | 290.8 | 292.9 |
| 17.5° | 243.6 | 242.5 | 241.2 | 239.9 | 242.0 | 244.4 | 246.5 | 248.5 | 253.2 | 257.9 | 262.6 |
| 20° | 215.9 | 215.2 | 214.1 | 213.1 | 212.3 | 211.2 | 210.5 | 209.4 | 216.2 | 222.7 | 229.5 |
| 22.5° | 199.5 | 197.9 | 196.4 | 194.8 | 195.1 | 195.3 | 195.3 | 195.6 | 201.1 | 206.8 | 212.3 |
| 25° | 178.9 | 178.4 | 177.9 | 177.3 | 178.9 | 180.5 | 181.8 | 183.3 | 188.3 | 193.3 | 197.9 |
| 27.5° | 168.5 | 168.7 | 169.0 | 169.3 | 171.3 | 173.7 | 175.8 | 177.9 | 181.3 | 184.6 | 188.0 |
| 30° | 162.7 | 164.3 | 165.6 | 166.9 | 167.7 | 168.5 | 169.3 | 170.0 | 173.4 | 176.6 | 179.9 |
| 32.5° | 171.3 | 169.3 | 166.9 | 164.8 | 165.9 | 167.2 | 168.2 | 169.3 | 172.4 | 175.5 | 178.6 |
| 35° | 163.3 | 162.2 | 161.4 | 160.4 | 161.7 | 163.0 | 164.0 | 165.3 | 168.2 | 170.8 | 173.7 |
| 37.5° | 159.1 | 158.8 | 158.6 | 158.3 | 159.1 | 159.9 | 160.4 | 161.2 | 163.8 | 166.4 | 168.7 |
| 40° | 158.8 | 157.5 | 156.5 | 155.2 | 156.0 | 156.7 | 157.3 | 158.0 | 161.2 | 164.3 | 167.4 |
| 42.5° | 157.3 | 155.7 | 153.9 | 152.3 | 153.1 | 154.1 | 154.9 | 155.7 | 159.1 | 162.2 | 165.6 |
| 45° | 157.0 | 154.7 | 152.0 | 149.7 | 150.7 | 151.8 | 152.8 | 153.9 | 156.5 | 159.1 | 161.4 |
| 47.5° | 154.1 | 151.8 | 149.4 | 147.1 | 147.6 | 148.1 | 148.4 | 148.9 | 151.3 | 153.3 | 155.7 |
| 50° | 151.8 | 150.0 | 148.4 | 146.6 | 145.8 | 145.3 | 144.5 | 143.7 | 145.5 | 147.4 | 149.2 |
| 52.5° | 148.9 | 147.1 | 145.0 | 143.2 | 142.1 | 141.1 | 140.0 | 139.0 | 140.6 | 141.9 | 143.4 |
| 55° | 147.1 | 144.7 | 142.7 | 140.3 | 139.0 | 137.7 | 136.4 | 135.1 | 136.1 | 136.9 | 138.0 |
| 57.5° | 143.2 | 141.1 | 138.7 | 136.7 | 135.1 | 133.5 | 131.7 | 130.1 | 130.7 | 131.2 | 131.7 |
| 60° | 138.0 | 135.6 | 133.5 | 131.2 | 129.4 | 127.5 | 125.4 | 123.6 | 123.9 | 124.4 | 124.7 |
| 62.5° | 130.4 | 128.3 | 126.0 | 123.9 | 121.8 | 120.0 | 117.9 | 115.8 | 116.3 | 116.6 | 117.1 |
| 65° | 122.1 | 119.7 | 117.6 | 115.3 | 113.4 | 111.6 | 109.5 | 107.7 | 108.2 | 108.8 | 109.0 |
| 67.5° | 111.9 | 110.1 | 108.5 | 106.7 | 105.1 | 103.3 | 101.7 | 99.9 | 100.1 | 100.4 | 100.7 |
| 70° | 100.9 | 99.4 | 98.1 | 96.5 | 95.2 | 93.9 | 92.6 | 91.3 | 91.3 | 91.5 | 91.5 |
| 72.5° | 89.2 | 87.9 | 86.6 | 85.3 | 84.0 | 82.9 | 81.6 | 80.3 | 80.8 | 81.4 | 81.6 |
| 75° | 77.2 | 76.2 | 74.8 | 73.5 | 72.5 | 71.5 | 70.2 | 69.1 | 69.6 | 70.2 | 70.4 |
| 77.5° | 64.7 | 63.9 | 62.9 | 62.1 | 61.0 | 60.0 | 58.7 | 57.6 | 58.2 | 58.7 | 58.9 |
| 80° | 51.6 | 51.1 | 50.3 | 49.8 | 48.8 | 47.7 | 46.7 | 45.6 | 45.9 | 45.9 | 46.2 |
| 82.5° | 37.3 | 37.6 | 37.6 | 37.8 | 37.0 | 36.0 | 35.2 | 34.2 | 34.2 | 34.2 | 33.9 |
| 85° | 20.9 | 21.9 | 22.7 | 23.5 | 22.7 | 21.9 | 21.1 | 20.3 | 20.1 | 20.1 | 19.8 |
| 87.5° | 0.8 | 1.3 | 2.1 | 2.6 | 2.3 | 2.1 | 1.6 | 1.3 | 1.6 | 1.8 | 1.8 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366920

CATALOG NUMBER: PMM-SA1C-740-U-SLR

CANDELA DISTRIBUTION (continued):

| | 137.5° | 140° | 142.5° | 145° | 147.5° | 150° | 152.5° | 155° | 157.5° | 160° | 162.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366920

CATALOG NUMBER: PMM-SA1C-740-U-SLR

CANDELA DISTRIBUTION (continued):

| | 165° | 167.5° | 170° | 172.5° | 175° | 177.5° | 180° | 182.5° | 185° | 187.5° | 190° |
|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|
| 0° | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 |
| 2.5° | 544.8 | 549.2 | 553.7 | 558.1 | 562.5 | 569.3 | 576.1 | 583.1 | 590.2 | 586.3 | 582.1 |
| 5° | 570.4 | 573.0 | 575.8 | 578.4 | 581.1 | 588.6 | 595.9 | 605.0 | 613.9 | 612.9 | 611.6 |
| 7.5° | 462.9 | 466.6 | 470.2 | 473.6 | 477.3 | 488.7 | 500.2 | 509.9 | 519.5 | 518.2 | 516.6 |
| 10° | 361.5 | 369.0 | 376.9 | 384.4 | 392.0 | 401.4 | 410.5 | 418.6 | 426.7 | 440.2 | 453.5 |
| 12.5° | 324.7 | 336.4 | 348.2 | 359.9 | 371.6 | 378.4 | 384.9 | 395.4 | 405.8 | 413.1 | 420.7 |
| 15° | 294.7 | 305.7 | 316.6 | 327.6 | 338.5 | 339.0 | 339.6 | 350.5 | 361.5 | 367.7 | 373.7 |
| 17.5° | 267.3 | 273.3 | 279.3 | 285.1 | 291.0 | 289.0 | 286.9 | 292.1 | 297.0 | 299.7 | 302.5 |
| 20° | 236.0 | 240.2 | 244.4 | 248.5 | 252.7 | 255.6 | 258.2 | 261.3 | 264.2 | 261.6 | 258.7 |
| 22.5° | 217.8 | 224.0 | 230.5 | 236.8 | 243.1 | 244.9 | 246.5 | 244.6 | 242.8 | 242.0 | 241.2 |
| 25° | 202.9 | 210.5 | 218.3 | 225.9 | 233.4 | 237.1 | 240.7 | 242.3 | 243.6 | 240.7 | 237.8 |
| 27.5° | 191.4 | 200.6 | 209.4 | 218.5 | 227.4 | 233.9 | 240.5 | 242.3 | 243.8 | 241.8 | 239.4 |
| 30° | 183.1 | 193.0 | 202.9 | 212.8 | 222.7 | 232.6 | 242.3 | 250.9 | 259.2 | 258.4 | 257.7 |
| 32.5° | 181.8 | 188.6 | 195.3 | 202.1 | 208.9 | 215.2 | 221.2 | 221.7 | 221.9 | 219.9 | 217.5 |
| 35° | 176.3 | 180.7 | 185.2 | 189.6 | 194.0 | 197.9 | 201.6 | 201.1 | 200.6 | 198.5 | 196.4 |
| 37.5° | 171.3 | 175.8 | 180.5 | 184.9 | 189.3 | 196.1 | 202.6 | 201.3 | 199.8 | 197.7 | 195.6 |
| 40° | 170.6 | 175.5 | 180.5 | 185.2 | 190.1 | 196.4 | 202.6 | 201.3 | 200.0 | 197.4 | 194.8 |
| 42.5° | 168.7 | 173.7 | 178.4 | 183.3 | 188.0 | 195.6 | 202.9 | 200.6 | 197.9 | 195.9 | 193.8 |
| 45° | 164.0 | 168.5 | 172.9 | 177.3 | 181.8 | 189.9 | 197.9 | 195.1 | 192.2 | 191.4 | 190.4 |
| 47.5° | 157.8 | 162.2 | 166.6 | 171.1 | 175.5 | 183.6 | 191.4 | 189.1 | 186.5 | 186.2 | 185.7 |
| 50° | 151.0 | 155.2 | 159.6 | 163.8 | 168.0 | 176.0 | 183.9 | 181.8 | 179.7 | 179.9 | 179.9 |
| 52.5° | 144.7 | 148.7 | 152.3 | 156.2 | 159.9 | 168.0 | 175.8 | 174.2 | 172.4 | 172.9 | 173.2 |
| 55° | 138.7 | 141.9 | 145.0 | 148.1 | 151.3 | 159.1 | 166.9 | 164.6 | 162.2 | 163.0 | 163.8 |
| 57.5° | 132.2 | 134.8 | 137.4 | 139.8 | 142.4 | 150.2 | 157.8 | 155.2 | 152.3 | 153.6 | 154.7 |
| 60° | 124.9 | 127.3 | 129.6 | 131.7 | 134.0 | 141.1 | 147.9 | 145.5 | 142.9 | 144.7 | 146.3 |
| 62.5° | 117.4 | 119.2 | 121.0 | 122.8 | 124.7 | 131.2 | 137.7 | 135.9 | 134.0 | 136.1 | 138.0 |
| 65° | 109.5 | 110.8 | 112.4 | 113.7 | 115.0 | 121.3 | 127.3 | 126.0 | 124.7 | 126.5 | 128.3 |
| 67.5° | 100.9 | 102.0 | 103.3 | 104.3 | 105.4 | 111.1 | 116.8 | 115.5 | 114.0 | 115.5 | 116.8 |
| 70° | 91.5 | 92.6 | 93.4 | 94.4 | 95.2 | 100.4 | 105.6 | 103.8 | 101.7 | 103.3 | 104.6 |
| 72.5° | 82.2 | 82.7 | 83.5 | 84.0 | 84.5 | 88.4 | 92.3 | 90.8 | 89.2 | 90.8 | 92.1 |
| 75° | 70.9 | 71.5 | 72.0 | 72.5 | 73.0 | 76.4 | 79.5 | 77.7 | 75.6 | 77.2 | 78.8 |
| 77.5° | 59.5 | 59.7 | 60.2 | 60.5 | 60.8 | 63.1 | 65.2 | 63.4 | 61.3 | 63.1 | 64.9 |
| 80° | 46.2 | 46.4 | 46.7 | 46.7 | 46.9 | 47.7 | 48.5 | 47.2 | 45.6 | 48.0 | 50.3 |
| 82.5° | 33.9 | 33.6 | 33.6 | 33.4 | 33.1 | 33.1 | 32.9 | 32.1 | 31.0 | 33.1 | 35.2 |
| 85° | 19.6 | 19.3 | 18.8 | 18.5 | 18.0 | 17.2 | 16.4 | 16.2 | 15.9 | 17.7 | 19.6 |
| 87.5° | 2.1 | 1.8 | 1.3 | 1.0 | 0.5 | 0.3 | 0.0 | 0.0 | 0.0 | 1.0 | 2.3 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366920

CATALOG NUMBER: PMM-SA1C-740-U-SLR

CANDELA DISTRIBUTION (continued):

| | 165° | 167.5° | 170° | 172.5° | 175° | 177.5° | 180° | 182.5° | 185° | 187.5° | 190° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366920
 CATALOG NUMBER: PMM-SA1C-740-U-SLR

CANDELA DISTRIBUTION (continued):

| | 192.5° | 195° | 197.5° | 200° | 202.5° | 205° | 207.5° | 210° | 212.5° | 215° | 217.5° |
|--------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|
| 0° | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 |
| 2.5° | 578.2 | 574.0 | 570.1 | 566.2 | 562.3 | 558.4 | 565.7 | 573.0 | 580.3 | 587.6 | 594.1 |
| 5° | 610.5 | 609.2 | 605.8 | 602.7 | 599.3 | 595.9 | 597.7 | 599.8 | 601.7 | 603.5 | 607.4 |
| 7.5° | 515.3 | 513.8 | 521.1 | 528.1 | 535.4 | 542.5 | 544.3 | 545.8 | 547.7 | 549.2 | 548.2 |
| 10° | 467.1 | 480.4 | 483.8 | 486.9 | 490.3 | 493.4 | 498.6 | 503.9 | 508.8 | 514.0 | 516.9 |
| 12.5° | 428.0 | 435.3 | 447.3 | 459.5 | 471.5 | 483.5 | 491.3 | 499.2 | 507.0 | 514.8 | 531.0 |
| 15° | 380.0 | 386.0 | 395.1 | 404.2 | 413.4 | 422.5 | 433.7 | 445.2 | 456.4 | 467.6 | 485.3 |
| 17.5° | 305.1 | 307.7 | 314.5 | 321.3 | 327.8 | 334.6 | 349.7 | 364.6 | 379.7 | 394.6 | 414.9 |
| 20° | 256.1 | 253.2 | 253.2 | 253.5 | 253.5 | 253.5 | 268.6 | 283.5 | 298.6 | 313.5 | 340.3 |
| 22.5° | 240.2 | 239.4 | 236.5 | 233.4 | 230.5 | 227.4 | 235.2 | 243.3 | 251.1 | 259.0 | 280.9 |
| 25° | 234.7 | 231.8 | 228.2 | 224.5 | 220.9 | 217.2 | 222.2 | 227.2 | 232.1 | 237.1 | 254.3 |
| 27.5° | 237.3 | 235.0 | 236.8 | 238.4 | 240.2 | 241.8 | 243.3 | 244.9 | 246.5 | 248.0 | 254.0 |
| 30° | 256.9 | 256.1 | 259.0 | 261.6 | 264.4 | 267.1 | 263.4 | 260.0 | 256.4 | 252.7 | 254.8 |
| 32.5° | 215.4 | 213.1 | 212.0 | 211.0 | 209.9 | 208.9 | 208.6 | 208.4 | 207.9 | 207.6 | 212.3 |
| 35° | 194.3 | 192.2 | 190.6 | 189.1 | 187.3 | 185.7 | 186.5 | 187.0 | 187.8 | 188.3 | 193.5 |
| 37.5° | 193.5 | 191.4 | 189.6 | 187.8 | 185.7 | 183.9 | 184.6 | 185.7 | 186.5 | 187.3 | 191.2 |
| 40° | 192.2 | 189.6 | 188.6 | 187.5 | 186.5 | 185.4 | 185.9 | 186.5 | 186.7 | 187.3 | 190.1 |
| 42.5° | 191.4 | 189.3 | 188.8 | 188.3 | 187.8 | 187.3 | 187.8 | 188.3 | 188.6 | 189.1 | 192.5 |
| 45° | 189.6 | 188.6 | 189.1 | 189.6 | 190.1 | 190.6 | 190.6 | 190.6 | 190.6 | 190.6 | 194.3 |
| 47.5° | 185.4 | 184.9 | 186.5 | 188.0 | 189.6 | 191.2 | 193.8 | 196.4 | 198.7 | 201.3 | 202.1 |
| 50° | 180.2 | 180.2 | 182.8 | 185.4 | 187.8 | 190.4 | 196.6 | 202.6 | 208.9 | 214.9 | 211.0 |
| 52.5° | 173.7 | 174.0 | 177.9 | 181.5 | 185.4 | 189.1 | 194.8 | 200.6 | 206.0 | 211.8 | 206.0 |
| 55° | 164.3 | 165.1 | 170.0 | 174.7 | 179.7 | 184.4 | 188.8 | 193.3 | 197.7 | 202.1 | 196.1 |
| 57.5° | 156.0 | 157.0 | 162.2 | 167.2 | 172.4 | 177.3 | 179.9 | 182.8 | 185.4 | 188.0 | 184.1 |
| 60° | 148.1 | 149.7 | 156.5 | 163.3 | 169.8 | 176.6 | 174.5 | 172.4 | 170.0 | 168.0 | 167.7 |
| 62.5° | 140.0 | 141.9 | 148.1 | 154.4 | 160.4 | 166.6 | 163.5 | 160.4 | 157.0 | 153.9 | 155.2 |
| 65° | 129.9 | 131.7 | 134.6 | 137.4 | 140.0 | 142.9 | 142.7 | 142.7 | 142.4 | 142.1 | 144.7 |
| 67.5° | 118.4 | 119.7 | 121.5 | 123.1 | 124.9 | 126.5 | 127.5 | 128.8 | 129.9 | 130.9 | 134.0 |
| 70° | 106.1 | 107.4 | 109.3 | 110.8 | 112.7 | 114.2 | 115.5 | 116.8 | 117.9 | 119.2 | 122.3 |
| 72.5° | 93.6 | 94.9 | 96.8 | 98.6 | 100.1 | 102.0 | 103.0 | 104.1 | 104.8 | 105.9 | 108.5 |
| 75° | 80.3 | 81.9 | 83.7 | 85.3 | 87.1 | 88.7 | 89.5 | 90.2 | 91.0 | 91.8 | 94.1 |
| 77.5° | 66.8 | 68.6 | 70.4 | 72.2 | 74.1 | 75.9 | 76.2 | 76.4 | 76.7 | 76.9 | 79.0 |
| 80° | 52.4 | 54.8 | 56.6 | 58.4 | 60.2 | 62.1 | 62.1 | 62.1 | 62.1 | 62.1 | 63.1 |
| 82.5° | 37.3 | 39.4 | 41.5 | 43.3 | 45.4 | 47.2 | 47.2 | 46.9 | 46.9 | 46.7 | 46.7 |
| 85° | 21.4 | 23.2 | 24.5 | 26.1 | 27.4 | 28.7 | 28.7 | 28.7 | 28.4 | 28.4 | 27.9 |
| 87.5° | 3.4 | 4.4 | 5.0 | 5.7 | 6.3 | 6.8 | 6.5 | 6.5 | 6.3 | 6.0 | 5.2 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366920

CATALOG NUMBER: PMM-SA1C-740-U-SLR

CANDELA DISTRIBUTION (continued):

| | 192.5° | 195° | 197.5° | 200° | 202.5° | 205° | 207.5° | 210° | 212.5° | 215° | 217.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366920
 CATALOG NUMBER: PMM-SA1C-740-U-SLR

CANDELA DISTRIBUTION (continued):

| | 220° | 222.5° | 225° | 227.5° | 230° | 232.5° | 235° | 237.5° | 240° | 242.5° | 245° |
|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|
| 0° | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 |
| 2.5° | 600.6 | 607.1 | 613.7 | 612.6 | 611.6 | 610.5 | 609.5 | 613.4 | 617.0 | 621.0 | 624.6 |
| 5° | 611.0 | 615.0 | 618.6 | 621.5 | 624.3 | 627.2 | 630.1 | 643.4 | 656.4 | 669.7 | 682.8 |
| 7.5° | 547.2 | 545.8 | 544.8 | 557.1 | 569.6 | 581.8 | 594.1 | 611.0 | 628.0 | 645.0 | 661.9 |
| 10° | 519.8 | 522.6 | 525.5 | 530.5 | 535.7 | 540.6 | 545.6 | 562.3 | 579.0 | 595.7 | 612.4 |
| 12.5° | 546.9 | 563.1 | 579.0 | 582.9 | 587.1 | 591.0 | 594.9 | 598.3 | 601.7 | 604.8 | 608.2 |
| 15° | 503.1 | 520.8 | 538.5 | 548.7 | 558.9 | 568.8 | 579.0 | 604.5 | 629.8 | 655.4 | 680.7 |
| 17.5° | 435.0 | 455.4 | 475.4 | 500.5 | 525.5 | 550.5 | 575.6 | 599.1 | 622.5 | 645.7 | 669.2 |
| 20° | 367.2 | 393.8 | 420.7 | 448.0 | 475.2 | 502.6 | 529.7 | 552.6 | 575.6 | 598.3 | 621.2 |
| 22.5° | 302.5 | 324.4 | 346.1 | 379.5 | 412.6 | 446.0 | 479.1 | 521.9 | 564.4 | 607.1 | 649.6 |
| 25° | 271.2 | 288.4 | 305.4 | 339.8 | 374.2 | 408.4 | 442.8 | 498.4 | 553.7 | 609.2 | 664.5 |
| 27.5° | 260.3 | 266.3 | 272.3 | 303.6 | 334.6 | 365.9 | 396.9 | 456.9 | 516.9 | 576.6 | 636.6 |
| 30° | 256.9 | 259.0 | 261.1 | 285.6 | 310.1 | 334.6 | 359.1 | 418.3 | 477.8 | 537.0 | 596.2 |
| 32.5° | 216.7 | 221.4 | 225.9 | 249.8 | 273.6 | 297.6 | 321.3 | 381.0 | 440.5 | 500.2 | 559.7 |
| 35° | 198.7 | 203.9 | 209.2 | 232.6 | 256.1 | 279.3 | 302.8 | 365.6 | 428.7 | 491.6 | 554.5 |
| 37.5° | 195.1 | 199.0 | 202.9 | 229.5 | 256.1 | 282.7 | 309.3 | 372.9 | 436.6 | 500.2 | 563.8 |
| 40° | 193.3 | 196.1 | 199.0 | 224.8 | 250.9 | 276.7 | 302.5 | 369.3 | 435.8 | 502.6 | 569.1 |
| 42.5° | 195.6 | 199.0 | 202.1 | 225.6 | 248.8 | 272.3 | 295.5 | 364.6 | 433.4 | 502.6 | 571.4 |
| 45° | 197.7 | 201.3 | 204.7 | 226.6 | 248.5 | 270.4 | 292.4 | 366.2 | 439.7 | 513.5 | 587.1 |
| 47.5° | 202.6 | 203.4 | 203.9 | 223.0 | 241.8 | 260.8 | 279.6 | 354.7 | 429.8 | 504.6 | 579.8 |
| 50° | 206.8 | 202.9 | 198.7 | 218.5 | 238.1 | 257.9 | 277.5 | 348.7 | 419.9 | 490.8 | 562.0 |
| 52.5° | 200.3 | 194.3 | 188.6 | 209.9 | 231.3 | 252.5 | 273.8 | 345.0 | 416.5 | 487.7 | 558.9 |
| 55° | 190.4 | 184.4 | 178.4 | 200.0 | 221.7 | 243.3 | 265.0 | 335.9 | 407.1 | 478.0 | 549.0 |
| 57.5° | 180.5 | 176.6 | 172.6 | 190.4 | 208.4 | 226.1 | 243.8 | 320.8 | 397.5 | 474.4 | 551.1 |
| 60° | 167.4 | 166.9 | 166.6 | 180.5 | 194.6 | 208.4 | 222.2 | 297.6 | 372.7 | 448.0 | 523.2 |
| 62.5° | 156.2 | 157.5 | 158.6 | 169.8 | 181.0 | 191.9 | 203.2 | 275.9 | 348.9 | 421.7 | 494.5 |
| 65° | 147.6 | 150.2 | 152.8 | 165.6 | 178.4 | 190.9 | 203.7 | 264.7 | 325.7 | 386.8 | 447.8 |
| 67.5° | 137.2 | 140.3 | 143.4 | 160.1 | 176.8 | 193.5 | 210.2 | 260.5 | 310.9 | 361.2 | 411.5 |
| 70° | 125.2 | 128.3 | 131.2 | 152.6 | 173.7 | 195.1 | 216.2 | 260.8 | 305.7 | 350.3 | 394.8 |
| 72.5° | 111.1 | 113.7 | 116.3 | 139.3 | 162.2 | 185.2 | 208.1 | 245.9 | 283.7 | 321.3 | 359.1 |
| 75° | 96.8 | 99.1 | 101.4 | 121.3 | 141.1 | 160.9 | 180.7 | 209.9 | 238.9 | 268.1 | 297.0 |
| 77.5° | 80.8 | 82.9 | 84.8 | 98.1 | 111.4 | 124.7 | 138.0 | 160.4 | 182.6 | 205.0 | 227.2 |
| 80° | 64.2 | 65.2 | 66.2 | 74.1 | 81.6 | 89.5 | 97.0 | 111.9 | 126.7 | 141.4 | 156.2 |
| 82.5° | 46.9 | 46.9 | 46.9 | 51.9 | 57.1 | 62.1 | 67.0 | 74.6 | 81.9 | 89.5 | 96.8 |
| 85° | 27.4 | 26.6 | 26.1 | 29.5 | 32.9 | 36.3 | 39.6 | 42.8 | 45.9 | 49.0 | 52.2 |
| 87.5° | 4.4 | 3.4 | 2.6 | 4.7 | 6.8 | 8.9 | 11.0 | 12.0 | 13.3 | 14.3 | 15.4 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366920

CATALOG NUMBER: PMM-SA1C-740-U-SLR

CANDELA DISTRIBUTION (continued):

| | 220° | 222.5° | 225° | 227.5° | 230° | 232.5° | 235° | 237.5° | 240° | 242.5° | 245° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366920

CATALOG NUMBER: PMM-SA1C-740-U-SLR

CANDELA DISTRIBUTION (continued):

| | 247.5° | 250° | 252.5° | 255° | 257.5° | 260° | 262.5° | 265° | 267.5° | 270° | 272.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 |
| 2.5° | 615.7 | 607.1 | 598.3 | 589.4 | 602.4 | 615.5 | 628.5 | 641.6 | 676.2 | 696.8 | 698.2 |
| 5° | 693.7 | 704.7 | 715.6 | 726.6 | 737.5 | 748.5 | 759.2 | 770.1 | 826.5 | 861.2 | 867.7 |
| 7.5° | 679.9 | 698.2 | 716.1 | 734.1 | 765.2 | 796.2 | 827.2 | 858.3 | 906.0 | 940.4 | 963.1 |
| 10° | 634.8 | 657.2 | 679.6 | 702.1 | 738.8 | 775.9 | 812.6 | 849.4 | 900.0 | 945.4 | 967.0 |
| 12.5° | 643.9 | 679.6 | 715.1 | 750.8 | 782.7 | 814.7 | 846.5 | 878.4 | 913.3 | 930.5 | 969.9 |
| 15° | 705.5 | 730.2 | 755.0 | 779.8 | 827.8 | 875.5 | 923.5 | 971.2 | 991.0 | 1030.4 | 1065.9 |
| 17.5° | 714.8 | 760.2 | 805.9 | 851.2 | 909.9 | 968.6 | 1027.3 | 1086.0 | 1122.7 | 1173.6 | 1216.4 |
| 20° | 685.6 | 749.8 | 814.2 | 878.4 | 954.0 | 1029.9 | 1105.5 | 1181.1 | 1227.8 | 1270.6 | 1336.8 |
| 22.5° | 720.6 | 791.5 | 862.2 | 933.1 | 1033.5 | 1133.7 | 1234.1 | 1334.2 | 1431.8 | 1527.2 | 1572.1 |
| 25° | 759.2 | 854.1 | 948.8 | 1043.4 | 1168.9 | 1294.1 | 1419.5 | 1544.7 | 1670.1 | 1759.6 | 1811.2 |
| 27.5° | 732.1 | 827.2 | 922.7 | 1017.9 | 1173.1 | 1328.5 | 1483.7 | 1638.8 | 1773.2 | 1880.9 | 1925.2 |
| 30° | 713.0 | 829.9 | 946.7 | 1063.5 | 1245.6 | 1427.6 | 1609.6 | 1791.7 | 1915.8 | 2036.0 | 2101.2 |
| 32.5° | 709.6 | 859.6 | 1009.3 | 1159.2 | 1371.3 | 1583.0 | 1795.1 | 2006.8 | 2089.2 | 2195.9 | 2283.8 |
| 35° | 719.0 | 883.8 | 1048.4 | 1213.0 | 1456.0 | 1699.1 | 1941.9 | 2185.0 | 2302.1 | 2407.7 | 2484.6 |
| 37.5° | 747.7 | 931.6 | 1115.2 | 1299.0 | 1591.9 | 1885.0 | 2177.9 | 2470.8 | 2667.2 | 2860.4 | 2894.8 |
| 40° | 763.9 | 958.9 | 1153.8 | 1348.6 | 1689.2 | 2029.8 | 2370.4 | 2711.0 | 2936.8 | 3148.9 | 3163.2 |
| 42.5° | 782.9 | 994.4 | 1205.7 | 1417.2 | 1794.8 | 2172.7 | 2550.3 | 2928.0 | 3207.5 | 3435.5 | 3442.3 |
| 45° | 804.8 | 1022.3 | 1240.1 | 1457.6 | 1851.9 | 2246.0 | 2640.3 | 3034.4 | 3372.4 | 3649.3 | 3581.8 |
| 47.5° | 813.4 | 1047.4 | 1281.0 | 1514.7 | 1935.1 | 2355.3 | 2775.7 | 3195.8 | 3499.1 | 3751.0 | 3686.4 |
| 50° | 816.8 | 1071.9 | 1326.7 | 1581.5 | 2017.0 | 2452.8 | 2888.3 | 3323.9 | 3632.4 | 3878.0 | 3778.9 |
| 52.5° | 837.9 | 1117.0 | 1396.0 | 1675.1 | 2128.9 | 2582.7 | 3036.5 | 3490.2 | 3793.8 | 4029.8 | 3906.7 |
| 55° | 866.4 | 1183.8 | 1500.9 | 1818.3 | 2288.0 | 2757.4 | 3227.1 | 3696.5 | 4001.1 | 4220.7 | 4068.2 |
| 57.5° | 892.7 | 1234.6 | 1576.3 | 1917.9 | 2404.5 | 2891.5 | 3378.1 | 3864.7 | 4173.3 | 4390.5 | 4242.6 |
| 60° | 879.9 | 1236.7 | 1593.5 | 1950.2 | 2428.5 | 2906.6 | 3384.9 | 3862.9 | 4213.2 | 4473.7 | 4398.1 |
| 62.5° | 841.3 | 1188.2 | 1534.8 | 1881.6 | 2335.7 | 2789.5 | 3243.5 | 3697.3 | 4107.3 | 4441.4 | 4438.0 |
| 65° | 767.0 | 1086.2 | 1405.2 | 1724.4 | 2144.5 | 2564.9 | 2985.1 | 3405.2 | 3888.5 | 4294.3 | 4320.6 |
| 67.5° | 676.5 | 941.5 | 1206.4 | 1471.4 | 1867.0 | 2262.7 | 2658.3 | 3053.9 | 3570.6 | 4018.4 | 4041.0 |
| 70° | 588.9 | 783.2 | 977.2 | 1171.2 | 1518.6 | 1866.0 | 2213.1 | 2560.5 | 3082.4 | 3535.4 | 3556.2 |
| 72.5° | 486.1 | 613.1 | 739.9 | 866.9 | 1148.3 | 1429.7 | 1710.8 | 1992.2 | 2450.4 | 2798.9 | 2916.5 |
| 75° | 372.4 | 447.8 | 523.2 | 598.5 | 826.2 | 1053.9 | 1281.3 | 1509.0 | 1813.6 | 2070.7 | 2203.2 |
| 77.5° | 266.3 | 305.4 | 344.5 | 383.6 | 577.1 | 770.7 | 963.9 | 1157.4 | 1317.5 | 1463.3 | 1552.8 |
| 80° | 174.7 | 193.0 | 211.5 | 229.8 | 390.7 | 551.6 | 712.2 | 873.1 | 970.7 | 1048.9 | 1094.0 |
| 82.5° | 105.9 | 115.0 | 123.9 | 133.0 | 263.4 | 393.8 | 523.9 | 654.3 | 710.1 | 747.4 | 787.6 |
| 85° | 57.1 | 62.1 | 67.0 | 72.0 | 155.7 | 239.2 | 322.9 | 406.3 | 411.8 | 416.2 | 476.0 |
| 87.5° | 16.7 | 18.3 | 19.6 | 20.9 | 34.4 | 48.2 | 61.8 | 75.4 | 46.9 | 29.2 | 60.0 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366920
 CATALOG NUMBER: PMM-SA1C-740-U-SLR

CANDELA DISTRIBUTION (continued):

| | 247.5° | 250° | 252.5° | 255° | 257.5° | 260° | 262.5° | 265° | 267.5° | 270° | 272.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366920

CATALOG NUMBER: PMM-SA1C-740-U-SLR

CANDELA DISTRIBUTION (continued):

| | 275° | 277.5° | 280° | 282.5° | 285° | 287.5° | 290° | 292.5° | 295° | 297.5° | 300° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 |
| 2.5° | 690.6 | 687.2 | 683.8 | 680.2 | 676.8 | 662.4 | 648.3 | 634.0 | 619.7 | 633.5 | 647.0 |
| 5° | 860.1 | 870.5 | 880.7 | 891.1 | 901.6 | 902.4 | 902.9 | 903.7 | 904.2 | 906.8 | 909.4 |
| 7.5° | 982.2 | 1000.7 | 1018.9 | 1037.4 | 1056.0 | 1070.3 | 1084.7 | 1099.3 | 1113.6 | 1100.6 | 1087.5 |
| 10° | 992.6 | 1031.7 | 1070.8 | 1110.0 | 1149.1 | 1156.1 | 1162.9 | 1169.9 | 1177.0 | 1186.4 | 1195.5 |
| 12.5° | 1003.0 | 1050.8 | 1098.2 | 1145.9 | 1193.7 | 1214.5 | 1235.1 | 1256.0 | 1276.6 | 1286.8 | 1296.7 |
| 15° | 1113.3 | 1141.5 | 1169.4 | 1197.6 | 1225.5 | 1239.8 | 1253.9 | 1268.3 | 1282.6 | 1291.2 | 1299.6 |
| 17.5° | 1255.2 | 1265.6 | 1275.8 | 1286.2 | 1296.7 | 1306.3 | 1316.0 | 1325.6 | 1335.3 | 1336.8 | 1338.4 |
| 20° | 1384.6 | 1386.7 | 1388.5 | 1390.6 | 1392.4 | 1372.1 | 1352.0 | 1331.6 | 1311.3 | 1314.9 | 1318.3 |
| 22.5° | 1578.6 | 1567.1 | 1555.9 | 1544.4 | 1533.2 | 1494.9 | 1456.8 | 1418.5 | 1380.4 | 1364.0 | 1347.8 |
| 25° | 1870.7 | 1841.5 | 1812.3 | 1783.1 | 1753.9 | 1692.8 | 1632.1 | 1571.0 | 1510.3 | 1474.5 | 1439.1 |
| 27.5° | 1964.8 | 1901.2 | 1837.8 | 1774.2 | 1710.6 | 1664.4 | 1618.5 | 1572.3 | 1526.4 | 1469.9 | 1413.3 |
| 30° | 2155.2 | 2054.8 | 1954.7 | 1854.3 | 1753.9 | 1709.3 | 1664.7 | 1619.8 | 1575.2 | 1517.3 | 1459.7 |
| 32.5° | 2324.0 | 2219.6 | 2115.3 | 2010.7 | 1906.4 | 1821.9 | 1737.4 | 1652.9 | 1568.4 | 1529.3 | 1490.2 |
| 35° | 2519.3 | 2388.1 | 2256.9 | 2125.8 | 1994.6 | 1922.1 | 1849.8 | 1777.3 | 1705.1 | 1645.9 | 1586.9 |
| 37.5° | 2803.8 | 2664.3 | 2524.8 | 2385.0 | 2245.5 | 2147.4 | 2049.6 | 1951.5 | 1853.7 | 1821.1 | 1788.8 |
| 40° | 3075.1 | 2910.2 | 2745.7 | 2580.8 | 2416.3 | 2341.2 | 2266.1 | 2190.7 | 2115.6 | 2060.6 | 2005.5 |
| 42.5° | 3302.2 | 3139.2 | 2976.5 | 2813.5 | 2650.7 | 2596.0 | 2541.5 | 2486.7 | 2432.2 | 2386.8 | 2341.4 |
| 45° | 3380.2 | 3247.2 | 3114.4 | 2981.4 | 2848.4 | 2829.1 | 2810.1 | 2790.8 | 2771.7 | 2738.1 | 2704.5 |
| 47.5° | 3505.6 | 3370.0 | 3234.7 | 3099.0 | 2963.4 | 2970.5 | 2977.5 | 2984.8 | 2991.9 | 2993.7 | 2995.3 |
| 50° | 3579.4 | 3450.6 | 3322.0 | 3193.2 | 3064.6 | 3098.8 | 3132.7 | 3166.9 | 3201.0 | 3278.5 | 3355.7 |
| 52.5° | 3687.1 | 3560.7 | 3434.4 | 3307.9 | 3181.5 | 3239.4 | 3297.0 | 3354.9 | 3412.5 | 3521.0 | 3629.5 |
| 55° | 3822.2 | 3701.2 | 3580.5 | 3459.5 | 3338.7 | 3395.1 | 3451.1 | 3507.5 | 3563.5 | 3684.3 | 3805.0 |
| 57.5° | 4001.4 | 3871.8 | 3742.4 | 3612.8 | 3483.5 | 3535.4 | 3587.0 | 3638.9 | 3690.5 | 3805.3 | 3920.0 |
| 60° | 4205.3 | 4064.5 | 3923.7 | 3782.6 | 3641.8 | 3656.1 | 3670.2 | 3684.5 | 3698.6 | 3823.0 | 3947.2 |
| 62.5° | 4305.5 | 4175.1 | 4045.0 | 3914.6 | 3784.2 | 3744.3 | 3704.4 | 3664.2 | 3624.3 | 3735.7 | 3846.8 |
| 65° | 4218.6 | 4128.9 | 4039.5 | 3949.8 | 3860.1 | 3789.6 | 3719.5 | 3649.1 | 3578.7 | 3648.3 | 3717.7 |
| 67.5° | 3942.2 | 3891.3 | 3840.8 | 3789.9 | 3739.0 | 3620.9 | 3502.8 | 3384.4 | 3266.2 | 3270.9 | 3275.3 |
| 70° | 3494.2 | 3480.6 | 3467.3 | 3453.7 | 3440.2 | 3262.6 | 3085.2 | 2907.6 | 2730.0 | 2702.9 | 2675.8 |
| 72.5° | 2926.4 | 2935.3 | 2943.9 | 2952.7 | 2961.6 | 2770.7 | 2579.8 | 2388.9 | 2198.0 | 2152.9 | 2107.8 |
| 75° | 2266.6 | 2315.6 | 2364.6 | 2413.9 | 2463.0 | 2280.4 | 2097.8 | 1915.0 | 1732.5 | 1676.9 | 1621.4 |
| 77.5° | 1601.6 | 1693.1 | 1784.4 | 1875.9 | 1967.5 | 1802.4 | 1637.5 | 1472.5 | 1307.4 | 1271.4 | 1235.4 |
| 80° | 1116.7 | 1161.6 | 1206.4 | 1251.3 | 1296.2 | 1213.2 | 1130.3 | 1047.4 | 964.4 | 974.3 | 984.0 |
| 82.5° | 813.4 | 823.9 | 834.0 | 844.5 | 854.9 | 821.0 | 787.1 | 752.9 | 719.0 | 744.8 | 770.7 |
| 85° | 521.1 | 558.4 | 595.4 | 632.7 | 669.7 | 632.2 | 594.6 | 556.8 | 519.2 | 536.5 | 553.7 |
| 87.5° | 116.6 | 184.4 | 252.2 | 320.3 | 388.1 | 351.6 | 315.3 | 278.8 | 242.3 | 225.9 | 209.7 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366920

CATALOG NUMBER: PMM-SA1C-740-U-SLR

CANDELA DISTRIBUTION (continued):

| | 275° | 277.5° | 280° | 282.5° | 285° | 287.5° | 290° | 292.5° | 295° | 297.5° | 300° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366920

CATALOG NUMBER: PMM-SA1C-740-U-SLR

CANDELA DISTRIBUTION (continued):

| | 302.5° | 305° | 307.5° | 310° | 312.5° | 315° | 317.5° | 320° | 322.5° | 325° | 327.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 |
| 2.5° | 660.9 | 674.7 | 670.5 | 666.6 | 662.4 | 658.3 | 665.8 | 673.4 | 681.2 | 688.8 | 686.2 |
| 5° | 912.3 | 914.9 | 890.1 | 865.6 | 840.8 | 816.0 | 831.4 | 846.8 | 862.2 | 877.6 | 872.1 |
| 7.5° | 1074.5 | 1061.4 | 1047.1 | 1032.8 | 1018.2 | 1003.8 | 1000.7 | 997.5 | 994.2 | 991.0 | 986.9 |
| 10° | 1204.9 | 1214.0 | 1204.6 | 1195.5 | 1186.1 | 1176.7 | 1154.8 | 1132.9 | 1110.7 | 1088.8 | 1079.7 |
| 12.5° | 1306.9 | 1317.0 | 1319.4 | 1321.5 | 1323.8 | 1326.2 | 1301.6 | 1277.4 | 1252.9 | 1228.4 | 1206.2 |
| 15° | 1308.2 | 1316.8 | 1324.3 | 1331.6 | 1339.2 | 1346.5 | 1331.4 | 1316.5 | 1301.4 | 1286.2 | 1279.2 |
| 17.5° | 1340.2 | 1341.8 | 1335.5 | 1329.5 | 1323.3 | 1317.3 | 1311.3 | 1305.5 | 1299.6 | 1293.8 | 1282.6 |
| 20° | 1322.0 | 1325.6 | 1324.8 | 1324.1 | 1323.0 | 1322.2 | 1322.8 | 1323.0 | 1323.5 | 1323.8 | 1317.5 |
| 22.5° | 1331.4 | 1314.9 | 1318.3 | 1321.5 | 1324.8 | 1328.0 | 1337.4 | 1346.8 | 1356.4 | 1365.8 | 1390.8 |
| 25° | 1403.3 | 1367.6 | 1362.1 | 1356.9 | 1351.4 | 1346.2 | 1370.7 | 1395.0 | 1419.5 | 1444.0 | 1484.7 |
| 27.5° | 1356.4 | 1299.8 | 1287.3 | 1274.8 | 1262.3 | 1249.7 | 1287.0 | 1324.1 | 1361.4 | 1398.7 | 1440.1 |
| 30° | 1401.8 | 1344.1 | 1316.5 | 1288.9 | 1261.0 | 1233.3 | 1269.0 | 1304.5 | 1340.2 | 1375.7 | 1421.6 |
| 32.5° | 1451.1 | 1412.0 | 1393.4 | 1375.2 | 1356.7 | 1338.4 | 1341.3 | 1344.1 | 1347.0 | 1349.9 | 1414.6 |
| 35° | 1527.7 | 1468.5 | 1450.3 | 1432.0 | 1413.8 | 1395.5 | 1426.0 | 1456.3 | 1486.8 | 1517.1 | 1571.8 |
| 37.5° | 1756.2 | 1723.6 | 1690.7 | 1657.9 | 1624.8 | 1591.9 | 1609.9 | 1627.9 | 1645.9 | 1663.9 | 1715.5 |
| 40° | 1950.5 | 1895.5 | 1890.0 | 1884.8 | 1879.3 | 1873.8 | 1875.4 | 1876.7 | 1878.3 | 1879.8 | 1923.9 |
| 42.5° | 2295.8 | 2250.4 | 2222.5 | 2194.6 | 2166.7 | 2138.8 | 2137.0 | 2135.1 | 2133.1 | 2131.2 | 2164.4 |
| 45° | 2670.6 | 2636.9 | 2616.1 | 2595.2 | 2574.1 | 2553.2 | 2520.1 | 2487.0 | 2453.6 | 2420.5 | 2449.4 |
| 47.5° | 2997.1 | 2998.9 | 3036.7 | 3074.3 | 3112.1 | 3149.9 | 3093.3 | 3036.7 | 2980.1 | 2923.5 | 2886.2 |
| 50° | 3433.1 | 3510.3 | 3519.5 | 3528.3 | 3537.4 | 3546.6 | 3450.6 | 3354.9 | 3258.9 | 3162.9 | 3123.8 |
| 52.5° | 3738.3 | 3846.8 | 3832.7 | 3818.8 | 3804.8 | 3790.7 | 3735.1 | 3679.8 | 3624.3 | 3568.7 | 3483.5 |
| 55° | 3926.0 | 4046.8 | 4036.1 | 4025.7 | 4015.0 | 4004.3 | 3963.9 | 3923.4 | 3883.0 | 3842.6 | 3749.0 |
| 57.5° | 4034.8 | 4149.5 | 4152.7 | 4155.8 | 4158.9 | 4162.1 | 4151.4 | 4140.7 | 4130.0 | 4119.3 | 3997.5 |
| 60° | 4071.6 | 4196.0 | 4197.3 | 4198.3 | 4199.6 | 4200.7 | 4183.7 | 4166.8 | 4149.5 | 4132.6 | 4053.0 |
| 62.5° | 3958.1 | 4069.2 | 4074.2 | 4078.9 | 4083.8 | 4088.8 | 4077.0 | 4065.3 | 4053.6 | 4041.8 | 3982.9 |
| 65° | 3787.3 | 3856.9 | 3858.2 | 3859.3 | 3860.6 | 3861.9 | 3832.1 | 3802.7 | 3772.9 | 3743.2 | 3729.1 |
| 67.5° | 3280.0 | 3284.7 | 3312.4 | 3340.0 | 3367.7 | 3395.3 | 3397.7 | 3400.0 | 3402.6 | 3405.0 | 3384.6 |
| 70° | 2648.7 | 2621.5 | 2651.5 | 2681.5 | 2711.5 | 2741.5 | 2754.3 | 2767.1 | 2780.1 | 2792.9 | 2802.3 |
| 72.5° | 2062.4 | 2017.3 | 2039.4 | 2061.6 | 2084.0 | 2106.2 | 2087.2 | 2068.1 | 2049.1 | 2030.0 | 2090.3 |
| 75° | 1565.8 | 1510.3 | 1507.4 | 1504.8 | 1501.9 | 1499.3 | 1489.7 | 1480.0 | 1470.1 | 1460.5 | 1516.8 |
| 77.5° | 1199.1 | 1163.2 | 1165.0 | 1166.5 | 1168.4 | 1169.9 | 1160.0 | 1150.4 | 1140.5 | 1130.6 | 1152.2 |
| 80° | 993.9 | 1003.5 | 1003.8 | 1004.1 | 1004.3 | 1004.6 | 995.2 | 986.1 | 976.7 | 967.3 | 951.6 |
| 82.5° | 796.7 | 822.6 | 822.3 | 822.3 | 822.0 | 821.8 | 821.2 | 820.7 | 819.9 | 819.4 | 793.9 |
| 85° | 570.9 | 588.1 | 570.4 | 552.6 | 534.9 | 517.2 | 530.2 | 543.2 | 556.5 | 569.6 | 558.9 |
| 87.5° | 193.3 | 177.1 | 156.0 | 135.1 | 114.0 | 92.8 | 115.5 | 138.2 | 161.2 | 183.9 | 196.9 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366920

CATALOG NUMBER: PMM-SA1C-740-U-SLR

CANDELA DISTRIBUTION (continued):

| | 302.5° | 305° | 307.5° | 310° | 312.5° | 315° | 317.5° | 320° | 322.5° | 325° | 327.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366920

CATALOG NUMBER: PMM-SA1C-740-U-SLR

CANDELA DISTRIBUTION (continued):

| | 330° | 332.5° | 335° | 337.5° | 340° | 342.5° | 345° | 347.5° | 350° | 352.5° | 355° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 | 566.7 |
| 2.5° | 683.8 | 681.2 | 678.9 | 662.4 | 645.7 | 629.3 | 612.6 | 642.9 | 673.4 | 703.6 | 733.9 |
| 5° | 866.9 | 861.4 | 856.2 | 854.9 | 853.6 | 852.0 | 850.7 | 866.1 | 881.5 | 896.6 | 912.0 |
| 7.5° | 982.7 | 978.5 | 974.3 | 963.4 | 952.7 | 941.7 | 930.8 | 940.2 | 949.3 | 958.7 | 967.8 |
| 10° | 1070.8 | 1061.7 | 1052.6 | 1028.8 | 1005.4 | 981.6 | 957.9 | 950.9 | 943.8 | 936.8 | 929.7 |
| 12.5° | 1184.0 | 1161.6 | 1139.4 | 1112.6 | 1085.4 | 1058.6 | 1031.5 | 1027.8 | 1024.1 | 1020.8 | 1017.1 |
| 15° | 1272.4 | 1265.4 | 1258.3 | 1237.0 | 1215.6 | 1194.2 | 1172.8 | 1144.1 | 1115.2 | 1086.5 | 1057.8 |
| 17.5° | 1271.6 | 1260.4 | 1249.5 | 1278.2 | 1306.6 | 1335.3 | 1363.7 | 1333.2 | 1302.4 | 1271.9 | 1241.4 |
| 20° | 1311.3 | 1304.8 | 1298.5 | 1351.4 | 1404.1 | 1457.1 | 1509.8 | 1493.1 | 1476.1 | 1459.4 | 1442.5 |
| 22.5° | 1415.6 | 1440.6 | 1465.4 | 1510.8 | 1555.9 | 1601.3 | 1646.4 | 1665.4 | 1684.5 | 1703.5 | 1722.6 |
| 25° | 1525.1 | 1565.8 | 1606.5 | 1674.1 | 1741.3 | 1808.9 | 1876.4 | 1890.0 | 1903.6 | 1917.1 | 1930.7 |
| 27.5° | 1481.3 | 1522.8 | 1564.3 | 1615.4 | 1666.2 | 1717.3 | 1768.2 | 1827.7 | 1887.4 | 1946.8 | 2006.3 |
| 30° | 1467.2 | 1513.1 | 1558.8 | 1628.9 | 1698.8 | 1769.0 | 1839.1 | 1921.0 | 2002.9 | 2084.5 | 2166.4 |
| 32.5° | 1479.0 | 1543.7 | 1608.3 | 1703.3 | 1797.9 | 1892.9 | 1987.8 | 2073.9 | 2160.2 | 2246.2 | 2332.3 |
| 35° | 1626.3 | 1681.1 | 1735.6 | 1841.7 | 1947.9 | 2054.0 | 2160.2 | 2261.1 | 2362.0 | 2462.7 | 2563.6 |
| 37.5° | 1766.9 | 1818.5 | 1870.2 | 1978.7 | 2086.9 | 2195.4 | 2303.9 | 2463.2 | 2622.8 | 2782.2 | 2941.5 |
| 40° | 1967.7 | 2011.8 | 2055.6 | 2148.4 | 2241.3 | 2334.1 | 2427.0 | 2619.2 | 2811.4 | 3003.6 | 3195.8 |
| 42.5° | 2197.2 | 2230.3 | 2263.2 | 2359.4 | 2455.7 | 2551.9 | 2648.1 | 2857.3 | 3066.7 | 3275.9 | 3485.0 |
| 45° | 2478.1 | 2507.0 | 2536.0 | 2602.2 | 2668.5 | 2735.0 | 2801.2 | 3016.9 | 3232.6 | 3448.3 | 3663.9 |
| 47.5° | 2848.9 | 2811.7 | 2774.4 | 2807.0 | 2839.6 | 2872.2 | 2904.8 | 3118.1 | 3331.4 | 3544.5 | 3757.8 |
| 50° | 3084.7 | 3045.6 | 3006.5 | 3009.3 | 3011.9 | 3014.8 | 3017.7 | 3216.7 | 3415.7 | 3614.4 | 3813.4 |
| 52.5° | 3398.2 | 3312.6 | 3227.4 | 3226.6 | 3225.8 | 3224.8 | 3224.0 | 3397.4 | 3571.1 | 3744.5 | 3918.0 |
| 55° | 3655.3 | 3561.7 | 3468.1 | 3449.8 | 3431.6 | 3413.0 | 3394.8 | 3566.4 | 3737.7 | 3909.3 | 4080.7 |
| 57.5° | 3875.7 | 3753.6 | 3631.9 | 3603.2 | 3574.5 | 3545.8 | 3517.1 | 3702.0 | 3887.2 | 4072.1 | 4257.0 |
| 60° | 3973.8 | 3894.2 | 3814.9 | 3779.7 | 3744.5 | 3709.3 | 3674.1 | 3831.6 | 3989.1 | 4146.4 | 4303.9 |
| 62.5° | 3924.2 | 3865.3 | 3806.6 | 3814.7 | 3822.8 | 3830.8 | 3838.9 | 3928.9 | 4019.1 | 4109.1 | 4199.1 |
| 65° | 3715.3 | 3701.2 | 3687.4 | 3752.6 | 3817.8 | 3883.0 | 3948.2 | 3949.5 | 3950.8 | 3952.1 | 3953.4 |
| 67.5° | 3364.3 | 3343.9 | 3323.6 | 3459.2 | 3594.6 | 3730.2 | 3865.8 | 3801.4 | 3737.0 | 3672.8 | 3608.4 |
| 70° | 2811.4 | 2820.8 | 2829.9 | 3014.6 | 3198.9 | 3383.6 | 3568.2 | 3474.9 | 3381.2 | 3287.9 | 3194.2 |
| 72.5° | 2150.5 | 2211.0 | 2271.3 | 2462.7 | 2654.1 | 2845.6 | 3037.0 | 2930.3 | 2823.4 | 2716.7 | 2609.8 |
| 75° | 1573.1 | 1629.5 | 1685.8 | 1874.9 | 2063.9 | 2253.3 | 2442.4 | 2315.6 | 2188.9 | 2062.4 | 1935.6 |
| 77.5° | 1173.8 | 1195.8 | 1217.4 | 1374.7 | 1531.7 | 1688.9 | 1845.9 | 1718.7 | 1591.4 | 1464.4 | 1337.1 |
| 80° | 936.3 | 920.6 | 905.2 | 992.3 | 1079.4 | 1166.5 | 1253.7 | 1163.4 | 1072.9 | 982.7 | 892.4 |
| 82.5° | 768.6 | 743.0 | 717.7 | 750.1 | 782.4 | 815.0 | 847.3 | 775.1 | 702.8 | 630.6 | 558.4 |
| 85° | 548.2 | 537.5 | 526.8 | 536.2 | 545.3 | 554.7 | 564.1 | 493.7 | 423.3 | 353.1 | 282.7 |
| 87.5° | 209.7 | 222.7 | 235.8 | 250.6 | 265.2 | 280.1 | 294.7 | 230.8 | 166.9 | 103.3 | 39.4 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366920

CATALOG NUMBER: PMM-SA1C-740-U-SLR

CANDELA DISTRIBUTION (continued):

| | 330° | 332.5° | 335° | 337.5° | 340° | 342.5° | 345° | 347.5° | 350° | 352.5° | 355° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P366920
 CATALOG NUMBER: PMM-SA1C-740-U-SLR

CANDELA DISTRIBUTION (continued):

| | 357.5° | 360° |
|--------|--------|--------|
| 0° | 566.7 | 566.7 |
| 2.5° | 746.4 | 758.9 |
| 5° | 911.7 | 911.5 |
| 7.5° | 963.6 | 959.2 |
| 10° | 918.3 | 906.8 |
| 12.5° | 983.2 | 949.0 |
| 15° | 1023.9 | 989.7 |
| 17.5° | 1190.0 | 1138.4 |
| 20° | 1381.2 | 1319.6 |
| 22.5° | 1628.9 | 1535.3 |
| 25° | 1818.8 | 1706.7 |
| 27.5° | 1939.8 | 1873.0 |
| 30° | 2090.0 | 2013.6 |
| 32.5° | 2276.0 | 2219.4 |
| 35° | 2512.0 | 2460.1 |
| 37.5° | 2925.4 | 2908.9 |
| 40° | 3176.2 | 3156.4 |
| 42.5° | 3485.8 | 3486.3 |
| 45° | 3675.7 | 3687.4 |
| 47.5° | 3787.6 | 3817.0 |
| 50° | 3876.7 | 3939.9 |
| 52.5° | 4004.3 | 4090.6 |
| 55° | 4195.4 | 4309.9 |
| 57.5° | 4354.5 | 4452.1 |
| 60° | 4354.5 | 4404.9 |
| 62.5° | 4197.8 | 4196.2 |
| 65° | 3929.2 | 3904.6 |
| 67.5° | 3577.6 | 3546.8 |
| 70° | 3146.3 | 3098.0 |
| 72.5° | 2550.1 | 2490.1 |
| 75° | 1853.5 | 1771.1 |
| 77.5° | 1298.0 | 1258.6 |
| 80° | 911.5 | 930.5 |
| 82.5° | 585.5 | 612.6 |
| 85° | 278.5 | 274.4 |
| 87.5° | 32.9 | 26.3 |
| 90° | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 |



REPORT NUMBER: P366920
CATALOG NUMBER: PMM-SA1C-740-U-SLR

CANDELA DISTRIBUTION (continued):

| | 357.5° | 360° |
|--------|--------|------|
| 112.5° | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 |

(END OF REPORT)