

Scaled data based on original data using
LM-79-08 Approved Method: Electrical and Photometric Measurements of Solid-
State Lighting Products

Test Report Prepared for
Cooper Lighting Solutions
(formerly Eaton)

Brand: STREETWORKS

Report Number: P368679

Luminaire Tested: **PMM-SA4D-760-U-SLR-HSS**

Issue Date: 12/2/2019

Test Information

Test Method: LM-79-08
Report Number: P368679
TEST IS SCALED FROM IESNA LM-79-08 TEST DATA (G2-1910-543-25)
Test Lab: INNOVATION CENTER
Issue Date: 12/2/2019
Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)
Product Line: STREETWORKS
Catalog Number: PMM-SA4D-760-U-SLR-HSS
Description: MESA POST TOP DECORATIVE LUMINAIRE. (4) LIGHTSQUARES WITH 16 LEDS EACH AND SPILL LIGHT ELIMINATOR RIGHT OPTICS WITH HOUSE SIDE SHIELD
Light Source: -
Ballast/Driver: ELECTRONIC DRIVER

Summary

Lumens per Lamp: N/A
Luminaire Lumens: 19191 lumens
Efficiency: N/A
Efficacy: 74.1 lumens/watt
Luminous Opening: Rectangular (W 1' x L: 1' x H: 0')
IES Classification: Type IV - Short
BUG Rating: B3 - U0 - G3


Input Watts (W): 259
Input Voltage (V): NR
Input Current (Ain): NR
Voltage Rise (V): NR
Power Factor: NR
Total Harmonic Distortion (THDi): NR
Frequency (hertz): 60
Stabilization Time: NR
Operation Time: NR
Ambient Temperature (°C): NR
Test Distance: 28.75 FT



REPORT NUMBER: P368679
 CATALOG NUMBER: PMM-SA4D-760-U-SLR-HSS

Iso-Footcandle Lines of Horizontal Illumination


× Max cd
 - - - 1/2 Max cd



Based on 25 foot mounting height. Maximum calculated value = 9.9 fc
 Type IV - Short - N/A

REPORT NUMBER: P368679
CATALOG NUMBER: PMM-SA4D-760-U-SLR-HSS

Luminous Intensity Polar Plot



— Vertical Plane Through 270-Deg Lateral - - - Horizontal Cone Through 62.5-Deg Vertical

REPORT NUMBER: P368679

CATALOG NUMBER: PMM-SA4D-760-U-SLR-HSS


FLUX DISTRIBUTION:

| | | Downward | Upward | Total |
|--------------------|-----------|----------|--------|---------|
| House Side | Lumens | 3204.6 | 0.0 | 3204.6 |
| | % Fixture | 16.7 | 0.0 | 16.7 |
| Street Side | Lumens | 15986.4 | 0.0 | 15986.4 |
| | % Fixture | 83.3 | 0.0 | 83.3 |
| Total | Lumens | 19191.0 | 0.0 | 19191.0 |
| | % Fixture | 100.0 | 0.0 | 100.0 |

ZONAL LUMENS:

| Zone | Lumens | % Fixture |
|-----------|---------|-----------|
| 0°-10° | 258.4 | 1.3 |
| 10°-20° | 675.0 | 3.5 |
| 20°-30° | 1090.9 | 5.7 |
| 30°-40° | 1827.2 | 9.5 |
| 40°-50° | 2987.0 | 15.6 |
| 50°-60° | 4421.7 | 23.0 |
| 60°-70° | 5076.2 | 26.5 |
| 70°-80° | 2509.9 | 13.1 |
| 80°-90° | 344.7 | 1.8 |
| 90°-100° | 0.0 | 0.0 |
| 100°-110° | 0.0 | 0.0 |
| 110°-120° | 0.0 | 0.0 |
| 120°-130° | 0.0 | 0.0 |
| 130°-140° | 0.0 | 0.0 |
| 140°-150° | 0.0 | 0.0 |
| 150°-160° | 0.0 | 0.0 |
| 160°-170° | 0.0 | 0.0 |
| 170°-180° | 0.0 | 0.0 |
| 0°-90° | 19191.0 | 100.0 |
| 0°-180° | 19191.0 | 100.0 |

Coefficient of Utilization



REPORT NUMBER: P368679


CATALOG NUMBER: PMM-SA4D-760-U-SLR-HSS

LUMINAIRE CLASSIFICATION SYSTEM LUMEN TABLE AND BUG RATING:

| Zone | Lumens | % Fixture | Zone Rating/Lumen Limit | | |
|----------------|--------|-----------|-------------------------|------|---------|
| | | | B | U | G |
| FL (0°-30°) | 1495.1 | 7.8 | | | |
| FM (30°-60°) | 7639.0 | 39.8 | | | |
| FH (60°-80°) | 6525.9 | 34.0 | | | G3/7500 |
| FVH (80°-90°) | 326.4 | 1.7 | | | G3/500 |
| BL (0°-30°) | 529.2 | 2.8 | B2/1000 | | |
| BM (30°-60°) | 1596.9 | 8.3 | B2/2500 | | |
| BH (60°-80°) | 1060.3 | 5.5 | B3/2500 | | G3/2500 |
| BVH (80°-90°) | 18.3 | 0.1 | | | G1/100 |
| UL (90°-100°) | 0.0 | 0.0 | | U0/0 | |
| UH (100°-180°) | 0.0 | 0.0 | | U0/0 | |

BUG Rating: B3-U0-G3

Type IV Short





REPORT NUMBER: P368679

CATALOG NUMBER: PMM-SA4D-760-U-SLR-HSS

CANDELA DISTRIBUTION (FULL):

| | 0° | 2.5° | 5° | 7.5° | 10° | 12.5° | 15° | 17.5° | 20° | 22.5° | 25° |
|--------|---------|---------|---------|---------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 |
| 2.5° | 3066.3 | 3104.6 | 3141.8 | 3070.7 | 2999.6 | 2928.5 | 2857.4 | 2793.9 | 2730.5 | 2666.0 | 2602.5 |
| 5° | 3945.9 | 3875.9 | 3805.8 | 3709.6 | 3613.3 | 3517.0 | 3420.8 | 3375.9 | 3331.1 | 3286.2 | 3241.4 |
| 7.5° | 4252.2 | 4127.5 | 4001.7 | 3916.3 | 3832.1 | 3746.8 | 3661.4 | 3526.9 | 3391.2 | 3256.7 | 3121.0 |
| 10° | 4011.5 | 3879.1 | 3745.7 | 3671.3 | 3596.9 | 3522.5 | 3448.1 | 3280.7 | 3112.3 | 2944.9 | 2776.4 |
| 12.5° | 4122.0 | 3978.7 | 3835.4 | 3682.2 | 3529.1 | 3375.9 | 3222.8 | 3094.8 | 2965.7 | 2837.7 | 2708.6 |
| 15° | 4198.6 | 4034.5 | 3869.3 | 3694.3 | 3519.2 | 3344.2 | 3169.2 | 3018.2 | 2868.3 | 2717.4 | 2566.4 |
| 17.5° | 4648.2 | 4413.0 | 4177.8 | 3908.7 | 3639.6 | 3370.5 | 3101.3 | 2926.3 | 2752.4 | 2577.3 | 2402.3 |
| 20° | 5225.8 | 4892.1 | 4557.4 | 4193.1 | 3828.8 | 3464.5 | 3100.2 | 2882.6 | 2664.9 | 2447.2 | 2229.5 |
| 22.5° | 5897.5 | 5480.7 | 5062.8 | 4613.2 | 4164.7 | 3715.0 | 3265.4 | 2952.6 | 2639.7 | 2326.8 | 2014.0 |
| 25° | 6573.5 | 6197.2 | 5820.9 | 5215.9 | 4611.0 | 4004.9 | 3400.0 | 3002.9 | 2604.7 | 2207.6 | 1809.4 |
| 27.5° | 7794.4 | 7121.6 | 6448.8 | 5678.7 | 4909.6 | 4139.5 | 3369.4 | 2914.3 | 2459.2 | 2003.0 | 1547.9 |
| 30° | 8593.0 | 8075.5 | 7557.0 | 6539.6 | 5523.3 | 4506.0 | 3488.6 | 2912.1 | 2335.6 | 1758.0 | 1181.5 |
| 32.5° | 9548.0 | 8791.0 | 8032.9 | 6929.1 | 5825.3 | 4721.5 | 3617.7 | 2940.5 | 2262.3 | 1585.1 | 906.9 |
| 35° | 10621.1 | 9797.4 | 8973.7 | 7575.6 | 6177.5 | 4778.4 | 3380.3 | 2723.9 | 2067.6 | 1411.2 | 754.8 |
| 37.5° | 12516.9 | 11138.6 | 9760.2 | 8130.2 | 6499.1 | 4869.2 | 3238.1 | 2582.8 | 1926.4 | 1271.2 | 614.8 |
| 40° | 13593.4 | 12277.4 | 10961.4 | 8924.4 | 6887.5 | 4850.6 | 2813.6 | 2231.7 | 1650.8 | 1068.8 | 486.8 |
| 42.5° | 14993.6 | 13324.3 | 11653.8 | 9377.3 | 7100.8 | 4824.3 | 2547.8 | 2009.6 | 1471.4 | 932.0 | 393.8 |
| 45° | 15824.0 | 13932.5 | 12041.1 | 9574.2 | 7107.4 | 4640.5 | 2173.7 | 1707.7 | 1241.6 | 775.6 | 309.6 |
| 47.5° | 16348.0 | 14451.0 | 12554.1 | 9905.7 | 7258.3 | 4609.9 | 1961.4 | 1532.6 | 1103.8 | 675.0 | 246.1 |
| 50° | 16613.8 | 14711.4 | 12807.9 | 10086.2 | 7364.5 | 4641.6 | 1919.9 | 1493.2 | 1065.5 | 638.9 | 211.1 |
| 52.5° | 16890.6 | 15056.0 | 13220.4 | 10399.1 | 7577.8 | 4756.5 | 1935.2 | 1499.8 | 1065.5 | 630.1 | 194.7 |
| 55° | 17449.6 | 15640.2 | 13829.7 | 10847.6 | 7865.5 | 4883.4 | 1901.3 | 1472.5 | 1043.6 | 613.7 | 184.9 |
| 57.5° | 18136.6 | 16202.5 | 14267.3 | 11175.8 | 8084.3 | 4992.8 | 1901.3 | 1470.3 | 1039.3 | 607.1 | 176.1 |
| 60° | 18006.4 | 15907.1 | 13806.7 | 10807.1 | 7807.5 | 4806.8 | 1807.2 | 1397.0 | 987.8 | 577.6 | 167.4 |
| 62.5° | 17112.6 | 14833.9 | 12554.1 | 9782.1 | 7008.9 | 4236.9 | 1463.7 | 1136.6 | 809.5 | 481.3 | 154.2 |
| 65° | 16062.4 | 13643.7 | 11223.9 | 8672.8 | 6120.6 | 3569.6 | 1017.4 | 798.6 | 578.7 | 359.9 | 140.0 |
| 67.5° | 14797.8 | 12218.3 | 9638.8 | 7369.9 | 5102.2 | 2833.3 | 564.5 | 455.1 | 345.7 | 235.2 | 125.8 |
| 70° | 12603.4 | 9940.7 | 7276.9 | 5533.2 | 3790.5 | 2046.8 | 303.0 | 256.0 | 208.9 | 161.9 | 114.9 |
| 72.5° | 9461.6 | 7022.1 | 4582.5 | 3480.9 | 2380.4 | 1278.8 | 177.2 | 159.7 | 141.1 | 123.6 | 105.0 |
| 75° | 6437.9 | 4609.9 | 2781.9 | 2117.9 | 1455.0 | 790.9 | 126.9 | 118.1 | 108.3 | 99.5 | 89.7 |
| 77.5° | 4376.9 | 3165.9 | 1954.9 | 1492.1 | 1029.4 | 566.7 | 103.9 | 98.5 | 93.0 | 86.4 | 81.0 |
| 80° | 2732.7 | 1870.7 | 1008.6 | 776.7 | 543.7 | 311.8 | 78.8 | 75.5 | 72.2 | 67.8 | 64.5 |
| 82.5° | 1911.1 | 1143.2 | 375.2 | 293.2 | 211.1 | 128.0 | 45.9 | 47.0 | 48.1 | 48.1 | 49.2 |
| 85° | 801.9 | 433.2 | 64.5 | 54.7 | 44.9 | 35.0 | 25.2 | 27.3 | 30.6 | 32.8 | 35.0 |
| 87.5° | 14.2 | 7.7 | 0.0 | 2.2 | 5.5 | 7.7 | 9.8 | 13.1 | 15.3 | 18.6 | 20.8 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368679
 CATALOG NUMBER: PMM-SA4D-760-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 0° | 2.5° | 5° | 7.5° | 10° | 12.5° | 15° | 17.5° | 20° | 22.5° | 25° |
|--------|-----|------|-----|------|-----|-------|-----|-------|-----|-------|-----|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368679

CATALOG NUMBER: PMM-SA4D-760-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 27.5° | 30° | 32.5° | 35° | 37.5° | 40° | 42.5° | 45° | 47.5° | 50° | 52.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 |
| 2.5° | 2618.9 | 2635.3 | 2650.6 | 2667.0 | 2653.9 | 2641.9 | 2628.8 | 2615.6 | 2595.9 | 2577.3 | 2557.6 |
| 5° | 3186.7 | 3132.0 | 3077.3 | 3022.6 | 2939.4 | 2856.3 | 2772.1 | 2688.9 | 2679.1 | 2669.2 | 2658.3 |
| 7.5° | 2993.0 | 2865.0 | 2736.0 | 2608.0 | 2487.6 | 2367.3 | 2247.0 | 2126.6 | 2089.4 | 2053.3 | 2016.1 |
| 10° | 2678.0 | 2579.5 | 2480.0 | 2381.5 | 2295.1 | 2207.6 | 2121.2 | 2033.6 | 1942.9 | 1852.1 | 1760.2 |
| 12.5° | 2605.8 | 2503.0 | 2399.0 | 2296.2 | 2217.4 | 2138.7 | 2059.9 | 1981.1 | 1879.4 | 1777.7 | 1675.9 |
| 15° | 2454.8 | 2343.2 | 2231.7 | 2120.1 | 2015.1 | 1910.0 | 1803.9 | 1698.9 | 1576.4 | 1453.9 | 1331.3 |
| 17.5° | 2269.9 | 2138.7 | 2006.3 | 1873.9 | 1736.1 | 1598.3 | 1460.4 | 1322.6 | 1181.5 | 1041.4 | 900.3 |
| 20° | 2050.1 | 1870.7 | 1690.1 | 1510.7 | 1340.1 | 1169.4 | 997.7 | 827.0 | 738.4 | 650.9 | 562.3 |
| 22.5° | 1782.0 | 1549.0 | 1317.1 | 1084.1 | 944.1 | 803.0 | 662.9 | 521.8 | 483.5 | 445.2 | 406.9 |
| 25° | 1545.7 | 1282.1 | 1018.5 | 754.8 | 666.2 | 577.6 | 489.0 | 400.4 | 382.9 | 364.3 | 346.8 |
| 27.5° | 1299.6 | 1052.4 | 804.1 | 555.7 | 505.4 | 454.0 | 403.7 | 352.3 | 340.2 | 329.3 | 317.2 |
| 30° | 996.6 | 811.7 | 625.7 | 440.9 | 408.0 | 375.2 | 341.3 | 308.5 | 303.0 | 296.5 | 291.0 |
| 32.5° | 772.3 | 636.7 | 502.1 | 366.5 | 347.9 | 329.3 | 310.7 | 292.1 | 283.3 | 274.6 | 264.7 |
| 35° | 645.4 | 537.1 | 427.7 | 318.3 | 305.2 | 291.0 | 277.9 | 263.6 | 254.9 | 245.0 | 236.3 |
| 37.5° | 534.9 | 456.2 | 376.3 | 296.5 | 282.2 | 268.0 | 252.7 | 238.5 | 231.9 | 225.4 | 218.8 |
| 40° | 440.9 | 394.9 | 349.0 | 303.0 | 282.2 | 261.5 | 240.7 | 219.9 | 214.4 | 208.9 | 203.5 |
| 42.5° | 364.3 | 334.7 | 304.1 | 274.6 | 259.3 | 245.0 | 229.7 | 214.4 | 206.8 | 198.0 | 190.3 |
| 45° | 294.3 | 277.9 | 262.5 | 246.1 | 247.2 | 248.3 | 248.3 | 249.4 | 229.7 | 208.9 | 189.3 |
| 47.5° | 238.5 | 230.8 | 222.1 | 214.4 | 223.2 | 231.9 | 239.6 | 248.3 | 227.5 | 206.8 | 184.9 |
| 50° | 204.6 | 199.1 | 192.5 | 186.0 | 194.7 | 204.6 | 213.3 | 222.1 | 213.3 | 205.7 | 196.9 |
| 52.5° | 187.1 | 179.4 | 171.7 | 164.1 | 167.4 | 171.7 | 175.0 | 178.3 | 178.3 | 178.3 | 178.3 |
| 55° | 176.1 | 168.5 | 159.7 | 151.0 | 147.7 | 143.3 | 140.0 | 135.6 | 130.2 | 125.8 | 120.3 |
| 57.5° | 167.4 | 158.6 | 148.8 | 140.0 | 134.6 | 128.0 | 122.5 | 116.0 | 110.5 | 103.9 | 98.5 |
| 60° | 158.6 | 149.9 | 140.0 | 131.3 | 125.8 | 120.3 | 113.8 | 108.3 | 101.7 | 96.3 | 89.7 |
| 62.5° | 146.6 | 138.9 | 131.3 | 123.6 | 118.1 | 113.8 | 108.3 | 102.8 | 96.3 | 89.7 | 82.0 |
| 65° | 133.5 | 128.0 | 121.4 | 114.9 | 109.4 | 103.9 | 98.5 | 93.0 | 86.4 | 81.0 | 74.4 |
| 67.5° | 121.4 | 116.0 | 111.6 | 106.1 | 99.5 | 94.1 | 87.5 | 81.0 | 76.6 | 72.2 | 66.7 |
| 70° | 111.6 | 107.2 | 103.9 | 99.5 | 93.0 | 87.5 | 81.0 | 74.4 | 71.1 | 66.7 | 63.4 |
| 72.5° | 101.7 | 98.5 | 94.1 | 90.8 | 85.3 | 79.9 | 74.4 | 68.9 | 65.6 | 62.4 | 59.1 |
| 75° | 87.5 | 85.3 | 83.1 | 81.0 | 75.5 | 70.0 | 63.4 | 58.0 | 56.9 | 55.8 | 54.7 |
| 77.5° | 78.8 | 77.7 | 75.5 | 73.3 | 67.8 | 62.4 | 56.9 | 51.4 | 52.5 | 53.6 | 53.6 |
| 80° | 64.5 | 64.5 | 63.4 | 63.4 | 59.1 | 54.7 | 49.2 | 44.9 | 47.0 | 50.3 | 52.5 |
| 82.5° | 49.2 | 49.2 | 49.2 | 49.2 | 44.9 | 40.5 | 36.1 | 31.7 | 35.0 | 37.2 | 40.5 |
| 85° | 33.9 | 32.8 | 31.7 | 30.6 | 27.3 | 25.2 | 21.9 | 18.6 | 23.0 | 26.3 | 30.6 |
| 87.5° | 20.8 | 21.9 | 21.9 | 21.9 | 19.7 | 16.4 | 14.2 | 10.9 | 13.1 | 14.2 | 16.4 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368679
 CATALOG NUMBER: PMM-SA4D-760-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 27.5° | 30° | 32.5° | 35° | 37.5° | 40° | 42.5° | 45° | 47.5° | 50° | 52.5° |
|--------|-------|-----|-------|-----|-------|-----|-------|-----|-------|-----|-------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368679

CATALOG NUMBER: PMM-SA4D-760-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 55° | 57.5° | 60° | 62.5° | 65° | 67.5° | 70° | 72.5° | 75° | 77.5° | 80° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 |
| 2.5° | 2538.0 | 2505.1 | 2472.3 | 2438.4 | 2405.6 | 2329.0 | 2252.4 | 2175.9 | 2099.3 | 2156.2 | 2212.0 |
| 5° | 2648.4 | 2585.0 | 2520.5 | 2457.0 | 2392.5 | 2364.0 | 2336.7 | 2308.2 | 2279.8 | 2284.2 | 2289.6 |
| 7.5° | 1979.0 | 1937.4 | 1895.8 | 1853.1 | 1811.6 | 1802.8 | 1795.2 | 1786.4 | 1777.7 | 1796.3 | 1813.8 |
| 10° | 1669.4 | 1611.4 | 1552.3 | 1494.3 | 1435.3 | 1403.5 | 1371.8 | 1340.1 | 1308.4 | 1305.1 | 1300.7 |
| 12.5° | 1574.2 | 1485.6 | 1398.1 | 1309.5 | 1220.8 | 1151.9 | 1083.0 | 1014.1 | 945.2 | 950.6 | 956.1 |
| 15° | 1208.8 | 1120.2 | 1032.7 | 944.1 | 855.5 | 799.7 | 742.8 | 687.0 | 630.1 | 613.7 | 597.3 |
| 17.5° | 759.2 | 693.6 | 627.9 | 561.2 | 495.6 | 477.0 | 459.5 | 440.9 | 422.3 | 416.8 | 411.3 |
| 20° | 473.7 | 445.2 | 416.8 | 387.3 | 358.8 | 354.4 | 350.1 | 345.7 | 341.3 | 344.6 | 347.9 |
| 22.5° | 368.7 | 356.6 | 343.5 | 331.5 | 318.3 | 314.0 | 309.6 | 305.2 | 300.8 | 304.1 | 306.3 |
| 25° | 328.2 | 319.4 | 310.7 | 301.9 | 293.2 | 288.8 | 283.3 | 279.0 | 273.5 | 275.7 | 279.0 |
| 27.5° | 305.2 | 297.6 | 289.9 | 282.2 | 274.6 | 266.9 | 260.4 | 252.7 | 245.0 | 249.4 | 252.7 |
| 30° | 284.4 | 275.7 | 268.0 | 259.3 | 250.5 | 242.9 | 235.2 | 226.4 | 218.8 | 223.2 | 227.5 |
| 32.5° | 256.0 | 248.3 | 239.6 | 231.9 | 223.2 | 218.8 | 214.4 | 208.9 | 204.6 | 207.9 | 210.0 |
| 35° | 226.4 | 219.9 | 214.4 | 207.9 | 201.3 | 196.9 | 193.6 | 189.3 | 184.9 | 186.0 | 188.2 |
| 37.5° | 212.2 | 204.6 | 196.9 | 189.3 | 181.6 | 179.4 | 177.2 | 173.9 | 171.7 | 171.7 | 171.7 |
| 40° | 198.0 | 190.3 | 182.7 | 173.9 | 166.3 | 163.0 | 159.7 | 156.4 | 153.2 | 153.2 | 153.2 |
| 42.5° | 181.6 | 173.9 | 166.3 | 158.6 | 151.0 | 147.7 | 143.3 | 140.0 | 135.6 | 135.6 | 135.6 |
| 45° | 168.5 | 160.8 | 154.2 | 146.6 | 138.9 | 133.5 | 128.0 | 121.4 | 116.0 | 114.9 | 113.8 |
| 47.5° | 164.1 | 153.2 | 142.2 | 131.3 | 120.3 | 114.9 | 109.4 | 102.8 | 97.4 | 96.3 | 95.2 |
| 50° | 188.2 | 166.3 | 144.4 | 122.5 | 100.6 | 96.3 | 91.9 | 87.5 | 83.1 | 81.0 | 79.9 |
| 52.5° | 178.3 | 155.3 | 132.4 | 109.4 | 86.4 | 83.1 | 79.9 | 76.6 | 73.3 | 71.1 | 68.9 |
| 55° | 114.9 | 105.0 | 96.3 | 86.4 | 76.6 | 74.4 | 72.2 | 68.9 | 66.7 | 64.5 | 62.4 |
| 57.5° | 91.9 | 86.4 | 82.0 | 76.6 | 71.1 | 68.9 | 66.7 | 63.4 | 61.3 | 58.0 | 55.8 |
| 60° | 83.1 | 78.8 | 74.4 | 70.0 | 65.6 | 63.4 | 61.3 | 59.1 | 56.9 | 53.6 | 51.4 |
| 62.5° | 75.5 | 72.2 | 68.9 | 65.6 | 62.4 | 60.2 | 58.0 | 55.8 | 53.6 | 50.3 | 47.0 |
| 65° | 67.8 | 65.6 | 63.4 | 61.3 | 59.1 | 56.9 | 54.7 | 51.4 | 49.2 | 45.9 | 42.7 |
| 67.5° | 62.4 | 61.3 | 60.2 | 59.1 | 58.0 | 55.8 | 52.5 | 50.3 | 47.0 | 43.8 | 39.4 |
| 70° | 59.1 | 59.1 | 59.1 | 58.0 | 58.0 | 55.8 | 52.5 | 50.3 | 47.0 | 42.7 | 39.4 |
| 72.5° | 55.8 | 56.9 | 58.0 | 58.0 | 59.1 | 55.8 | 52.5 | 49.2 | 45.9 | 41.6 | 38.3 |
| 75° | 53.6 | 54.7 | 55.8 | 55.8 | 56.9 | 54.7 | 52.5 | 49.2 | 47.0 | 42.7 | 38.3 |
| 77.5° | 54.7 | 55.8 | 55.8 | 56.9 | 56.9 | 54.7 | 52.5 | 49.2 | 47.0 | 41.6 | 36.1 |
| 80° | 54.7 | 53.6 | 52.5 | 50.3 | 49.2 | 44.9 | 40.5 | 35.0 | 30.6 | 24.1 | 18.6 |
| 82.5° | 42.7 | 40.5 | 39.4 | 37.2 | 35.0 | 30.6 | 26.3 | 21.9 | 17.5 | 13.1 | 8.8 |
| 85° | 33.9 | 31.7 | 30.6 | 28.4 | 26.3 | 23.0 | 18.6 | 15.3 | 10.9 | 8.8 | 5.5 |
| 87.5° | 17.5 | 16.4 | 14.2 | 13.1 | 10.9 | 8.8 | 5.5 | 3.3 | 0.0 | 0.0 | 0.0 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368679
 CATALOG NUMBER: PMM-SA4D-760-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 55° | 57.5° | 60° | 62.5° | 65° | 67.5° | 70° | 72.5° | 75° | 77.5° | 80° |
|--------|-----|-------|-----|-------|-----|-------|-----|-------|-----|-------|-----|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368679

CATALOG NUMBER: PMM-SA4D-760-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 82.5° | 85° | 87.5° | 90° | 92.5° | 95° | 97.5° | 100° | 102.5° | 105° | 107.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 |
| 2.5° | 2268.8 | 2324.6 | 2317.0 | 2309.3 | 2345.4 | 2381.5 | 2355.3 | 2330.1 | 2303.9 | 2277.6 | 2222.9 |
| 5° | 2294.0 | 2298.4 | 2290.7 | 2282.0 | 2283.1 | 2284.2 | 2266.7 | 2249.2 | 2231.7 | 2214.2 | 2210.9 |
| 7.5° | 1832.4 | 1849.9 | 1873.9 | 1896.9 | 1898.0 | 1898.0 | 1884.9 | 1871.7 | 1857.5 | 1844.4 | 1851.0 |
| 10° | 1297.4 | 1293.0 | 1299.6 | 1306.2 | 1305.1 | 1302.9 | 1337.9 | 1372.9 | 1406.8 | 1441.8 | 1416.7 |
| 12.5° | 960.5 | 966.0 | 938.6 | 911.3 | 921.1 | 929.9 | 935.3 | 940.8 | 946.3 | 951.7 | 967.0 |
| 15° | 580.9 | 564.5 | 544.8 | 525.1 | 534.9 | 543.7 | 553.5 | 562.3 | 572.1 | 580.9 | 590.7 |
| 17.5° | 404.8 | 399.3 | 390.5 | 380.7 | 381.8 | 382.9 | 384.0 | 385.1 | 385.1 | 386.2 | 388.4 |
| 20° | 351.2 | 354.4 | 347.9 | 340.2 | 338.0 | 334.7 | 332.6 | 330.4 | 327.1 | 324.9 | 321.6 |
| 22.5° | 309.6 | 311.8 | 312.9 | 312.9 | 308.5 | 303.0 | 298.6 | 295.4 | 291.0 | 286.6 | 284.4 |
| 25° | 281.1 | 283.3 | 281.1 | 277.9 | 275.7 | 273.5 | 271.3 | 268.0 | 265.8 | 262.5 | 261.5 |
| 27.5° | 257.1 | 260.4 | 260.4 | 259.3 | 257.1 | 253.8 | 248.3 | 244.0 | 238.5 | 233.0 | 234.1 |
| 30° | 231.9 | 236.3 | 236.3 | 235.2 | 234.1 | 233.0 | 227.5 | 222.1 | 216.6 | 211.1 | 213.3 |
| 32.5° | 213.3 | 215.5 | 214.4 | 213.3 | 213.3 | 212.2 | 207.9 | 204.6 | 200.2 | 195.8 | 195.8 |
| 35° | 189.3 | 190.3 | 190.3 | 190.3 | 190.3 | 189.3 | 186.0 | 182.7 | 179.4 | 176.1 | 177.2 |
| 37.5° | 171.7 | 171.7 | 175.0 | 177.2 | 175.0 | 172.8 | 170.7 | 167.4 | 165.2 | 161.9 | 161.9 |
| 40° | 152.1 | 152.1 | 155.3 | 157.5 | 155.3 | 153.2 | 152.1 | 149.9 | 148.8 | 146.6 | 146.6 |
| 42.5° | 134.6 | 134.6 | 137.8 | 140.0 | 140.0 | 138.9 | 136.7 | 134.6 | 132.4 | 130.2 | 131.3 |
| 45° | 112.7 | 111.6 | 117.1 | 121.4 | 119.2 | 117.1 | 117.1 | 116.0 | 116.0 | 114.9 | 116.0 |
| 47.5° | 93.0 | 91.9 | 96.3 | 100.6 | 99.5 | 97.4 | 97.4 | 97.4 | 97.4 | 97.4 | 98.5 |
| 50° | 77.7 | 75.5 | 79.9 | 83.1 | 82.0 | 79.9 | 79.9 | 81.0 | 81.0 | 81.0 | 82.0 |
| 52.5° | 66.7 | 64.5 | 67.8 | 70.0 | 68.9 | 67.8 | 67.8 | 68.9 | 68.9 | 68.9 | 70.0 |
| 55° | 59.1 | 56.9 | 60.2 | 62.4 | 61.3 | 59.1 | 60.2 | 60.2 | 61.3 | 61.3 | 61.3 |
| 57.5° | 52.5 | 49.2 | 51.4 | 53.6 | 53.6 | 52.5 | 53.6 | 53.6 | 54.7 | 54.7 | 54.7 |
| 60° | 48.1 | 44.9 | 47.0 | 48.1 | 48.1 | 47.0 | 48.1 | 48.1 | 49.2 | 49.2 | 49.2 |
| 62.5° | 42.7 | 39.4 | 41.6 | 42.7 | 42.7 | 41.6 | 42.7 | 42.7 | 43.8 | 43.8 | 43.8 |
| 65° | 38.3 | 35.0 | 36.1 | 37.2 | 37.2 | 37.2 | 38.3 | 38.3 | 39.4 | 39.4 | 39.4 |
| 67.5° | 36.1 | 31.7 | 32.8 | 33.9 | 33.9 | 33.9 | 35.0 | 35.0 | 36.1 | 36.1 | 37.2 |
| 70° | 35.0 | 30.6 | 31.7 | 31.7 | 32.8 | 32.8 | 32.8 | 33.9 | 33.9 | 33.9 | 33.9 |
| 72.5° | 33.9 | 29.5 | 29.5 | 29.5 | 30.6 | 30.6 | 30.6 | 31.7 | 31.7 | 31.7 | 31.7 |
| 75° | 33.9 | 29.5 | 28.4 | 27.3 | 28.4 | 28.4 | 28.4 | 29.5 | 29.5 | 29.5 | 29.5 |
| 77.5° | 29.5 | 24.1 | 21.9 | 18.6 | 21.9 | 24.1 | 25.2 | 25.2 | 26.3 | 26.3 | 26.3 |
| 80° | 12.0 | 5.5 | 3.3 | 0.0 | 1.1 | 2.2 | 3.3 | 4.4 | 5.5 | 6.6 | 7.7 |
| 82.5° | 4.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 85° | 3.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 87.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368679

CATALOG NUMBER: PMM-SA4D-760-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 82.5° | 85° | 87.5° | 90° | 92.5° | 95° | 97.5° | 100° | 102.5° | 105° | 107.5° |
|--------|-------|-----|-------|-----|-------|-----|-------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368679

CATALOG NUMBER: PMM-SA4D-760-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 110° | 112.5° | 115° | 117.5° | 120° | 122.5° | 125° | 127.5° | 130° | 132.5° | 135° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 |
| 2.5° | 2168.2 | 2113.5 | 2058.8 | 2085.1 | 2111.3 | 2137.6 | 2163.8 | 2161.6 | 2158.4 | 2156.2 | 2152.9 |
| 5° | 2208.7 | 2205.4 | 2202.1 | 2186.8 | 2172.6 | 2157.3 | 2141.9 | 2138.7 | 2134.3 | 2131.0 | 2126.6 |
| 7.5° | 1857.5 | 1863.0 | 1869.6 | 1852.1 | 1834.6 | 1817.0 | 1799.5 | 1754.7 | 1709.8 | 1663.9 | 1619.0 |
| 10° | 1391.5 | 1365.2 | 1340.1 | 1337.9 | 1335.7 | 1333.5 | 1331.3 | 1327.0 | 1322.6 | 1317.1 | 1312.7 |
| 12.5° | 983.5 | 998.8 | 1014.1 | 1008.6 | 1003.2 | 996.6 | 991.1 | 998.8 | 1007.5 | 1015.2 | 1022.8 |
| 15° | 599.5 | 609.3 | 618.1 | 637.8 | 657.5 | 677.2 | 696.8 | 704.5 | 713.3 | 720.9 | 728.6 |
| 17.5° | 390.5 | 391.6 | 393.8 | 415.7 | 436.5 | 458.4 | 479.1 | 493.4 | 507.6 | 520.7 | 534.9 |
| 20° | 318.3 | 315.1 | 311.8 | 323.8 | 335.8 | 347.9 | 359.9 | 373.0 | 386.2 | 399.3 | 412.4 |
| 22.5° | 283.3 | 281.1 | 279.0 | 283.3 | 287.7 | 291.0 | 295.4 | 305.2 | 316.2 | 326.0 | 335.8 |
| 25° | 260.4 | 258.2 | 257.1 | 259.3 | 261.5 | 263.6 | 265.8 | 271.3 | 276.8 | 282.2 | 287.7 |
| 27.5° | 234.1 | 235.2 | 235.2 | 237.4 | 238.5 | 240.7 | 241.8 | 244.0 | 247.2 | 249.4 | 251.6 |
| 30° | 214.4 | 216.6 | 217.7 | 219.9 | 221.0 | 223.2 | 224.3 | 223.2 | 222.1 | 221.0 | 219.9 |
| 32.5° | 195.8 | 194.7 | 194.7 | 196.9 | 198.0 | 200.2 | 201.3 | 203.5 | 205.7 | 206.8 | 208.9 |
| 35° | 177.2 | 178.3 | 178.3 | 178.3 | 179.4 | 179.4 | 179.4 | 181.6 | 184.9 | 187.1 | 189.3 |
| 37.5° | 160.8 | 160.8 | 159.7 | 163.0 | 165.2 | 168.5 | 170.7 | 172.8 | 176.1 | 178.3 | 180.5 |
| 40° | 146.6 | 146.6 | 146.6 | 148.8 | 151.0 | 152.1 | 154.2 | 159.7 | 165.2 | 170.7 | 176.1 |
| 42.5° | 131.3 | 132.4 | 132.4 | 134.6 | 136.7 | 137.8 | 140.0 | 144.4 | 147.7 | 152.1 | 155.3 |
| 45° | 117.1 | 118.1 | 119.2 | 121.4 | 122.5 | 124.7 | 125.8 | 128.0 | 129.1 | 131.3 | 132.4 |
| 47.5° | 100.6 | 101.7 | 102.8 | 105.0 | 106.1 | 108.3 | 109.4 | 108.3 | 108.3 | 107.2 | 106.1 |
| 50° | 84.2 | 85.3 | 86.4 | 89.7 | 91.9 | 95.2 | 97.4 | 95.2 | 93.0 | 89.7 | 87.5 |
| 52.5° | 71.1 | 71.1 | 72.2 | 74.4 | 76.6 | 77.7 | 79.9 | 78.8 | 77.7 | 76.6 | 75.5 |
| 55° | 61.3 | 61.3 | 61.3 | 62.4 | 63.4 | 64.5 | 65.6 | 66.7 | 66.7 | 67.8 | 67.8 |
| 57.5° | 54.7 | 53.6 | 53.6 | 54.7 | 55.8 | 55.8 | 56.9 | 58.0 | 58.0 | 59.1 | 59.1 |
| 60° | 49.2 | 48.1 | 48.1 | 49.2 | 50.3 | 51.4 | 52.5 | 52.5 | 52.5 | 51.4 | 51.4 |
| 62.5° | 43.8 | 43.8 | 43.8 | 44.9 | 44.9 | 45.9 | 45.9 | 45.9 | 47.0 | 47.0 | 47.0 |
| 65° | 40.5 | 40.5 | 40.5 | 40.5 | 40.5 | 39.4 | 39.4 | 40.5 | 40.5 | 41.6 | 41.6 |
| 67.5° | 37.2 | 38.3 | 38.3 | 37.2 | 36.1 | 35.0 | 33.9 | 35.0 | 35.0 | 36.1 | 36.1 |
| 70° | 33.9 | 33.9 | 33.9 | 32.8 | 31.7 | 30.6 | 29.5 | 29.5 | 29.5 | 28.4 | 28.4 |
| 72.5° | 31.7 | 30.6 | 30.6 | 29.5 | 27.3 | 26.3 | 24.1 | 23.0 | 23.0 | 21.9 | 20.8 |
| 75° | 29.5 | 28.4 | 28.4 | 26.3 | 24.1 | 21.9 | 19.7 | 18.6 | 16.4 | 15.3 | 13.1 |
| 77.5° | 26.3 | 26.3 | 26.3 | 23.0 | 20.8 | 17.5 | 14.2 | 12.0 | 9.8 | 6.6 | 4.4 |
| 80° | 8.8 | 9.8 | 10.9 | 9.8 | 9.8 | 8.8 | 7.7 | 5.5 | 4.4 | 2.2 | 0.0 |
| 82.5° | 1.1 | 1.1 | 1.1 | 1.1 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 85° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 87.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368679
 CATALOG NUMBER: PMM-SA4D-760-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 110° | 112.5° | 115° | 117.5° | 120° | 122.5° | 125° | 127.5° | 130° | 132.5° | 135° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368679

CATALOG NUMBER: PMM-SA4D-760-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 137.5° | 140° | 142.5° | 145° | 147.5° | 150° | 152.5° | 155° | 157.5° | 160° | 162.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 |
| 2.5° | 2164.9 | 2177.0 | 2189.0 | 2201.0 | 2202.1 | 2203.2 | 2204.3 | 2205.4 | 2178.0 | 2149.6 | 2122.3 |
| 5° | 2148.5 | 2171.5 | 2193.4 | 2215.2 | 2203.2 | 2191.2 | 2179.1 | 2167.1 | 2166.0 | 2166.0 | 2164.9 |
| 7.5° | 1622.3 | 1624.5 | 1627.8 | 1630.0 | 1634.4 | 1638.7 | 1642.0 | 1646.4 | 1663.9 | 1681.4 | 1697.8 |
| 10° | 1298.5 | 1284.3 | 1269.0 | 1254.8 | 1243.8 | 1231.8 | 1220.8 | 1208.8 | 1217.6 | 1227.4 | 1236.2 |
| 12.5° | 1010.8 | 998.8 | 985.6 | 973.6 | 969.2 | 964.9 | 959.4 | 955.0 | 983.5 | 1011.9 | 1039.3 |
| 15° | 726.4 | 724.2 | 720.9 | 718.7 | 732.9 | 747.2 | 761.4 | 775.6 | 799.7 | 822.6 | 846.7 |
| 17.5° | 540.4 | 545.9 | 551.3 | 556.8 | 565.6 | 574.3 | 582.0 | 590.7 | 608.2 | 626.8 | 644.3 |
| 20° | 419.0 | 426.6 | 433.2 | 439.8 | 437.6 | 435.4 | 432.1 | 429.9 | 444.1 | 458.4 | 471.5 |
| 22.5° | 342.4 | 347.9 | 354.4 | 359.9 | 361.0 | 362.1 | 363.2 | 364.3 | 373.0 | 380.7 | 389.4 |
| 25° | 293.2 | 299.7 | 305.2 | 310.7 | 311.8 | 312.9 | 314.0 | 315.1 | 326.0 | 336.9 | 346.8 |
| 27.5° | 259.3 | 265.8 | 273.5 | 280.1 | 282.2 | 284.4 | 286.6 | 288.8 | 295.4 | 300.8 | 307.4 |
| 30° | 228.6 | 237.4 | 246.1 | 254.9 | 258.2 | 261.5 | 264.7 | 268.0 | 274.6 | 282.2 | 288.8 |
| 32.5° | 213.3 | 218.8 | 223.2 | 227.5 | 235.2 | 241.8 | 249.4 | 256.0 | 263.6 | 272.4 | 280.1 |
| 35° | 195.8 | 201.3 | 207.9 | 213.3 | 218.8 | 224.3 | 228.6 | 234.1 | 238.5 | 242.9 | 246.1 |
| 37.5° | 184.9 | 190.3 | 194.7 | 199.1 | 201.3 | 203.5 | 204.6 | 206.8 | 208.9 | 211.1 | 212.2 |
| 40° | 176.1 | 175.0 | 175.0 | 173.9 | 176.1 | 179.4 | 181.6 | 183.8 | 190.3 | 195.8 | 202.4 |
| 42.5° | 153.2 | 149.9 | 147.7 | 144.4 | 149.9 | 154.2 | 159.7 | 164.1 | 172.8 | 181.6 | 190.3 |
| 45° | 130.2 | 128.0 | 124.7 | 122.5 | 130.2 | 137.8 | 145.5 | 153.2 | 163.0 | 171.7 | 181.6 |
| 47.5° | 107.2 | 108.3 | 108.3 | 109.4 | 117.1 | 124.7 | 131.3 | 138.9 | 148.8 | 158.6 | 168.5 |
| 50° | 89.7 | 91.9 | 94.1 | 96.3 | 103.9 | 110.5 | 118.1 | 124.7 | 135.6 | 145.5 | 156.4 |
| 52.5° | 78.8 | 82.0 | 84.2 | 87.5 | 94.1 | 101.7 | 108.3 | 114.9 | 124.7 | 134.6 | 144.4 |
| 55° | 71.1 | 75.5 | 78.8 | 82.0 | 87.5 | 93.0 | 98.5 | 103.9 | 113.8 | 123.6 | 132.4 |
| 57.5° | 62.4 | 65.6 | 68.9 | 72.2 | 77.7 | 83.1 | 87.5 | 93.0 | 101.7 | 111.6 | 120.3 |
| 60° | 54.7 | 56.9 | 60.2 | 62.4 | 66.7 | 72.2 | 76.6 | 81.0 | 89.7 | 98.5 | 106.1 |
| 62.5° | 48.1 | 50.3 | 51.4 | 52.5 | 56.9 | 61.3 | 65.6 | 70.0 | 77.7 | 86.4 | 94.1 |
| 65° | 42.7 | 43.8 | 43.8 | 44.9 | 48.1 | 52.5 | 55.8 | 59.1 | 67.8 | 75.5 | 84.2 |
| 67.5° | 36.1 | 37.2 | 37.2 | 37.2 | 40.5 | 43.8 | 47.0 | 50.3 | 58.0 | 66.7 | 74.4 |
| 70° | 28.4 | 29.5 | 29.5 | 29.5 | 32.8 | 37.2 | 40.5 | 43.8 | 50.3 | 56.9 | 63.4 |
| 72.5° | 21.9 | 21.9 | 23.0 | 23.0 | 26.3 | 30.6 | 33.9 | 37.2 | 42.7 | 48.1 | 53.6 |
| 75° | 14.2 | 15.3 | 15.3 | 16.4 | 19.7 | 24.1 | 27.3 | 30.6 | 36.1 | 41.6 | 45.9 |
| 77.5° | 5.5 | 7.7 | 8.8 | 9.8 | 13.1 | 16.4 | 19.7 | 23.0 | 27.3 | 32.8 | 37.2 |
| 80° | 0.0 | 1.1 | 1.1 | 1.1 | 3.3 | 4.4 | 6.6 | 7.7 | 10.9 | 15.3 | 18.6 |
| 82.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 85° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 87.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368679
 CATALOG NUMBER: PMM-SA4D-760-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 137.5° | 140° | 142.5° | 145° | 147.5° | 150° | 152.5° | 155° | 157.5° | 160° | 162.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368679

CATALOG NUMBER: PMM-SA4D-760-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 165° | 167.5° | 170° | 172.5° | 175° | 177.5° | 180° | 182.5° | 185° | 187.5° | 190° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 |
| 2.5° | 2093.8 | 2154.0 | 2214.2 | 2274.3 | 2334.5 | 2408.9 | 2483.3 | 2494.2 | 2505.1 | 2492.0 | 2480.0 |
| 5° | 2163.8 | 2193.4 | 2221.8 | 2251.3 | 2279.8 | 2365.1 | 2449.3 | 2450.4 | 2450.4 | 2451.5 | 2451.5 |
| 7.5° | 1715.3 | 1740.5 | 1765.6 | 1789.7 | 1814.9 | 1870.7 | 1926.4 | 1947.2 | 1966.9 | 1962.5 | 1958.2 |
| 10° | 1244.9 | 1277.7 | 1309.5 | 1342.3 | 1374.0 | 1425.4 | 1476.8 | 1496.5 | 1515.1 | 1575.3 | 1636.5 |
| 12.5° | 1067.7 | 1099.4 | 1131.1 | 1161.8 | 1193.5 | 1246.0 | 1298.5 | 1336.8 | 1374.0 | 1411.2 | 1448.4 |
| 15° | 869.7 | 894.8 | 921.1 | 946.3 | 971.4 | 995.5 | 1019.6 | 1066.6 | 1112.5 | 1149.7 | 1186.9 |
| 17.5° | 661.8 | 672.8 | 682.6 | 693.6 | 703.4 | 714.3 | 725.3 | 745.0 | 763.6 | 796.4 | 828.1 |
| 20° | 485.7 | 494.5 | 503.2 | 510.9 | 519.6 | 530.6 | 541.5 | 555.7 | 568.9 | 576.5 | 583.1 |
| 22.5° | 397.1 | 410.2 | 423.4 | 435.4 | 448.5 | 456.2 | 463.8 | 468.2 | 472.6 | 475.9 | 479.1 |
| 25° | 357.7 | 369.8 | 380.7 | 392.7 | 403.7 | 406.9 | 410.2 | 419.0 | 427.7 | 427.7 | 427.7 |
| 27.5° | 312.9 | 329.3 | 346.8 | 363.2 | 379.6 | 384.0 | 387.3 | 390.5 | 392.7 | 388.4 | 382.9 |
| 30° | 295.4 | 311.8 | 328.2 | 343.5 | 359.9 | 366.5 | 371.9 | 375.2 | 378.5 | 373.0 | 367.6 |
| 32.5° | 287.7 | 303.0 | 317.2 | 332.6 | 346.8 | 355.5 | 363.2 | 371.9 | 379.6 | 380.7 | 382.9 |
| 35° | 250.5 | 260.4 | 271.3 | 281.1 | 291.0 | 295.4 | 299.7 | 303.0 | 305.2 | 305.2 | 305.2 |
| 37.5° | 214.4 | 227.5 | 241.8 | 254.9 | 268.0 | 277.9 | 287.7 | 288.8 | 288.8 | 291.0 | 294.3 |
| 40° | 207.9 | 221.0 | 234.1 | 246.1 | 259.3 | 270.2 | 280.1 | 281.1 | 282.2 | 284.4 | 286.6 |
| 42.5° | 199.1 | 213.3 | 227.5 | 241.8 | 256.0 | 266.9 | 276.8 | 276.8 | 275.7 | 279.0 | 281.1 |
| 45° | 190.3 | 204.6 | 217.7 | 231.9 | 245.0 | 259.3 | 272.4 | 269.1 | 264.7 | 270.2 | 274.6 |
| 47.5° | 178.3 | 193.6 | 208.9 | 223.2 | 238.5 | 251.6 | 263.6 | 261.5 | 258.2 | 263.6 | 269.1 |
| 50° | 166.3 | 181.6 | 196.9 | 212.2 | 227.5 | 241.8 | 254.9 | 252.7 | 250.5 | 257.1 | 262.5 |
| 52.5° | 154.2 | 169.6 | 186.0 | 201.3 | 216.6 | 228.6 | 239.6 | 238.5 | 237.4 | 244.0 | 251.6 |
| 55° | 142.2 | 156.4 | 171.7 | 186.0 | 200.2 | 213.3 | 225.4 | 223.2 | 221.0 | 226.4 | 231.9 |
| 57.5° | 129.1 | 143.3 | 156.4 | 170.7 | 183.8 | 194.7 | 204.6 | 201.3 | 198.0 | 204.6 | 211.1 |
| 60° | 114.9 | 128.0 | 141.1 | 153.2 | 166.3 | 175.0 | 182.7 | 180.5 | 177.2 | 183.8 | 190.3 |
| 62.5° | 101.7 | 113.8 | 125.8 | 136.7 | 148.8 | 155.3 | 161.9 | 159.7 | 157.5 | 164.1 | 171.7 |
| 65° | 91.9 | 101.7 | 110.5 | 120.3 | 129.1 | 135.6 | 142.2 | 138.9 | 135.6 | 143.3 | 149.9 |
| 67.5° | 82.0 | 89.7 | 98.5 | 106.1 | 113.8 | 119.2 | 124.7 | 122.5 | 119.2 | 124.7 | 130.2 |
| 70° | 70.0 | 77.7 | 85.3 | 91.9 | 99.5 | 105.0 | 110.5 | 107.2 | 102.8 | 108.3 | 113.8 |
| 72.5° | 59.1 | 65.6 | 72.2 | 77.7 | 84.2 | 88.6 | 93.0 | 89.7 | 86.4 | 90.8 | 95.2 |
| 75° | 51.4 | 56.9 | 62.4 | 66.7 | 72.2 | 74.4 | 76.6 | 75.5 | 73.3 | 77.7 | 81.0 |
| 77.5° | 41.6 | 45.9 | 51.4 | 55.8 | 60.2 | 60.2 | 60.2 | 61.3 | 61.3 | 65.6 | 71.1 |
| 80° | 21.9 | 26.3 | 30.6 | 33.9 | 38.3 | 38.3 | 37.2 | 39.4 | 40.5 | 45.9 | 51.4 |
| 82.5° | 0.0 | 3.3 | 6.6 | 9.8 | 13.1 | 12.0 | 9.8 | 10.9 | 10.9 | 13.1 | 15.3 |
| 85° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.1 | 2.2 |
| 87.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368679
 CATALOG NUMBER: PMM-SA4D-760-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 165° | 167.5° | 170° | 172.5° | 175° | 177.5° | 180° | 182.5° | 185° | 187.5° | 190° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368679

CATALOG NUMBER: PMM-SA4D-760-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 192.5° | 195° | 197.5° | 200° | 202.5° | 205° | 207.5° | 210° | 212.5° | 215° | 217.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 |
| 2.5° | 2466.9 | 2453.7 | 2445.0 | 2437.3 | 2428.6 | 2419.8 | 2430.8 | 2441.7 | 2451.5 | 2462.5 | 2495.3 |
| 5° | 2452.6 | 2452.6 | 2445.0 | 2437.3 | 2429.7 | 2422.0 | 2438.4 | 2453.7 | 2470.1 | 2485.4 | 2484.4 |
| 7.5° | 1952.7 | 1948.3 | 1994.3 | 2039.1 | 2085.1 | 2129.9 | 2141.9 | 2154.0 | 2164.9 | 2177.0 | 2173.7 |
| 10° | 1696.7 | 1756.9 | 1776.6 | 1796.3 | 1816.0 | 1835.6 | 1859.7 | 1883.8 | 1907.8 | 1931.9 | 1940.7 |
| 12.5° | 1485.6 | 1522.8 | 1586.2 | 1648.6 | 1712.0 | 1774.4 | 1806.1 | 1838.9 | 1870.7 | 1902.4 | 1964.7 |
| 15° | 1224.1 | 1261.3 | 1316.0 | 1370.7 | 1425.4 | 1480.1 | 1530.4 | 1581.8 | 1632.2 | 1682.5 | 1758.0 |
| 17.5° | 860.9 | 892.7 | 934.2 | 975.8 | 1016.3 | 1057.8 | 1135.5 | 1213.2 | 1290.9 | 1368.5 | 1448.4 |
| 20° | 590.7 | 597.3 | 617.0 | 637.8 | 657.5 | 677.2 | 747.2 | 818.3 | 888.3 | 958.3 | 1063.3 |
| 22.5° | 481.3 | 484.6 | 494.5 | 504.3 | 513.1 | 522.9 | 559.0 | 596.2 | 632.3 | 668.4 | 753.7 |
| 25° | 426.6 | 426.6 | 433.2 | 439.8 | 446.3 | 452.9 | 472.6 | 492.3 | 510.9 | 530.6 | 585.3 |
| 27.5° | 378.5 | 373.0 | 382.9 | 392.7 | 402.6 | 412.4 | 426.6 | 442.0 | 456.2 | 470.4 | 507.6 |
| 30° | 362.1 | 356.6 | 368.7 | 380.7 | 392.7 | 404.8 | 419.0 | 433.2 | 446.3 | 460.6 | 485.7 |
| 32.5° | 384.0 | 385.1 | 389.4 | 393.8 | 397.1 | 401.5 | 408.0 | 415.7 | 422.3 | 428.8 | 450.7 |
| 35° | 305.2 | 305.2 | 312.9 | 320.5 | 327.1 | 334.7 | 346.8 | 358.8 | 370.8 | 382.9 | 405.9 |
| 37.5° | 296.5 | 298.6 | 305.2 | 312.9 | 319.4 | 326.0 | 341.3 | 357.7 | 373.0 | 388.4 | 406.9 |
| 40° | 287.7 | 289.9 | 298.6 | 307.4 | 316.2 | 324.9 | 340.2 | 354.4 | 369.8 | 384.0 | 401.5 |
| 42.5° | 284.4 | 286.6 | 297.6 | 309.6 | 320.5 | 331.5 | 344.6 | 357.7 | 369.8 | 382.9 | 406.9 |
| 45° | 280.1 | 284.4 | 297.6 | 311.8 | 324.9 | 338.0 | 350.1 | 362.1 | 374.1 | 386.2 | 415.7 |
| 47.5° | 273.5 | 279.0 | 294.3 | 308.5 | 323.8 | 338.0 | 361.0 | 385.1 | 408.0 | 431.0 | 445.2 |
| 50° | 269.1 | 274.6 | 291.0 | 307.4 | 323.8 | 340.2 | 377.4 | 414.6 | 450.7 | 487.9 | 480.2 |
| 52.5° | 258.2 | 264.7 | 285.5 | 306.3 | 327.1 | 347.9 | 380.7 | 413.5 | 446.3 | 479.1 | 463.8 |
| 55° | 237.4 | 242.9 | 266.9 | 291.0 | 314.0 | 338.0 | 362.1 | 386.2 | 409.1 | 433.2 | 415.7 |
| 57.5° | 216.6 | 223.2 | 246.1 | 269.1 | 291.0 | 314.0 | 326.0 | 338.0 | 350.1 | 362.1 | 355.5 |
| 60° | 196.9 | 203.5 | 234.1 | 264.7 | 295.4 | 326.0 | 315.1 | 304.1 | 292.1 | 281.1 | 288.8 |
| 62.5° | 178.3 | 184.9 | 214.4 | 242.9 | 272.4 | 300.8 | 285.5 | 270.2 | 254.9 | 239.6 | 251.6 |
| 65° | 157.5 | 164.1 | 175.0 | 187.1 | 198.0 | 208.9 | 207.9 | 205.7 | 204.6 | 202.4 | 215.5 |
| 67.5° | 135.6 | 141.1 | 146.6 | 153.2 | 158.6 | 164.1 | 167.4 | 171.7 | 175.0 | 178.3 | 189.3 |
| 70° | 118.1 | 123.6 | 130.2 | 135.6 | 142.2 | 147.7 | 149.9 | 152.1 | 153.2 | 155.3 | 165.2 |
| 72.5° | 98.5 | 102.8 | 111.6 | 120.3 | 128.0 | 136.7 | 137.8 | 137.8 | 138.9 | 138.9 | 146.6 |
| 75° | 85.3 | 88.6 | 95.2 | 101.7 | 107.2 | 113.8 | 117.1 | 120.3 | 122.5 | 125.8 | 130.2 |
| 77.5° | 75.5 | 79.9 | 82.0 | 83.1 | 85.3 | 86.4 | 88.6 | 90.8 | 93.0 | 95.2 | 96.3 |
| 80° | 55.8 | 61.3 | 63.4 | 64.5 | 66.7 | 67.8 | 67.8 | 66.7 | 66.7 | 65.6 | 66.7 |
| 82.5° | 17.5 | 19.7 | 23.0 | 26.3 | 29.5 | 32.8 | 33.9 | 35.0 | 35.0 | 36.1 | 35.0 |
| 85° | 3.3 | 4.4 | 6.6 | 8.8 | 9.8 | 12.0 | 10.9 | 8.8 | 7.7 | 5.5 | 4.4 |
| 87.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368679
 CATALOG NUMBER: PMM-SA4D-760-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 192.5° | 195° | 197.5° | 200° | 202.5° | 205° | 207.5° | 210° | 212.5° | 215° | 217.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368679

CATALOG NUMBER: PMM-SA4D-760-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 220° | 222.5° | 225° | 227.5° | 230° | 232.5° | 235° | 237.5° | 240° | 242.5° | 245° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0° | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 |
| 2.5° | 2528.1 | 2559.8 | 2592.7 | 2579.5 | 2566.4 | 2553.3 | 2540.1 | 2542.3 | 2545.6 | 2547.8 | 2550.0 |
| 5° | 2483.3 | 2481.1 | 2480.0 | 2517.2 | 2555.5 | 2592.7 | 2629.9 | 2670.3 | 2711.9 | 2752.4 | 2792.8 |
| 7.5° | 2170.4 | 2166.0 | 2162.7 | 2210.9 | 2259.0 | 2307.1 | 2355.3 | 2411.1 | 2467.9 | 2523.7 | 2579.5 |
| 10° | 1949.4 | 1958.2 | 1966.9 | 1986.6 | 2007.4 | 2027.1 | 2046.8 | 2100.4 | 2154.0 | 2206.5 | 2260.1 |
| 12.5° | 2027.1 | 2088.3 | 2150.7 | 2162.7 | 2173.7 | 2185.7 | 2196.6 | 2204.3 | 2212.0 | 2219.6 | 2227.3 |
| 15° | 1834.6 | 1910.0 | 1985.5 | 2017.2 | 2047.9 | 2079.6 | 2110.2 | 2191.2 | 2271.0 | 2352.0 | 2431.8 |
| 17.5° | 1528.2 | 1607.0 | 1686.9 | 1782.0 | 1877.2 | 1972.4 | 2067.6 | 2155.1 | 2242.6 | 2330.1 | 2417.6 |
| 20° | 1169.4 | 1274.4 | 1379.5 | 1499.8 | 1621.2 | 1741.6 | 1861.9 | 1949.4 | 2035.8 | 2123.4 | 2209.8 |
| 22.5° | 840.2 | 925.5 | 1010.8 | 1156.3 | 1300.7 | 1446.2 | 1590.6 | 1742.7 | 1895.8 | 2047.9 | 2199.9 |
| 25° | 640.0 | 693.6 | 748.3 | 891.6 | 1034.9 | 1177.1 | 1320.4 | 1529.3 | 1738.3 | 1947.2 | 2156.2 |
| 27.5° | 543.7 | 580.9 | 617.0 | 746.1 | 875.2 | 1003.2 | 1132.2 | 1380.6 | 1628.9 | 1877.2 | 2125.5 |
| 30° | 512.0 | 537.1 | 562.3 | 671.7 | 782.2 | 891.6 | 1001.0 | 1252.6 | 1504.2 | 1755.8 | 2007.4 |
| 32.5° | 472.6 | 493.4 | 515.2 | 611.5 | 707.8 | 803.0 | 899.2 | 1145.4 | 1391.5 | 1636.5 | 1882.7 |
| 35° | 427.7 | 450.7 | 472.6 | 568.9 | 665.1 | 760.3 | 856.6 | 1111.5 | 1366.3 | 1621.2 | 1876.1 |
| 37.5° | 424.5 | 443.0 | 460.6 | 572.1 | 684.8 | 796.4 | 908.0 | 1162.9 | 1417.8 | 1671.6 | 1926.4 |
| 40° | 420.1 | 437.6 | 455.1 | 568.9 | 681.5 | 795.3 | 908.0 | 1174.9 | 1441.8 | 1708.7 | 1975.7 |
| 42.5° | 431.0 | 454.0 | 478.1 | 578.7 | 679.3 | 778.9 | 879.5 | 1160.7 | 1441.8 | 1721.9 | 2003.0 |
| 45° | 446.3 | 475.9 | 505.4 | 597.3 | 689.2 | 781.1 | 873.0 | 1178.2 | 1483.4 | 1787.5 | 2092.7 |
| 47.5° | 460.6 | 474.8 | 489.0 | 576.5 | 662.9 | 750.4 | 836.9 | 1148.6 | 1460.4 | 1772.2 | 2084.0 |
| 50° | 473.7 | 466.0 | 458.4 | 554.6 | 650.9 | 746.1 | 842.3 | 1139.9 | 1436.4 | 1733.9 | 2030.4 |
| 52.5° | 447.4 | 432.1 | 415.7 | 518.5 | 621.4 | 723.1 | 825.9 | 1125.7 | 1425.4 | 1725.2 | 2024.9 |
| 55° | 398.2 | 380.7 | 363.2 | 464.9 | 565.6 | 667.3 | 768.0 | 1066.6 | 1365.2 | 1663.9 | 1962.5 |
| 57.5° | 347.9 | 341.3 | 333.7 | 411.3 | 489.0 | 565.6 | 643.2 | 974.7 | 1307.3 | 1638.7 | 1970.2 |
| 60° | 296.5 | 303.0 | 310.7 | 366.5 | 422.3 | 477.0 | 532.8 | 857.7 | 1181.5 | 1506.4 | 1830.2 |
| 62.5° | 262.5 | 274.6 | 285.5 | 332.6 | 380.7 | 427.7 | 474.8 | 781.1 | 1087.4 | 1393.7 | 1700.0 |
| 65° | 229.7 | 242.9 | 256.0 | 311.8 | 368.7 | 424.5 | 480.2 | 739.5 | 998.8 | 1258.0 | 1517.3 |
| 67.5° | 200.2 | 210.0 | 221.0 | 294.3 | 367.6 | 440.9 | 514.2 | 726.4 | 937.5 | 1149.7 | 1360.9 |
| 70° | 175.0 | 183.8 | 193.6 | 279.0 | 364.3 | 449.6 | 534.9 | 715.4 | 897.0 | 1077.5 | 1258.0 |
| 72.5° | 154.2 | 161.9 | 169.6 | 256.0 | 342.4 | 428.8 | 515.2 | 676.1 | 835.8 | 996.6 | 1156.3 |
| 75° | 134.6 | 137.8 | 142.2 | 215.5 | 287.7 | 361.0 | 433.2 | 540.4 | 648.7 | 755.9 | 863.1 |
| 77.5° | 97.4 | 97.4 | 98.5 | 120.3 | 141.1 | 163.0 | 183.8 | 250.5 | 317.2 | 382.9 | 449.6 |
| 80° | 66.7 | 67.8 | 67.8 | 76.6 | 84.2 | 93.0 | 100.6 | 114.9 | 128.0 | 142.2 | 155.3 |
| 82.5° | 33.9 | 31.7 | 30.6 | 39.4 | 48.1 | 56.9 | 65.6 | 68.9 | 71.1 | 74.4 | 76.6 |
| 85° | 3.3 | 1.1 | 0.0 | 5.5 | 10.9 | 16.4 | 21.9 | 26.3 | 30.6 | 35.0 | 39.4 |
| 87.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368679
 CATALOG NUMBER: PMM-SA4D-760-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 220° | 222.5° | 225° | 227.5° | 230° | 232.5° | 235° | 237.5° | 240° | 242.5° | 245° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368679

CATALOG NUMBER: PMM-SA4D-760-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 247.5° | 250° | 252.5° | 255° | 257.5° | 260° | 262.5° | 265° | 267.5° | 270° | 272.5° |
|--------|--------|--------|--------|--------|---------|---------|---------|---------|---------|---------|---------|
| 0° | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 |
| 2.5° | 2541.2 | 2532.5 | 2523.7 | 2515.0 | 2568.6 | 2623.3 | 2676.9 | 2730.5 | 2882.6 | 2982.1 | 2971.2 |
| 5° | 2832.2 | 2871.6 | 2911.0 | 2950.4 | 3013.8 | 3078.4 | 3141.8 | 3205.3 | 3430.6 | 3568.5 | 3588.1 |
| 7.5° | 2640.8 | 2701.0 | 2762.2 | 2822.4 | 2944.9 | 3066.3 | 3188.9 | 3310.3 | 3495.2 | 3638.5 | 3719.4 |
| 10° | 2329.0 | 2397.9 | 2465.8 | 2534.7 | 2672.5 | 2811.4 | 2949.3 | 3087.1 | 3295.0 | 3493.0 | 3594.7 |
| 12.5° | 2335.6 | 2443.9 | 2552.2 | 2660.5 | 2780.8 | 2901.1 | 3020.4 | 3140.7 | 3267.6 | 3334.4 | 3477.7 |
| 15° | 2517.2 | 2602.5 | 2687.8 | 2773.2 | 2930.7 | 3088.2 | 3244.6 | 3402.2 | 3477.7 | 3638.5 | 3805.8 |
| 17.5° | 2583.9 | 2751.3 | 2917.6 | 3083.8 | 3280.7 | 3476.6 | 3673.5 | 3869.3 | 4011.5 | 4234.7 | 4407.5 |
| 20° | 2460.3 | 2710.8 | 2960.2 | 3210.7 | 3480.9 | 3751.1 | 4021.4 | 4291.6 | 4446.9 | 4659.1 | 4926.0 |
| 22.5° | 2465.8 | 2731.6 | 2996.3 | 3262.2 | 3635.2 | 4007.1 | 4380.2 | 4752.1 | 5168.9 | 5578.0 | 5708.2 |
| 25° | 2504.0 | 2851.9 | 3198.7 | 3546.6 | 3977.6 | 4408.6 | 4839.6 | 5270.6 | 5773.9 | 6203.8 | 6376.6 |
| 27.5° | 2517.2 | 2908.8 | 3299.3 | 3691.0 | 4303.6 | 4916.2 | 5528.8 | 6141.4 | 6742.0 | 7227.7 | 7412.6 |
| 30° | 2485.4 | 2964.6 | 3442.7 | 3920.7 | 4672.3 | 5423.8 | 6175.3 | 6926.9 | 7496.8 | 8062.4 | 8292.1 |
| 32.5° | 2493.1 | 3103.5 | 3714.0 | 4324.4 | 5209.4 | 6095.5 | 6980.5 | 7865.5 | 8229.8 | 8739.5 | 9144.3 |
| 35° | 2545.6 | 3215.1 | 3883.5 | 4553.0 | 5532.1 | 6511.2 | 7490.3 | 8469.3 | 9066.6 | 9604.9 | 9948.4 |
| 37.5° | 2668.1 | 3409.8 | 4150.4 | 4892.1 | 6095.5 | 7299.9 | 8503.3 | 9706.6 | 10631.0 | 11555.4 | 11712.9 |
| 40° | 2758.9 | 3542.2 | 4325.5 | 5108.7 | 6505.7 | 7902.7 | 9299.6 | 10696.6 | 11742.4 | 12745.6 | 12852.8 |
| 42.5° | 2861.8 | 3719.4 | 4578.2 | 5435.8 | 6998.0 | 8560.1 | 10122.3 | 11684.5 | 12895.5 | 13918.3 | 13989.4 |
| 45° | 2974.4 | 3857.3 | 4739.0 | 5620.7 | 7257.2 | 8892.7 | 10529.2 | 12164.7 | 13579.2 | 14767.2 | 14499.2 |
| 47.5° | 3028.0 | 3972.1 | 4916.2 | 5860.3 | 7615.0 | 9368.6 | 11123.3 | 12876.9 | 14145.8 | 15193.8 | 14881.0 |
| 50° | 3069.6 | 4107.8 | 5147.0 | 6185.2 | 8025.2 | 9865.2 | 11705.2 | 13545.3 | 14817.5 | 15784.6 | 15294.5 |
| 52.5° | 3186.7 | 4347.3 | 5509.1 | 6669.8 | 8626.9 | 10582.8 | 12539.9 | 14495.9 | 15726.6 | 16614.9 | 15927.9 |
| 55° | 3300.4 | 4637.2 | 5975.1 | 7311.9 | 9416.7 | 11522.6 | 13627.3 | 15732.1 | 16957.3 | 17718.7 | 16785.5 |
| 57.5° | 3443.7 | 4918.4 | 6391.9 | 7865.5 | 10116.8 | 12368.2 | 14618.4 | 16869.8 | 18067.6 | 18908.9 | 17939.6 |
| 60° | 3406.6 | 4981.8 | 6558.2 | 8133.5 | 10426.4 | 12719.3 | 15012.2 | 17305.2 | 18728.4 | 19762.2 | 19104.7 |
| 62.5° | 3262.2 | 4824.3 | 6385.4 | 7947.5 | 10200.0 | 12451.3 | 14703.8 | 16955.1 | 18660.6 | 20060.8 | 19839.8 |
| 65° | 2970.1 | 4421.7 | 5874.5 | 7326.2 | 9476.9 | 11628.7 | 13779.4 | 15930.1 | 18034.8 | 19816.9 | 19895.6 |
| 67.5° | 2586.1 | 3811.3 | 5035.4 | 6260.7 | 8267.0 | 10273.3 | 12278.5 | 14284.8 | 16769.1 | 18847.6 | 19081.7 |
| 70° | 2179.1 | 3099.2 | 4020.3 | 4940.3 | 6705.9 | 8471.5 | 10236.1 | 12001.7 | 14584.5 | 16676.1 | 17118.1 |
| 72.5° | 1747.0 | 2338.9 | 2929.6 | 3520.3 | 4794.8 | 6068.1 | 7342.6 | 8615.9 | 10888.1 | 12511.5 | 13282.7 |
| 75° | 1132.2 | 1401.3 | 1670.5 | 1939.6 | 2788.5 | 3636.3 | 4485.2 | 5333.0 | 6841.5 | 8037.2 | 8909.1 |
| 77.5° | 504.3 | 559.0 | 612.6 | 667.3 | 1322.6 | 1977.9 | 2633.1 | 3288.4 | 3943.7 | 4665.7 | 4870.3 |
| 80° | 180.5 | 204.6 | 229.7 | 253.8 | 575.4 | 898.1 | 1219.8 | 1541.4 | 1858.6 | 2231.7 | 2322.5 |
| 82.5° | 75.5 | 75.5 | 74.4 | 73.3 | 188.2 | 303.0 | 417.9 | 532.8 | 615.9 | 707.8 | 725.3 |
| 85° | 30.6 | 23.0 | 14.2 | 5.5 | 24.1 | 43.8 | 62.4 | 81.0 | 130.2 | 118.1 | 218.8 |
| 87.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368679
 CATALOG NUMBER: PMM-SA4D-760-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 247.5° | 250° | 252.5° | 255° | 257.5° | 260° | 262.5° | 265° | 267.5° | 270° | 272.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368679

CATALOG NUMBER: PMM-SA4D-760-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 275° | 277.5° | 280° | 282.5° | 285° | 287.5° | 290° | 292.5° | 295° | 297.5° | 300° |
|--------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 0° | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 |
| 2.5° | 2929.6 | 2927.4 | 2925.2 | 2923.0 | 2920.8 | 2881.5 | 2843.2 | 2803.8 | 2765.5 | 2813.6 | 2861.8 |
| 5° | 3556.4 | 3613.3 | 3670.2 | 3728.2 | 3785.1 | 3801.5 | 3817.9 | 3834.3 | 3850.7 | 3885.7 | 3920.7 |
| 7.5° | 3787.2 | 3883.5 | 3978.7 | 4075.0 | 4170.1 | 4258.7 | 4346.3 | 4434.9 | 4523.5 | 4501.6 | 4479.7 |
| 10° | 3707.4 | 3881.3 | 4055.3 | 4230.3 | 4404.2 | 4442.5 | 4480.8 | 4520.2 | 4558.5 | 4658.0 | 4757.6 |
| 12.5° | 3621.0 | 3829.9 | 4038.9 | 4247.8 | 4456.7 | 4572.7 | 4687.6 | 4803.5 | 4919.5 | 5020.1 | 5120.8 |
| 15° | 4031.2 | 4164.7 | 4298.1 | 4432.7 | 4566.1 | 4667.9 | 4768.5 | 4870.3 | 4970.9 | 5040.9 | 5109.8 |
| 17.5° | 4570.5 | 4636.2 | 4701.8 | 4768.5 | 4834.2 | 4914.0 | 4993.9 | 5073.7 | 5153.6 | 5195.2 | 5236.7 |
| 20° | 5140.5 | 5168.9 | 5197.3 | 5225.8 | 5254.2 | 5190.8 | 5127.3 | 5063.9 | 5000.4 | 5039.8 | 5078.1 |
| 22.5° | 5712.6 | 5722.4 | 5733.4 | 5743.2 | 5753.1 | 5605.4 | 5457.7 | 5310.0 | 5162.3 | 5100.0 | 5037.6 |
| 25° | 6593.2 | 6521.0 | 6448.8 | 6376.6 | 6304.4 | 6129.4 | 5954.4 | 5779.3 | 5604.3 | 5450.0 | 5295.8 |
| 27.5° | 7547.1 | 7302.1 | 7058.2 | 6813.1 | 6569.2 | 6394.1 | 6219.1 | 6044.1 | 5869.0 | 5637.1 | 5405.2 |
| 30° | 8508.7 | 8113.8 | 7720.0 | 7325.1 | 6931.3 | 6723.4 | 6515.6 | 6306.6 | 6098.8 | 5866.8 | 5636.0 |
| 32.5° | 9390.4 | 8915.7 | 8440.9 | 7965.0 | 7490.3 | 7140.2 | 6790.1 | 6440.1 | 6090.0 | 5928.1 | 5766.2 |
| 35° | 10121.2 | 9560.0 | 8998.8 | 8436.5 | 7875.3 | 7528.5 | 7181.8 | 6835.0 | 6488.2 | 6247.5 | 6008.0 |
| 37.5° | 11370.5 | 10739.3 | 10108.1 | 9476.9 | 8845.7 | 8372.0 | 7899.4 | 7425.7 | 6952.0 | 6791.2 | 6630.4 |
| 40° | 12522.4 | 11727.1 | 10931.8 | 10136.5 | 9341.2 | 8944.1 | 8548.1 | 8151.0 | 7755.0 | 7491.4 | 7228.8 |
| 42.5° | 13438.1 | 12600.1 | 11763.2 | 10925.3 | 10087.3 | 9694.6 | 9302.9 | 8910.2 | 8517.5 | 8341.4 | 8166.3 |
| 45° | 13636.1 | 12846.2 | 12057.5 | 11267.7 | 10477.8 | 10249.2 | 10021.7 | 9793.0 | 9565.5 | 9444.1 | 9323.7 |
| 47.5° | 14026.6 | 13170.0 | 12314.6 | 11458.0 | 10601.4 | 10498.6 | 10395.8 | 10291.9 | 10189.0 | 10247.0 | 10305.0 |
| 50° | 14245.4 | 13371.3 | 12497.3 | 11623.2 | 10749.1 | 10778.7 | 10807.1 | 10836.6 | 10866.2 | 11277.5 | 11687.7 |
| 52.5° | 14669.8 | 13787.0 | 12904.2 | 12021.4 | 11138.6 | 11324.5 | 11509.4 | 11695.4 | 11880.3 | 12446.9 | 13012.5 |
| 55° | 15427.9 | 14560.4 | 13692.9 | 12824.3 | 11956.8 | 12201.9 | 12446.9 | 12693.1 | 12938.1 | 13539.8 | 14140.4 |
| 57.5° | 16551.4 | 15690.5 | 14830.6 | 13969.7 | 13109.9 | 13353.8 | 13597.8 | 13841.7 | 14085.7 | 14629.4 | 15172.0 |
| 60° | 17965.9 | 17082.0 | 16199.2 | 15315.3 | 14432.5 | 14524.3 | 14615.1 | 14707.0 | 14798.9 | 15383.1 | 15966.2 |
| 62.5° | 19067.5 | 18254.7 | 17443.0 | 16630.2 | 15818.5 | 15716.7 | 15616.1 | 15514.4 | 15413.7 | 15857.9 | 16300.9 |
| 65° | 19323.5 | 18751.4 | 18180.3 | 17608.2 | 17036.0 | 16723.2 | 16411.4 | 16098.5 | 15785.7 | 15965.1 | 16144.5 |
| 67.5° | 18590.5 | 18204.4 | 17819.3 | 17433.2 | 17047.0 | 16393.9 | 15740.8 | 15086.6 | 14433.5 | 14338.4 | 14243.2 |
| 70° | 16889.5 | 16678.3 | 16468.3 | 16257.2 | 16047.1 | 15040.7 | 14035.3 | 13028.9 | 12023.6 | 11781.8 | 11540.1 |
| 72.5° | 13327.6 | 13458.8 | 13590.1 | 13722.5 | 13853.8 | 12776.2 | 11699.8 | 10622.2 | 9544.7 | 9238.4 | 8933.2 |
| 75° | 9398.1 | 9843.3 | 10288.6 | 10733.8 | 11179.1 | 10196.7 | 9215.4 | 8233.1 | 7250.7 | 6956.4 | 6663.2 |
| 77.5° | 5095.6 | 5930.3 | 6765.0 | 7599.7 | 8434.3 | 7623.7 | 6814.2 | 6003.6 | 5193.0 | 4988.4 | 4784.9 |
| 80° | 2415.4 | 2896.8 | 3377.0 | 3858.4 | 4339.7 | 4157.0 | 3974.3 | 3790.5 | 3607.8 | 3652.7 | 3697.5 |
| 82.5° | 740.6 | 1088.5 | 1436.4 | 1784.2 | 2132.1 | 2159.5 | 2185.7 | 2213.1 | 2240.4 | 2308.2 | 2375.0 |
| 85° | 248.3 | 340.2 | 432.1 | 524.0 | 615.9 | 777.8 | 939.7 | 1102.7 | 1264.6 | 1159.6 | 1055.7 |
| 87.5° | 0.0 | 3.3 | 5.5 | 8.8 | 10.9 | 33.9 | 56.9 | 79.9 | 102.8 | 88.6 | 75.5 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368679
 CATALOG NUMBER: PMM-SA4D-760-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 275° | 277.5° | 280° | 282.5° | 285° | 287.5° | 290° | 292.5° | 295° | 297.5° | 300° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368679

CATALOG NUMBER: PMM-SA4D-760-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 302.5° | 305° | 307.5° | 310° | 312.5° | 315° | 317.5° | 320° | 322.5° | 325° | 327.5° |
|--------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 0° | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 |
| 2.5° | 2911.0 | 2959.1 | 2960.2 | 2962.4 | 2963.5 | 2964.6 | 2970.1 | 2975.5 | 2982.1 | 2987.6 | 2951.5 |
| 5° | 3956.8 | 3991.8 | 3927.3 | 3862.7 | 3797.1 | 3732.5 | 3790.5 | 3848.5 | 3906.5 | 3964.5 | 3939.3 |
| 7.5° | 4456.7 | 4434.9 | 4427.2 | 4420.6 | 4413.0 | 4406.4 | 4428.3 | 4450.2 | 4472.1 | 4493.9 | 4491.7 |
| 10° | 4857.1 | 4956.7 | 4980.7 | 5004.8 | 5030.0 | 5054.0 | 5003.7 | 4953.4 | 4903.1 | 4852.8 | 4832.0 |
| 12.5° | 5221.4 | 5322.1 | 5401.9 | 5481.8 | 5562.7 | 5642.6 | 5570.4 | 5499.3 | 5427.1 | 5356.0 | 5288.1 |
| 15° | 5179.8 | 5248.8 | 5314.4 | 5380.0 | 5445.7 | 5511.3 | 5487.2 | 5464.3 | 5440.2 | 5416.1 | 5405.2 |
| 17.5° | 5279.4 | 5321.0 | 5305.6 | 5290.3 | 5273.9 | 5258.6 | 5250.9 | 5244.4 | 5236.7 | 5229.1 | 5202.8 |
| 20° | 5117.5 | 5156.9 | 5147.0 | 5138.3 | 5128.4 | 5118.6 | 5112.0 | 5105.5 | 5098.9 | 5092.3 | 5071.5 |
| 22.5° | 4975.3 | 4912.9 | 4896.5 | 4881.2 | 4864.8 | 4849.5 | 4851.7 | 4853.8 | 4854.9 | 4857.1 | 4951.2 |
| 25° | 5141.6 | 4987.3 | 4927.1 | 4867.0 | 4805.7 | 4745.5 | 4772.9 | 4799.1 | 4826.5 | 4853.8 | 4989.5 |
| 27.5° | 5172.2 | 4940.3 | 4844.0 | 4747.7 | 4651.5 | 4555.2 | 4653.7 | 4752.1 | 4850.6 | 4949.0 | 5168.9 |
| 30° | 5404.1 | 5173.3 | 5038.7 | 4905.3 | 4770.7 | 4637.2 | 4763.0 | 4888.9 | 5014.7 | 5140.5 | 5378.9 |
| 32.5° | 5603.2 | 5441.3 | 5345.0 | 5248.8 | 5152.5 | 5056.2 | 5061.7 | 5066.1 | 5071.5 | 5077.0 | 5412.9 |
| 35° | 5767.3 | 5527.7 | 5440.2 | 5353.8 | 5266.3 | 5179.8 | 5310.0 | 5440.2 | 5570.4 | 5700.6 | 6002.5 |
| 37.5° | 6469.6 | 6308.8 | 6148.0 | 5988.3 | 5827.5 | 5667.7 | 5771.7 | 5875.6 | 5980.6 | 6084.5 | 6418.2 |
| 40° | 6965.2 | 6702.6 | 6661.0 | 6620.6 | 6579.0 | 6538.5 | 6592.1 | 6644.6 | 6698.2 | 6751.8 | 7043.9 |
| 42.5° | 7990.2 | 7814.1 | 7701.4 | 7589.8 | 7477.1 | 7365.5 | 7408.2 | 7450.9 | 7494.6 | 7537.3 | 7814.1 |
| 45° | 9202.3 | 9080.9 | 9006.5 | 8932.1 | 8856.6 | 8782.2 | 8717.7 | 8654.2 | 8589.7 | 8526.2 | 8807.4 |
| 47.5° | 10363.0 | 10420.9 | 10585.0 | 10748.0 | 10912.1 | 11075.1 | 10941.7 | 10808.2 | 10673.6 | 10540.2 | 10541.3 |
| 50° | 12099.1 | 12509.3 | 12592.4 | 12674.5 | 12757.6 | 12839.7 | 12555.2 | 12270.8 | 11985.3 | 11700.9 | 11667.0 |
| 52.5° | 13579.2 | 14144.7 | 14174.3 | 14203.8 | 14234.4 | 14264.0 | 14149.1 | 14034.3 | 13918.3 | 13803.4 | 13498.2 |
| 55° | 14742.0 | 15342.6 | 15383.1 | 15422.5 | 15463.0 | 15502.3 | 15401.7 | 15302.1 | 15201.5 | 15100.9 | 14792.4 |
| 57.5° | 15715.7 | 16258.3 | 16282.3 | 16305.3 | 16329.4 | 16353.4 | 16361.1 | 16368.7 | 16377.5 | 16385.1 | 15968.4 |
| 60° | 16550.3 | 17134.5 | 17086.4 | 17039.3 | 16991.2 | 16944.2 | 16872.0 | 16799.8 | 16727.6 | 16655.4 | 16386.2 |
| 62.5° | 16745.1 | 17189.2 | 17114.8 | 17041.5 | 16967.1 | 16893.8 | 16832.6 | 16772.4 | 16711.1 | 16649.9 | 16478.1 |
| 65° | 16323.9 | 16503.3 | 16426.7 | 16350.1 | 16272.5 | 16195.9 | 16156.5 | 16118.2 | 16078.8 | 16039.5 | 16017.6 |
| 67.5° | 14146.9 | 14051.8 | 14142.6 | 14233.4 | 14324.2 | 14414.9 | 14538.6 | 14662.2 | 14786.9 | 14910.5 | 14838.3 |
| 70° | 11297.2 | 11055.4 | 11156.1 | 11255.6 | 11356.3 | 11455.8 | 11642.9 | 11830.0 | 12018.1 | 12205.2 | 12154.9 |
| 72.5° | 8626.9 | 8320.6 | 8334.8 | 8349.0 | 8364.3 | 8378.5 | 8373.1 | 8368.7 | 8363.2 | 8357.8 | 8445.3 |
| 75° | 6369.0 | 6074.7 | 5935.8 | 5796.8 | 5657.9 | 5519.0 | 5485.1 | 5451.1 | 5417.2 | 5383.3 | 5546.3 |
| 77.5° | 4580.4 | 4376.9 | 4281.7 | 4187.6 | 4092.5 | 3998.4 | 4046.5 | 4094.6 | 4143.9 | 4192.0 | 4248.9 |
| 80° | 3743.5 | 3788.3 | 3715.0 | 3642.8 | 3569.6 | 3496.3 | 3551.0 | 3604.6 | 3659.3 | 3714.0 | 3544.4 |
| 82.5° | 2442.8 | 2509.5 | 2284.2 | 2058.8 | 1833.5 | 1608.1 | 1744.8 | 1881.6 | 2019.4 | 2156.2 | 2086.2 |
| 85° | 950.6 | 846.7 | 722.0 | 598.4 | 473.7 | 349.0 | 454.0 | 559.0 | 664.0 | 769.0 | 839.1 |
| 87.5° | 61.3 | 48.1 | 38.3 | 28.4 | 17.5 | 7.7 | 16.4 | 25.2 | 35.0 | 43.8 | 73.3 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368679
 CATALOG NUMBER: PMM-SA4D-760-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 302.5° | 305° | 307.5° | 310° | 312.5° | 315° | 317.5° | 320° | 322.5° | 325° | 327.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368679

CATALOG NUMBER: PMM-SA4D-760-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 330° | 332.5° | 335° | 337.5° | 340° | 342.5° | 345° | 347.5° | 350° | 352.5° | 355° |
|--------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 0° | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 | 2312.6 |
| 2.5° | 2916.5 | 2880.4 | 2845.4 | 2776.4 | 2707.5 | 2638.6 | 2569.7 | 2666.0 | 2762.2 | 2858.5 | 2954.8 |
| 5° | 3915.2 | 3890.1 | 3866.0 | 3872.6 | 3879.1 | 3886.8 | 3893.4 | 3907.6 | 3921.8 | 3934.9 | 3949.2 |
| 7.5° | 4490.7 | 4488.5 | 4486.3 | 4436.0 | 4385.6 | 4334.2 | 4283.9 | 4309.1 | 4334.2 | 4359.4 | 4384.5 |
| 10° | 4812.3 | 4791.5 | 4770.7 | 4660.2 | 4549.7 | 4438.1 | 4327.7 | 4279.5 | 4230.3 | 4182.2 | 4134.0 |
| 12.5° | 5220.3 | 5151.4 | 5083.6 | 4965.4 | 4848.4 | 4730.2 | 4612.1 | 4568.3 | 4523.5 | 4479.7 | 4434.9 |
| 15° | 5395.4 | 5384.4 | 5374.6 | 5290.3 | 5205.0 | 5120.8 | 5035.4 | 4885.6 | 4734.6 | 4584.7 | 4434.9 |
| 17.5° | 5176.6 | 5149.2 | 5123.0 | 5256.4 | 5388.8 | 5522.2 | 5655.7 | 5500.4 | 5345.0 | 5189.7 | 5034.3 |
| 20° | 5050.8 | 5030.0 | 5009.2 | 5257.5 | 5504.7 | 5753.1 | 6000.3 | 5931.4 | 5861.4 | 5792.5 | 5723.5 |
| 22.5° | 5045.3 | 5140.5 | 5234.5 | 5452.2 | 5668.8 | 5886.5 | 6103.1 | 6222.4 | 6342.7 | 6461.9 | 6581.2 |
| 25° | 5125.1 | 5261.9 | 5397.5 | 5758.5 | 6119.5 | 6481.6 | 6842.6 | 6979.4 | 7115.0 | 7251.8 | 7387.4 |
| 27.5° | 5387.7 | 5607.6 | 5826.4 | 6141.4 | 6456.5 | 6772.6 | 7087.7 | 7386.3 | 7686.1 | 7984.7 | 8283.4 |
| 30° | 5616.3 | 5854.8 | 6093.3 | 6468.5 | 6842.6 | 7217.9 | 7592.0 | 7966.1 | 8340.3 | 8714.4 | 9088.5 |
| 32.5° | 5748.7 | 6085.6 | 6421.5 | 6877.6 | 7332.7 | 7788.9 | 8245.1 | 8655.3 | 9065.5 | 9474.7 | 9884.9 |
| 35° | 6304.4 | 6607.4 | 6909.4 | 7413.7 | 7918.0 | 8423.4 | 8927.7 | 9435.3 | 9942.9 | 10449.4 | 10957.0 |
| 37.5° | 6751.8 | 7086.6 | 7420.2 | 7971.6 | 8521.9 | 9073.2 | 9624.6 | 10325.8 | 11028.1 | 11729.3 | 12430.5 |
| 40° | 7336.0 | 7628.1 | 7920.2 | 8436.5 | 8951.8 | 9468.1 | 9984.5 | 10873.8 | 11763.2 | 12651.5 | 13540.9 |
| 42.5° | 8089.7 | 8366.5 | 8643.3 | 9195.7 | 9748.2 | 10300.6 | 10853.1 | 11837.6 | 12822.2 | 13805.6 | 14790.2 |
| 45° | 9088.5 | 9370.8 | 9651.9 | 10091.7 | 10531.4 | 10971.2 | 11411.0 | 12457.9 | 13503.7 | 14550.6 | 15596.4 |
| 47.5° | 10542.4 | 10543.5 | 10544.6 | 10861.8 | 11179.1 | 11497.4 | 11814.6 | 12869.2 | 13922.7 | 14977.2 | 16030.7 |
| 50° | 11633.0 | 11598.0 | 11564.1 | 11728.2 | 11891.2 | 12055.3 | 12219.4 | 13189.7 | 14161.2 | 15131.5 | 16101.8 |
| 52.5° | 13194.1 | 12888.9 | 12584.8 | 12682.1 | 12778.4 | 12875.8 | 12972.0 | 13793.6 | 14616.2 | 15437.8 | 16259.3 |
| 55° | 14485.0 | 14176.5 | 13868.0 | 13831.9 | 13795.8 | 13759.7 | 13723.6 | 14479.5 | 15235.4 | 15991.3 | 16747.2 |
| 57.5° | 15552.7 | 15135.9 | 14720.2 | 14637.0 | 14555.0 | 14471.8 | 14388.7 | 15186.2 | 15982.6 | 16780.1 | 17576.5 |
| 60° | 16118.2 | 15849.1 | 15580.0 | 15526.4 | 15471.7 | 15418.1 | 15363.4 | 16017.6 | 16671.8 | 17325.9 | 17980.1 |
| 62.5° | 16307.5 | 16135.7 | 15965.1 | 16065.7 | 16166.4 | 16268.1 | 16368.7 | 16656.4 | 16943.1 | 17230.8 | 17517.4 |
| 65° | 15996.8 | 15974.9 | 15953.0 | 16159.8 | 16365.5 | 16572.2 | 16779.0 | 16707.9 | 16635.7 | 16564.6 | 16493.4 |
| 67.5° | 14767.2 | 14695.0 | 14623.9 | 15077.9 | 15530.8 | 15984.8 | 16438.8 | 16094.2 | 15748.5 | 15403.9 | 15059.3 |
| 70° | 12104.5 | 12053.1 | 12002.8 | 12657.0 | 13311.2 | 13966.4 | 14620.6 | 14202.7 | 13784.8 | 13366.9 | 12949.1 |
| 72.5° | 8531.7 | 8619.2 | 8706.7 | 9478.0 | 10248.1 | 11019.3 | 11789.5 | 11368.3 | 10947.1 | 10526.0 | 10104.8 |
| 75° | 5708.2 | 5871.2 | 6034.2 | 6828.4 | 7622.6 | 8417.9 | 9212.1 | 8717.7 | 8223.2 | 7728.7 | 7234.3 |
| 77.5° | 4305.8 | 4362.7 | 4419.5 | 4921.7 | 5423.8 | 5927.0 | 6429.1 | 6021.1 | 5612.0 | 5203.9 | 4794.8 |
| 80° | 3374.8 | 3204.2 | 3034.6 | 3199.8 | 3365.0 | 3530.2 | 3695.4 | 3451.4 | 3207.5 | 2964.6 | 2720.6 |
| 82.5° | 2016.1 | 1946.1 | 1876.1 | 1965.8 | 2054.4 | 2144.1 | 2233.8 | 2128.8 | 2022.7 | 1917.7 | 1811.6 |
| 85° | 908.0 | 978.0 | 1046.9 | 1137.7 | 1227.4 | 1318.2 | 1409.0 | 1262.4 | 1115.8 | 969.2 | 822.6 |
| 87.5° | 101.7 | 131.3 | 160.8 | 199.1 | 237.4 | 275.7 | 314.0 | 245.0 | 175.0 | 106.1 | 37.2 |
| 90° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368679
 CATALOG NUMBER: PMM-SA4D-760-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 330° | 332.5° | 335° | 337.5° | 340° | 342.5° | 345° | 347.5° | 350° | 352.5° | 355° |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



REPORT NUMBER: P368679
CATALOG NUMBER: PMM-SA4D-760-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 357.5° | 360° |
|--------|---------|---------|
| 0° | 2312.6 | 2312.6 |
| 2.5° | 3010.5 | 3066.3 |
| 5° | 3948.1 | 3945.9 |
| 7.5° | 4318.9 | 4252.2 |
| 10° | 4072.8 | 4011.5 |
| 12.5° | 4278.4 | 4122.0 |
| 15° | 4316.7 | 4198.6 |
| 17.5° | 4841.8 | 4648.2 |
| 20° | 5475.2 | 5225.8 |
| 22.5° | 6239.9 | 5897.5 |
| 25° | 6980.5 | 6573.5 |
| 27.5° | 8039.4 | 7794.4 |
| 30° | 8841.3 | 8593.0 |
| 32.5° | 9716.4 | 9548.0 |
| 35° | 10789.6 | 10621.1 |
| 37.5° | 12474.3 | 12516.9 |
| 40° | 13567.1 | 13593.4 |
| 42.5° | 14891.9 | 14993.6 |
| 45° | 15710.2 | 15824.0 |
| 47.5° | 16189.3 | 16348.0 |
| 50° | 16357.8 | 16613.8 |
| 52.5° | 16575.5 | 16890.6 |
| 55° | 17098.4 | 17449.6 |
| 57.5° | 17856.5 | 18136.6 |
| 60° | 17993.3 | 18006.4 |
| 62.5° | 17315.0 | 17112.6 |
| 65° | 16277.9 | 16062.4 |
| 67.5° | 14929.1 | 14797.8 |
| 70° | 12776.2 | 12603.4 |
| 72.5° | 9783.2 | 9461.6 |
| 75° | 6836.1 | 6437.9 |
| 77.5° | 4585.8 | 4376.9 |
| 80° | 2727.2 | 2732.7 |
| 82.5° | 1861.9 | 1911.1 |
| 85° | 812.8 | 801.9 |
| 87.5° | 26.3 | 14.2 |
| 90° | 0.0 | 0.0 |
| 92.5° | 0.0 | 0.0 |
| 95° | 0.0 | 0.0 |
| 97.5° | 0.0 | 0.0 |
| 100° | 0.0 | 0.0 |
| 102.5° | 0.0 | 0.0 |
| 105° | 0.0 | 0.0 |
| 107.5° | 0.0 | 0.0 |
| 110° | 0.0 | 0.0 |



REPORT NUMBER: P368679
CATALOG NUMBER: PMM-SA4D-760-U-SLR-HSS

CANDELA DISTRIBUTION (continued):

| | 357.5° | 360° |
|--------|--------|------|
| 112.5° | 0.0 | 0.0 |
| 115° | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 |
| 120° | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 |
| 125° | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 |
| 130° | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 |
| 135° | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 |
| 140° | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 |
| 145° | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 |
| 150° | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 |
| 155° | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 |
| 160° | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 |
| 165° | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 |
| 170° | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 |
| 175° | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 |
| 180° | 0.0 | 0.0 |

(END OF REPORT)